The State of New Hampshire
*Department of Environmental Services*

**Michael P. Nolin**
Commissioner

October 24, 2005

Mr. Joseph A. LaRose
Bishop Guertin High School
194 Lund Road
Nashua, New Hampshire 03060-4398

**LETTER OF COMPLIANCE**
**For**
**LETTER OF DEFICIENCY**
**ARD No. 05-012**

Dear Mr. LaRose:

The New Hampshire Department of Environmental Services, Air Resources Division ("DES"), has reviewed the actions taken by the Bishop Guertin High School (the "School") in response to Letter of Deficiency ARD No. 2005-012 ("LOD"). DES has determined that the specific issues addressed in the LOD have been resolved in a manner consistent with the provisions of the Asbestos Hazard Emergency Response Act of 1986 ("AHERA"), 15 USC § 2641 *et seq.*, and the regulations promulgated pursuant to AHERA, 40 Code of Federal Regulations ("CFR") Part 763, Subpart E – *Asbestos Containing Material in Schools*. Based upon a determination by DES that compliance with the LOD has been achieved, DES issues this Letter of Compliance.

Please be advised that DES will continue to monitor the compliance status at the School. Further, this letter does not provide relief against any existing or future violations, and refers only to the compliance issues addressed in the LOD.

DES recognizes the efforts that you have taken to come into compliance. If you have any questions regarding this Letter of Compliance, please contact Barbara Hoffman, Compliance Bureau, Air Resources Division, at (603) 271-7874. Thank you for your cooperation.

Sincerely,

COPY

Pamela G. Monroe
Compliance Bureau Administrator
Air Resources Division

PGM/asb

cc: W. Toland, EPA Region 1
G. Hamel, Legal Unit Administrator
Ray Clement, Diocese of Manchester
Source File

**P.O. Box 95, 29 Hazen Drive, Concord, New Hampshire 03302-0095**
Telephone: (603) 271-1370 • Fax: (603) 271-1381 • TDD Access: Relay NH 1-800-735-2964
DES Web site: **www.des.nh.gov**