The State of New Hampshire
Department of Environmental Services

Michael P. Nolin
Commissioner

November 22, 2005

Ms. Christine Urban
Nashua Christian Academy & High School
34 Franklin Street
Nashua, New Hampshire 03064

LETTER OF COMPLIANCE
For
LETTER OF DEFICIENCY
No. ARD 05-009
(Asb)

RE: Nashua Christian Academy & High School

Dear Ms. Urban:

The New Hampshire Department of Environmental Services, Air Resources Division ("DES"), has reviewed the actions taken by the Nashua Christian Academy & High School (the "School") in response to Letter of Deficiency No. ARD 05-009 ("LOD"). DES has determined that the specific issues addressed in the LOD have been resolved in a manner consistent with the provisions of the Asbestos Hazard Emergency Response Act of 1986 ("AHERA"), 15 USC § 2641 *et seq.*, and the regulations promulgated pursuant to AHERA, 40 Code of Federal Regulations ("CFR") Part 763, Subpart E – *Asbestos Containing Material in Schools*. Based upon a determination by DES that compliance with the LOD has been achieved, DES issues this Letter of Compliance.

Please be advised that DES will continue to monitor the compliance status at the School. Further, this letter does not provide relief against any existing or future violations, and refers only to the compliance issues addressed in the LOD.

DES recognizes the efforts that you have taken to come into compliance. If you have any questions regarding this Letter of Compliance, please contact Barbara Hoffman, Compliance Bureau, Air Resources Division, at (603) 271-7874. Thank you for your cooperation.

Sincerely,

COPY

Pamela G. Monroe
Compliance Bureau Administrator
Air Resources Division

PGM/asb

cc: W. Toland, EPA Region 1
G. Hamel, Legal Unit Administrator