The State of New Hampshire
Department of Environmental Services

Michael P. Nolin
Commissioner

August 22, 2005

Mr. William P. Lander
SAU # 64
39 Main Street
Union, New Hampshire 03887-9708

LETTER OF COMPLIANCE
For
LETTER OF DEFICIENCY
ARD No. 2005-008

Dear Mr. Lander:

The New Hampshire Department of Environmental Services, Air Resources Division ("DES"), has reviewed the actions taken by the SAU # 64 (SAU) in response to Letter of Deficiency ARD No. 2005-008 ("the LOD"). DES believes that the specific issues addressed in the LOD have been resolved in a manner consistent with the Asbestos Hazard Emergency Response Act of 1986, 15 USC § 2641 *et seq.*, and the regulations promulgated pursuant to AHERA, 40 Code of Federal Regulations Part 763, Subpart E – *Asbestos Containing Materials in Schools*. Based upon a determination by DES that compliance with the LOD has been achieved, DES issues this Letter of Compliance.

Please be advised that DES will continue to monitor the Compliance status of SAU. This letter does not provide relief against any existing or future violations, and refers only to the compliance issues addressed in the LOD.

DES recognizes the efforts that the SAU has taken to come into compliance. If you have any questions regarding this Letter of Compliance, please contact Stephen Cullinane, Compliance Bureau, Air Resources Division, at (603) 271-1373. Thank you for your cooperation.

Sincerely,

COPY

Pamela G. Monroe
Compliance Bureau Administrator
Air Resources Division

PGM/emj

cc: G. Hamel, NHDES Legal Unit
W. Toland, EPA Region 1
P. Morrill, Chairman, Wakefield Board of Selectmen
AFS#3300085555