

Wetlands Bureau Decision Report

Decisions Taken
01/22/2007 to 01/28/2007

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

I. Any affected party may ask for reconsideration of a permit decision in accordance with RSA 482-A:10,II within 20 days of the Department's issuance of a decision. Requests for reconsideration should:

- 1) describe in detail each ground for complaint. Only grounds set forth in the request for reconsideration can be considered at subsequent levels of appeal;
- 2) provide new evidence or information to support the requested action;
- 3) Parties other than the applicant, the town, or contiguous abutters must explain why they believe they are affected; and
- 4) Be mailed to the DES Wetlands Bureau, PO Box 95, Concord, NH 03302-0095.

II. An appeal of a decision of the department after reconsideration may be filed with the Wetlands Council in accordance with RSA 482-A:10, IV within 30 days of the department's decision. Filing of the appeal must:

- 1) be made by certified mail to Brian Fowler, Chairperson, Wetlands Council, PO Box 95, Concord, NH 03302-0095 (a copy should also be sent to the DES Wetlands Bureau);
- 2) contain a detailed description of the land involved in the department's decision; and
- 3) set forth every ground upon which it is claimed that the department's decision is unlawful or unreasonable.

MAJOR IMPACT PROJECT

2005-02343 DONNER, MARIE
DOVER Cocheco River

Requested Action:

Construct a 10' x 16' platform connecting to a 3'x 42' ramp connecting to a 20' x 8' float providing 1 under-sized boat slip (as compared to the defined size of "boat slip" pursuant to Administrative Rule Env-Wt 101.09) on 800' of frontage.

DENY PERMIT-INSUFFICIENT & UNTIMELY RESP:

Construct a 10' x 16' platform connecting to a 3'x 42' ramp connecting to a 20' x 8' float providing 1 under-sized boat slip (as compared to the defined size of "boat slip" pursuant to Administrative Rule Env-Wt 101.09) on 800' of frontage.

With Findings:

1. A request for additional information dated 12/15/2005, addressed to the applicant or agent of record, clearly identified changes made to RSA 482-A:3 in 2003, requiring the applicant to submit additional information to DES within 120 days of the request. The 120-day deadline for response was 4/15/2006.
2. On 1/12/2006 DES received a response from the applicant which did not fully address the 12/15/2005 DES Request For More Information letter.
3. On 2/24/2006 DES sent a follow-up letter again requesting relocation of the proposed dock location, and reiterating the 4/15/2006 response deadline.
4. On 3/7/2006 DES received a request from the applicant for a six-month time extension to allow subdivision of the property to be completed prior to relocation of the proposed dock.
5. On 4/15/2006 DES extended the deadline for response to 10/14/2006 as requested by the applicant.
6. No further time extension requests, nor the requested project revisions, have been received from the applicant by DES prior to the deadline, or to current date.
7. Pursuant to RSA 482-A, XIV(b), if the requested additional information is not received by DES within 120 days of the request, DES shall deny the application.
8. DES did not receive the requested additional information within the 120 days, nor within the time extension period agreed to by the applicant and granted by DES pursuant to RSA 482-A, XIV(c)(3), and, therefore, the application has been denied.

2005-02505 ONE BEMIS ROAD REALTY LLC, PETER KING
HOOKSETT Unnamed Wetland

Requested Action:

Dredge and fill 25,381 square feet of a wetland including rerouting of approximately 850 linear feet of intermittent stream for construction of two box stores. The application has been deemed eligible for payment into the Aquatic Resource Mitigation fund as the form of compensatory mitigation.

APPROVE PERMIT:

Dredge and fill 25,381 square feet of a wetland including rerouting of approximately 850 linear feet of intermittent stream for construction of two box stores. The application has been deemed eligible for payment into the Aquatic Resource Mitigation fund as the form of compensatory mitigation.

With Conditions:

1. All work shall be in accordance with plans by Rizzo Associates dated June 28, 2005, and revised through December 20, 2006, as received by the Department on December 29, 2006 and plans by Bohler Engineering sheets C1, through C12, ES1 through ES3 and D1-D4 dated May 20, 2005 and revised through December 11, 2006, as received by the Department January 8, 2007, and sheets M1 and M2 dated May 20, 2005, and revised through July 11, 2006 as received by the Department on September 21, 2006 .

2. This permit is contingent upon the recreation of the stream system and plantings as illustrated on plans by Bohler Associates dated May 20, 2005, and revised through July 11, 2006, as received by the Department on September 21, 2006.
3. This permit is contingent on receipt by DES of a one time payment of \$77,636.00 dollars to the DES Aquatic Resource Mitigation (ARM) Fund. The payment shall be received by DES within 120 days of the date of the approval letter or the application will be denied.
4. This permit is contingent on approval by the DES Wastewater Engineering Bureau.
5. This permit is contingent on approval by the DES Site Specific Program.
6. This permit is contingent on approval of the NH Department of Transportation Driveway permit.
7. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
8. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau.
9. At least 48 hours prior to the start of construction, a pre-construction meeting shall be held with NHDES Water Division permitting staff at the project site or at the DES Office in Concord, N.H. to review the conditions of this wetlands permit and the NHDES Site Specific Permit. It shall be the responsibility of the permittee to schedule the pre-construction meeting, and the meeting shall be attended by the permittee, his/her professional engineer(s), wetlands scientist(s), and the contractor(s) responsible for performing the work.
10. All work shall be conducted during low water conditions, and there shall be no flow in the stream channel during construction of that area.
11. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
12. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
13. No portion of the swale within existing jurisdictional areas shall be paved.
14. No portion of the wetland within 20 feet of the property line shall be disturbed.
15. Proper headwalls shall be constructed within seven days of culvert installation.
16. Culvert outlets shall be protected in accordance with the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
17. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
18. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
19. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
20. Silt fencing must be removed once the area is stabilized.
21. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
22. A post-construction report documenting the status of the completed project with photographs shall be submitted to the Wetlands Bureau within 60 days of the completion of construction.
23. The permittee shall attempt to control invasive, weedy species such as purple loosestrife (*Lythrum salicaria*) and common reed (*Phragmites australis*) by measures agreed upon by the Wetlands Bureau if the species is found in the mitigation areas during construction and during the early stages of vegetative establishment.
24. The permittee shall submit a follow up monitoring report of the proposed creation restoration area after one full growing season, including possible remediation actions if necessary.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(c) Projects that involve alteration of nontidal wetlands, nontidal surface waters, and banks adjacent to nontidal surface waters in excess of 20,000 square feet in the aggregate ; and Rule Env-Wt 303.02 (i) Projects that alter the course of or disturb 200 or more linear feet of an intermittent or perennial nontidal stream or river channel or its banks.
2. The wetland and stream channel proposed to be impacted by this application have been previously altered and may be man made.
3. In accordance with the function and value assessment submitted by the applicant's agent, the wetlands to be filled as a result of

this project are isolated wetlands with low functions and values.

4. The applicant's function and value assessment indicates that the resource connecting the existing wetland 5 and the off site wetland is indeed an intermittent stream.
5. The total land disturbance of the proposed project is approximately 50 acres. The project consists of developing 341,140 square feet of retail space, with associated parking, access, and stormwater treatment. This use is consistent with Regional Commercial Zoning district within the Town of Hooksett.
6. The applicant reviewed three off site locations within for the proposed development. These sites were discarded as having a greater wetland impact; were too small in size for the proposed development; or had substantial topographic constraints; or a combination of these factors.
10. The applicant has rotatated the proposed Lowe's box; has modified the box; and has utilized retaining walls in an effort to avoid the most productive wetland on the site.
11. Stormwater is proposed to be detained, treated, and infiltrated under the parking areas to reduce wetland impacts by eliminating the large storm water detention basins.
12. The applicant has utilized retaining walls and 2:1 side slopes to reduce overall impacts to the wetlands.
13. Existing drainage patterns will remain unchanged as there will be no increase in flow from the proposed development.
14. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction to achieve project purpose per Wt 302.03.
15. The public hearing is waived with the finding that the project impacts will not significantly impair the resources of the remaining wetland ecosystem.
16. The applicant has reviewed on-site and off-site options for mitigation and the department has determined that this project is acceptable for payment to the Aquatic Resource Mitigation (ARM) Fund.
17. The payment calculated for the proposed wetland loss in Hooksett equals \$77636.00.
18. The Department decision is issued in letter form and upon receipt of the ARM fund payment, the Department shall issue a posting permit in accordance with Env-Wt 803.08(f).
19. The payment into the ARM fund shall be deposited in the DES fund for the Merrimack River watershed per RSA 482-A:29.

MINOR IMPACT PROJECT

**2005-02393 MACCORMACK, ROBERT & MARIE
MOULTONBOROUGH Lake Winnepesaukee**

Requested Action:

Amrend permit to allow for crib construction.

APPROVE AMENDMENT:

Amend permit to read: Remove existing 6 ft x 40 ft seasonal pier from the frontage and construct a 6 ft x 38 ft crib pier with 6 ft x 7 ft 6 in access steps, drive 3 tie-off pilings, install a seasonal boatlift and seasonal canopy, two PWC lifts, and relocate 6 rocks posing hazard to navigation on 109 ft of frontage in Moultonborough on Lake Winnepesaukee.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction dated September 24, 2006 as received by the Department on December 22, 2006.
2. This permit shall not be effective until it has been recorded with the appropriate county Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
4. These shall be the only structures on this water frontage and all portions of the structures, shall be at least 20 ft from the abutting property lines or the imaginary extension of those lines into the water.

5. Permanent pier shall not extend more than 38 ft lakeward of the reference line elevation 504.32.
6. Dock access stairs shall not exceed 6 ft in width.
7. Dock access stairs shall be constructed over the bank. This permit does not allow the stairs to be recessed into the bank.
8. Seasonal canopy shall not exceed 20 ft in height, as measured from the reference line elevation 504.32.
9. Seasonal boatlift, seasonal PWC lifts, and seasonal canopy shall be removed for four months during the non-boating season.
10. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
11. Dredged rocks shall be deposited as indicated on approved plans. Rock relocation, other than as permitted, shall be subject to further DES review and approval prior to work.
12. Any further alteration of areas on this property not indicated on the revised plans, that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
13. The maximum size of cribs shall not exceed 6 feet long by 6 feet wide and of such height as necessary to support the docking structure above the water level. Variance to this condition may be sought if water depth is greater than 6 feet.
14. Crib material shall be timber, concrete, or other material approved by the Department of Environmental Services, and of such size and spacing as necessary to completely contain the ballast.
15. The minimum clear spacing between cribs shall be 12 feet.
14. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minor impact project per Administrative Rule Wt 303.03(m), construction of a permanent 2 slip docking facility.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. Attempt to drive piling to support the pier has been unsuccessful, therefore cribs are approved.

2006-00340 COMEAU, DANIEL
DALTON Unnamed Wetland

Requested Action:

Dredge and fill 1,104 square feet of palustrine forested wetlands along 30 linear feet of intermittent stream to install a 30-inch x 30-foot CMP culvert; and dredge and fill 6,784 square feet of palustrine forested wetlands along 60 linear feet of three(3) perennial streams to install two(2) 30-inch x 30-foot CMP embedded culverts and a 10-foot x 30-foot bridge for driveway access to a single family residence.

APPROVE PERMIT:

Dredge and fill 1,104 square feet of palustrine forested wetlands along 30 linear feet of intermittent stream to install a 30-inch x 30-foot CMP culvert; and dredge and fill 6,784 square feet of palustrine forested wetlands along 60 linear feet of three(3) perennial streams to install two(2) 30-inch x 30-foot CMP embedded culverts and a 10-foot x 30-foot bridge for driveway access to a single family residence.

With Conditions:

1. All work shall be in accordance with plans by H.L. Turner Group, Inc. dated December 30, 2005, and revised through July 07, 2007, as received by the Department on July 07, 2006 and plans by Watershed to Wildlife, Inc. dated November 29, 2006, as received by the Department on December 01, 2006.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. Work shall be done during annual low flow conditions.
4. This permit is contingent on review and approval, by the DES Wetlands Bureau, of final stream diversion/erosion control plans. Those plans shall detail the timing and method of stream flow diversion during construction, and show temporary

siltation/erosion/turbidity control measures to be implemented.

5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Work shall be conducted in a manner so as to minimize turbidity and sedimentation.
7. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
8. There shall be no excavation or operation of construction equipment in flowing water.
9. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
10. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
11. Work within the stream, inclusive of work associated with installation of a cofferdam, shall be done during periods of low flow. High flows can be caused by seasonal runoff or precipitation; the permittee shall monitor local forecasts to review weather conditions.
12. No work within the confined area shall proceed until the cofferdam is fully effective, and water flow is controlled.
13. Temporary cofferdams shall be entirely removed immediately following construction.
14. Proper headwalls shall be constructed within seven days of culvert installation.
15. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
16. Native material removed from the streambed during culvert installation, shall be stockpiled separately and reused to emulate a natural channel bottom within the culvert. Any new materials used must be similar to the natural stream substrate and shall not include angular rip-rap.
17. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid
18. Banks shall be restored to their original grades and to a stable condition within three days of completion of construction.
19. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
20. Post-construction photographs documenting the status of the completed construction shall be submitted to the DES Wetlands Bureau within 60 days of the completion of construction.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(l), alteration or disturbance of less than 200 linear feet of an intermittent or perennial stream; and Env-Wt 303.03(h), alteration of less than 20,000 square feet of wetlands.
2. In a December 29, 2006, phone conversation the applicant indicated the revised culvert and bridge types presented by Watershed to Wildlife, Inc. in plans dated November 29, 2006, were preferred, but requested culvert and bridge lengths are extended from 20 feet to 30 feet for all crossings.
3. The permit description reflects the request for crossings that are 30 feet in length.
4. The four(4) impacted streams bisect the northwestern portion of the property and cannot be avoided.
5. White Fawn Trail has not been constructed in the area beyond the proposed driveway entrance.
6. The undeveloped portion of White Fawn Trail is comprised of hydric soils; and therefore, is not a feasible alternative.
7. The NHFG Nongame and Endangered Wildlife Program recommend the use of open-bottomed box culvert (1.2 times the bankfull width) or a bridge/span at perennial stream crossings.
8. The applicant has provided natural type bottom crossings at all perennial stream crossings.
9. The Natural Heritage Bureau indicated the presence of the state threatened Common Loon (*Gavia immer*) in Forest Lake.
10. The proposed project will impact perennial and intermittent tributaries to Chase Brook; Chase Brook does not flow to Forest Lake.
11. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
12. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
13. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

**2006-01424 INVESTORS CORPORATION OF VERMONT
LEBANON Unnamed Wetland**

Requested Action:

Dredge and fill approximately 4,707 square feet of palustrine-forested wetlands to construct a \pm 77,751 square foot 5-story office building and associated access ways and parking facilities.

APPROVE PERMIT:

Dredge and fill approximately 4,707 square feet of palustrine-forested wetlands to construct a \pm 77,751 square foot 5-story office building and associated access ways and parking facilities.

With Conditions:

1. All work shall be in accordance with plans by Bruno Associates, Inc. dated April 17, 2006 and May 08, 2006, as received by the DES Wetlands Bureau on September 22, 2006, and revised plans dated December 22, 2006, as received by the Department on December 26, 2006.
2. This permit is contingent on approval by the DES Site Specific Program.
3. Work shall be done during low flow conditions.
4. Any future work on tax map/lot 26/2 that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require wetlands and surface waters are delineated by a certified wetland scientist prior to approval by the DES Wetlands Bureau.
5. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Orange construction fencing shall be placed at the limits of construction within or directly adjacent to wetlands or surface waters.
8. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
9. Culverts shall be properly rip-rapped.
10. Proper headwalls shall be constructed within seven days of culvert installation.
11. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
12. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h), project involving less than 20,000 square feet of wetlands alteration that exceed the criteria of Env-Wt 303.04(f).
2. Applicant representatives indicated relocating the building and associated parking facilities to the north would require significant earthwork, create undesirable drop in water pressure for fire protection, and impact hydrology of wetland downslope.
3. The Lebanon Conservation Commission recommend the project for approval with the following conditions/recommendations: 1) Increased stormwater retention capacity from 10 to 25 years; 2) Reduce impervious surface/number of parking spaces to mitigate runoff; and 3) Eliminate stub of road that crosses the wetland near the northerly parking.
4. The applicant had agreed to modify the stormwater system to detain the 25-year storm.
5. Ten (10) parking spaces will be constructed with a pervious surface, as required by the Lebanon Planning Board.
6. In a letter dated December 21, 2006, the Lebanon Fire Department confirmed a turn around (stub road) at the beginning of the parking lot is required. The turnaround results in wetland #2 (3,286 square feet).
7. In a letter dated December 21, 2006, the NH Department of Transportation confirmed the Route 120 right-of-way is limited access; therefore, no access points are allowed from tax map/lot 26/2 to Route 120.
8. No comments were submitted from the Natural Heritage Bureau or the NH Fish and Game Department.
9. The applicant has received written consent from the owner of lot 25 (Tax Map 50) and NHDOT owner of the Route 120 right-of-way, abutters to the property on which project activities will take place, for work within 20 feet of their property lines, in accordance with Rule Env-Wt 304.04(a).
10. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.

11. The applicant has provided evidence, which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
12. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

2006-01695 LIVINGSTONE, STEVEN & JANICE
WOLFEBORO Lake Winnepesaukee

Requested Action:

Construct a perched beach with lake access stairs.

DENY PERMIT-INSUFFICIENT & UNTIMELY RESP:

Construct a perched beach with lake access stairs.

With Findings:

1. A request for additional information dated (date of More Information Request), addressed to the applicant or agent of record, clearly identified changes made to RSA 482-A:3 in 2003, requiring the applicant to submit additional information to DES within 120 days of the request.
2. Pursuant to RSA 482-A, XIV(b), if the requested additional information is not received by DES within 120 days of the request, DES shall deny the application.
3. DES did not receive the requested additional information within the 120 days and therefore the application has been denied.

2006-02330 LEONI, DOUGLAS
JACKSON Unnamed Stream Wetlands

Requested Action:

Dredge and fill approximately 2,795 square feet forested wetlands along 200 linear feet of intermittent stream to install four(4) 30-inch x 30-foot CMP culverts; two(2) 36-inch x 30-foot CMP culverts, and a 48-inch x 30-foot CMP culvert for common driveway access to two(2) single family building lots.

APPROVE PERMIT:

Dredge and fill approximately 2,795 square feet forested wetlands along 200 linear feet of intermittent stream to install four(4) 30-inch x 30-foot CMP culverts; two(2) 36-inch x 30-foot CMP culverts, and a 48-inch x 30-foot CMP culvert for common driveway access to two(2) single family building lots.

With Conditions:

1. All work shall be in accordance with plans by Timothy Jones of Garland Lumber, as received by the Department on December 01, 2006, and revised plans received on January 16, 2007.
2. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
3. The deed which accompanies tax map/lot numbers R8/27C and R8/27D shall contain condition #2 of this approval.
4. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittees for both lots (tax map/lot numbers R8/27C and R8/27D). A copy of the registered permit for both lots shall be submitted to the DES Wetlands Bureau.
5. Work shall be done during annual low flow conditions.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Work shall be conducted in a manner so as to minimize turbidity and sedimentation.
8. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.

- 9. There shall be no excavation or operation of construction equipment in flowing water.
- 10. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
- 11. Proper headwalls shall be constructed within seven days of culvert installation.
- 12. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
- 13. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 14. Post-construction photographs documenting the status of the completed construction shall be submitted to the DES Wetlands Bureau within 60 days of the completion of construction.

With Findings:

- 1. This is a minor impact project per Administrative Rule Env-Wt 303.03(1), projects that alter the course of or disturb less than 200 linear feet of intermittent stream.
- 2. Impacts permitted for access to the original 6-lot subdivision that resulted in the two(2) lots associated with this application were permitted under Wetlands and Non-Site Specific Permit # 1996-00490, which approved 4,840 square feet of forested wetland impact.
- 3. Wetlands and Non-Site Specific Permit # 1996-00490, conditions #3 and #4 were not complied with; and therefore, the applicants were unaware of the below restrictions when the lots were purchased. Condition #3 stated, "This permit shall not be effective until has been recorded with the Registry of Deeds Office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau." Condition #4 stated, "The deed which accompanies the sales transaction for each of the lots in this subdivision shall contain condition #2 (There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.) of this approval.
- 4. One(1) of the seven(7) proposed crossings for common driveway access was previously permitted under Wetlands and Non-Site Specific Permit # 1996-00490 and never constructed.
- 5. The applicant has revised the originally proposed single family driveway access to tax map/lot R8/27C to common driveway access to tax map/lots R8/27C and R8/27D.
- 6. The proposed driveway will provide common access to two(2) lots of the original 6-lot subdivision.
- 7. The revised common driveway access reduces the square feet impact and eliminates a perennial stream crossing.
- 8. Plans stamped by a certified wetland scientist for tax map/lot R8/27-C were received by the Department on September 07, 2006.
- 9. Plans stamped by a certified wetland scientist for tax map/lot R8/27D were received by the Department on January 16, 2007.
- 10. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 11. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 12. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2006-02775 TACELLI, DAVID & ELIZABETH
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Reduce an existing 6 ft x 60 ft seasonal dock anchored by an existing concrete pad to 6 ft x 45 ft, install a second 6 ft x 40 ft seasonal dock and concrete anchor pad and relocate 5.5 cu yd of rock northwesterly of the new dock on 363 ft of frontage on Lake Winnepesaukee in Moultonborough.

APPROVE AMENDMENT:

Reduce an existing 6 ft x 60 ft seasonal dock anchored by an existing concrete pad to 6 ft x 45 ft, install a second 6 ft x 40 ft seasonal dock and concrete anchor pad and relocate 5.5 cu yd of rock northwesterly of the new dock on 363 ft of frontage on Lake Winnepesaukee in Moultonborough.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction as received by the Department on October 19, 2006.
2. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to installation of the new pier.
3. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
4. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl, particularly loons, breeding and nesting areas shall be avoided.
5. The existing pier shall be reduced to 45 ft in length prior to the installation of the proposed seasonal pier.
6. This permit does not allow for maintenance dredging.
7. All portions of the new dock shall be at least 20 ft from abutting property lines or the imaginary extension of those lines into the water.
8. Seasonal piers shall be removed from the lake for five months during the non-boating season.
9. No portion of the new dock shall extend more than 40 ft from the shoreline at full lake elevation.
10. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
11. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), installation of a seasonal docking system.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The proposed location requires the least impacts to avoid or remove potential navigational hazards.

2006-02793 MARK INVESTMENTS INC
TILTON Unnamed Wetland

Requested Action:

Fill 4020 square feet of palustrine forested wetland associated with Gulf Brook for access and lot development.

APPROVE PERMIT:

Fill 4020 square feet of palustrine forested wetland associated with Gulf Brook for access and lot development.

With Conditions:

1. All work shall be in accordance with plans by Bohler Engineering PC dated October 20, 2006, as received by the Department on January 19, 2006.
2. The permittee shall notify the NH Division of Historic Resources of the proposed project prior to the commencement of construction.
3. Work shall be conducted during low water conditions.
4. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
5. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. No equipment shall enter into jurisdictional areas for installation of the wall or the proposed plantings.
7. The applicant shall notify DES Wetlands Bureau in writing within twenty-four (24) hours of an erosion event resulting in sediment entering a wetland or surface water.
8. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or

other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.

- 9. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
- 10. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 11. Silt fencing must be removed once the area is stabilized.
- 12. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
- 13. A post-construction report documenting the status of the buffer plantings, including photographs shall be submitted to the Wetlands Bureau within 60 days of the completion of construction.

With Findings:

- 1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(h), projects involving less than 20,000 square feet of alteration in the aggregate in nontidal wetlands, nontidal surface waters, or banks adjacent to nontidal surface waters which exceed the criteria of Env-Wt 303.04(f).
- 2. The proposed impacts are to provide access around the entire building and to provide for safer traffic flow.
- 3. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. 4. The impacted wetlands have been previously altered and may have been man made.
- 5. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 6. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

MINIMUM IMPACT PROJECT

**2004-02012 CLAREMONT DPW, CITY OF
CLAREMONT Sugar River**

Requested Action:

Confirm Emergency Authorization Verification issued August 26, 2004, to clear debris and sediment and riprap stabilize a failed bank of the Sugar River caused by a water main break.

CONFIRM EMERGENCY AUTHORIZATION:

Clear debris and sediment and riprap stabilize a failed bank of the Sugar River caused by a water main break.

With Conditions:

- 1. Any future work that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

- 1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(o), projects deemed minimum by the Department based on the degree of the environmental impact.
- 2. The project was necessary to repair failed roadway and the bank of the Sugar River to ensure public safety.
- 3. Emergency authorization for this work was issued by DES Wetlands Bureau Staff on August 26, 2004.
- 4. Review of the submitted materials pursuant to the emergency authorization indicates that work has been completed in

accordance with the emergency authorization.

2005-02538 JACOBS, CATHY
SURRY Thompson Stream

Requested Action:

Confirm emergency authorization verification issued October 25, 2005, to replace bridge at Thompson Stream that was washed out by floods and provides the only access to a single family residence.

CONFIRM EMERGENCY AUTHORIZATION:

Replace bridge at Thompson Stream that was washed out by floods and provides the only access to a single family residence.

With Conditions:

1. Any future work that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(x), maintenance, repair, or replacement of a nondocking structure such as a bridge.
2. The bridge was entirely washed out by floods.
3. The project was necessary to provide access to the Jacobs residence.
4. Steel beams from the original bridge were used for replacement bridge construction.
5. Emergency authorization for this work was issued by DES Wetlands Bureau Staff on October 25, 2005.
6. Review of the materials submitted pursuant to the emergency authorization indicates that work has been completed in accordance with the emergency authorization.

2006-00116 SUTTON, TOWN OF
SUTTON Unnamed Stream

Requested Action:

Dredge and fill 800 square feet(40 linear feet) of unnamed perennial stream to replace a 6-foot x 30-foot CMP culvert and a 2-foot x 30-foot CMP culvert at French Road with twin 6-foot x 40-foot CMP culverts.

APPROVE PERMIT:

In-kind replacement of a 6-foot x 30-foot CMP culvert and a 2-foot x 30-foot CMP culvert along an unnamed perennial stream at French Road.

With Conditions:

1. All work shall be in accordance with plans by Evans Land Consultants, PLLC. dated July 2006, as received by the Department on August 09, 2006.
2. Work shall be done during annual low flow.
3. No work in areas under the jurisdiction of the DES Wetlands Bureau shall occur outside of the Town of Sutton's French Road right-of-way.
4. In the event there is flow at the time of construction a stream diversion plan shall be submitted to the Department prior to construction. Those plans shall detail the timing and method of stream flow diversion during construction, and show temporary siltation/erosion/turbidity control measures to be implemented.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Work shall be conducted in a manner so as to minimize turbidity and sedimentation.
7. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.

8. There shall be no excavation or operation of construction equipment in flowing water.
9. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
10. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
11. Work within the stream, inclusive of work associated with installation of a cofferdam, shall be done during periods of low flow. High flows can be caused by seasonal runoff or precipitation; the permittee shall monitor local forecasts to review weather conditions.
12. No work within the confined area shall proceed until the cofferdam is fully effective, and water flow is controlled.
13. Temporary cofferdams shall be entirely removed immediately following construction.
14. Culverts shall be laid at original grade.
15. Proper headwalls shall be constructed within seven days of culvert installation.
16. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
17. Banks shall be restored to their original grades and to a stable condition within three days of completion of construction.
18. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(x), Maintenance, repair, or replacement of a nondocking structure such as a culvert.
2. NHFG Nongame and Endangered Wildlife Program recommended an open-bottomed box or bridge for aquatic species passage.
3. The applicant is replacing the existing culverts in-kind.
4. The unnamed perennial stream is a tributary to Cascade Brook.
5. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
6. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
7. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**2006-02156 LONDONDERRY DPW, TOWN OF
LONDONDERRY Unnamed Wetland**

Requested Action:

Dredge and fill 685 sq. ft. (includes 370 sq. ft. temporary wetlands impacts) of wetlands and perennial stream to replace and existing 30 in. x 60 ft. RCP culvert that failed in August 2006. The application is a follow-up to the Emergency Authorization issued by DES on August 25, 2006.

CONFIRM EMERGENCY AUTHORIZATION:

Dredge and fill 685 sq. ft. (includes 370 sq. ft. temporary wetlands impacts) of wetlands and perennial stream to replace and existing 30 in. x 60 ft. RCP culvert that failed in August 2006. The application is a follow-up to the Emergency Authorization issued by DES on August 25, 2006.

With Conditions:

1. All work shall be in accordance with plans by Vollmer Associates LLP, dated October 27, 2006, as received by the Department on November 9, 2006.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new

application and further permitting by the Bureau.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(x), maintenance and repair of an existing structure.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. The application and approval are a result of an Emergency Authorization issued by DES on August 25, 2006.
6. The impacts were needed to repair the existing culvert and provide safe passage.
7. The work conducted appears to be an in-kind repair and replacement of the previous culvert.

2006-02400 **CLARK, MATTHEW**
NEWBURY Lake Sunapee

Requested Action:

Repair an existing 21 ft 7 in x 31 ft 2 slip boathouse and increase the inside two slips, one to 7 ft 5 in wide and one to 9 ft wide, supported by a 6 ft x 31 ft crib supported permanent dock and a 6 ft x 31 ft crib supported permanent dock, with a with no increase to the outside dimensions on Lake Sunapee, Newbury.

Conservation Commission/Staff Comments:

No comments from Con Com by Nov 27, 2006

APPROVE PERMIT:

Repair an existing 21 ft 7 in x 31 ft 2 slip boathouse and increase the inside two slips, one to 7 ft 5 in wide and one to 9 ft wide, supported by a 6 ft x 31 ft crib supported permanent dock and a 6 ft x 31 ft crib supported permanent dock, with a with no increase to the outside dimensions on Lake Sunapee, Newbury.

With Conditions:

1. All work shall be in accordance with plans by Richard Green dated December 07, 2006, as received by the Department on December 12, 2006.
2. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement action or revocation action if the DES later determines that these "existing structures" were not previously permitted or grandfathered.
4. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
5. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Repair shall maintain existing size, location and configuration.
7. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
8. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
9. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(v), maintenance, repair, and replacement in-kind of existing docking structures.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.

**2006-02418 GRANDMAISON, JOSEPH
RYE Atlantic Ocean**

Requested Action:

Retain 739 square feet of impact within the previously-developed 100-foot tidal buffer zone for the in-kind replacement of a failed concrete chamber leach field.

Conservation Commission/Staff Comments:

no comments were received by the Rye Conservation Commission.

CONFIRM EMERGENCY AUTHORIZATION:

Retain 739 square feet of impact within the previously-developed 100-foot tidal buffer zone for the in-kind replacement of a failed concrete chamber leach field.

With Conditions:

1. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(b), projects in previously-developed upland areas within 100 feet of the highest observable tide line.
2. The project was necessary to replace an existing failed leach field.
3. Emergency authorization for this work was issued by DES Wetlands Bureau Staff on September 22, 2006.
4. Review of the application submitted pursuant the emergency authorization indicates that work has been completed in accordance with the emergency authorization.

**2006-02839 TURNER, HAROLD
BRADFORD Unnamed Wetland Warner River**

Requested Action:

Deny permit request to fill 2745 square feet of flood plain wetland for lot development.

DENY PERMIT:

Deny permit request to fill 2745 square feet of flood plain wetland for lot development.

With Findings:

Findings of Law:

1. This is a Minimum Impact Project per NH Code of Administrative Rule Env-Wt 303.04(f), projects involving alteration of less than 3,000 square feet in swamps or wet meadows that are not in prime wetlands or do not meet the requirements of Env-Wt 303.02(k), provided that no previous department permit has placed restrictions on the property of the applicant.
2. Approvals must be consistent with the findings of public purpose set forth by RSA 482-A:1.
3. The need for the proposed impacts shall be demonstrated by the applicant prior to department approval of any alteration of nontidal wetlands per Rule Env-Wt 302.01.
4. The applicant must provide evidence which demonstrates that his/her proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Env-Wt 302.03.
5. The applicant must demonstrate by plan and example that each factor listed in Rule Env-Wt 302.04 (b), Requirements for Application Evaluation, has been considered in the design of the project.
6. According to Rule Env-Wt 302.04(d), the department shall not grant a permit if the applicant fails to document that the proposed alternative is the one with the least adverse impact to areas and environments under the department's jurisdiction, or if the applicant

proposes unnecessary destruction of wetlands.

7. In accordance with Rule Env-Wt 302.04(e)(2), the department shall not grant a permit if requirements of Env-Wt 302.03 are not met or the applicant has failed to document consideration of factors as required in 302.03(b) .

Findings of Fact:

8. On November 2, 2006, DES received an application to fill 2745 square feet of palustrine forested floodplain wetland for lot development.

9. On November 13, 2006, DES received comments from the Bradford Conservation Commission. The commission is opposed to the application and further state no building permit could be issued for the proposed structure due to Article VIII, Section I:4 of the Bradford Zoning Ordinance.

11. The proposed project incorporates a 2% slope into the wetland and proposes "to backfill around the proposed foundation, and create a reasonable slope for maintenance".

12. Based on the information submitted to support the application, it appears that the intended goals of the project could be met with less impacts on the wetlands and without converting wetlands to uplands through filling. For example, the applicant could use such measures such as retaining walls or steep fill slopes to reduce wetland filling.

13. The applicant has not submitted the information required by Administrative Rule Env-Wq 1409.03.

Findings in Support of Denial:

14. The applicant has failed to address RSA 483-B as they did not provide the information required by Env-Wq 1409.03.

15. The applicant has not demonstrated that the proposal is the least impacting to areas under our jurisdiction Env-Wt 302.03(a) and Env-Wt 302.04(b)(5).

16. The application is denied in accordance with Env-Wt 302.03(c), as the proposed project causes the unnecessary destruction of wetlands.

17. The application is denied as the proposed project does not meet the public purpose as defined in RSA 482-A.

FORESTRY NOTIFICATION

2007-00084 TRAYNOR, JANICE
CHESTER Unnamed Stream

COMPLETE NOTIFICATION:
Chester Tax Map 12, Lot# 10 & 22

2007-00098 WHITE PINE BUILDERS LLC
GREENFIELD Unnamed Stream

COMPLETE NOTIFICATION:
Greenfield Tax Map R9, Lot# 3-1

2007-00099 JACKSON, STANLEY
GROTON Unnamed Stream

COMPLETE NOTIFICATION:
Groton Tax Map 6, Lot# 22

2007-00105 ROBINSON, PETER & WANDA
CONCORD Unnamed Stream

COMPLETE NOTIFICATION:
Concord Tax Map 102, Lot# 16

2007-00106 **BLAIS, LUCIEN & MURIEL**
BERLIN Unnamed Stream

COMPLETE NOTIFICATION:
Berlin Tax Map 406, Lot# 1

2007-00107 **WHEELER, CATHERINE**
PETERBOROUGH Unnamed Stream

COMPLETE NOTIFICATION:
Peterboro Tax Map 5, Lot# 7

2007-00109 **POTTER, BRUCE**
SPOFFORD Unnamed Stream

COMPLETE NOTIFICATION:
Spofford Tax Map 6, Lot# 22

2007-00110 **WHIPPLE, BRADFORD**
FRANCONIA Unnamed Stream

COMPLETE NOTIFICATION:
Franconia Tax Map 32, Lot# 1

2007-00111 **HOMEMAKERS HEALTH SERVICES INC**
ROCHESTER Unnamed Stream

COMPLETE NOTIFICATION:
Rochester Tax Map 243, Lot# 39 & 39A

2007-00117 **BYSTRACK, ROBERT & ANGELA**
ALTON Unnamed Stream

COMPLETE NOTIFICATION:
Alton tax Map 5, Lot# 72-7

2007-00118 **PAGNOTTI, LOUIS**
WHITEFIELD Unnamed Stream

COMPLETE NOTIFICATION:
Whitefield Tax Map 213, Lot# 1, 3 & 5

2007-00119 JONES, ANTHONY
WASHINGTON Unnamed Stream

COMPLETE NOTIFICATION:
Washington Tax Map 8, Lot# 1

2007-00121 BOW TOWN FOREST, TOWN OF
BOW Unnamed Stream

COMPLETE NOTIFICATION:
Bow Tax Map/Lot# 39/ 126, 137A & 138; 40/141A; 44/135A

EXPEDITED MINIMUM

2005-02628 THIBODEAU, PRISCILLA
RUMNEY

Requested Action:

Retain approximately 2,500 square feet of forested wetland impact including the installation of four(4) 12-inch x 20-foot culverts for access to ongoing forest management activities.

Conservation Commission/Staff Comments:

See enforcement file 2005-01797, for site inspections.

In a letter to the Department dated November 9, 2005 the Rumney Conservation Commission expressed the concerns listed below:

1. The submitted application makes no reference to geotextile fabric across the wetland;
2. The total square footage of wetland impacts may exceed the total area presented in the application, 2,000 square feet;
3. Previous methods to install corduroy crossing on the property resulted in ineffective randomly placed slash and the Con Com feels the owner/logger may not be aware of appropriate corduroy crossing construction;
4. The application indicates impacted wetlands are wet meadow, but the wetlands are actually forested.

In a letter to the Department dated November 28, 2005 the Rumney Conservation Commission expressed the following concerns:

1. Application materials submitted in response to the Notice of Incomplete Application indicate a number of questions are "not applicable" because there are "no wetlands'," "no impact," "no construction," or similar comments, when it is obvious that there are wetlands impacted by the project;
2. The Con Com again express concern that wetland impacts may exceed the total presented in the applicant, 3,000 square feet;
3. Soils on the site often don't freeze to the point of protecting large sensitive wetlands and are concerned that with the amount of rain the area had had the logging may proceed under the "frozen ground" concept and will not actually minimize impacts.

APPROVE AFTER THE FACT:

Retain approximately 2,500 square feet of forested wetland impact including the installation of four(4) 12-inch x 20-foot culverts for access to ongoing forest management activities.

With Conditions:

1. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f), alteration of less than 3,000 square feet of wetlands.
2. In a letter to the Department dated November 9, 2005, the Rumney Conservation Commission was concerned a) the submitted application makes no reference to geotextile fabric across the wetland; b) the total square footage of wetland impacts may exceed the total area presented in the application, 2,500 square feet; c) previous methods to install corduroy crossing on the property resulted in ineffective randomly placed slash and the owner/logger may not be aware of appropriate corduroy crossing construction; d) the application indicates impacted wetlands are wet meadow, but the wetlands are actually forested.
3. In a letter to the Department dated November 28, 2005, the Rumney Conservation Commission was concerned: a) application materials submitted in response to the Notice of Incomplete Application indicate a number of questions are "not applicable" because there are "no wetlands'," "no impact," "no construction," or similar comments, when it is obvious that there are wetlands impacted by the project; b) wetland impacts may exceed the total presented in the application; c) soils on the site often don't freeze to the point of protecting large sensitive wetlands and are concerned that with the amount of rain the area had had the logging may proceed under the "frozen ground" concept and will not actually minimize impacts.
4. The DES Wetlands Bureau (enforcement section) conducted site inspections on August 10, 2005, and May 01, 2006. Field inspections determined the area was stabilized and no additional BMP's were required, confirmed the approximate square footage of impacts, and dimensions and type of culverts installed.
5. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.

2006-01473 ROUKEY, TIMOTHY & LORI
HENNIKER Unnamed Wetland

Requested Action:

Dredge and fill a total of 1499 square feet further described as follows: Permanently impact 240 square feet of palustrine forested wetland including installation of a 12-inch x 24 foot culvert for access to the proposed structure and temporarily impact 1259 square feet for utility installation to service the proposed structure.

APPROVE PERMIT:

Dredge and fill a total of 1499 square feet further described as follows: Permanently impact 240 square feet of palustrine forested wetland including installation of a 12-inch x 24 foot culvert for access to the proposed structure and temporarily impact 1259 square feet for utility installation to service the proposed structure.

With Conditions:

1. All work shall be in accordance with plans by DGB Associates dated May 26, 2005, and revised through 1/16/07, as received by the Department on January 17, 2007.
2. This permit is contingent on approval by regulatory authority over the expansion of the sewer line.
3. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
4. Work shall be done during periods of non-flow.
5. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. Proper headwalls shall be constructed within seven days of culvert installation.
8. Culvert outlets shall be protected in accordance with the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
9. Area of temporary impact shall be regraded to original contours following completion of work.
10. Mulch within the temporary impact area shall be straw.
11. Seed mix within the temporary impact area shall be a wetland seed mix appropriate to the area and shall be applied in accordance with manufacturers specifications. The receipt and contents of the wetland mix shall be supplied to NHDES within 10 days of application.

12. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
13. Silt fencing must be removed once the area is stabilized.
14. A post-construction report documenting the status of the restored temporary impact area, including photographs shall be submitted to the Wetlands Bureau within 60 days of the completion of construction.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f) Projects involving alteration of less than 3,000 square feet in swamps or wet meadows that are not in prime wetlands or do not meet the requirements of Env-Wt 303.02(k), provided that no previous department permit has placed restrictions on the property of the applicant.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2006-02674 JOHNSON FAMILY REALTY TRUST
WINDHAM Unnamed Wetland

Requested Action:

Impact a total of 304 square feet of forested wetland to include 130 s.f. of impact to install a 15-inch by 18-foot culvert and impact 174 s.f. to install a 15-inch by 12-foot culvert for access to a single family residential dwelling on Canobie Lake with 1200 linear feet of shoreline frontage.

Conservation Commission/Staff Comments:

The Windham Conservation Commission signed the Minimum Impact Expedited Application.

APPROVE PERMIT:

Impact a total of 304 square feet of forested wetland to include 130 s.f. of impact to install a 15-inch by 18-foot culvert and impact 174 s.f. to install a 15-inch by 12-foot culvert for access to a single family residential dwelling on Canobie Lake with 1200 linear feet of shoreline frontage.

With Conditions:

1. All work shall be in accordance with plans by Edward N. Herbert Assoc. Inc. dated September 2006, as received by the Department on October 18, 2006.
2. DES shall be notified in writing prior to commencement of work and upon its completion.
3. This permit is contingent on approval by the DES Subsurface Systems Bureau.
4. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
5. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).
6. Work shall be done during seasonal low flow conditions only.
7. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
8. No fill shall be done to achieve septic setback and no dredging shall take place that would contradict the DES Subsurface Systems Bureau rules.
9. No fill shall be done for lot development.
10. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f), alteration of less than 3,000 s.f. of forested wetland.
2. The applicant wishes to impact wetlands to obtain access to buildable uplands, therefore the need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The proposed impacts perpendicularly cross wetlands and are minimized to the furthest extent possible, therefore the applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. The proposed site is also under the jurisdiction of the Comprehensive Shoreland Protection Act RSA 483-B ("the Act").
6. Pursuant to Enq-Wq 1409.03 of the Act, the applicant has provided a tree plot plan of all existing trees within the 150' woodland buffer and indicated trees to be cut for the project.

2006-02871 PECZE, FRANK
LANCASTER Unnamed Wetland

Requested Action:

Dredge and fill 1,850 square feet of forested wetlands to remove an existing 8-inch HDPE culvert and install a 12-inch culvert for access to a single family building lot.

APPROVE PERMIT:

Dredge and fill 1,850 square feet of forested wetlands to remove an existing 8-inch HDPE culvert and install a 12-inch culvert for access to a single family building lot.

With Conditions:

1. All work shall be in accordance with plans by Horizons Engineering, PLLC dated October 2006, as received by the Department on November 13, 2006.
2. No impacts to areas under the jurisdiction of the DES Wetlands Bureau shall occur within 20 feet of abutting property lines.
3. Work shall be done during low flow conditions.
4. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Orange construction fencing shall be placed at the limits of construction within or directly adjacent to wetlands or surface waters.
7. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
8. Proper headwalls shall be constructed within seven days of culvert installation.
9. Culverts shall be laid at original grade.
10. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
11. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f), alteration of less than 3,000 square feet of wetlands.
2. In a letter dated December 27, 2006, the Town of Lancaster confirmed in 2003 the applicant obtained town subdivision approval to subdivide then tax map/lot R17/30 (5.11 acres) into a 2.15 acre parcel (R17/32) and a 2.96 acre parcel (R17/33).
3. Both tax map/lot R17/32&33 are served by a private sewer line that discharges into the town sewer.
4. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
5. The applicant has provided

evidence, which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.

6. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2006-02997 BARRETTE, CYNTHIA
SUNAPEE Lake Sunapee

Requested Action:

Repair an existing 20 ft 7 in x 34 ft 5 in two story boathouse with a 4 ft 10 in x 34 ft 5 in crib supported permanent dock on the northern side and a 5 ft x 8 in x 29 ft 7 in crib supported permanent dock on the southern side connected to a 24 ft x 16 ft 9 in deck accessed by a 4 ft x 4 ft 7 in walkway on Lake Sunapee, Sunapee.

Conservation Commission/Staff Comments:

Con Com signed Exp Application

APPROVE PERMIT:

Repair an existing 20 ft 7 in x 34 ft 5 in two story boathouse with a 4 ft 10 in x 34 ft 5 in crib supported permanent dock on the northern side and a 5 ft x 8 in x 29 ft 7 in crib supported permanent dock on the southern side connected to a 24 ft x 16 ft 9 in deck accessed by a 4 ft x 4 ft 7 in walkway on Lake Sunapee, Sunapee.

With Conditions:

1. All work shall be in accordance with plans dated October 27, 2006, as received by the Department on November 27, 2006.
2. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. This permit to replace or repair existing structures shall not preclude the Department of Environmental Services from taking any enforcement action or revocation action if the Department of Environmental Services later determines that these "existing structures" were not previously permitted or grandfathered.
4. Repair shall maintain existing size, location and configuration.
5. Appropriate siltation and erosion controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
6. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
7. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
9. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
10. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(v), maintenance, repair, and replacement in-kind of existing docking structures.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.

2006-03084 FISH COVE ASSOCIATION, DAVID DIORIO
MEREDITH Lake Winnepesaukee

Requested Action:

Replace an existing 4 ft x 96.4 ft wooden access boardwalk portion of a 17 slip docking system "in-kind" on 1250 ft of frontage in Meredith on Lake Winnepesaukee.

APPROVE AMENDMENT:

Replace an existing 4 ft x 96.4 ft wooden access boardwalk portion of a 17 slip docking system "in-kind" on 1250 ft of frontage in Meredith on Lake Winnepesaukee.

With Conditions:

1. All work shall be in accordance with plans by New Hampshire Environmental Consultants LLC as received by the Department on December 6, 2006.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
4. This permit does not allow for maintenance dredging.
5. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
6. Work shall be carried out in a time and manner such that there will be no disturbance to migratory waterfowl breeding areas or fish spawning areas.
7. Repairs to these structures may be conducted, as necessary, throughout the duration of this permit provided that the permittee notifies the Wetlands Bureau and Conservation Commission, in writing, of the proposed start and completion date prior to performing any repair.
8. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if it later determines that any "existing structures" were not previously permitted or grandfathered in their current configuration.
9. Repairs shall maintain existing size, location and configuration.
10. All construction related material and debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
11. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(v), repair or replace existing docking structures "in-kind".
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**2006-03086 GATES, LORRAINE
MOULTONBOROUGH Lake Winnepesaukee**

Requested Action:

Repair an existing 33 ft retaining wall along the waterbody and regrade the existing sand on a previously permitted 32 ft x 15 ft perched beach on Lake Winnepesaukee, Moultonborough.

Conservation Commission/Staff Comments:

Con Com signed Exp Application

APPROVE PERMIT:

Repair an existing 33 ft retaining wall along the waterbody and regrade the existing sand on a previously permitted 32 ft x 15 ft perched beach on Lake Winnepesaukee, Moultonborough.

With Conditions:

1. All work shall be in accordance with plans by New Hampshire Consultants revision dated December 29, 2006, as received by the Department on January 02, 2007.
2. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement action or revocation action if the DES later determines that these "existing structures" were not previously permitted or grandfathered.
3. Repair shall maintain existing size, location and configuration.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. This permit does not allow for any new sand to be placed on the beach.
6. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(x), repair of a nondocking structure.

2007-00007 FERREIRA, JOHN & JENNIFER
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Repair a portion of an existing rock retaining wall "in-kind" and construct a 315 sq ft circular perched beach on 114 ft of frontage in Moultonborough on Lake Winnepesaukee.

APPROVE PERMIT:

Repair a portion of an existing rock retaining wall "in-kind" and construct a 315 sq ft circular perched beach on 114 ft of frontage in Moultonborough on Lake Winnepesaukee.

With Conditions:

1. All work shall be in accordance with plans by Stephanie Sanford as received by the Department on January 4, 2007.
2. Replacement wall shall maintain existing length, height and configuration.
3. Replacement retaining wall shall not come closer to the water than the existing wall.
4. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement action or revocation action if the DES later determines that these "existing structures" were not previously permitted or grandfathered.
5. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
6. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
7. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
8. Dated photographic documentation of the replacement wall shall be submitted to the Wetlands Bureau as a notification of completion of the project.
9. Shall replacement wall fail within a 6 year period from date of completion, the landowner shall file a new application for retaining wall replacement with stamped plans prepared by a certified professional in erosion and sediment control and site may be subject to further NHDES evaluation and requests.
10. The new replacement wall shall be maintained such that the structure shall conform to reasonable safety standards. Failure to maintain a structure in a safe condition shall be considered a violation as per Administrative Rule Env-Wt 402.10.
11. Wall shall not reflect or re-direct currents towards adjacent wetlands or structures, or otherwise contribute to erosion.
12. No more than 10 cu yd of sand may be used and all sand shall be located above the normal high water line.
13. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
14. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(b), construction of a beach.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

GOLD DREDGE

2007-00125 HOLMES, THOMAS
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath Con Comm

LAKES-SEASONAL DOCK NOTIF

2007-00100 HOMMEL, FRANK
MEREDITH

COMPLETE NOTIFICATION:
Meredith NH Tax Map# U-18 Lot# 10 Lake
Winnipesaukee

2007-00113 LAWSON, CHARLES & CYNTHIA
NEW LONDON Pleasant Lake

COMPLETE NOTIFICATION:
New London NH Tax Map# 76 Lot# 43 Pleasant
Lake

2007-00123 TAYLOR, TED
EAST WAKEFIELD Belleau Lake

COMPLETE NOTIFICATION:
East Wakefield NH Tax Map# 34 Lot# 69 Belleau Lake

2007-00124 BEMIS, DAVID
NEW LONDON Lake Sunapee

COMPLETE NOTIFICATION:
New London NH Tax Map# 91 Lot# 15 Lake Sunapee

2007-00129 MARSTERS, ANDREW
SANDWICH Squam Lake

COMPLETE NOTIFICATION:
Sandwich NH Tax Map# R20 Lot# 28 Sub E
Squam Lake

PERMIT BY NOTIFICATION

2006-00345 PRESBY, TREVOR & SAMANTHA
SUGAR HILL Unnamed Wetland Gale River

2006-03120 FIFE, CLARENCE
FRANKLIN Tributary To Merrimack River

Requested Action:
Reset existing granite blocks within a perennial stream to repair existing collapsed 4-foot x 4 foot box culvert.

APPROVE PERMIT:
Reset existing granite blocks within a perennial stream to repair existing collapsed 4-foot x 4 foot box culvert.

2006-03210 RAYMOND, SUSAN
SANDWICH Unnamed Stream

Requested Action:
Dredge and fill 350 square feet of intermittent stream to install a 15-inch x 20-foot CMP culvert for driveway access to a single family residence.

PBN IS COMPLETE:
Dredge and fill 350 square feet of intermittent stream to install a 15-inch x 20-foot CMP culvert for driveway access to a single family residence.

2007-00068 FISHER, JOHN & CATHERINE
NASHUA Nashua River

Requested Action:
Seasonal dock installation.

PBN DISQUALIFIED:
Seasonal dock installation.

With Findings:

1. As per Rule Env-Wt 303.02(f) this project is located in or adjacent to prime wetlands designated under RSA 482-A:15 and is deemed a Major project which disqualifies it from Permit By Notification review.

2007-00069 ST PIERRE, BRIAN
ACWORTH Unnamed Stream Wetland

Requested Action:

Dredge and fill 378 square feet of palustrine wetland including installation of a 18-inch x 30 foot culvert for access to a proposed building location on an existing lot of record.

APPROVE PERMIT:

Dredge and fill 378 square feet of palustrine wetland including installation of a 18-inch x 30 foot culvert for access to a proposed building location on an existing lot of record.