

Wetlands Bureau Decision Report

Decisions Taken
03/03/2008 to 03/09/2008

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

I. Any affected party may ask for reconsideration of a permit decision in accordance with RSA 482-A:10,II within 20 days of the Department's issuance of a decision. Requests for reconsideration should:

- 1) describe in detail each ground for complaint. Only grounds set forth in the request for reconsideration can be considered at subsequent levels of appeal;
- 2) provide new evidence or information to support the requested action;
- 3) Parties other than the applicant, the town, or contiguous abutters must explain why they believe they are affected; and
- 4) Be mailed to the DES Wetlands Bureau, PO Box 95, Concord, NH 03302-0095.

II. An appeal of a decision of the department after reconsideration may be filed with the Wetlands Council in accordance with RSA 482-A:10, IV within 30 days of the department's decision. Filing of the appeal must:

- 1) be made by certified mail to Lawrence E. Morse, Chairperson, Wetlands Council, PO Box 95, Concord, NH 03302-0095 (a copy should also be sent to the DES Wetlands Bureau);
- 2) contain a detailed description of the land involved in the department's decision; and
- 3) set forth every ground upon which it is claimed that the department's decision is unlawful or unreasonable.

MAJOR IMPACT PROJECT

2005-00558 NEWFOUND LAKE MARINA INC
HEBRON Newfound Lake

Requested Action:

Dredge 1,152 cu yd from 9,600 sq ft, completely remove 2,040 sq ft building from public waters, construct 1,084 linear ft of retaining wall, and reconfigure and upgrade docking facilities within an existing marina resulting in a reduction in the number of slips provided from 111 to 95 within a previously dredged inlet off the Cockermouth River in Hebron.

APPROVE PERMIT:

Dredge 1,152 cu yd from 9,600 sq ft, completely remove 2,040 sq ft building from public waters, construct 1,084 linear ft of retaining wall, and reconfigure and upgrade docking facilities within an existing marina resulting in a reduction in the number of slips provided from 111 to 95 within a previously dredged inlet off the Cockermouth River in Hebron.

With Conditions:

1. All work shall be in accordance with plans by Barnard Survey Associates dated February 6, 2005, as received by the Department on March 25, 2005 and cross sections by Neil McIver revised June 30 2005, and received by the Department on June 30, 2005.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
3. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement action or revocation action if the DES later determines that a violation of DES requirements, Wetlands Program or otherwise, exists.
4. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
5. Work shall be done during draw down.
6. Upland and bank areas landward of the boat ramp shall not be disturbed by regrading or filling, to minimize the potential for erosion of materials into public waters.
7. The ramp approach shall be crowned so that drainage is directed away from the slope of the ramp.
8. This marina shall be maintained indefinitely as a publicly available facility providing access to Newfound Lake and shall not change in use.
9. No dredge shall occur below Elevation 581.0.
10. All dredged materials and construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
11. No materials shall be dredged or deposited within 20 feet of an abutting property line or the imaginary extension of that line into the water.
12. These shall be the only structures on this water frontage and all portions of the docking structures shall be at least 20 ft from abutting property lines or the imaginary extension of those lines into the water.
13. All seasonal structures shall be removed from the lake for the non-boating season.
14. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
15. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
16. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired prior to entering jurisdictional areas.
17. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
18. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
19. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This project is classified as a major impact project per Rules Wt 303.02 (d) and (g), modification of a major docking facility involving dredge of more than 20 cu yd of material.

2. The applicant is the owner of record of the property identified as Hebron Tax Map 17A, Lot 17A-5-1, (the "Property").
3. The existing facility is located in an artificially created inlet, completely enclosed by the land of the Applicant.
4. A public hearing pertaining to this project was held by the Department on June 30, 2005.
5. In accordance with Rule Wt 101.50, Marina, "means a commercial waterfront facility whose principal use is the provision of publicly available services..."
6. The existing facility as currently maintained and operated meets the definition of a marina as outlined in Rule Wt 101.50, therefore, the project impacts have been considered using the criteria of Rule Wt 402.17, Marinas - Design Standards.
7. The approval of this proposed construction project shall not be interpreted as an acceptance or approval of any future plan to change the use of the facilities.
8. Abutters to the proposed project maintain that the Applicant no longer has sufficient frontage to submit the number of slips requested.
9. In accordance with Rule Wt 402.17, the department shall approve additional slips, over the standard of one per 25 ft of frontage, where the marina is enclosed by the land of the Applicant, therefore the number of slips provided by the facility is acceptable under the current rules.
10. On April 11, 1989, the Applicant was authorized by the Department to use and maintain 75 "bank slips" under File # N-883.
11. The construction of the retaining walls and docking facilities to accommodate these 75 slips is a less environmentally impacting alternative than the continued use utilization of the "bank slips".
12. Abutters to the proposed project maintain that the channel leading to the property from the Cockermouth River will need future dredging and therefore those impacts should be considered in the review of this application.
13. The need to dredge the channel is dependent on the fact that a marina already exists on the property. The upgrade of the marina facilities will not increase the need to dredge therefore these possible future impacts are not relevant to this application.
14. The need for the proposed impacts has been demonstrated by the Applicant per Wt 302.01.
15. The project as proposed will reduce the potential for erosion and for silt, sediment and contaminants from the site to enter the Cockermouth river and Newfound Lake ecosystems
16. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.

-Send to Governor and Executive Council-

2006-02801 PILLSBURY LAKE WATER DISTRICT
WEBSTER Pillsbury Lake

Requested Action:

Amend permit to include an additional 60 square feet of impact to add large boulders at the toe of the spillway.

Inspection Date: 01/09/2007 by Dawn Buker

APPROVE AMENDMENT:

Dredge and fill a total of 4570 square feet along 220 linear feet of stream further described as follows: Temporarily impact 550 square feet for construction access and 900 square feet within the bed of Pillsbury Lake for water diversion structures and permanently impact 3120 square feet for dam reconstruction and reconfiguration.

With Conditions:

1. All work shall be in accordance with plans by The Turner Group dated October 13, 2006 and revised through January 19, 2007, as received by the Department on January 23, 2006 and impact plans by The Smart Associates as received by the department on February 2, 2007 and site sketch dated October 24, 2007 as received by the Department October 26, 2007.
2. This permit is contingent on approval by the DES Dam Safety Program.
3. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).
4. No stumps shall be removed within 50 feet of the reference line per RSA 483-B (see attached fact sheet).
5. Extreme precautions shall be taken within riparian areas to limit unnecessary removal of vegetation during access road construction and areas cleared of vegetation to be revegetated within three days of the completion of this project.
6. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will

require a new application and approval by the Bureau.

7. All wetlands that have been impacted and are not part of this wetland permit shall be restored with a DES Approved Restoration Plan by June 1, 2007, to the satisfaction to the DES Compliance section.
8. Wetland impacts permitted under the emergency authorization 2006-3116, issued December 11, 2006, shall be restored at the completion of the dam reconstruction and prior to the refilling of the impoundment and no later than June 1, 2007, per condition 9 of the Emergency Authorization.
9. Work shall be done during low flow.
10. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
11. No equipment shall enter the water.
12. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
13. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
14. Work below the high water line, inclusive of work associated with installation of a cofferdam, shall be done during periods of low flow. High flows can be caused by seasonal runoff or precipitation; the permittee shall monitor local forecasts to review weather conditions.
15. No work within the confined area shall proceed until the cofferdam is fully effective, and water flow is controlled.
16. Temporary cofferdams shall be entirely removed immediately following construction.
17. Work shall be conducted in a manner so as to minimize turbidity and sedimentation.
18. The applicant shall notify DES Wetlands Bureau in writing within twenty-four (24) hours of an erosion event resulting in sediment entering a wetland or surface water.
19. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau
20. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
21. Dewatering of work areas or of dredge materials, if required, shall be conducted in a manner so as to prevent turbidity.
22. Banks shall be restored to their original grades and to a stable condition within three days of completion of construction.
23. Areas from which vegetation has been cleared to gain access to the site shall be replanted with like native species.
24. Area of temporary impact shall be regraded to original contours following completion of work.
25. All material removed during work activities shall be removed down to the level of the original hydric soils.
26. Mulch within the temporary impact area shall be straw.
27. Seed mix within the temporary impact area shall be a wetland seed mix appropriate to the area and shall be applied in accordance with manufacturers specifications. The receipt and contents of the wetland mix shall be supplied to NHDES within 10 days of application.
28. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
29. A post-construction report documenting the status of the restored jurisdictional area, including photographs shall be submitted to the Wetlands Bureau within 60 days of the completion of construction and no later than July 1, 2007.

With Findings:

1. The proposed large stones are necessary in order to maintain the integrity of the cut off wall which is important to the structural integrity of the dam.

2007-01538 RAY, ALEXANDER
LINCOLN Unnamed Wetland

Requested Action:

Dredge and fill approximately 6,123 sq. ft. of seasonally saturated wooded wetlands, to include relocating approximately 260 linear feet of an intermittent stream channel, for the purposes of constructing a 34 room Inn, associated driveway and parking facilities, adjacent to the existing restaurant. This approval is contingent upon and has been deemed eligible for payment into the Aquatic Resource Mitigation fund as the form of compensatory mitigation.

Conservation Commission/Staff Comments:

RFMI Ltr Sent 10/12/2007. Response received Dec 06, 2007. Still Incomplete No Mitigation. Notified agent. Received information 2/5/2008 on mitigation. Complete for processing Feb 5, 2008.

APPROVE PERMIT:

Dredge and fill approximately 6,123 sq. ft. of seasonally saturated wooded wetlands, to include relocating approximately 260 linear feet of an intermittent stream channel, for the purposes of constructing a 34 room Inn, associated driveway and parking facilities, adjacent to the existing restaurant. This approval is contingent upon and has been deemed eligible for payment into the Aquatic Resource Mitigation fund as the form of compensatory mitigation.

With Conditions:

1. All work shall be in accordance with plans entitled: Common Man Inn, Route 112, Lincoln, New Hampshire, dated June 2007, as revised December 04, 2007, in 11 consecutive sheets and received by the Department on December 06, 2007.
2. This permit is contingent on approval by DES Site Specific Program.
3. This permit is contingent on receipt by DES of a one time payment of \$14,829.77 dollars to the DES Aquatic Resource Mitigation (ARM) Fund. The payment shall be received by DES within 120 days of the date of the approval letter or the application will be denied.
4. Work shall be done during periods of non-flow.
5. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. Proper headwalls shall be constructed within seven days of culvert installation.
8. Culvert outlets shall be protected in accordance with the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
9. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
10. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
11. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(i), projects that alter the course of or disturb 200 or more linear feet of an intermittent or perennial nontidal stream or river channel or its banks. For intermittent streams, the distance shall be measured along the thread of the channel. For perennial streams or rivers, the total disturbance shall be calculated by summing the lengths of disturbances to the channel and the banks.
2. The need for the proposed impacts has been demonstrated by the applicant per Rule Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the Department's jurisdiction per Rule Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b), Requirements for Application Evaluation, has been considered in the design of the project.
5. DES requested more information necessary to complete a review on October 12, 2007. A response was received on December 06, 2007, providing revised plans, storm water and detention re-design and clarifications addressing DES concerns. Based on a review of the technical information received to date, the file is determined to be complete.
6. No objections or comments from abutters, state, Federal or local agencies have been received to date. There are no outstanding issues or objections to the proposed work.
7. Due to the fact that the wetland system and associated intermittent stream has been predominately fed by existing culverts entering in and out of the subject site, the reported low functions and values of the resources to be impacted by the proposed work

and technical review of the revised proposed design of treatment and detention of surface waters, it is our determination that the overall impacts will be minimal.

8. The primary functions and values of the intermittent stream and wetlands have been addressed adequately by the applicant in the design.

9. Compensatory mitigation for the wetlands and stream impacts, as required by the Department, will be provided for in the form of a one time payment into the Aquatic Resource Mitigation Fund, as per conditioned.

10. The applicant has reviewed on-site mitigation options, but based on the overall scope of the project and the proposed conversion of a stream, it has been determined that this project is acceptable for payment to the Aquatic Resource Mitigation (ARM) Fund.

11. The payment calculated for the proposed wetland and stream impacts in Lincoln equals \$14,829.77.

12. Based on our review of the record and information submitted to date, and contingent upon payment into the ARM Fund as compensatory mitigation for the wetland and stream impacts, the proposed activity qualifies for Major Impact project approval by the Bureau and is not contrary to the public's interest.

13. The Department decision is issued in letter form and upon receipt of the ARM Fund payment the Department shall issue a posting permit in accordance with Env-Wt 803.08(f).

14. The payment into the ARM Fund shall be deposited in the DES Fund for the Pemigewasset River watershed per RSA 482-A:29.

**2007-01648 POTHIER, WILLIAM
NEWMARKET Lamprey River**

Requested Action:

Construct a tidal docking structure consisting of a 6' x 6' permanent upland landing connecting to a 3' x 36' ramp connecting to a 20' x 10' float, overall structure length 43', providing one under-sized slip (as defined by RSA 482-A:2, VIII (a)), on 132' of frontage on the Lamprey River.

Inspection Date: 05/07/2007 by Dori A Wiggin

APPROVE PERMIT:

Construct a tidal docking structure consisting of a 6' x 6' permanent upland landing connecting to a 3' x 36' ramp connecting to a 20' x 10' float, overall structure length 43', providing one under-sized slip (as defined by RSA 482-A:2, VIII (a)), on 132' of frontage on the Lamprey River.

With Conditions:

1. All work shall be in accordance with revised plans by Alexandra Braun, Architect, dated 1/18/2008, as received by the Department on 2/11/2008.
2. Any future work in jurisdiction as specified in RSA 482-A on this property will require a new application and approval by the Department of Environmental Services ("DES") Wetlands Bureau.
3. This permit shall not be effective until recorded at the Strafford County Registry of Deeds Office by the permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau prior to construction.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain in until the area is stabilized.
5. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
6. Construction of this tidal docking structure consisting of a 6' x 6' upland landing connecting to a 3' x 36' ramp connecting to a 20' x 10' float, overall structure length 43', providing one under-sized slip (as defined by RSA 482-A:2, VIII (a)), on 450' of frontage on Newmarket Tax Map U2 Lot 356 on the Lamprey River shall be the only dock structure on this water frontage and all portions of the dock shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
7. Work shall be done during low tide.
8. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
9. Work shall be conducted in a manner that avoids excessive discharges of sediments to fish spawning areas.

With Findings:

1. This is a major impact project per Administrative Rule Wt 303.02(a), projects in sand dunes, tidal wetlands, or bogs, except for the repair of existing structures pursuant to Wt 303.04(v).
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01. There is currently no docking structure on the property to provide access to the water.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03. The permanent landing is constructed in the upland tidal buffer zone, with no permanent structure to be constructed over the tidal resource. The ramp and float are seasonal, and the structure is the minimum length necessary to reach usable water on the Lamprey River.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a) and (c), Requirements for Application Evaluation, has been considered in the design of the project. There were no species of concern reported by the NH Natural Heritage Bureau for the project vicinity. This project has been reviewed by the Pease Development Authority Division of Ports and Harbors which determined that the project would have no negative effect on navigation, per letter dated 1/9/2008; and the dock is located greater than 20 feet off the abutting property lines.
5. The Newmarket Conservation Commission did not intervene or report.
6. This application has received review of the federal PGP Joint Processing Meeting on 9/20/2007. National Marine Fisheries ("NMFS") commented that the application was eligible as proposed.
7. This dock is consistent with other tidal dock approvals in the seacoast.
8. DES staff field inspection on 5/3/2007 found that the site is accurately represented in the application.

-Send to Governor and Executive Council-

2007-01794 127 WATER STREET REALTY INC
EXETER Squamscott River

Requested Action:

Repair, in-kind, 11 linear feet of an existing granite retaining wall by resetting several rocks that have fallen off and install a 4'X 4' concrete anchor pad to support a 4'X 20' seasonal ramp to a 8'X 20' seasonal float totaling 240 sq. ft., for the seasonal docking structure, in the previously developed tidal buffer zone on 25 feet of shoreline frontage on the Squamscott River.

Conservation Commission/Staff Comments:

Comments and/or concerns regarding this seasonal docking facility received from the Exeter Conservation Commission and NH Dept of Fish & Game have been duly considered in the review of this application and addressed in project specific conditions and findings.

Inspection Date: 10/31/2007 by Frank D Richardson

APPROVE PERMIT:

Repair, in-kind, 11 linear feet of an existing granite retaining wall by resetting several rocks that have fallen off and install a 4'X 4' concrete anchor pad to support a 4'X 20' seasonal ramp to a 8'X 20' seasonal float totaling 240 sq. ft., for the seasonal docking structure, in the previously developed tidal buffer zone on 25 feet of shoreline frontage on the Squamscott River.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction dated 9/11/06, as received by DES on July 30, 2007.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. This permit shall not be effective until it has been recorded with the Rockingham County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.

4. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).
5. This seasonal docking structure (ramp & float) shall be in place only from mid-July to ice-in to protect essential fish habitat spawning areas per recommendation of the New Hampshire Fish and Game Department.
6. This seasonal docking structure is intended for use ONLY by NON-MOTORIZED WATERCRAFT.
7. Use of this docking structure for motorized watercraft may result in revocation of this permit and permanent removal of the ramp and float.
8. This shall be the only docking structure on this water frontage and any watercraft secured to the float shall not extend beyond the water-ward extension of the abutters property lines in accordance with RSA 482-A:3,XIII(b).
9. Repair to the granite block & stone retaining wall shall maintain existing size, location and configuration.
10. Work on the retaining wall shall be done during periods of low tide.
11. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
12. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to work adjacent to surface waters.
13. Faulty equipment shall be repaired prior to entering jurisdictional areas.
14. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
15. All refueling of equipment shall occur outside the 100 foot tidal buffer zone during construction.
16. NH DES Wetlands Bureau Southeast Region staff shall be notified in writing prior to commencement of work and upon its completion.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(a) & (b).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) and (c), Requirements for Application Evaluation, has been considered in the design of the project.
5. DES Staff conducted a field inspection of the proposed project on October 31, 2007. Field inspection determined this seasonal docking structure will have no significant adverse effect on this estuarine environment or to essential fish habitat for annual migration, staging and spawning.
6. A similar (slightly larger) seasonal docking structure was permitted (#2005-00788) and installed approximately 60 feet down stream of this seasonal structure with no adverse environmental impacts reported to date.
7. There is no dredging associated with this project.
8. Concerns regarding essential fish habitat for species such as river herring and rainbow smelt in these environs will require future applications for work in or immediately adjacent to this reach of the Squamscott River to clearly demonstrate that the proposed activity will not be deleterious to diadromous fish populations.
9. The NH Pease Development Authority Division of Ports and Harbors, Chief Harbormaster has examined the proposed site and determined that "the project will have no negative effect on navigation in the channel."

-Send to Governor and Executive Council-

2007-01996 PLAINFIELD ELEMENTARY SCHOOL
PLAINFIELD Bloods Brook

Requested Action:

Stabilize 112 linear feet of stream bank with total impacts to approximately 1776 square feet of jurisdictional wetlands by application of a combination of stone riprap and bio-engineering methods to protect against continued erosion to the adjacent athletic field associated with Plainfield Elementary School.

Conservation Commission/Staff Comments:

Recvd info 2/12/2008. Check for complete & process.

APPROVE PERMIT:

Stabilize 112 linear feet of stream bank with total impacts to approximately 1776 square feet of jurisdictional wetlands by application of a combination of stone riprap and bio-engineering methods to protect against continued erosion to the adjacent athletic field associated with Plainfield Elementary School.

With Conditions:

1. All work shall be in accordance with plans submitted and prepared by USDA NRCS, entitled: Plainfield Elementary School, Plainfield, NH, as received by the Department on February 12, 2008, and also in accordance with narratives and supporting documentation submitted and contained in the file, as received by the Department on August 20, 2008.
2. Work shall be inspected by the USDA NRCS to ensure the appropriate protective measures are properly implemented, including those outlined in the plans and documents supporting this permit application and the conditions of this authorization.
3. Work shall be done during low flow conditions.
4. There shall be no excavation or operation of construction equipment in flowing water.
5. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
6. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
7. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
8. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
9. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
10. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
11. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
12. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired immediately.
13. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
14. All refueling of equipment shall occur outside of surface waters or wetlands during construction.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(i), Projects that alter the course of or disturb 200 or more linear feet of an intermittent or perennial nontidal stream or river channel or its banks. For intermittent streams, the distance shall be measured along the thread of the channel. For perennial streams or rivers, the total disturbance shall be calculated by summing the lengths of disturbances to the channel and the banks. Due to the fact that the project will impact approximately 112 linear feet of bank/112 linear feet of bed in a river, namely Bloods Brook, the calculated length will be 224 linear feet total, which qualifies the project as a Major, in accordance with above cited rule.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. No objections or comments have been received to date.
5. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.
6. Based on a review of the materials and documentation submitted to date, and in consideration of the overall objectives and justification for the proposed work, the Department has made the finding that the project impacts will not significantly impair the resources of this riverine/stream ecosystem and therefore, a public hearing is not required.

7. We have determined that the project will not have an adverse effect to the overall environmental system, the work will result in stabilization to the banks of the brook that continues to threaten the loss of property and usage of the athletic fields for the town school, the bio-engineering methods used will result in minimization of erosion and sediment and improve water quality to Bloods Brook.

8. In light of the above findings, we have determined that the project is beneficial to the needs and welfare of the people, will result in an overall net environmental gain, is not contrary to the public interest and will be authorized as conditions accordingly.

2007-02403 HOBBS, CATHERINE
DOVER Piscataqua River

Requested Action:

Construct a tidal docking structure consisting of a 4' x 115' permanent pier connecting to a 3' x 37' ramp connecting to a 6' x 15' float, connecting to a 20' x 8' float, overall structure length 175', providing one under-sized slip (as defined by RSA 482-A:2, VIII (a)), on 260' of frontage on the Piscataqua River.

Inspection Date: 11/01/2007 by Dori A Wiggin

APPROVE PERMIT:

Construct a tidal docking structure consisting of a 4' x 115' permanent pier connecting to a 3' x 37' ramp connecting to a 6' x 15' float, connecting to a 20' x 8' float, overall structure length 175', providing one under-sized slip (as defined by RSA 482-A:2, VIII (a)), on 260' of frontage on the Piscataqua River.

With Conditions:

1. All work shall be in accordance with revised plans by Ross Engineering, dated 2/5/2008, as received by the Department on 2/11/2008.
2. Any future work in jurisdiction as specified in RSA 482-A on this property will require a new application and approval by the Department of Environmental Services ("DES") Wetlands Bureau.
3. This permit shall not be effective until recorded at the Strafford County Registry of Deeds Office by the permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau prior to construction.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain in until the area is stabilized.
5. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
6. Construction of this tidal docking structure consisting of a 6' x 115' permanent pier connecting to a 3' x 37' ramp connecting to a 6' x 15' float, connecting to a 20' x 8' float, overall structure length 175', providing one under-sized slip (as defined by RSA 482-A:2, VIII (a)), on 260' of frontage on Dover Tax Map L Lot 91 on the Piscataqua River shall be the only dock structure on this water frontage and all portions of the dock shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
7. Work shall be done during low tide.
8. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
9. Work shall be conducted in a manner that avoids excessive discharges of sediments to fish spawning areas.

With Findings:

1. This is a major impact project per Administrative Rule Wt 303.02(a), projects in sand dunes, tidal wetlands, or bogs, except for the repair of existing structures pursuant to Wt 303.04(v).
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01. There is currently no docking structure on the property to provide access to the water.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03. The permanent pier is constructed to cross the vegetated tidal resource. The ramp and floats are seasonal, and the structure is the minimum length necessary to reach usable water on the

Piscataqua River, and is consistent or shorter than docks recently approved in the immediate vicinity.

4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a) and (c), Requirements for Application Evaluation, has been considered in the design of the project. There were no species of concern reported by the NH Natural Heritage Bureau for the project vicinity. This project has been reviewed by the Pease Development Authority Division of Ports and Harbors which determined that the project would have no negative effect on navigation, per letter dated 9/26/2007; and the dock is located greater than 20 feet off the abutting property lines.
5. The Dover Conservation Commission intervened on the application, but did not report further.
6. This application has received review of the federal PGP Joint Processing Meeting on 11/15/2007. The applicant has responded to the comments of the National Marine Fisheries ("NMFS").
7. This dock is consistent with other tidal dock approvals in the seacoast.
8. DES staff field inspection on 11/1/2007 found that the site is accurately represented in the application.

-Send to Governor and Executive Council-

**2007-02506 NORTHWOOD, TOWN OF
NORTHWOOD Flat Meadow Brook**

Requested Action:

Replace 32 linear feet of 3' x 24" CMP culvert with approximately 32 linear feet of 3' x 36" CCP culverts; reconstruct headwalls and raise the roadway approximately 1 foot, with a total proposed wetland impact of 1,200 square feet in and adjacent to Flat Meadow Brook, and within 100' of Northwood Designated Prime Wetlands.

APPROVE PERMIT:

Replace 32 linear feet of 3' x 24" CMP culvert with approximately 32 linear feet of 3' x 36" CCP culverts; reconstruct headwalls and raise the roadway approximately 1 foot, with a total proposed wetland impact of 1,200 square feet in and adjacent to Flat Meadow Brook, and within 100' of Northwood Designated Prime Wetlands.

With Conditions:

1. All work shall be in accordance with plans by Underwood Engineers dated 7/30/2007, as received by DES on 10/22/2007.
2. A professional engineer shall inspect the project to insure compliance with approved plans and permit conditions.
3. Erosion control and construction sequence notes on the approved plans shall be explicitly followed.
4. Orange construction fencing shall be placed at the limits of construction; siltation/erosion controls shall be installed prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Work shall be done during low flow.
7. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
8. Temporary cofferdams shall be entirely removed immediately following construction.
9. Unconfined work within the river, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
10. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
11. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
13. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
14. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
15. Proper headwalls shall be constructed within seven days of culvert installation.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(f), projects located in or adjacent to designated prime wetlands under RSA 482-A:15.
2. A Prime Wetlands Public Hearing was held on 2/22/2008. The applicant's agent presented the project; there were no other attendees or testimony submitted to the record. The record was closed at the conclusion of the hearing.
3. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. This project consists of necessary replacement of an existing deteriorated culvert.
4. The applicant has provided evidence which demonstrates that his/her project, as approved and conditioned, is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The project will maintain the existing hydrologic conditions of the prime wetland stream.
5. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project. No species of concern were reported by the NH Heritage Bureau as occurring in the project vicinity.
6. The Northwood Conservation Commission signed an expedited application form for this project when originally submitted.
7. The detailed engineering plans accurately locate the boundary of the wetlands and prime wetlands.
8. The erosion controls, water velocity controls, stabilization methods, culvert sizing and invert elevations will protect the ability of the wetlands to retain floodwaters and silt.
9. The project as approved and constructed in adherence to the provided construction sequence, erosion controls, water treatment system and maintenance program offsets impact from any increased runoff created by the development.
10. Based on the inspection conducted on 2/19/2008 by DES personnel, the project involves minimum environmental impacts.
11. Based on findings #1-10 above, there is clear and convincing evidence this proposal will have no significant loss of values to the prime wetlands as set forth in RSA 482-A:1, and the project meets the criteria set forth in Rule Env-Wt 703.01 Criteria for Approval.

**2007-02538 MANCHESTER DPW, CITY OF
MANCHESTER Unnamed Stream**

Requested Action:

Dredge approximately 3,850 sq. ft. (275 linear feet) of a roadside drainage swale/stream and adjacent wetlands to restore flows to a previously constructed drainage swale along Wellington Road. Work in wetlands consists of installation of temporary erosion, sedimentation and turbidity controls, temporary access, removal of accumulated sediment, re-grading, loaming, seeding and installation erosion control blankets.

APPROVE PERMIT:

Dredge approximately 3,000 sq. ft. (350 linear feet) of a roadside drainage swale/stream and adjacent wetlands to restore flows to a previously constructed drainage swale along Wellington Road. Work in wetlands consists of installation of temporary erosion, sedimentation and turbidity controls, temporary access, removal of accumulated sediment, re-grading, loaming, seeding and installation erosion control blankets.

With Conditions:

1. All work shall be in accordance with plans by the City of Manchester Department of Highways Engineering Division, dated January 2008, as received by DES on February 22, 2008.
2. This permit is contingent on review and approval, by the DES Wetlands Bureau, of final stream diversion/erosion control plans. Those plans shall detail the timing and method of stream flow diversion during construction, and show temporary siltation/erosion/turbidity control measures to be implemented.
3. Work shall be done during low or no flow.
4. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.

5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Unconfined work within the stream, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
7. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation.
8. Temporary cofferdams shall be entirely removed immediately following construction.
9. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
10. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
11. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
12. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
13. The Department has determined that this project is in the vicinity of an impaired waterbody. Therefore stormwater runoff treatment for this project shall be designed and constructed so that the stormwater pollutant loads from the completed project are no greater than the stormwater pollutant loads that existed prior to the project for all pollutants causing impairment which are likely to be in stormwater discharged from the completed project.
14. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired prior immediately.
15. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
16. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02 (i) Projects that alter the course of or disturb 200 or more linear feet of an intermittent or perennial nontidal stream or river channel or its banks.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a).
5. The stream channel was re-constructed as a drainage swale in 1973 as part of the Wellington Road reconstruction project.
6. The culvert outlets and stream flows have become impeded by accumulated sediment.
7. The blocked flow has created drainage issue on up-gradient properties.
8. The proposed impacts are temporary and the drainage swale will be re-established and stabilized after the sediment is removed.
9. DES has not received any comments in objection to the proposed project.
10. The New Hampshire Fish and Game Department did not submit comments regarding the proposed project.
11. A public hearing was not held with the finding that the project impacts will not significantly impair the resources of this wetland and stream ecosystem.

**2007-02961 NH DEPT OF TRANSPORTATION
HINSDALE Kilburn Brook**

Requested Action:

Reconstruct a portion of NH Route 63 including drainage structures and the stabilization of 400 linear feet of banks impacting

11,515 sq. ft. of palustrine and riverine wetlands and banks (2,550 sq. ft. temporary).

Conservation Commission/Staff Comments:

Ashuelot River Advisory Committee requested the DOT maintain and enhance shady vegetation as much as possible.

Cons. Comm. - no comment

APPROVE PERMIT:

Reconstruct a portion of NH Route 63 including drainage structures and the stabilization of 400 linear feet of banks impacting 11,515 sq. ft. of palustrine and riverine wetlands and banks (2,550 sq. ft. temporary). NHDOT project #14540N.

With Conditions:

1. All work shall be in accordance with plans by NHDOT Bureau of Highway Design (undated), as received by the Department on Dec. 19, 2007.
2. This permit is contingent upon the submission of a project specific stream diversion and erosion control plans to the DES Wetlands Bureau. Those plans shall detail the timing and method of stream flow diversion during construction, and shall show the temporary siltation, erosion and turbidity control measures to be implemented.
3. This permit is contingent upon the submission of stamped engineering plans specifically for the bank stabilization design in accordance with Rule Wt 404.04.
4. Dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
5. All work shall be above Ordinary High Water as shown on the plans.
6. Construction equipment shall not be located within surface waters.
7. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
8. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
9. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
10. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
11. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Matting and pinning shall stabilize slopes steeper than 3:1.
12. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
13. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.
14. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
15. Standard precautions shall be taken to prevent import or transport of soil or seed stock from nuisance, invading species such as purple loosestrife or Phragmites.
16. The impacts associated with the temporary work shall be restored immediately following construction.
17. Humus and seed mix shall be added to the slope above the Q50 elevation to promote natural vegetation.

With Findings:

1. This is a major impact project per Administrative Rules Env-Wt 303.02(c) and (i), disturbance of more than 200 linear feet of bank.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.

5. DES Staff conducted a field inspection of the project area on February 8, 2006. Field inspection determined that the October 2005 flooding scoured the banks causing significant damage to the highways, roadways, bridges and culverts within the watershed.
6. As a result of the widespread flooding damage and federally declared emergency, the DES finds that addressing the mitigation rules would not be necessary on this publicly funded project because of its restoration goals.
7. The applicant coordinated reviews of the project through the Natural Resource Agency meetings on March 15 and August 23, 2006.
8. On Dec. 19, 2007 the DES received a letter from the Ashuelot River Advisory Committee requesting the DOT maintain and enhance the shading of the brook in the areas of restoration.
9. At the January 16, 2008 Natural Resource Agency meeting further discussion occurred relative to the bank stabilization along Kilburn Brook and the comments of the Ashuelot River Advisory Committee. Due to the concern by the DOT regarding the steepness and height of this bank to be stabilized using stone at a 1.5:1 slope, it was mutually agreed that humus and seed mix will be added to the slope above the Q50 elevation to promote natural vegetation.
10. The stream will not be impacted as the stone will be keyed in above the ordinary high water line. The floodplain is not expected to be impacted as a result of this project.
11. The project is to stabilize the stream embankment / road shoulder in a location where half of the road was washed out so the overall impacts will have a positive impact to water quality.
12. DES Staff finds that this project will not have a significant impact on these palustrine and riverine resources and are not at areas of substantial public interest where issues have been raised pursuant to RSA 482-A:1. Therefore, a public hearing is not required.

MINOR IMPACT PROJECT

2006-00470 BOW EQUESTRIAN VILLAGE LLC
BOW Unnamed Wetland

Requested Action:

Amendment request to eliminate 10 single family lots and the proposed subdivision road, reduction of the development to a 2 lot lot line adjustment with two driveways off the existing Dumbarton Center Road.

APPROVE AMENDMENT:

Dredge and fill 2337 square feet for access in the lot line adjustment between two lots of record.

With Conditions:

1. All work shall be in accordance with plans by Richard D Bartlett and Associates dated September 24, 2007, and revised through November 14, 2007, as received by the Department on December 21, 2007 and the plan by Beaver Brook Environmental LLC as received by the Department on March 5, 2008.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
4. Work shall be done during periods of non-flow.
5. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized.
6. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. The existing 12-inch culvert on lot 19-A shall be replaced with twin 36-inch culverts embedded 15-inches into the natural substrate by September 1, 2008.
8. Native material removed from the streambed during culvert installation, shall be stockpiled separately and reused to emulate a natural channel bottom within the culvert. Any new materials used must be similar to the natural stream substrate and shall not include angular rip-rap.
9. Proper headwalls shall be constructed within seven days of culvert installation.
10. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or

netting and pinning on slopes steeper than 3:1.

- 11. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
- 12. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
- 13. Silt fencing must be removed once the area is stabilized.

With Findings:

- 1. This is a minor impact project per Administrative Rule Env-Wt 303.03(1), projects that alter the course of or disturb less than 200 linear feet of an intermittent or perennial nontidal stream or river channel or its banks and do not meet the criteria for minimum impact under Env-Wt 303.04(n).
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

2007-00422 ROCHESTER, CITY OF
ROCHESTER Salmon Falls River

Requested Action:

Dredge and fill 100 sq. ft. in the bank of the Salmon Falls River for construction of a storm drain outfall.

DENY PERMIT-INSUFFICIENT & UNTIMELY RESP:

Dredge and fill 100 sq. ft. in the bank of the Salmon Falls River for construction of a storm drain outfall.

With Findings:

- 1. A Request For More Information ("RFMI") letter dated 5/25/2007, addressed to the applicant or agent of record, clearly identified that pursuant to RSA 482-A:3, the applicant is required to submit additional information to DES within 120 days of the request. The deadline for the applicant's response to the RFMI letter was specified as 9/25/2007.
- 2. On 9/24/2007 DES received a partial response to the 5/25/2007 RFMI letter. The response failed to resolve the outstanding property ownership issue, but indicated that the City was negotiating with the property owner to secure an easement for the project.
- 3. On 11/2/2007 DES sent a follow-up letter to the applicant requesting that the applicant at least obtain written permission from the property owner to apply for the wetlands permit, and that the permit could be conditioned to be contingent upon finalization of the easement and submission of the easement deed to DES. DES indicated to the applicant that it could not issue a permit to an entity with no property rights to the project property, and no written statement whatsoever in the record from the property owner. The deadline specified in the 11/2/2007 letter for the applicant's response was 12/2/2007.
- 3. Pursuant to RSA 482-A:3, XIV(b), if the requested additional information is not received by DES within 120 days of the request, DES shall deny the application.
- 4. DES did not receive the requested additional information within the 120 days, nor within additional time provided by DES, or at any time since, and therefore the application has been denied.

2007-01203 NH DEPT OF TRANSPORTATION
OSSIPEE Lovell River

Requested Action:

Replace the deck of the 31 ft. bridge and widen to 44 ft. to improve safety for traffic and pedestrians impacting 798 sq. ft. of (588 sq. ft. temporary).

Conservation Commission/Staff Comments:

Cons. Comm. - no comment

APPROVE PERMIT:

Replace the deck of the 31 ft. bridge and widen to 44 ft. to improve safety for traffic and pedestrians impacting 798 sq. ft. of (588 sq. ft. temporary). NHDOT project #14434.

With Conditions:

1. All work shall be in accordance with plans by NHDOT Bureau of Bridge Maintenance dated 3/5/07, as received by the Department on June 1, 2007.
2. Dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
3. Unconfined work within the river, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
4. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
5. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
6. Temporary cofferdams shall be entirely removed immediately following construction.
7. Construction equipment shall not be located within surface waters.
8. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
9. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
10. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
11. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
12. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Matting and pinning shall stabilize slopes steeper than 3:1.
13. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
14. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.
15. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
16. Standard precautions shall be taken to prevent import or transport of soil or seed stock from nuisance, invading species such as purple loosestrife or Phragmites.
17. The impacts associated with the temporary work shall be restored immediately following construction.

With Findings:

1. This is a minor impact project per Administrative Rule Wt 303.03(1), alteration of less than 200 linear feet of bank.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.

Requested Action:

Deny permit request to dredge sediment and accumulated debris from Guillon Brook and remove vegetation along bank.

DENY PERMIT-INSUFFICIENT & UNTIMELY RESP:

Deny permit request to dredge sediment and accumulated debris from Guillon Brook and remove vegetation along bank.

With Findings:

1. A request for additional information dated October 30, 2007, addressed to the applicant or agent of record, clearly identified changes made to RSA 482-A:3 in 2003, requiring the applicant to submit additional information to DES within 120 days of the request.
2. Pursuant to RSA 482-A:3, XIV(b), if the requested additional information is not received by DES within 120 days of the request, DES shall deny the application.
3. DES did not receive the requested additional information within the 120 days and therefore the application has been denied.

2007-02031 MELLION, BRUCE
HANCOCK Unnamed Wetland

Requested Action:

Deny permit request to dredge 16,000 square feet of palustrine forested and scrub-shrub wetlands for pond construction.

DENY PERMIT-INSUFFICIENT & UNTIMELY RESP:

dredge 16,000 square feet of palustrine forested and scrub-shrub wetlands for pond construction.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(e), construction of a pond with less than 20,000 square feet of impact in a wetland or surface waters, which does not meet the criteria Env-Wt 303.04(p).
2. A request for additional information dated October 31, 2007, addressed to the applicant or agent of record, clearly identified changes made to RSA 482-A:3 in 2003, requiring the applicant to submit additional information to DES within 120 days of the request.
3. Pursuant to RSA 482-A:3, XIV(b), if the requested additional information is not received by DES within 120 days of the request, DES shall deny the application.
4. DES did not receive the requested additional information within the 120 days and therefore the application has been denied.
5. Photographs submitted with the application for DES Wetlands Bureau File No. 2007-02031, appear to indicate the palustrine forested and scrub-shrub wetlands proposed for pond construction have been recently impacted by tree and stump removal. This matter has been referred to the DES Wetlands Bureau, Enforcement Section.

2007-02687 NH DEPT OF TRANSPORTATION
NEW HAMPTON Magoon Brook

Requested Action:

Clean the inlets and outlets of twin 36 in. culverts impacting 1,200 sq. ft. of brook and bank (900 sq. ft. temporary).

Conservation Commission/Staff Comments:

Cons. Comm. - no comment

APPROVE PERMIT:

Clean the inlets and outlets of twin 36 in. culverts impacting 1,200 sq. ft. of brook and bank (900 sq. ft. temporary). NHDOT project #M-324-4.

With Conditions:

1. All work shall be in accordance with plans by NHDOT dated 7/20/07, as received by the Department on Nov/ 9, 2007.
2. Dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
3. Construction equipment shall not be located within surface waters.
4. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
6. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
7. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
8. Standard precautions shall be taken to prevent import or transport of soil or seed stock from nuisance, invading species such as purple loosestrife or Phragmites.
9. Work shall be done during low flow.

With Findings:

1. This is a minor impact project per Administrative Rule Wt 303.03(1), alteration of less than 200 linear feet of bank.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.

**2007-02689 NH DEPT OF TRANSPORTATION
NORTHFIELD Beau Fair Brook**

Requested Action:

Stabilize embankment with stone at outlet of culvert impacting 200 sq. ft. of bank.

Conservation Commission/Staff Comments:

Cons. Comm. - no comment

APPROVE PERMIT:

Stabilize embankment with stone at outlet of culvert impacting 200 sq. ft. of bank. NHDOT project #M313-14.

With Conditions:

1. All work shall be in accordance with plans by NHDOT Maintenance District 3 dated 8/31/07 as received by the Department on Nov. 9, 2007.
2. Dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
4. Construction equipment shall not be located within surface waters.
5. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
6. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).

7. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
8. Work shall be done during low flow.

With Findings:

1. This is a minor impact project per Administrative Rule Wt 303.03(1), alteration of less than 200 linear feet of bank.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.
5. The application was reviewed relative to possible impacts to impaired waters and the DES finds this project will stabilize an eroding bank and therefore should improve water quality.

2007-02765 GILFORD GREEN ACRES LLC
GILFORD Unnamed Wetland

Requested Action:

Dredge and fill a total of 938 square feet along 60 linear feet of intermittent stream for three driveway crossings in the subdivision of 98.57 acres into 8 single family residential lots.

APPROVE PERMIT:

Dredge and fill a total of 938 square feet along 60 linear feet of intermittent stream for three driveway crossings in the subdivision of 98.57 acres into 8 single family residential lots.

With Conditions:

1. All work shall be in accordance with plans by Holden Engineering and Surveying sheets 1 through 4 of 4, dated November 1, 2007, and revised as received by the Department on November 29, 2007, and Subdivision Plans by Holden Engineering and Surveying Inc dated February 1, 2006, and revised through March 1, 2006, as received by the Department on February 8, 2008.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback on lots 263-036.01, 263-036.02, 263-036.03, 263-036.04, 263-036.05, and 263-036.06.
4. The deed which accompanies the sales transaction for lots listed in condition # 3 shall contain the language of this approval.
5. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau.
6. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
7. Work shall be done during periods of non-flow.
8. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized.
9. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
10. Proper headwalls shall be constructed within seven days of culvert installation.
11. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
12. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
13. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
14. Silt fencing must be removed once the area is stabilized.
15. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(l), projects that alter the course of or disturb less than 200 linear feet of an intermittent or perennial nontidal stream or river channel or its banks and do not meet the criteria for minimum impact under Env-Wt 303.04(n).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2007-02969 FAULKNER, WILLIAM
TUFTONBORO Lake Winnepesaukee

Requested Action:

Permanently remove a "U" shaped seasonal docking structure and install two 4 ft x 30 ft seasonal piers connected by a 4 ft x 12 ft seasonal walkway in a "U" shaped configuration, anchored by two 4 ft x 3 ft concrete pads on an average of 325 ft of frontage on Helen Island, on Lake Winnepesaukee, in Tuftonboro.

APPROVE PERMIT:

Permanently remove a "U" shaped seasonal docking structure and install two 4 ft x 30 ft seasonal piers connected by a 4 ft x 12 ft seasonal walkway in a "U" shaped configuration, anchored by two 4 ft x 3 ft concrete pads on an average of 325 ft of frontage on Helen Island, on Lake Winnepesaukee, in Tuftonboro.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction dated December 12, 2007, as received by DES on December 20, 2007.
2. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. This shall be the only structure on this water frontage and all portions of the dock shall be at least 20 ft from abutting property lines or the imaginary extension of those lines into the water.
4. The seasonal piers shall be removed from the lake for the non-boating season.
5. No portion of the pier shall extend more than 30 feet from the shoreline at full lake elevation.
6. The concrete pads shall be located entirely behind the natural undisturbed shoreline and above full lake elevation of 504.32 ft.
7. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), construction or modification on any docking system that exceed the design and construction criteria discussed at Env-Wt 402.01 for minimum impact docks classified under Env-Wt 303.04.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant owns the entire frontage on this island property with a circumference of approximately 650 feet of shoreline frontage along Lake Winnepesaukee.
6. The proposed docking facility will provide 3 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.12.

2008-00031 KLINE, ROBERT
WOLFEBORO Crescent Lake

Requested Action:

Permanently remove an existing 4 ft x 20 ft seasonal dock and an existing 4 ft x 3 ft concrete and stone pad, install a 6 ft x 3 ft concrete pad, a 6 ft x 30 ft seasonal dock, a seasonal boatlift with a 9 ft x 21 ft seasonal canopy in the western slip, and replace 4 ft wide steps from the beach to the waterbody on 180 ft of frontage on Crescent Lake, in Wolfeboro.

Conservation Commission/Staff Comments:

Con Com has no concerns

APPROVE PERMIT:

Permanently remove an existing 4 ft x 20 ft seasonal dock and an existing 4 ft x 3 ft concrete and stone pad, install a 6 ft x 3 ft concrete pad, a 6 ft x 30 ft seasonal dock, a seasonal boatlift with a 9 ft x 21 ft seasonal canopy in the western slip, and replace 4 ft wide steps from the beach to the waterbody on 180 ft of frontage on Crescent Lake, in Wolfeboro.

With Conditions:

1. All work shall be in accordance with plans by Don Carey dated December 26, 2007, as received by DES on January 09, 2008.
2. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement or revocation action if the DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. This shall be the only structure on this water frontage and all portions of the dock shall be at least 20 ft from abutting property lines or the imaginary extension of those lines into the water.
6. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. The concrete pad shall be located completely behind full lake elevation.
8. The seasonal pier shall be removed from the lake for the non-boating season.
9. No portion of the pier shall extend more than 30 feet from the shoreline at full lake elevation.
10. Canopies shall be of seasonal construction type with a flexible fabric cover which shall be removed for the non-boating season.
11. Boatlifts shall be of seasonal construction type which shall be removed for the non-boating season.
12. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(g), removal of no more than 20 cubic yards of rock, gravel, sand, mud, or other materials from public waters.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has an average of 179 feet of shoreline frontage along Crescent Lake.
5. A maximum of 3 slips may be permitted on this frontage per Rule Env-Wt 402.12, Frontage Over 75'.
6. The proposed docking facility will provide 2 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.12.

MINIMUM IMPACT PROJECT

2005-02843 WELCH JR, THOMAS & ANN
HANCOCK Nubanusit Lake

Requested Action:

Construct a 6 ft x 30 ft seasonal dock with a 6 ft x 12 ft seasonal section in a "L" configuration on an average of 155 ft of frontage

on Nubanusit Lake, in Hancock.

APPROVE PERMIT:

Construct a 6 ft x 30 ft seasonal dock with a 6 ft x 12 ft seasonal section in a "L" configuration on an average of 155 ft of frontage on Nubanusit Lake, in Hancock.

With Conditions:

1. All work shall be in accordance with plans by Meridian Land Services dated October 3, 2007, as received by DES on November 9, 2007.
2. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. The seasonal dock shall not be installed until all of the material to be removed has been removed and the proposed plantings have been completed.
4. This shall be the only structure on this water frontage and all portions of the dock shall be at least 20 ft from abutting property lines or the imaginary extension of those lines into the water.
5. The seasonal pier shall be removed from the lake for the non-boating season.
6. No portion of the pier shall extend more than 36 feet from the shoreline at full lake elevation.
7. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B including changes effective April 1, 2008(see attached fact sheet).

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(a), construction of a seasonal dock.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.

**2007-01247 WATERVILLE VALLEY, TOWN OF
WATERVILLE VALLEY Corcoran Pond/snows Brook**

Requested Action:

Amend permit to allow for minor plan modifications that based on site conditions that were encountered during the start of construction. The primary changes are a reduction in pond depths, the area of wetland creation has been reduced by 4,785 square feet, and the area of upland habitat creation has increased by 4,942 square feet.

Inspection Date: 12/08/2006 by Craig D Rennie

APPROVE AMENDMENT:

Amend permit to read: Dredge and fill 4.62 acres (201,234 square feet) within an existing man-made pond (a.k.a. Corcoran Pond) to restore the pond depth for fish habitat, fire protection, snowmaking and recreation; and to create .7 acres (30,063 square feet) of wetland habitat along the pond perimeter to improve overall water quality. In addition, temporarily impact approximately 500 square feet of wetland for construction access to the pond.

With Conditions:

1. All work shall be in accordance with plans by TTG Environmental Consultants, LLC, JGI Eastern, Inc., and Oak Hill Environmental dated February 4, 2008, as received by DES on February 12, 2008.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Work shall be done during drawdown and low flow conditions.
5. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or

- other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
6. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
 7. Temporary wetland impact areas shall be restored and replanted until a functional wetland is replicated in a manner satisfactory to the DES Wetlands Bureau.
 8. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
 9. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
 10. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
 11. All planted vegetation shall be native and consistent with surrounding natural vegetation on the property and surrounding properties. Planting invasive or exotic species is strictly prohibited.
 12. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid, and faulty equipment shall be repaired prior to entering jurisdictional areas.
 13. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
 14. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
 15. A post-construction report documenting the status of the completed project with photographs shall be submitted to the Wetlands Bureau within 60 days of the completion of construction.

With Findings:

1. This project is classified as a Minimum Impact Project per NH Administrative Rule Env-Wt 303.04(t), as the project proposes to restore the existing pond and improve overall water quality.
2. DES conducted a pre-application meeting and site inspection on December 8, 2006 and found that the town Conservation Commission, the local fire department, and the town administrators were all in support of the project. In addition, we discussed various construction and dewatering alternatives to reduce the potential for downstream water quality degradation.
3. On May 17, 2007, DES met with the Town of Waterville Valley and their agents, as well as the Army Corps of Engineers, the US Fish & Wildlife Service, US Environmental Protection Agency. All agreed that if DES classified the project as a minimum impact restoration project, that it would be acceptable to process it through the Army Corps' General Programmatic Permit.
4. In a letter dated May 30, 2007, the Waterville Valley Conservation Commission stated that they strongly support the project to dredge Corcoran's Pond and that the project will benefit the community and the environment in many ways.
5. The applicant requested a waiver of Rule Env-Wt 303.04(t)(1), which requires restoration projects to have financial support and direct supervision from a NH state agency and a federal agency. The project will be funded by the Town of Waterville Valley, and the Town staff and consultants will be supervising each aspect of the project to ensure the project's success.
6. DES finds that Rule Env-Wt 303.04(t)(1) can be waived as local municipal funding and oversight of the project meets the general intent of the rule.
7. The amendment request for minor plan modifications is based on site conditions that were encountered during the beginning of construction. The project was then stopped and further soil borings were done that ultimately led to a redesign of the proposed pond depths and wetland creation areas.

2007-01415 PETRE, JUDY
CHARLESTOWN Unnamed Pond

Requested Action:

Deny permit application to maintenance dredge an existing pond.

Conservation Commission/Staff Comments:

Conservation Commission finds the project to be beneficial;

Dam #41.21 was previously approved for maintenance dredge Wetlands File #M-1075.

DENY PERMIT-INSUFFICIENT & UNTIMELY RESP:

Deny permit application to maintenance dredge an existing pond.

With Findings:

1. A request for additional information dated October 26, 2007, addressed to the applicant or agent of record, clearly identified changes made to RSA 482-A:3 in 2003, requiring the applicant to submit additional information to DES within 120 days of the request.
2. Pursuant to RSA 482-A:3, XIV(b), if the requested additional information is not received by DES within 120 days of the request, DES shall deny the application.
3. DES did not receive the requested additional information within the 120 days and therefore the application has been denied.

2007-01702 MARSHALL, ROBERT
BRISTOL Newfound Lake

Requested Action:

Replace an existing 37 linear feet of retaining wall on Newfound Lake, Bristol.

Conservation Commission/Staff Comments:

No comments from the Con Com by August 21, 2007

APPROVE PERMIT:

Replace an existing 37 linear feet of retaining wall on Newfound Lake, Bristol.

With Conditions:

1. All work shall be in accordance with plans by True Engineering dated January 29, 2008, as received by DES on February 04, 2008.
2. Repair shall maintain existing size, location and configuration.
3. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement or revocation action if the DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.
4. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(c), repair or replacement of existing retaining walls that is preformed in the dry.
2. The proposed project is located above full lake elevation.

2007-02443 SWANSON, KENNETH & KAREN
BOW Unnamed Wetland

Requested Action:

Dredge and fill 2006 square feet including installation of an 18-inch x 23 linear foot culvert for access to a proposed single family building lot.

APPROVE PERMIT:

Dredge and fill 2006 square feet including installation of an 18-inch x 23 linear foot culvert for access to a proposed single family building lot.

With Conditions:

1. All work shall be in accordance with plans by JE Belanger Land Surveying dated December 14, 2007, as received by the Department on February 26, 2008 and Subdivision Plans dated June 12, 2007, as received by the Department on January 25, 2008.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
4. The deed which accompanies the sales transaction for lot 32-2-12 shall contain condition #3 of this approval.
5. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
6. Work shall be done during periods of non-flow.
7. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized.
8. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
9. Proper headwalls shall be constructed within seven days of culvert installation.
10. Culvert outlets shall be protected in accordance with the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
11. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
12. Silt fencing must be removed once the area is stabilized.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f), projects involving alteration of less than 3,000 square feet in swamps or wet meadows that are not in prime wetlands or do not meet the requirements of Env-Wt 303.02(k), provided that no previous department permit has placed restrictions on the property of the applicant.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has provided a letter of written agreement in accordance with Env-Wt 304.04(a), for impacts within 20 feet of the abutting property lot 32-2-12C-1.

2007-02653 NH SPEEDWAY INC
LOUDON Gues Meadow Brook

Requested Action:

Confirm Emergency Authorization issued on November 14, 2007, to replace failed twin 46-inch x 80 foot culverts with twin 42-inch x 80 foot culverts.

CONFIRM EMERGENCY AUTHORIZATION:

Impact 567 square feet to replace failed twin 46-inch x 80 foot culverts with twin 42-inch x 80 foot culverts.

With Conditions:

1. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.

With Findings:

1. This project is classified as a Minimum impact project per Rule Env-Wt 303.04(x) Maintenance, repair, or replacement of a nondocking structure such as a culvert, headwall, bridge, dam, residential utility line, or rip-rap slope.
2. The project was necessary to replace the existing failing culverts on a access road.
3. Emergency authorization for this work was issued by DES Wetlands Bureau Staff on November 14, 2008.
4. Review of the application submitted pursuant the emergency authorization indicates that work has been completed in accordance

with the emergency authorization.

FORESTRY NOTIFICATION

**2008-00293 SUISSEVALE PROPERTY OWNERS ASSOCIATION
MOULTONBOROUGH Unnamed Stream**

COMPLETE NOTIFICATION:
Moultonboro Tax Map 150, Lot# 19

**2008-00317 SPNHF
MILTON Unnamed Stream**

COMPLETE NOTIFICATION:
Milton Tax Map 18, Lot# 8, 13, 14

**2008-00319 MEADOWSEND TIMBERLANDS LTD
ANTRIM Unnamed Stream**

COMPLETE NOTIFICATION:
Antrim Tax Map 237, Lot# 3

**2008-00321 WHITEFIELD, TOWN OF
JEFFERSON Unnamed Stream**

COMPLETE NOTIFICATION:
Jefferson Tax Map 18, Lot# 7

**2008-00333 BAYROOT LLC - MOXIE TREE FARM
PITTSBURG Unnamed Stream**

COMPLETE NOTIFICATION:
Pittsburg Tax Map A8, Lot# 435

**2008-00334 BAYROOT LLC - MOXIE TREE FARM
ATK GIL GRANT Unnamed Stream**

COMPLETE NOTIFICATION:
Atkinson & Gilmanto Aca Grant Tax Map 1628, Lot# 2

**2008-00336 MANDSAGER, CONRAD & KATHY
NOTTINGHAM Unnamed Stream**

COMPLETE NOTIFICATION:
Nottingham Tax Map 40, Lot# 5

EXPEDITED MINIMUM

2007-02597 KRAEGER, THOMAS
SUNAPEE Unnamed Stream Lake Sunapee

Requested Action:

Replace existing collapsed culvert and replace with a 6 ft x 18 ft box culvert, and repair/replace existing boathouse and its supports "in-kind" on 350 ft of frontage in Sunapee on Lake Sunapee.

APPROVE PERMIT:

Replace existing collapsed culvert and replace with a 6 ft x 18 ft box culvert, and repair/replace existing boathouse and its supports "in-kind" on 350 ft of frontage in Sunapee on Lake Sunapee.

With Conditions:

1. All work shall be in accordance with boathouse plans and culvert cross-section, as received by the Department on February 21, 2008 and top view culvert plans as received by the Department on March 3, 2008.
2. Work shall be done during low flow conditions.
3. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. If existing materials don't provide adequate bank protection, proper headwalls shall be constructed within seven days of culvert installation.
7. Culverts shall be laid at original grade.
8. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
9. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
10. Repair of the boathouse and its supports shall maintain existing size, location and configuration.
11. All debris from the original cribs shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
12. This permit does not allow for maintenance dredging.
13. This permit to replace or repair existing structures shall not preclude the Department of Environmental Services from taking any enforcement action or revocation action if the Department of Environmental Services later determines that these "existing structures" were not previously permitted or grandfathered.
14. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
15. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
16. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(v), repair of existing docking structures with no change in size, location or configuration.

2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2007-03004 DUBLIN, TOWN OF
DUBLIN Charcoal Brook

Requested Action:

Replace a failed 8-ft. x 12-ft. x 45-ft. corrugated metal culvert with an embedded 12-ft. x 11-ft. x 29-ft. precast concrete box culvert at the Old Marlborough Road crossing along Charcoal Brook.

APPROVE PERMIT:

Replace a failed 8-ft. x 12-ft. x 45-ft. corrugated metal culvert with an embedded 12-ft. x 11-ft. x 29-ft. precast concrete box culvert at the Old Marlborough Road crossing along Charcoal Brook.

With Conditions:

1. All work shall be in accordance with plans by Quantum Construction Consultants, LLC dated December 14, 2007, and revised through February 08, 2008, as received by the Department on February 11, 2008.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. Work shall be done during low flow conditions.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to wetlands and surface waters.
6. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. There shall be no excavation or operation of construction equipment in flowing water.
8. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
9. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of twenty (20) feet of undisturbed vegetated buffer.
10. Work within the stream, inclusive of work associated with installation of a cofferdam, shall be done during periods of low flow. High flows can be caused by seasonal runoff or precipitation; the permittee shall monitor local forecasts to review weather conditions.
11. No work within the confined area shall proceed until the cofferdam is fully effective, and water flow is controlled.
12. Temporary cofferdams shall be entirely removed immediately following construction.
13. Proper headwalls shall be constructed within seven days of culvert installation.
14. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
15. Materials used to emulate a natural channel bottom within the culvert, between wingwalls and beyond must be rounded and smooth stones similar to the natural stream substrate and shall not include angular rip-rap or gravel.
16. The recreated stream channel bed must maintain the natural stream bed elevation.
17. The recreated stream channel bed and box culvert must maintain the natural and a consistent stream bed elevation and not impede stream flow.
18. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid.
19. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
20. All refueling of equipment shall occur outside of surface waters or wetlands during construction.

21. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(l), projects that alter the course of or disturb less than 200 linear feet of an intermittent or perennial nontidal stream or river channel or its banks and do not meet the criteria for minimum impact under Env-Wt 303.04(n).
2. The replacement structure is being funded by the Federal Emergency Management Agency (FEMA) and the Department of Transportation (DOT).
3. The proposed project was revised to remove the proposed Charcoal Brook dredge.
4. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
5. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
6. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

2008-00263 HATFIELD, EDWARD & PATRICIA
FREEDOM Loon Lake

Requested Action:

Construct 4 ft wide access steps in the bank to access the waterbody on Loon Lake, Freedom.

Conservation Commission/Staff Comments:

Con Com signed Exp Application

APPROVE PERMIT:

Construct 4 ft wide access steps in the bank to access the waterbody on Loon Lake, Freedom.

With Conditions:

1. All work shall be in accordance with plans as received by DES on February 22, 2008.
2. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
3. No work shall be done in the water.
4. Disturbed areas shall be replanted at the completion of the project.
5. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(m), projects that disturb less than 50 linear feet, measured along the shoreline, of a lake or pond or its bank.

2008-00299 FISHER REVOC TRUST, ANNE
SUNAPEE Lake Sunapee

Requested Action:

Repair and replace an existing 12 ft x 26 ft permanent dock supported by a 10 ft x 10 ft crib on Lake Sunapee, New London.

Conservation Commission/Staff Comments:

Con Com signed the Exp Application

APPROVE PERMIT:

Repair and replace an existing 12 ft x 26 ft permanent dock supported by a 10 ft x 10 ft crib on Lake Sunapee, New London.

With Conditions:

1. All work shall be in accordance with plans by Richard Green dated February 18, 2008, as received by DES on February 27, 2008.
2. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that these "existing structures" were not previously permitted or grandfathered.
4. Repair shall maintain existing size, location and configuration.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
6. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
7. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
8. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
9. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(v), repair of existing docking structures with no change in size, location or configuration.

GOLD DREDGE

2008-00320 ATOMANUK JR, JAMES
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath Con Comm

2008-00344 TALLMAGE, KENNETH
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath Con Comm

TRAILS NOTIFICATION

2008-00316 DRAPE, ROBERT
ENFIELD Unnamed Stream

COMPLETE NOTIFICATION:
Enfield Tax Map 9, Lot# 53

LAKES-SEASONAL DOCK NOTIF

2008-00313 GENDRON, JAMES
WHITEFIELD Mirror Lake

COMPLETE NOTIFICATION:
Whitefield, NH Tax map 219 Lot 8
Mirror Lake

2008-00314 ELDREDGE, ROBERT
SANBORNVILLE Lovell Lake

COMPLETE NOTIFICATION:
Sanbornville, NH Tax map 14 Lot 44
Lovell Lake

2008-00323 HUSSEY, PHILIP
SUNAPEE Sunapee Lake

COMPLETE NOTIFICATION:
Sunapee, NH Tax map 146 Lot 38
Lake Sunapee

ROADWAY MAINTENANCE NOTIF

2008-00318 G & M COOPERATIVE INC
HOOKSETT Unnamed Stream

COMPLETE NOTIFICATION:
Replacement of two 36" pipes with 2.5' X 3' open-bottom box culverts

PERMIT BY NOTIFICATION

2007-02582 **BLISS SQUAM TRUST, EMILY BLISS**
SANDWICH Squam Lake

With Findings:

1. No response received within 20 days.

2008-00139 **BISSON, JANET**
WALPOLE Unnamed Pond

Requested Action:

Disqualify permit by notification to dredge 7,000 sq. ft. of a man-made pond.

PBN DISQUALIFIED:

Dredge 7,000 sq. ft. of a man-made pond.

With Findings:

1. A notice of incomplete permit by notification requesting additional information dated January 31, 2008, addressed to the applicant or agent of record, clearly required the applicant to submit additional information to DES within 20 days of the request.
2. DES did not receive the requested additional information within the 20 days; and therefore, the permit by notification has been disqualified.
3. An insufficient response was received on February 27, 2008.

2008-00218 **ANDROSCOGGIN VALLEY REGIONAL REFUSE DISPOSAL DIST**
BERLIN Unnamed Wetland

Requested Action:

Dredge and fill approximately 200 sq. ft. in the bank and bed of an existing beaver pond, to include associated backfill, to install a dry hydrant for fire protection as requested by the Berlin Fire Department.

Conservation Commission/Staff Comments:

No Con-Com Signature - 25 days to process. Due before 3/7.

PBN IS COMPLETE:

Dredge and fill approximately 200 sq. ft. in the bank and bed of an existing beaver pond, to include associated backfill, to install a dry hydrant for fire protection as requested by the Berlin Fire Department.

With Conditions:

1. All work shall be in accordance with plan entitled: Mt. Carberry Secure Landfill, Success NH, in 4 consecutive sheets, dated REV: 10/31/07, prepared by Sevee & Maher Engineers, Inc., as received by the Department on February 13, 2008.

With Findings:

1. This qualifies as a PBN as per Administrative Rule Env-Wt 506.01(a)(6); Excavation of less than 10 linear feet within the bank and bed of a surface water that does not exceed 200 square feet in total jurisdictional impact to the bed, for installation of a dry hydrant.
2. The Berlin Fire Department submitted a request for fire suppression associated with the applicant's landfill, Mount Carberry site and fully endorses the project. See letter in file dated October 24, 2007, as received by the Department on February 13, 2008.
3. PBN complete on March 4, 2008.

2008-00228 BARNDOLLAR, STEPHEN
PORTSMOUTH Piscataqua River Back Channel

Requested Action:

Resupport and level an existing one story boat shed on existing pilings.

PBN IS COMPLETE:

Resupport and level an existing one story boat shed on existing pilings.

2008-00297 CHAPMAN, JOHN & NOREEN
WAKEFIELD Great East Lake

Requested Action:

Repair existing retaining wall

PBN DISQUALIFIED:

Desqualify application to replace abandoned retaining wall.

With Findings:

1. The existing retaining wall has been abandoned pursuant to Rule Env-Wt 101.01 and the proposal was reviewed as new retaining wall construction. New retaining wall construction does not qualify for PBN review pursuant to Rule Env-Wt 506.01.

2008-00304 LANDRY, STEPHEN
LACONIA Paugus Bay

Requested Action:

Install a seasonal boatlift

PBN IS COMPLETE:

Install a seasonal boatlift

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(ac) install a seasonal boatlift.