

Wetlands Bureau Decision Report

Review by
MK 2/13/12

Decisions Taken
02/06/2012 to 02/12/2012

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

I. Any affected party may ask for reconsideration of a permit decision in accordance with RSA 482-A:10,II within 30 days of the Department's issuance of a decision. Requests for reconsideration should:

- 1) describe in detail each ground for complaint. Only grounds set forth in the request for reconsideration can be considered at subsequent levels of appeal;
- 2) provide new evidence or information to support the requested action;
- 3) Parties other than the applicant, the town, or contiguous abutters must explain why they believe they are affected; and
- 4) Be mailed to the DES Wetlands Bureau, PO Box 95, Concord, NH 03302-0095.

II. An appeal of a decision of the department after reconsideration may be filed with the Wetlands Council in accordance with RSA 482-A:10, IV within 30 days of the department's decision. Filing of the appeal must:

- 1) be made by certified mail to George "Chip" Kimball, Chairperson, Wetlands Council, PO Box 95, Concord, NH 03302-0095 (a copy should also be sent to the DES Wetlands Bureau);
- 2) contain a detailed description of the land involved in the department's decision; and
- 3) set forth every ground upon which it is claimed that the department's decision is unlawful or unreasonable.

MAJOR IMPACT PROJECT

2004-00763 NH DEPT OF TRANSPORTATION
KINGSTON Unnamed Wetland

Requested Action:

Request permit time extension

Inspection Date: 12/02/2004 by Gino E Infascelli

APPROVE TIME EXTENSION:

Dredge and / or fill approximately 4.49 acres of palustrine and riverine wetlands to reconstruct and widen approximately 6 miles of Route 125 to provide through lanes, a center left turn lane, intersection improvements and the construction of a service road. Mitigate by providing a total of 80.8 acres of conservation land including restoration of 2 acres of wetlands. NHDOT project #10044B.

With Conditions:

1. The wetland impacts associated with this approval are based on:
 - a. The Application for the Department of the Army Permit/ NH Wetlands Bureau (hereinafter "NHDES") Permit application received on April 28, 2004 (hereinafter "the Application");
 - b. The Final Environmental Assessment and Section 4(f) Evaluation received in October, 2005 (hereinafter "the FEA");
 - c. The Application Supplemental Information on the Revised Mitigation in Kingston (March 2006 revisions) received on March 28, 2006 and
 - d. The Addendum to the FEA (March 2006 revisions) received on March 28, 2006.
2. During final design and construction work, wetland impacts that exceed 4.49 acres as represented in the Application and materials contained in NHDES file, shall require submittal of a permit amendment request to be reviewed and approved by NHDES.
3. During final design of the roadway construction plans, a joint review shall be conducted by NH Department of Transportation (hereinafter "NHDOT") and NHDES regarding proposed water quality treatment features such as grass swales or detention basins that may cause additional jurisdictional impacts to confirm need, location, and necessity for a permit amendment.
4. Final design plans for roadway construction shall be submitted to NHDES for each construction contract with a summary of wetland impacts for the associated contract work. Review and comments from NHDES shall be considered by the NHDOT and incorporated into the design where appropriate.
5. During final design, efforts to avoid or minimize wetland and surface water impacts shall be maximized by constructing steepened side slopes, retaining walls, and accommodations for wildlife passage.
6. NHDOT will comply with the provisions of the Section 401 Water Quality certification upon its issuance and noncompliance shall be considered a violation of the conditions of this permit.
7. Dredged material shall be placed out of NHDES jurisdiction unless otherwise specified.
8. This permit is contingent upon the submission of project specific stream diversion and erosion control plans to the NHDES for review and approval. Those plans shall detail the timing and method of stream flow diversion during construction, and the temporary siltation, erosion and turbidity control measures to be implemented.
9. At least 48 hours prior to the start of each construction contract, a pre-construction meeting shall be held with NHDES Wetland and, if necessary, Watershed Bureau staff at the project site or at the NHDES or NHDOT Offices in Concord, N.H. to review the conditions of this permit, the NHDES Water Quality Certificate, and any other environmental commitments stated in other approved documents as listed in condition #1. It shall be the responsibility of NHDOT to schedule the pre-construction meeting, and the meeting shall be attended by NHDOT Bureau of Environment, the contract administrator(s), the contractor(s) responsible for performing the work and wetlands scientist(s) regarding wetland restoration/construction.
10. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
11. The project engineer shall oversee installation of erosion controls and periodically verify that the controls are properly maintained during construction and until all areas are fully stabilized.

12. Appropriate storm water management and erosion control Best Management Practices (BMPs) shall be implemented to ensure turbidity is minimized and water quality standards are not violated. If the BMPs conflict with the terms or conditions of this permit, the terms and conditions of this permit shall control.
13. Construction equipment shall not be located within surface waters.
14. There shall be no further alteration of wetlands or surface waters without amendment of this permit.
15. Within three days of the last activity in an area, all exposed soil areas, where construction activities are complete or have been temporarily suspended, shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 2:1.
16. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
17. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
18. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters and, wherever possible, with a minimum of 20 feet of undisturbed vegetated buffer.
19. The contractor responsible for completion of the work shall utilize techniques described in the NHDES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
20. NHDOT shall limit unnecessary removal of vegetation within riparian areas during road construction and areas cleared of vegetation shall be re-vegetated as quickly as soon after construction as possible so as to minimize erosion and restore wildlife habitat.
21. Land clearing in wetland areas during highway construction is to be kept to a minimum to reduce impacts on wildlife habitat.
22. Precautions shall be taken to prevent import or transport of soil or seed stock containing nuisance, invasive species such as purple loosestrife or Phragmites.
23. This permit is contingent on the execution of the mitigation components specified in the documents listed in condition #1 prior to completion of the project unless as otherwise specified in these conditions.
24. The wetland construction areas shall be properly constructed, monitored, and managed in accordance with final mitigation plans approved by NHDES.
25. Wetland construction and flood storage replacement areas shall be properly constructed, landscaped, and monitored. Remedial actions may be necessary to create functioning wetland and floodplain areas similar to those destroyed by the project. Remedial measures may include replanting, relocating plantings, removal of invasive species, changing soil composition and depth, changing the elevation of the wetland surface, and changing the hydrologic regime.
26. NHDOT shall designate a qualified professional who will be responsible for monitoring and ensuring that the mitigation areas are constructed in accordance with the mitigation plans. Monitoring shall be accomplished in a timely fashion and remedial measures taken if necessary. NHDES shall be notified in writing of the designated professional prior to the start of work and if there is a change of status during the project.
27. The NHDOT shall notify, in writing, NHDES and the local conservation commission(s) in the municipality(ies) where the construction is to take place of their intention to commence construction no less than 5 business days prior to construction.
28. A post-construction report, including a narrative and photographs, documenting the status of the completed mitigation projects shall be submitted to NHDES within 60 days of the completion of construction.
29. NHDOT or the designated qualified professional shall conduct a follow-up inspection after the first growing season, to review the success of the mitigation area and schedule remedial actions if necessary. A report outlining these follow-up measures and a schedule for completing the remedial work shall be submitted by December 1 of that year. Similar inspections, reports and remedial actions shall be undertaken in at least the second, third and fifth years following the completion of each mitigation site.
30. Wetland construction areas shall have at least 75% successful establishment of wetlands vegetation after two (2) growing seasons, or shall be replanted and re-established until a functional wetland is replicated in a manner satisfactory to NHDES.
31. NHDOT shall delineate the wetlands within the mitigation sites, document the delineation with US Army Corps of Engineers' data forms, and depict the delineation as an overlay of the final as-built plans after at least five full growing seasons.
32. Wetland soils from areas vegetated with purple loosestrife shall not be used in the wetland construction sites. The potential for the establishment of the invasive species should be considered in other areas where spoils may be spread to limit its further establishment.
33. NHDOT shall attempt to control invasive, weedy species such as purple loosestrife (*Lythrum salicaria*) and common reed

(Phragmites australis) by measures approved by NHDES if the species is found in the mitigation areas during construction and during the early stages of vegetative establishment.

34. Baseline documentation reports for all lands to be protected shall be completed and submitted to NHDES within one year following NHDOT securing the parcels. The reports shall contain photographic documentation of the areas, and shall be submitted to NHDES to serve as a baseline for future monitoring of the areas.

35. NHDOT shall provide information for review and approval by NHDES relative to the mechanisms to be used for preservation of the parcels in perpetuity. The use of a conservation easement for long-term protection of the properties is preferred and should be pursued where possible.

36. NHDOT shall provide NHDES documentation confirming the acquisition and protection of 22.3 acres of the Nichols property, located along the Powwow River in Kingston.

37. NHDOT shall provide NHDES a status report on the properties to be protected as part of the second and third year monitoring reports to insure compliance with the preservation requirements. If the preservation of the properties has not been completed after three years, yearly reports shall be submitted following the third year as to the status of protection.

38. Conservation easements that are placed on the preservation areas shall be written to run with the land, and both existing and future property owners shall be subject to this easement. The conservation easements shall be executed and recorded within two years of the permit issuance.

39. The boundaries of the protected properties shall be surveyed by a licensed surveyor, and marked by permanent markers/signs for purposes of identification and monitoring prior to recordation of the plan.

40. NHDES shall be notified of the placement of the permanent markers/signs to coordinate on-site review of their location.

41. The plan depicting the conservation easement along with a copy of the final easement language shall be recorded with the Registry of Deeds Office for each property. A copy of the recording from the County Registry of Deeds Office shall be submitted to NHDES Wetlands Bureau within 90 days of recording.

42. There shall be no removal of the existing vegetative undergrowth within the preservation areas, except as specified in the approved stewardship plan, and the placement of fill, construction of structures, and storage of vehicles or hazardous materials is prohibited.

43. NHDES shall be notified in writing of the transfer of any preservation lands and mitigation sites to another organization that has been retained for management purposes and the notification shall state the name of the entity responsible for continuing long-term management and/or stewardship of the lands.

44. Activities in contravention of the conservation easement shall be construed as a violation of RSA 482-A, and those activities shall be subject to the enforcement powers of NHDES, including remediation and fines.

45. The NHDOT shall comply with the conditions of permit 2003-01010 (NHDOT project #10044C), specifically #'s 17, 19 and 20 prior to any construction on this permit.

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.

2. This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

2011-02527 PEGGY'S COVE ASSOCIATION
ALTON Lake Winnepesaukee

Requested Action:

Dredge 6 cubic yards from 518 sq ft of lakebed adjacent to an existing 13 slip docking structure, modify the existing docking system to provide longer docks adjacent to the slips, on an average of 174 feet of shoreline frontage on Lake Winnepesaukee, in Alton.

Conservation Commission/Staff Comments:

Con Com has no concerns

DENY PERMIT:

Dredge 6 cubic yards from 518 sq ft of lakebed adjacent to an existing 13 slip docking structure, modify the existing docking system to provide longer docks adjacent to the slips, on an average of 174 feet of shoreline frontage on Lake Winnepesaukee, in Alton.

With Findings:

Standards for Approval

1. In accordance with RSA 482-A:3, Excavating and Dredging Permit; Certain Exemptions , XIV, (a), (3), (A), where the Department requests additional information pursuant to subparagraph (a), (2), the Department shall approve or deny the application, in whole or in part, within 30 days of the Department's receipt of a complete response to the Department's information request.
2. In accordance with Rule Env-Wt 402.21, Modification of Existing Structures, the Department shall not approve any change in size, location, or configuration of an existing structure unless the Applicant demonstrates, and the Department finds, that the modification is less environmentally-impacting or provides for fewer boat slips and less construction surface area over public submerged lands than the current configuration.
3. In accordance with Rule Env-Wt 402.13, Frontage Over 75', there shall be a minimum of 75 ft of shoreline frontage on the property for the first 2-slip structure and an additional 75 ft of shoreline frontage on the property for each additional boating slip or securing location on a structure for non-commercial use.
4. In accordance with Rule Env-Wt 101.56 "Major docking system" means a large and complex docking facility that requires utilization of more than 100 feet of waterfront or provides a total of 5 or more boat slips, including those previously existing and proposed.
5. This project is classified as a major impact project per Rule Env-Wt 303.02, Major Projects, (d) construction or modification of major docking system defined by Env-Wt 101.56.

Findings of Fact

6. On October 5, 2011, the Wetlands Bureau received a Standard Dredge and Fill Application for impacts including the dredge of 17 cubic yards from 1,018 sq ft of lakebed adjacent to an existing 13 slip docking structure on an average of 174 feet of shoreline frontage along Lake Winnepesaukee, in Alton.
7. The existing docking structure provides 13 slips on an average of 174 feet of shoreline frontage.
8. The applicant has sufficient frontage for 3 slips pursuant to Rule Env-Wt 402.13.
9. On November 9, 2011, the Wetlands Bureau sent a Request for More Information letter to the Applicant. The letter explained that the existing docking structure dimensions exceeded the dimensions of the previously permitted dock on this frontage. The letter requested the applicant submit information indicating the larger dock was permitted or submit plans reducing the dock to permitted dimensions.
10. The November 9, 2011, Request for More Information letter further explained that the structure was considered a nonconforming structure because it provide 13 boat slips on frontage that was only sufficient to support 3 slips, and therefore, the project must comply with the requirements of Rule Env-Wt 402.21.
11. On January 6, 2012 the Department received a response to the Request for More Information letter. This response included plans to dredge 6 cubic yards from 518 sq ft of lakebed adjacent to an existing 13 slip docking structure and modify the existing docking system to provide longer docks adjacent to the slips provided. The proposed modifications would result in 1,015 sq ft construction surface area over public submerged lands.
12. The plans approved by DES permit 1988-1336 show a docking facility covering only 1,003 sq ft of public submerged lands.

Rulings in Support of Denial

13. The removal of unpermitted dock impacts cannot be used to meet the requirements of Rule Env-Wt 402.21. The remaining proposed docking structure construction surface area over public submerged lands exceed the permitted docking structure impacts and dos no meet the requirements of Env-Wt 402.21, therefore the application is denied.
14. The proposed construction surface area over public submerged lands would still be still greater than the permitted impacts under DES permit 1988-1336 and 1996-1922.
15. The project as revised would still fail to meet the requirements of Rule Env-Wt 402.21, Modification of Existing Structures, and therefore the application is denied.

MINOR IMPACT PROJECT

2005-01538 WENDELL, JON
GREENLAND Great Bay

Requested Action:

Impact a total of 4,989 sq. ft. within NH DES Wetlands jurisdiction to include 3,399 sq. ft. of permanent impacts and 1,590 sq. ft. of temporary impacts within the previously developed 100-foot upland Tidal Buffer Zone to expand an existing dwelling by constructing a breezeway to an attached 28-foot by 38-foot garage with additional living space above. Construct 130 linear feet of 1.5 foot high rock retaining wall to stabilize and prevent further undermining of a highly eroded embankment on a single family residential lot of 1.4 acres on Great Bay having 264 feet of shoreline frontage.

Amend permit to include the replacement of an existing storage building on site with a 24 ft. x 32 ft. barn in approximately the same location within the previously developed upland tidal buffer zone.

Conservation Commission/Staff Comments:

The Greenland Conservation Commission did not comment on the project.

Inspection Date: 11/09/2006 by Frank D Richardson

Inspection Date: 06/28/2006 by Eben M Lewis

APPROVE AMENDMENT:

Impact a total of 4,989 sq. ft. within NH DES Wetlands jurisdiction to include 3,399 sq. ft. of permanent impacts and 1,590 sq. ft. of temporary impacts within the previously developed 100-foot upland Tidal Buffer Zone to expand an existing dwelling by constructing a breezeway to an attached 28-foot by 38-foot garage with additional living space above. Construct 130 linear feet of 1.5 foot high rock retaining wall to stabilize and prevent further undermining of a highly eroded embankment on a single family residential lot of 1.4 acres on Great Bay having 264 feet of shoreline frontage.

Amend permit to include the replacement of an existing storage building on site with a 24 ft. x 32 ft. barn in approximately the same location within the previously developed upland tidal buffer zone.

With Conditions:

1. All work shall be in accordance with plans by NH Soil Consultants, Inc. dated April 2005 (last revised March 23, 2006), as received by the Department on September 12, 2006.
 - 1a. Amendment shall be in accordance with the above referenced plan as revised by applicant and submitted to the DES on September 23, 2011.
2. This permit supercedes the previous NH DES Wetlands permit #2004-1264.
3. There shall be no further alteration of areas within NH DES Wetlands jurisdiction for lot development or for any other construction related activities with the exception of the approved 24' x 32' barn to replace the existing storage building in approximately the same location on site.
4. All activity shall be in compliance with the Comprehensive Shoreland Protection Act, RSA 483-B; although no separate permitting under the Shoreland statute is required for this project.
5. This approval does not allow waterward expansion of the existing primary structure toward the highest observable tideline.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

8. All surface area of the existing gravel driveway with the 100 foot upland tidal buffer zone are to remain permeable by installing 'geo-block' or similar pavers.
9. All planting along the shoreline for bank stabilization and aesthetics shall be native species per table 1 "planting specifications" as per the approved site plan. All planted vegetation shall be native and consistent with surrounding natural vegetation on the property and surrounding properties. Planting invasive or exotic species is strictly prohibited.
10. DES Southeast Region staff shall be notified in writing prior to commencement of work and upon its completion.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03 (k) Projects that disturb between 50 and 200 linear feet, measured along the shoreline (for the rock retaining wall/ shoreline stabilization component of the project).
2. Per Env-Wt 302.01, the need for the proposed impacts has been demonstrated by the applicant as the Town of Greenland does not allow living space to be constructed within an outbuilding as proposed in the previous permit(#2004-1264). Therefore, to gain additional living space an addition must be constructed by expanding the existing dwelling. The proposed rock retaining wall will prevent further erosion; therefore it is necessary to protect the embankment from being further undermined resulting in the probable loss of existing trees along the shoreline.
3. Per Env-Wt 302.03, the applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the Department's jurisdiction as the proposed addition is landward of the existing dwelling and will be constructed in previously developed upland tidal buffer zone.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. All new construction will be landward of the existing primary structure and located in the previously developed upland tidal buffer zone .
6. DES Staff conducted field inspections of the proposed project on June 28, 2006 and November 9, 2006.
7. The requested 24' x 32' barn to replace the existing storage building on site will be located further back from the highest observable tide line than the existing structure.

2006-01600 NOYES TRUST, JOHN
LACONIA Unnamed Wetland

Requested Action:

Request permit time extension

APPROVE TIME EXTENSION:

Dredge and fill a total of 4860 square feet (of which 1595 are temporary) along 169 linear feet of intermittent and perennial stream bank and forested wetland for access to 341 proposed condominium units on 83.57 acres.

With Conditions:

1. All work shall be in accordance with plans by Holden Engineering and Surveying dated April 27, 2006, and revised through October 12, 2007, as received by the Department on October 22, 2007.
2. This permit is contingent on approval by the DES Alteration of Terrain.
3. Any construction imitated after April 1, 2008, will require an additional permit from the Department in accordance with RSA 483-B:5-a.
4. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
5. The deed which accompanies the sales transaction for each of the lots in this subdivision shall contain condition #4 of this approval.
6. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau.
7. At least 48 hours prior to the start of construction, a pre-construction meeting shall be held with NHDES Land Resources Management Program staff at the project site or at the DES Office in Concord, NH to review the conditions of this wetlands permit and the NHDES Site Specific Permit. It shall be the responsibility of the permittee to schedule the pre-construction meeting, and the

meeting shall be attended by the permittee, his/her professional engineer(s), wetlands scientist(s), and the contractor(s) responsible for performing the work.

8. Work within the bank of the perennial stream shall be done during low flow.
9. No riprap shall be placed below the high water line on the perennial stream.
10. Work within the intermittent stream shall be done during periods of non-flow.
11. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized.
12. All dredged or excavated material and construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
13. Proper headwalls shall be constructed within seven days of culvert installation.
14. Area of temporary impact shall be regraded to original contours following completion of work.
15. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
16. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
17. Silt fencing must be removed once the area is stabilized.
18. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
19. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.
2. This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

**2007-00384 CATE BOATHOUSE REALTY TRUST
NEW LONDON Lake Sunapee**

Requested Action:

Request permit time extension

APPROVE TIME EXTENSION:

Repair/replace existing 34 ft x 46 ft crib supported boathouse and access walkway "in-kind", and remove a 5 ft x 5 ft abandoned crib support on 90 ft of frontage in New London on Sunapee Lake.

With Conditions:

1. All work shall be in accordance with boathouse dimension and boathouse support plans by Stan Graton II as received by DES on March 6, 2007, and overview plans showing walkway support locations and property lines as received by DES on June 27, 2007.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
3. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
4. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
5. Repair shall maintain existing size, location and configuration.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

7. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement or revocation action if the DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.
8. All construction related debris and the abandoned crib materials shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
9. This permit does not allow for maintenance dredging.
10. Repairs to these structures may be conducted, as necessary, throughout the duration of this permit provided that the permittee notifies the Wetlands Bureau and Conservation Commission, in writing, of the proposed start and completion date prior to performing any repair.
11. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B (see attached fact sheet).

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.
2. This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

2011-03177

USDA FOREST SERVICE, WHITE MTN NATIONAL FOREST

BERLIN Ammonoosuc River

Requested Action:

Retain 150 square feet of impacts to the bank of the Upper Ammonoosuc River to extend a gabion (rock filled) wall 30 linear feet to protect an existing water main.

APPROVE AFTER THE FACT:

Retain 150 square feet of impacts to the bank of the Upper Ammonoosuc River to extend a gabion (rock filled) wall 30 linear feet to protect an existing water main.

With Conditions:

1. All work shall be in accordance with plans by Provan & Lorber Inc., plans dated December 2011, as received by the NH Department of Environmental Services (DES) on February 07, 2012.
2. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
3. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
4. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
5. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
6. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
7. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
8. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired immediately.
9. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.

10. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
11. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(1) Projects which, when taken in the aggregate with previous work on the property within the last 5 years, would be considered major.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The emergency repairs were needed to address damages resulting from Tropical Storm Irene and to protect an existing water main.
6. Emergency authorization for this work was issued by DES Wetlands Bureau Staff on November 29, 2011 (File 2011-03004).
7. Review of the application submitted pursuant the emergency authorization indicates that work has been completed in accordance with the emergency authorization.
8. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program or the Natural Heritage Bureau.
9. This project does not require compensatory mitigation in accordance with Administrative Rule Env-Wt 302.03(c)(2).
10. In accordance with RSA 428-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the riverine resource, as identified under RSA 482-A:1.

2011-03232 STARK, TOWN OF
STARK Roberts Brook

Requested Action:

Maintenance dredge 525 square feet of gravel and stone deposits at the outlet of a culvert on Roberts Brook.

APPROVE PERMIT:

Maintenance dredge 525 square feet of gravel and stone deposits at the outlet of a culvert on Roberts Brook.

With Conditions:

1. All work shall be in accordance with plans entitled Stark, Sullivan Road, Roberts Brook, Storm Damage Dredge dated November 28, 2011, as received by the Department on December 29, 2011.
2. Work within the stream shall be done during periods of low flow. High flows can be caused by seasonal runoff or precipitation; the permittee shall monitor local forecasts to review weather conditions.
3. Appropriate turbidity/siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized.
4. Work shall be conducted in a manner so as to minimize turbidity and sedimentation.
5. No equipment shall enter the water.
6. Extreme precautions shall be taken within riparian areas to limit unnecessary removal of vegetation for access to the site.
7. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
8. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
9. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
10. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters,

all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

11. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.

12. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.

13. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

With Findings:

1. This is a Minor Projects per Env-Wt 303.03 (l) Projects that alter the course of or disturb less than 200 linear feet of an intermittent or perennial nontidal stream or river channel or its banks and do not meet the criteria for minimum impact under Env-Wt 303.04(n).
2. The need for the proposed impacts has been demonstrated by the applicant per Rule Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Env-Wt 302.03.
4. The stone washed from the roadway during recent storm events.
5. The Town of Stark has received a grant from the Federal Emergency Management Agency for the removal of gravel and stone (FEMA grant: FEMA-4006-DR-NH)
6. The applicant has written permission from the owner of Stark tax map 404 lots 34 and 35 stating their agreement with the project.
7. No comments were submitted from the NHEM Nongame and Endangered Wildlife Program or the Natural Heritage Bureau.

2012-00080 GONSKI, MARY/ROBERT
JACKSON Ellis River

Requested Action:

Dredge and fill 772 square feet (160 linear feet) of the bank of the Ellis River to stabilize and restore the bank with coir logs and live stakes.

APPROVE PERMIT:

Dredge and fill 772 square feet (160 linear feet) of the bank of the Ellis River to stabilize and restore the bank with coir logs and live stakes.

With Conditions:

1. All work shall be in accordance with plans by White Mountain Survey Co., Inc. entitled River Bank Stabilization and Restoration Plan for Robert & Mary Gonski (Sheet 1 of 1) as received by DES on January 12, 2012.
2. A post-construction report with photographs documenting the status of the completed project shall be submitted to the Wetlands Bureau within 60 days of the completion of construction.
3. Work shall be done during annual low flow conditions.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. All equipment shall work from adjacent banks or uplands and shall not enter flowing water.
6. Extreme precautions shall be taken within riparian areas to limit unnecessary removal of vegetation during construction.
7. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
8. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.

- 9. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
- 10. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
- 11. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired immediately.
- 12. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
- 13. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.
- 14. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

- 1. This is a minor project per Administrative Rule Env-Wt 303.03 (l) Projects that alter the course of or disturb less than 200 linear feet of an intermittent or perennial nontidal stream or river channel or its banks and do not meet the criteria for minimum impact under Env-Wt 303.04(n).
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04 Requirements for Application Evaluation, has been considered in the design of the project.
- 4. The stream bank was damaged by high flows caused by Tropical Storm Irene (August 2011).
- 5. The abutter provided stated that they have no objections to riverbank stabilization up to and over our common property lines, as shown in plan view.
- 6. The NHFG Nongame and Endangered Wildlife Program commented that although there was a NHB record present in the vicinity, they do not expect that it will be impacted by the proposed project.

FORESTRY NOTIFICATION

2012-00209 NASH, BRIAN
EAST KINGSTON Unnamed Wetland

COMPLETE NOTIFICATION:
East Kingston Tax Map 12, Lot# 13

2012-00225 RITGER, NANCY
HARTS LOCATION Unnamed Stream

COMPLETE NOTIFICATION:
Harts Location Tax Map 3, Lot# 65

EXPEDITED MINIMUM

2006-02675 OBRIEN, PAUL & KAREN
DOVER Unnamed Wetland

Requested Action:

"Request permit time extension"

APPROVE TIME EXTENSION:

Dredge and fill 395 sq. ft. of wetlands to construct a driveway to a single family house lot, including 1) 245 sq. ft. of crossing fill; and 2) 150 sq. ft. to install a 12" x 22' culvert.

With Conditions:

1. All work shall be in accordance with plans by McEneaney Survey Assoc. Inc. dated 8/1/2006 as received by the Department on 10/18/2006.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
4. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
5. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
6. No fill shall be done to achieve septic setback and no dredging shall take place that would contradict the DES Subsurface Systems Bureau rules.
7. No fill shall be done for lot development.
8. No fill shall take place in Atlantic white cedar swamps.
9. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
10. Proper headwalls shall be constructed within seven days of culvert installation.
11. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
12. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

With Findings:

1. This permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, Env-Wt 502.01.

2011-03054 NH ELECTRIC COOPERATIVE
ALTON Lake Winnepesaukee

Requested Action:

Impact 90 sq ft of bank and lakebed to replace sub-marine electrical cables providing power to island properties, on Lake Winnepesaukee, Alton.

Conservation Commission/Staff Comments:

Con Com signed Exp Application

APPROVE PERMIT:

Impact 90 sq ft of bank and lakebed to replace sub-marine electrical cables providing power to island properties, on Lake

Winnepesaukee, Alton.

With Conditions:

1. All work shall be in accordance with plans by Dean Benton dated January 31, 2012, as received by the NH Department of Environmental Services (DES) on January 31, 2012.
2. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
3. Machinery shall be staged and refueled in upland areas.
4. Repairs shall maintain existing size, location and configuration.
5. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if DES later determines that these "existing structures" were not previously permitted or grandfathered.
6. Appropriate siltation and erosion controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
7. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
8. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
9. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and fish spawning areas shall be avoided.
10. All construction-related debris and dredged material not used to backfill the dredged area shall be placed outside of the DES Wetlands Bureau jurisdiction.
11. Any portion of the bank disturbed as part of installation of the electric cable shall be regraded to original contours, seeded and stabilized immediately following completion of work.
12. Work shall be done in low water conditions.
13. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
14. The electric cable shall be installed so as not to pose a navigational hazard.
15. Discharge from dewatering of work areas shall be to sediment basins that are located in uplands, lined with hay bales or other acceptable sediment trapping liners, or set back as far as possible from wetlands and surface waters --in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
16. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(m), projects that disturb less than 50 linear feet along the bank of a lake.

GOLD DREDGE

2012-00251
(ALL TOWNS)

KURTZ, RICHARD

2012-00274
(ALL TOWNS) Unnamed Stream

CROSSLEY, JIMMY

Conservation Commission/Staff Comments:
cc Bath ConCom

2012-00290 BOURNE, ROY
(ALL TOWNS) Unnamed Stream

LAKES-SEASONAL DOCK NOTIF

2012-00273 WATTS, WILLIAM/SANDIE
WAKEFIELD Great East Lake

COMPLETE NOTIFICATION:
Wakefield Tax Map 154, Lot# 12 Great East Lake

CSPA PERMIT

2011-02380 GODFREY, DARLENE
GOFFSTOWN Glen Lake

Requested Action:

Impact 368 sq ft for the purpose of constructing a 12 ft x 12 ft three season porch and a 10 ft x 24 ft deck extending off an existing primary structure.

APPROVE PERMIT:

Impact 368 sq ft for the purpose of constructing a 12 ft x 12 ft three season porch and a 10 ft x 24 ft deck extending off an existing primary structure.

With Conditions:

1. All work shall be in accordance with plans dated July 2011 and received by the NH Department of Environmental Services (DES) on February 5, 2012.
2. No more than 19.6% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. There shall be no impacts within the 50 ft waterfront buffer as a result of this project.
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the

site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.

- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-00194 FARMER, BRENDA
NEW DURHAM Merrymeeting Lake

Requested Action:

Impact 2,357 sq ft in order to construct an addition to the east side of the primary structure.

APPROVE PERMIT:

Impact 2,357 sq ft in order to construct an addition to the east side of the primary structure.

With Conditions:

- 1. All work shall be in accordance with plans by Bryan L. Bailey Associates, Inc. dated January 26, 2012 and received by the NH Department of Environmental Services (DES) on January 30, 2012.
- 2. No more than 31.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 3. At least 1,684 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

With Findings:

- 1. The existing non-conforming structure is located within the 50 ft primary building setback to Merry Meeting Lake and, therefore, fails to conform to the setback restriction set forth in RSA 483-B:9, II (b), of the CSPA.
- 2. In accordance with RSA 483-B:11, I, nonconforming primary structures may be altered or expanded provided the structure is not expanded closer to public waters and the proposal or property is made more nearly conforming than the existing structure or the existing conditions of the property.
- 3. The applicant has proposed to reclaim 438 sq ft of impervious area with portions of that located within the waterfront buffer.
- 4. The applicant proposes to construct the addition no closer to the reference line than the existing structure.

CSPA PERMIT W/WAIVER

2011-00777

GILPIN, DALE/MARY

ACWORTH Crescent Lake

Requested Action:

Impact 6,500 sq ft for the purpose of expanding the footprint of a nonconforming primary structure, constructing associated accessory structures, installing a new septic system, and stormwater controls.

APPROVE AMENDMENT:

Impact 6,500 sq ft for the purpose of expanding the footprint of a nonconforming primary structure, constructing associated accessory structures, installing a new septic system, and stormwater controls.

WAIVER APPROVED: RSA 483-B:9, II(b) is waived to allow the expansion of a primary structure that encroaches upon the primary building setback.

AMENDMENT APPROVED: Permit is amended to allow relocation of proposed septic system.

With Conditions:

1. All work shall be in accordance with plans by Keyland Enterprises, LLC, dated September 20, 2010 and received by the Department of Environmental Services ("DES") on April 14, 2011 and revised stormwater plans last revised April 28, 2011 and received by the Department on May 6, 2011 and amended plans by Landmark Land Surveying dated January 4, 2012 and received by the Department on January 9, 2012.
2. This approval includes a waiver of RSA 483-B:9, II (b) and, therefore, shall not be effective until it has been recorded at the appropriate Registry of Deeds and a copy of the recorded waiver is sent to the department by certified mail, return receipt requested.
3. No more than 16.0% of the area of the lot within the protected shoreland shall be composed of impervious surfaces unless additional approval is obtained from DES.
4. This permit is contingent upon receiving all necessary approvals from the NH DES Subsurface Systems Bureau and installing the proposed septic system.
5. The proposed stormwater treatment measures shall be designed, installed and maintained to effectively intercept and divert stormwater to the wooded areas.
6. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
7. No impacts shall occur to natural ground covers within the waterfront buffer.
8. The vegetation planted shall be monitored, and if necessary, replaced, to ensure 100% survival rate for a period two years following construction.
9. There shall be no impacts within wetlands, surface waters, or their banks until any permit as may be required under RSA 482-A has been obtained.
10. In order to remain compliant with RSA 483-B:9, V, (b), (2), at least 9,219 sq ft of unaltered area between 50 ft and 150 ft of the reference line, as delineated on plans titled, "Shoreland Protection Plans" and received by DES must remain in an unaltered state.
11. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on areas determined to remain in an unaltered state.
12. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
13. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
14. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
15. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
16. Any fill used shall be clean sand, gravel, rock, or other suitable material.
17. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

- 18. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 19. Silt fencing must be removed once the area is stabilized.

With Findings:

- 1. The existing non-conforming structure is located within the 50 ft primary building setback to Crescent Lake and, therefore, fails to conform to the setback restriction set forth in RSA 483-B:9, II (b), of the CSPA.
- 2. The applicant has proposed to decrease the impervious area within the waterfront buffer.
- 3. The applicant has proposed to install stormwater controls consisting of infiltration trenches under the drip-line of the proposed structure.
- 4. The applicant has proposed to regrade the existing driveway in a fashion that will allow stormwater to be directed to a wooded area where it will be infiltrated.
- 5. The applicant has proposed to direct water from a foundation drain into a plunge pool.
- 6. The applicant has proposed to enhance the waterfront buffer with additional, native vegetation.
- 7. The applicant has proposed to install a new NH DES Subsurface Bureau approved wastewater treatment system.
- 8. The applicant has proposed to install sound stormwater controls, install a new septic system and enhance the waterfront buffer, and therefore, meets the requirements for a waiver of RSA 483-B:9 as described in RSA 483-B:11, I.

UTILITY NOTIFICATION

2012-00253 PSNH
CHESTER Unnamed Stream Unnamed Wetland

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:
Vegetative maintenance

2012-00254 PSNH
CLAREMONT Unnamed Stream Unnamed Wetland

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:
Vegetative maintenance

2012-00255 PSNH
CONCORD Unnamed Stream Unnamed Wetland

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:

Vegetative maintenance

2012-00256 **PSNH**
CONWAY Unnamed Stream Unnamed Wetland

Conservation Commission/Staff Comments:
see file 12-192 for fee amount

2012-00257 **PSNH**
CROYDON Unnamed Stream Unnamed Wetland

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:

Vegetative maintenance

2012-00258 **PSNH**
DALTON Unnamed Stream Unnamed Wetland

COMPLETE NOTIFICATION:

Vegetative maintenance

2012-00259 **PSNH**
DANVILLE Unnamed Stream Unnamed Wetland

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:

Vegetative maintenance

2012-00260 **PSNH**
DEERFIELD Unnamed Stream Unnamed Wetland

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:

Vegetative maintenance

2012-00261 **PSNH**
DEERING Unnamed Stream Unnamed Wetland

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:
Vegetative maintenance

2012-00262 PSNH
DERRY Unnamed Stream Unnamed Wetland

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:
Vegetative maintenance

2012-00263 PSNH
DOVER Unnamed Stream Unnamed Wetland

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:
1. Vegetative maintenance
2. Equipment repair and maintenance

2012-00275 BRAYTON, RUTH&RICHA
DURHAM Unnamed Wetland

COMPLETE NOTIFICATION:
Project consists of the rehabilitation of three existing manholes along the project corridor. Work will be completed on Town owned sewer easements and impact is expected to be less than approximately 1,000 sf.