

Wetlands Bureau Decision Report

Decisions Taken
02/13/2012 to 02/19/2012

*Review by
M/S
2/24/12*

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

I. Any affected party may ask for reconsideration of a permit decision in accordance with RSA 482-A:10,II within 30 days of the Department's issuance of a decision. Requests for reconsideration should:

- 1) describe in detail each ground for complaint. Only grounds set forth in the request for reconsideration can be considered at subsequent levels of appeal;
- 2) provide new evidence or information to support the requested action;
- 3) Parties other than the applicant, the town, or contiguous abutters must explain why they believe they are affected; and
- 4) Be mailed to the DES Wetlands Bureau, PO Box 95, Concord, NH 03302-0095.

II. An appeal of a decision of the department after reconsideration may be filed with the Wetlands Council in accordance with RSA 482-A:10, IV within 30 days of the department's decision. Filing of the appeal must:

- 1) be made by certified mail to George "Chip" Kimball, Chairperson, Wetlands Council, PO Box 95, Concord, NH 03302-0095 (a copy should also be sent to the DES Wetlands Bureau);
- 2) contain a detailed description of the land involved in the department's decision; and
- 3) set forth every ground upon which it is claimed that the department's decision is unlawful or unreasonable.

MAJOR IMPACT PROJECT

**2011-03130 DOVER, CITY OF
DOVER Unnamed Wetland**

Requested Action:

Dredge and fill 37,070 square feet of palustrine forested wetlands and 12,890 square feet of palustrine emergent excavated wetlands to rehabilitate approximately 4.7 miles of Tolend and Watson Road. Compensatory mitigation includes preservation of 19.6 acres (Dover tax map/lot no. C/20).

APPROVE PERMIT:

Dredge and fill 37,070 square feet of palustrine forested wetlands and 12,890 square feet of palustrine emergent excavated wetlands to rehabilitate approximately 4.7 miles of Tolend and Watson Road. Compensatory mitigation includes preservation of 19.6 acres (Dover tax map/lot no. C/20).

With Conditions:

1. All work shall be in accordance with plans by CMA Engineers dated May 2010, and November 2011, as received by the Department on December 15, 2011.
2. Staging areas for construction vehicles and materials should not be located in or near old field, scrub/shrub, or wet meadow habitats.
3. Outfalls where steep slopes are present near the Cocheco River shall be monitored to prevent erosion into the river.
4. The applicant shall notify the DES Wetlands Bureau in writing within twenty-four (24) hours of an erosion event resulting in sediment entering the Cocheco River. The notification shall include completed and proposed stabilization methods and any necessary corrective measures.
5. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
6. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
8. Proper headwalls shall be constructed within seven days of culvert installation.
9. Culverts shall be laid at original grade.
10. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

Wetland preservation:

12. This permit is contingent upon the execution of a deed restriction on 19.6 acres as depicted on plans received by DES on December 15, 2011.
13. The deed restrictions to be placed on the preservation areas shall be written to run with the land, and both existing and future property owners shall be subject to this easement.
14. Following permit issuance and prior to recording of the deed restriction, the natural resources existing on the parcel shall not be removed, disturbed, or altered without prior written approval of DES and the easement holder.
15. This permit is contingent of receipt and approval by DES of the final deed restriction language, reserving NH Fish and Game Department rights to manage suitable habitat on the mitigation parcel for the benefit of New England cottontail.
16. The plan noting the deed restriction with a copy of the final deed restriction language shall be recorded with the Registry of Deeds Office for each appropriate lot. A copy of the recording from the County Registry of Deeds Office shall be submitted to the DES Wetlands Bureau prior to the start of construction.
17. The deed restriction area shall be surveyed by a licensed surveyor, and marked by monuments [stakes] prior to construction.
18. The Wetlands Bureau shall be notified of the placement of the monuments to coordinate on-site review of their location prior to

construction.

- 19. A report, including photographs, shall be submitted to the Wetlands Bureau prior to construction confirming the wooden structures, debris piles and miscellaneous trash had been removed the deed restriction area.
- 20. There shall be no removal of the existing vegetative undergrowth within the deed restriction area and the placement of fill, construction of structures, and storage of vehicles or hazardous materials is prohibited.
- 21. Activities in contravention of the deed restriction shall be construed as a violation of RSA 482-A, and those activities shall be subject to the enforcement powers of DES (including remediation and fines).

With Findings:

- 1. This is a major impact project per Administrative Rule Env-Wt 303.02(c) Projects that involve alteration of nontidal wetlands in excess of 20,000 square feet in the aggregate.
- 2. In correspondence dated January 12, 2012, the Dover Conservation Commission stated they voted to endorse the application.
- 3. The submitted Natural Heritage Bureau Report (NHB11-0077) stated the database search for records of rare species and exemplary natural communities provided the following results: New England Cottontail and North Black Racer.
- 4. Email correspondence dated November 09, 2011, from the NH Fish and Game Department stated, "To reduce the potential for adverse impacts to New England cottontail and black racer, staging areas for construction vehicles and materials should not be located in or near old field, scrub/shrub, or wet meadow habitats." NHFG also stated that they, "...would like to reserve the right to manage suitable habitat on the mitigation parcel for the benefit of New England cottontail."
- 5. DES Staff conducted a field inspection of the proposed project on November 09, 2011.
- 6. In email correspondence dated January 09, 2012, the Cochecho River Local Advisory Committee recommended careful ongoing monitoring at outfalls where steep slopes are present to prevent further erosion into the river.
- 7. The wetlands compensatory mitigation plan provided by the applicant includes off-site preservation of 19.6 acres of tax map/lot no. C/20 of upland buffer with 6.7 acres of Appalachian oak/pine forest and 12.9 acres of palustrine forested/scrub-shrub wetlands.
- 8. The federal agency review comments dated January 19, 2012, indicate the project is eligible for review under the NH Programmatic General Permit.
- 9. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 10. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 11. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.
- 12. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the palustrine resource, as identified under RSA 482-A:1.

MINOR IMPACT PROJECT

**2007-01279 LONERGAN, DRUCILLA HEIRS OF
HAMPTON FALLS Unnamed Wetland**

Requested Action:
Name change to:
Cote Hill, LLC
One Liberty Lane East ~ Suite 100
Hampton, NH 03842

Conservation Commission/Staff Comments:

The Hampton Falls Conservation Commission did not comment on the current application which is identical to the project

previously approved as permit #2001-2501 which expired.

APPROVE NAME CHANGE:

Name change to:

Cote Hill, LLC

One Liberty Lane East ~ Suite 100

Hampton, NH 03842

Requested Action:

Dredge and fill 4,517 sq. ft. of palustrine forested/ scrub-shrub wetlands to construct a driveway, including the installation of five (5) culverts, to access a buildable 2.04 acre parcel of upland for the construction of a single family home.

APPROVE TIME EXTENSION:

Dredge and fill 4,517 sq. ft. of palustrine forested/ scrub-shrub wetlands to construct a driveway, including the installation of five (5) culverts, to access a buildable 2.04 acre parcel of upland for the construction of a single family home.

With Conditions:

1. All work shall be in accordance with plans by Parker Survey Associates, Inc. dated July 16, 2002, as received by DES on June 05, 2007.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. There shall be no further alteration of wetlands for lot development, for septic setback or other construction activities.
4. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. Culvert outlets shall be protected in accordance with the DES Best Management Practices for Urban Stormwater Runoff Manual (January 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August 1992).
8. NH DES Wetlands Bureau Southeast Region staff shall be notified in writing prior to commencement of work and upon its completion.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. This permit represents the reissue of wetlands permit # 2001-2501 which expired on 10/24/2007 and a time extension of 2007-01279 which expires 10/04/2012 as well as a name change to Cote Hill, LLC.

2011-02957

GAGNON, JEAN

DERRY Adams Pond

Requested Action:

Dredge & fill 4,650 sq. ft. of palustrine forested / scrub-shrub wetlands to construct a roadway, with a culvert crossing and drainage structures, to access a 6-lot residential subdivision on an 85 acre parcel of land.

Conservation Commission/Staff Comments:

Two members of the Derry Conservation Commission attended the site walk with DES Southeast Region staff and J.Lopez of ECM ... no opposition to the project as proposed was expressed .

Inspection Date: 01/04/2012 by Frank D Richardson

APPROVE PERMIT:

Dredge & fill 4,650 sq. ft. of palustrine forested / scrub-shrub wetlands to construct a roadway, with a culvert crossing and drainage structures, to access a 6-lot residential subdivision on an 85 acre parcel of land.

With Conditions:

1. All work shall be in accordance with plans by Eric C. Mitchell & Associates, Inc. dated 11/14/11, as received by the NH Department of Environmental Services (DES) on November 21, 2011.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. This permit is contingent on approval by the DES Subsurface Systems Bureau.
4. This permit shall not be effective until it has been recorded with the Rockingham County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
5. NH DES Wetlands Bureau Southeast Region staff and the Derry Conservation Commission shall be notified in writing prior to commencement of work and upon its completion.
6. There shall be no further alteration of wetlands for lot development, driveways, culverts, for septic setback or other construction activities.
7. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
8. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
9. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
10. Culvert outlets shall be protected in accordance with the DES Best Management Practices for Urban Stormwater Runoff Manual (January 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August 1992).
11. Proper headwalls shall be constructed within seven days of culvert installation.
12. Culvert outlets shall be properly rip rapped.
13. Work shall be done during low flow.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. DES Staff conducted a field inspection of the proposed project on January 04, 2012 with members of the Derry Conservation Commission. Field inspection determined the project as designed minimizes wetlands impacts for access and a buffer of 250+ feet has been established between the house lots and Adams Pond.
6. A survey performed by Schauer Environmental Consultants found that there are no vernal pools present in the environs of the proposed project.
7. The US EPA has found this project eligible for the NH State Programmatic General Permit from the US Army Corps of Engineers.

Requested Action:

Impact 34 linear feet of shoreline to remove an existing concrete wall, install 22 linear feet of rip rap and 12 linear feet of new wall and a 4 ft x 24 ft seasonal dock on an average of 66 ft of frontage on Little Island Pond, in Pelham.

Conservation Commission/Staff Comments:

No comments from Con Com by Dec 30, 2011

APPROVE PERMIT:

Impact 34 linear feet of shoreline to remove an existing concrete wall, install 22 linear feet of rip rap and 12 linear feet of new wall and a 4 ft x 24 ft seasonal dock on an average of 66 ft of frontage on Little Island Pond, in Pelham.

With Conditions:

1. All work shall be in accordance with plans by Benchmark Engineering as revised December 30, 2011, and received by the NH Department of Environmental Services (DES) on January 18, 2012.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation of the dock.
3. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. The retaining wall shall be constructed landward of the shoreline defined by the elevation of normal high water so as not to create land in public water.
5. This shall be the only structure on this water frontage and all portions of the docking structure shall be at least 20 ft from abutting property lines or the imaginary extension of those lines into the water.
6. The seasonal pier shall be removed from the lake for the non-boating season.
7. No portion of the pier shall extend more than 24 feet from the shoreline at full lake elevation.
8. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(j), repair of retaining walls that require work in the water.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.

2012-00220

INDELICATO, PATRICIA

WOLFEBORO Lake Winnepesaukee

Requested Action:

Impact 679 sq ft of the bank along 27 linear ft of shoreline to expand an existing perched beach to a total area of 896 sq ft impacting a total of 45.7 linear ft of shoreline and relocate 3 rocks in the lakebed along an average of 458 ft of frontage on Lake Winnepesaukee, in Wolfeboro.

Conservation Commission/Staff Comments:

Con Com signed Exp application, however dredge is minor impact project.

APPROVE PERMIT:

Impact 679 sq ft of the bank along 27 linear ft of shoreline to expand an existing perched beach to a total area of 896 sq ft impacting

a total of 45.7 linear ft of shoreline and relocate 3 rocks in the lakebed along an average of 458 ft of frontage on Lake Winnepesaukee, in Wolfeboro.

With Conditions:

1. All work shall be in accordance with plans by New Hampshire Environmental Consultants dated January 20, 2012, as received by the NH Department of Environmental Services (DES) on February 2, 2012.
2. All dredged or excavated material shall be placed outside of the DES Wetlands Bureau jurisdiction.
3. Stone placed along the beach front for the purpose of retaining sand shall be placed above and/or landward of those rocks currently located along the normal high water line (Elevation 504.32). Those rocks existing at the normal high water line shall remain otherwise undisturbed such that the natural shoreline remains identifiable.
4. The steps installed for access to the water shall be located completely landward of the normal high water line.
5. No more than 10 cu yd of sand may be used and all sand shall be located above the normal high water line.
6. This permit shall be used only once, and does not allow for annual beach replenishment.
7. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
8. Revegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall begin at a distance no greater than 5 feet landward from the beach area.
9. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
10. The three rocks to be relocated shall be placed in similar water depths, on this property's frontage, at least 20 ft from the abutting property lines and their imaginary extensions of the public waters.
11. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(g), removal of no more than 20 cubic yards of material from public waters.

MINIMUM IMPACT PROJECT

2011-02792 RILEY, LINDA/TIMOTHY
LACONIA Lake Winnepesaukee

Requested Action:

Repair an existing piling supported 6 ft x 28 ft 6 in dock, install a seasonal boatlift and a 14 ft x 30 ft seasonal canopy in the westerly slip, and install 2 seasonal personal watercraft lifts adjacent to the shoreline on an average of 140 of frontage along Lake Winnepesaukee, in Laconia.

Conservation Commission/Staff Comments:

Con Com has concerns about frontage , application states 140 feet, tax maps indicate less than 75 feet

APPROVE RECONSIDERATION:

Repair an existing piling supported 6 ft x 28 ft 6 in dock, install a seasonal boatlift and a 14 ft x 30 ft seasonal canopy in the westerly slip, and install 2 seasonal personal watercraft lifts adjacent to the shoreline on an average of 140 of frontage along Lake Winnepesaukee, in Laconia.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated October 17, 2011, as received by the NH Department of Environmental Services (DES) on November 1, 2011.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. The repairs shall maintain the size, location and configuration of the pre-existing structures.
4. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
5. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
7. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
9. Canopies shall be of seasonal construction type with a flexible fabric cover. The seasonal support frame shall be designed to be removed for the non-boating season. The flexible fabric cover shall be removed during all seasons of non-use.
10. The seasonal boat lift shall be removed for the non-boating season.
11. The seasonal PWC lifts shall be removed for the non-boating season.
12. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(v), repair of existing docking structures.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated the applicant retains ownership of the lot where the proposed work will occur.

**2011-03147 EXETER, TOWN OF
EXETER Tributary To Squamscott River**

Requested Action:

Dredge and fill a total of 2,570 square feet of jurisdictional wetlands within and adjacent to the embankments and flow channel to raise the roadway elevation and to replace the existing structurally deficient culvert with a 10 ft. wide x 5 ft. high x 40 ft. long pre-cast concrete box culvert to carry Water Street over Norris Brook.

Conservation Commission/Staff Comments:

No report or comments were received from the Exeter Conservation Commission

APPROVE PERMIT:

Dredge and fill a total of 2,570 square feet of jurisdictional wetlands within and adjacent to the embankments and flow channel to raise the roadway elevation and to replace the existing structurally deficient culvert with a 10 ft. wide x 5 ft. high x 40 ft. long pre-cast concrete box culvert to carry Water Street over Norris Brook.

With Conditions:

1. All work shall be in accordance with plans by CMA Engineers, Inc. dated February 2012 (last revised 02/08/2012, as received by the NH Department of Environmental Services (DES) on February 13, 2012.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.

3. Work shall be done during low flow.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Culvert outlets shall be protected in accordance with the DES Best Management Practices for Urban Stormwater Runoff Manual (January 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August 1992).
6. Unconfined work within Norris Brook, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
7. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
8. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
9. Temporary cofferdams shall be entirely removed immediately following construction.
10. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
11. Faulty equipment shall be repaired prior to entering jurisdictional areas.
12. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
13. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(j), projects located in the right-of-way of a public road.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

FORESTRY NOTIFICATION

2012-00217 HILDREDTH TRUST, HENRY
MILFORD Unnamed Stream

COMPLETE NOTIFICATION:
Milford Tax Map 59, Lot# 3

2012-00252 HOWE ET AL, THOMAS
HOLDERNESS Unnamed Stream

COMPLETE NOTIFICATION:
Holderness Tax Map 205, Lot# 4 & 9

2012-00279 DAVIS, WENDY
TEMPLE Unnamed Stream

COMPLETE NOTIFICATION:
Temple Tax Map 8B, Lot# 17-2, 18, 20

2012-00282 **DEALMEIDA, JOSEPH**
BOSCAWEN Unnamed Stream

COMPLETE NOTIFICATION:
Boscawen Tax Map 45, Lot# 46-2

2012-00283 **YANKEE FOREST LLC, C/O WAGNER FOREST MGMT**
MILAN Unnamed Stream

COMPLETE NOTIFICATION:
Milan Tax Map 42, Lot# 02 Parcel I

2012-00284 **SANDS, NORMA**
JAFFREY Unnamed Stream

COMPLETE NOTIFICATION:
Jaffrey Tax Map 231, Lot# 2

2012-00291 **RAGGED MTN PACIFIC LLC**
ANDOVER Unnamed Stream Unnamed Wetland

Conservation Commission/Staff Comments:
The Andover Forestry has no crossings, was sent thinging it was needed to accompany the Danbury file 2012-292

COMPLETE NOTIFICATION:
Andover No crossing on this property

2012-00292 **RAGGED MTN PACIFIC LLC**
DANBURY Unnamed Stream Unnamed Wetland

COMPLETE NOTIFICATION:
Danbury Tax Map 416, Lot# 51 & 60.07

EXPEDITED MINIMUM

2011-02664 **MARRIOTT, ANGELA/JOHN**
TUFTONBORO Lake Winnepesaukee

Requested Action:

Repair an existing 102 linear feet of retaining wall "in kind" and retain 10 cubic yards of sand placed on the beach on Lake Winnepesaukee, Tuftonboro.

Conservation Commission/Staff Comments:

Con Com submitted comments about sand placed on beach without a permit and steps without a permit

Inspection Date: 11/15/2011 by Dale R Keirstead

APPROVE PERMIT:

Repair an existing 102 linear feet of retaining wall "in kind" and retain 10 cubic yards of sand placed on the beach on Lake Winnepesaukee, Tuftonboro.

With Conditions:

1. All work shall be in accordance with plans by Folsom Design and Construction Management revision dated December 29, 2011, as received by the NH Department of Environmental Services (DES) on January 18, 2012.
2. Repair shall maintain existing size, location and configuration.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Dredged or excavated material shall be placed outside of the DES Wetlands Bureau jurisdiction.
5. No more than 10 cu. yds. of sand may be used and all sand shall be located above the normal high water line.
6. This permit shall be used only once, and does not allow for annual beach replenishment.
7. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(c), repair of existing retaining walls.

**2011-03062 TARRY TOWN REAL ESTATE HOLDINGS LLC
MANCHESTER Cemetary Brook**

Requested Action:

An amendment request received on February 15, 2012, requested to temporarily impact an additional 475 sq. ft. of surface water to install a sandbag cofferdam.

APPROVE AMENDMENT:

Impact approximately 840 sq. ft. (84 linear ft.) of bank for the reconstruction and replacement of an existing concrete retaining wall with a new precast modular concrete block wall within the same general location. Temporarily impact 475 sq. ft. of surface water for installation of a sandbag cofferdam.

With Conditions:

1. AMENDED: All work shall be in accordance with revised plans by WM Evans Engineering, LLC dated February 14, 2012, as received by the NH Department of Environmental Services (DES) on February 15, 2012.
2. ADDED CONDITION: This permit is contingent upon approval by the DES Waste Management Division.
3. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.

4. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
 5. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
 6. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
 7. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
 8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
 9. No fill shall take place in Atlantic white cedar swamps.
 10. No fill shall be done to achieve septic setback and no dredging shall take place that would contradict the DES Subsurface Systems Bureau rules.
 11. No fill shall be done for lot development.
 12. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
 13. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
 14. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
 15. Work shall be done during low flow.
 16. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
- Faulty equipment shall be repaired prior to entering jurisdictional areas. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

DES reaffirms finding no.'s 1 - 5:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(c), repair or replacement of existing retaining walls that is performed "in the dry" during drawdown of waters, and that results in no changes in height, length, location, or configuration.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The applicant has demonstrated that the existing concrete retaining wall has collapsed and needs to be replaced.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The new retaining wall is being constructed within the same general footprint as the existing retaining wall.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project. The Natural Heritage Bureau ("NHB") has no record of sensitive species within the project vicinity.
5. The Manchester Conservation Commission signed the DES Minimum Impact Expedited application.

DES adds the following findings:

6. During the initial work at the site, the contractor encountered petroleum-affected soil at the water table. The contractor immediately stopped work, contacted the owner, and the owner contacted DES Waste Management Division. A plan was developed to remediate the contamination which resulted in additional temporary impacts within Wetlands Bureau jurisdiction.

GOLD DREDGE

2012-00327 **BERTHIAUME, MICHAEL**
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath ConCom

2012-00328 **COFFIN, JASON**
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath ConCom

2012-00334 **BARON, MARK**
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath ConCom

2012-00349 **THOMPSON, WILLIAM**
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath ConCom

2012-00350 **PEGLOW, MARY JO**
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath ConCom

2012-00360 **LANE, PAUL**
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath ConCom

ROADWAY MAINTENANCE NOTIF

**2012-00308 ALTON HIGHWAY DEPT, TOWN OF
ALTON Unnamed Stream Unnamed Wetland**

COMPLETE NOTIFICATION:

Replace an existing 24" CMP with an HDPE culvert and extend by 5 feet at the inlet and outlet

**2012-00309 ALTON HIGHWAY DEPT, TOWN OF
ALTON Unnamed Wetland**

COMPLETE NOTIFICATION:

Replace in kind two existing 12" culvert and a 15" with HDPE. Number 1 12 " culvert will be extended 5 feet at the inlet and outlets ends

**2012-00310 ALTON HIGHWAY DEPT, TOWN OF
ALTON Unnamed Stream**

COMPLETE NOTIFICATION:

Replace two HDPE culverts, one from a 15" to a 24" and the second will be extended by five feet

**2012-00333 NH DEPT OF TRANSPORTATION
SOMERSWORTH Unnamed Stream**

COMPLETE NOTIFICATION:

Repair headwalls at two location and replace a 15" culvert at location 2

PERMIT BY NOTIFICATION

**2012-00216 BENT, CINDY & SANDY TREMBLAY
BARRINGTON Unnamed Wetland**

Requested Action:

Temporarily impact 8,000 square feet of wetland with mats under frozen conditions to access and repair a leaking municipal reservoir water supply line.

Conservation Commission/Staff Comments:

Barrington Conservation Commission signed PBN

PBN IS COMPLETE:

Temporarily impact 8,000 square feet of wetland with mats under frozen conditions to access and repair a leaking municipal

reservoir water supply line.

CSPA PERMIT

2011-02004 GURALL, KRISTEN
ALTON Lake Winnepesaukee

Requested Action:

Amend Shoreland Permit to approve revised plan received by DES on February 9, 2012, to include a slight decrease in the footprint of the proposed pervious patio resulting in a reduction of impacts within the waterfront buffer and decrease in post-construction impervious area.

APPROVE AMENDMENT:

Amend permit to read: Impact 2,201 sq ft for the purpose of replacing an pre-existing home with a more nearly conforming structure setback further from the primary building line, reconfiguring driveway, constructing a permeable parking area and pervious patio, implementing a stormwater management plan, removing damaged vegetation and establishing planting beds in the waterfront buffer.

With Conditions:

1. All work shall be in accordance with plans by Beckwith Builders, Inc. dated February 2, 2012 and received by the NH Department of Environmental Services (DES) on February 9, 2012.
2. No more than 22.6% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 608 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. The proposed stormwater treatment measures shall be designed, installed and maintained to effectively intercept and infiltrate stormwater.
5. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
6. Only those trees and shrubs damaged by the fire as shown on the approved plans shall be removed. No impacts shall occur to natural ground covers within the waterfront buffer.
6. The plantings in the waterfront buffer shall be completed within one year of the initiation of construction
7. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
8. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
9. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
10. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
11. Any fill used shall be clean sand, gravel, rock, or other suitable material.
12. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-00109 SOARING HAWK LLC
EPPING Lamprey River

Requested Action:

Impact 53,100 sq ft install septic system, modify driveway, add additional parking, install culverts, and grade areas for stormwater retention areas and treatment swales.

APPROVE PERMIT:

Impact 53,100 sq ft install septic system, modify driveway, add additional parking, install culverts, and grade areas for stormwater retention areas and treatment swales.

With Conditions:

1. All work shall be in accordance with plans by Civil Construction Management, Inc. dated Decemeber 2, 2011 and received by the NH Department of Environmental Services (DES) on January 18, 2011.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 3.21% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 83,460 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

**2012-00136 KEARNS, DONNA
NEW CASTLE Piscataqua River**

Requested Action:

Impact 1,243 sq ft for the purpose of expanding the footprint of a conforming, primary structure and installing stormwater controls.

APPROVE PERMIT:

Impact 1,243 sq ft for the purpose of expanding the footprint of a conforming, primary structure and installing stormwater controls.

With Conditions:

1. All work shall be in accordance with plans by West Environmental, Inc, dated January 12, 2012 and received by the Department of Environmental Services ("DES") on January 20, 2012.
2. No more than 29.0% of the area of the lot within the protected shoreland shall be composed of impervious surfaces unless additional approval is obtained from DES.
3. This permit is contingent upon receiving all necessary approvals from the NH DES Subsurface Systems Bureau.
4. The proposed stormwater treatment measures shall be designed, installed and maintained to effectively intercept and infiltrate stormwater.
5. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
8. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.

- 9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 10. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 11. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
- 12. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 13. Silt fencing must be removed once the area is stabilized.

2012-00139 DEFEO, MICHELLE
STRAFFORD Bow Lake

Requested Action:

Impact 10,867 sq ft in order to construct a 6 ft wide path toward the reference line, cut trees in the waterfront buffer, and construct a temporary access path.

APPROVE PERMIT:

Impact 10,867 sq ft in order to construct a 6 ft wide path toward the reference line, cut trees in the waterfront buffer, and construct a temporary access path.

With Conditions:

- 1. All work shall be in accordance with plans by Geometres Blue Hills, LLC dated January 4, 2012 and received by the NH Department of Environmental Services (DES) on January 20, 2012.
- 2. All impacts associated with the proposed beach and docks will require a Wetlands Permit pursuant to RSA 482-A prior to the start of work.
- 3. No more than 13.2% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 4. At least 10,537 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.

2012-00187 TOWN OF FARMINGTON
FARMINGTON Cocheco River

Requested Action:

Impact 45,905 sq ft in order to construct a stormwater management system with drainage swales, level spreader, and a stormwater pond.

APPROVE PERMIT:

Impact 45,905 sq ft in order to construct a stormwater management system with drainage swales, level spreader, and a stormwater pond.

With Conditions:

1. All work shall be in accordance with plans by CMA Engineers dated January 1, 2012 and received by the NH Department of Environmental Services (DES) on January 27, 2012.
2. No more than 9.0% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 20,100 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.

**2012-00221 HOLLINGER, A SCOTT
NEW LONDON Pleasant Lake**

Requested Action:

Impact 19,100 sq ft in order to replace the existing primary structure with a larger structure and construct a pervious patio, retaining walls, stormwater management plan, and a new driveway.

APPROVE PERMIT:

Impact 19,100 sq ft in order to replace the existing primary structure with a larger structure and construct a pervious patio, retaining walls, stormwater management plan, and a new driveway.

With Conditions:

1. All work shall be in accordance with plans by Blakeman Engineering, Inc. dated January 30, 2012 and received by the NH Department of Environmental Services (DES) on February 2, 2012.
2. No more than 19.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
4. At least 3,662 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.

**2012-00229 KIFER, JOHN
ALTON Lake Winnepesaukee**

Requested Action:

Impact 5,628 sq ft in order to demolish existing house and build a new residence setback further from the reference line with a new driveway, septic system, and well.

APPROVE PERMIT:

Impact 5,628 sq ft in order to demolish existing house and build a new residence setback further from the reference line with a new driveway, septic system, and well.

With Conditions:

1. All work shall be in accordance with plans by Varney Engineering, LLC dated January 31, 2012 and received by the NH Department of Environmental Services (DES) on February 3, 2012.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 32.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. The proposed stormwater management plan shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
5. At least 782 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-00267 GRANT, KEVIN
ASHLAND Squam River

Requested Action:

Impact 3,178 sq ft in order to construct a house with two porches, a deck, and driveway.

APPROVE PERMIT:

Impact 3,178 sq ft in order to construct a house with two porches, a deck, and driveway.

With Conditions:

1. All work shall be in accordance with plans by Kevin Grant dated February 1, 2012 and received by the NH Department of Environmental Services (DES) on February 14, 2012.
2. No more than 19.1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 500 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or

contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.

UTILITY NOTIFICATION

2012-00311 PSNH
DUMMER Unnamed Stream Unnamed Wetlands

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:
Vegetative maintenance

2012-00312 PSNH
DUNBARTON Unnamed Stream Unnamed Wetlands

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:
Vegetative maintenance

2012-00313 PSNH
DURHAM Unnamed Stream Unnamed Wetlands

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:
Vegetative maintenance

2012-00314 PSNH
EAST KINGSTON Unnamed Stream Unnamed Wetlands

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:
Vegetative maintenance

2012-00315 PSNH
EASTON Unnamed Stream Unnamed Wetlands

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:
Vegetative maintenance

2012-00316 PSNH
EXETER Unnamed Stream Unnamed Wetlands

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:
Vegetative maintenance

2012-00317 PSNH
FITZWILLIAM Unnamed Stream Unnamed Wetlands

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:
Vegetative maintenance

2012-00318 PSNH
FRANKLIN Unnamed Stream Unnamed Wetlands

COMPLETE NOTIFICATION:
Vegetative maintenance

2012-00319 PSNH
FREMONT Unnamed Stream Unnamed Wetlands

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:
Vegetative maintenance

2012-00320 PSNH
GOFFSTOWN Unnamed Stream Unnamed Wetlands

Conservation Commission/Staff Comments:
See file 12-192 for fee amount

COMPLETE NOTIFICATION:

Vegetative maintenance

2012-00321

PSNH

GORHAM Unnamed Stream Unnamed Wetlands

COMPLETE NOTIFICATION:

Vegetative maintenance

2012-00322

PSNH

GREENLAND Unnamed Stream Unnamed Wetlands

Conservation Commission/Staff Comments:

See file 12-192 for fee amount

COMPLETE NOTIFICATION:

Vegetative maintenance

2012-00323

PSNH

GREENVILLE Unnamed Stream Unnamed Wetland

Conservation Commission/Staff Comments:

See file 12-192 fore fee amount

COMPLETE NOTIFICATION:

Vegetative maintenance