

Wetlands Bureau Decision Report

*Reviewed by
NAJ*

Decisions Taken
05/14/2012 to 05/20/2012

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

I. Any affected party may ask for reconsideration of a permit decision in accordance with RSA 482-A:10,II within 30 days of the Department's issuance of a decision. Requests for reconsideration should:

- 1) describe in detail each ground for complaint. Only grounds set forth in the request for reconsideration can be considered at subsequent levels of appeal;
- 2) provide new evidence or information to support the requested action;
- 3) Parties other than the applicant, the town, or contiguous abutters must explain why they believe they are affected; and
- 4) Be mailed to the DES Wetlands Bureau, PO Box 95, Concord, NH 03302-0095.

II. An appeal of a decision of the department after reconsideration may be filed with the Wetlands Council in accordance with RSA 482-A:10, IV within 30 days of the department's decision. Filing of the appeal must:

- 1) be made by certified mail to George "Chip" Kimball, Chairperson, Wetlands Council, PO Box 95, Concord, NH 03302-0095 (a copy should also be sent to the DES Wetlands Bureau);
- 2) contain a detailed description of the land involved in the department's decision; and
- 3) set forth every ground upon which it is claimed that the department's decision is unlawful or unreasonable.

MAJOR IMPACT PROJECT

2007-00292 3A DEVELOPMENT CO LLC
HOOKSETT Unnamed Wetland

Requested Action:

Request permit time extension.

APPROVE TIME EXTENSION:

Dredge and fill 1370 square feet of palustrine forested wetland for construction of 204 residential apartments and associated amenities on 27 acres.

With Conditions:

1. All work shall be in accordance with plans by Brown Engineering dated December 19, 2006, and revised through January 30, 2007 as received by the Department on February 12, 2007.
2. This permit is contingent on approval by the DES Alteration of Terrain.
3. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback within this phase of the University Heights Subdivision.
4. The deed which accompanies the sales transaction for each of the units in this subdivision shall contain condition #3 of this approval.
5. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau.
6. Orange construction fencing shall be placed at the limits of construction and the limits of the existing conservation easement boundary to prevent accidental encroachment on wetlands or into the easement area.
10. Work shall be done during low flow.
11. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized.
12. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
13. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
14. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
15. Silt fencing must be removed once the area is stabilized.
16. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.
2. This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

2009-00700 KATZ, ERIC
NEW CASTLE Piscataqua River

Requested Action:

The applicant requests to amend the previously approved permit to include a 8'x10' extension to the existing float.

Conservation Commission/Staff Comments:

The New Castle Conservation Commission "... voted to recommend approval of the Katz application... to construct an extension to an existing dock."

Inspection Date: 08/03/2009 by Eben M Lewis

Inspection Date: 05/16/2012 by Eben M Lewis

APPROVE AMENDMENT:

Amend the permit description to include a 8 ft x 10 ft. extension to the existing 8 ft. by 50 ft. seasonal float for the existing 6 ft. X 93 ft. permanent pier with an existing 3 ft. x 50 ft. ramp to provide all-tide water access on 182 linear feet of shoreline frontage on the Piscataqua River.

With Conditions:

1. All work shall be in accordance with plans by Pickering Marine Corporation dated 2/6/12, as received by DES on February 21, 2012.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. DES Wetlands Bureau Southeast Region staff shall be notified in writing prior to commencement of work and upon its completion.
4. This permit shall not be effective until it has been recorded with the Rockingham County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
5. All activity shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B.
6. Within 60-days from the issuance of this permit the mortar from the fire pit shall be completely removed. Photographs shall be sent to DES documenting the removal.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(a).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a)and(c), Requirements for Application Evaluation, has been considered in the design of the project.
5. DES Staff conducted a field inspection of the proposed project on May 16, 2012. Inspection confirmed that the existing docking structures had been built in accordance with both previous permits. An unpermitted fire pit capped with mortar had been noted.
6. This structure will have no adverse impact on the marine resources in the area.
7. The NH PDA Division of Ports and Harbors, Chief Harbor Master has determined that "...the project would have no negative effect on navigation in the channel."

-Send to Governor and Executive Council-

2011-01677 ✓

HOPGOOD BIXBYSHORE FAMILY TRUST, RICHARD HOPGOOD

TUFTONBORO Lake Winnepesaukee

Requested Action:

Remove a 4 ft x 32 ft seasonal pier, a 4 ft x 42 ft seasonal pier with a 4 ft x 8 ft "L", and a 4 ft x 5 ft concrete landing in the bank. Repair an 8 ft x 41 ft wharf and extend it 4ft to replace the concrete landing to be removed. Construct a 6 ft x 30 ft pier supported by

three 6 ft x 6 ft cribs which are interconnected by a timber wave attenuation system all of which is connected to the wharf by a 6 ft x 6 ft walkway. Construct a second 6 ft x 32 ft crib supported pier parallel to the first.

Inspection Date: 08/31/2011 by Darlene Forst

APPROVE PERMIT:

Remove a 4 ft x 32 ft seasonal pier, a 4 ft x 42 ft seasonal pier with a 4 ft x 8 ft "L", and a 4 ft x 5 ft concrete landing in the bank. Repair an 8 ft x 41 ft wharf and extend it 4ft to replace the concrete landing to be removed. Construct a 6 ft x 30 ft pier supported by three 6 ft x 6 ft cribs which are interconnected by a timber wave attenuation system all of which is connected to the wharf by a 6 ft x 6 ft walkway. Construct a second 6 ft x 32 ft crib supported pier parallel to the first.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction as revised November 11, 2011 and received by the Department on February 9, 2012 and wave attenuator cross sections by Watermark Marine Construction dated April 23, 2012 as received by the Department on May 10, 2012
2. This permit shall not be effective until it has been recorded with the Registry of Deeds Office by the Permittee. A copy of the registered permit shall be submitted to the DES Wetlands Bureau prior to construction.
3. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
4. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
5. These shall be the only structures on this water frontage and all portions of the structures, including the breakwater toe of slope, shall be at least 20 ft from the abutting property lines or the imaginary extension of those lines into the water.
6. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
7. No portion of the wave attenuator as measured at normal full lake shall extend more than 50 feet from the normal full lake shoreline.
8. This facility is permitted with the condition that future maintenance dredging, if needed, shall not be permitted more frequently than once every 6 years, and that a new permit shall be required for each dredge activity.
9. The owner understands and accepts the risk that if this facility requires dredging to maintain a minimum slip depth of 3 feet, more frequently than once every 6 years, or is shown to have an adverse impact on abutting frontages, it shall be subject to removal.
10. The wave attenuator shall have an irregular face to dissipate wave energy.
11. The maximum size of cribs shall not exceed 6 feet long by 6 feet wide and of such height as necessary to support the docking structure above the water level.
12. Crib material shall be timber, concrete, or other material approved by DES, and of such size and spacing as necessary to completely contain the ballast.
13. The minimum spacing between cribs shall be 12 feet.
14. No portion of the wave attenuation system shall be installed within 8 ft of the shoreline at normal high water.
15. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

Standards for Approval

1. Pursuant to RSA 482-A:3, XIII, all boat docking facilities shall be at least 20 feet from an abutting property line in non-tidal waters.
2. In accordance with RSA 482-A:11, II, no permit to dredge or fill shall be granted if it shall infringe on the property rights or unreasonably affect the value or enjoyment of property of abutting owners.
3. In accordance with Rule Env-Wt 401.01, Purpose, the purpose of the rules within Chapter Env-Wt 400 is to protect the public

trust and other interests of the state of New Hampshire, by:

- (a) Establishing requirements for the design and construction of structures in order to prevent unreasonable encroachment on surface waters of the State;
 - (b) Preserving the integrity of the surface waters of the state by requiring all structures to be constructed so as to insure safe navigation, minimize alterations in prevailing currents, minimize the reduction of water area available for public use, avoid impacts that would be deleterious to fish and wildlife habitat, and avoid impacts that might cause erosion to abutting properties; and
 - (c) Ensuring that all projects are constructed using the least impacting alternatives, in a manner that meets the requirements of RSA 483-B and shoreline and bank alteration or stabilization requirements.
4. Rule Env-Wt 402.13 Frontage Over 75' limit the number of boat slips allowed to one 2-slip structure on the first 75 ft of frontage and requires an additional 75 ft of shoreline frontage for each additional slip or securing location on a structure for non-commercial use.
 5. Pursuant to Rule Env-Wt 101.12 "Breakwater" means a structure extending generally perpendicular from the shore into surface waters of the state that is designed to protect sections of shoreline, docks, wharves or anchorage areas from erosion or damage from waves or currents.
 6. Pursuant to Rule Env-Wt 402.07 Breakwaters, breakwaters shall only be approved when an applicant establishes that the proposed site for the breakwater is exposed to a single radial fetch of at least 4 miles between compass headings 300 and 330 degrees as measured from true north or the applicant provides evidence that the proposed site is exposed to persistent 2 ft high wave activity, and the breakwater is located in an area with no significant sand migration
 7. In accordance with Rule Env-Wt 101.56, "major docking system" means a large and complex docking facility that requires utilization of more than 100 feet of waterfront or provides a total of 5 or more boat slips, including those previously existing and proposed.
 8. This project is classified as a major project per Rule Env-Wt 303.02, Major Projects, (d), construction or modification of a major docking system adjacent or attached to a breakwater.

Findings of Fact

1. On June 19, 2006, the NH DES Wetlands Bureau received Application # 2006-1505 requesting a permit for construction of a breakwater with docks in a "W" configuration and seasonal watercraft lifts on an average of 150 ft of frontage on Lake Winnepesaukee in Tuftonboro.
2. On April 6, 2007, the Department denied the Applicant's request to construct a breakwater and modify the docking facilities on the grounds that information supporting the need for the breakwater requested on September 8, 2006, was not submitted within 120 days as required pursuant to RSA 482-A:3 XIV, (b).
3. On April 30, 2007, the Department received a Request for Reconsideration of the Department's April 6, 2007 denial. The Request was signed and dated April 30, 2007. Additional information relative to the need for the proposed breakwater was submitted to Application #2006-1505 as part of the Applicant's pursuit of reconsideration by the Department.
4. On February 22, 2008 the Department denied reconsideration of its original decision on the grounds that the Request for Reconsideration was not filed within the 20 day deadline for filing such requests as required per RSA 482-A:10, II.
5. On July 14, 2011, the Wetlands Bureau received a Standard Dredge and Fill application to construct a 3 slip permanent docking system with a 30 linear ft wave attenuation system to be constructed underneath the northwesternmost pier, on an average of 150 feet of shoreline frontage.
6. The 30 ft wave attenuation system to be constructed under the northwesternmost pier is designed to dissipate wave action and protect sections of the shoreline, the wharf, and the other proposed pier from waves and currents. This structure is therefore a breakwater as defined per Rule Env-Wt 101.12.
7. The untimely evidence submitted by the applicant to Application File #2006-1505 supports the need for the construction of a breakwater to provide safe docking at this site as required per Rule Env-Wt 402.06, Breakwaters.
8. The applicant has an average of 150 feet of shoreline frontage along Lake Winnepesaukee.
9. A maximum of 3 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
10. The proposed docking facility will provide 3 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.
11. On August 31, 2011, DES staff field inspected the site with the Agent for the Applicant. During the inspection it was noted that constructing the facility at angle to the south would allow for a better approach in windy conditions and would reduce the physical stress of the structure posed by wind, waves, and ice.
12. On February 9, 2012, the Wetlands Bureau received revised plans reconfiguring the piers to be angled to the south as discussed

during the earlier field inspection.

13. The Owner of the abutting property to the south (the Abutter) has submitted written concerns to this application on multiple occasions regarding the need for the proposed breakwater (wave attenuation system) and the possible impacts to his frontage from boats accessing the docking facility should it be angled to the south as shown in the revised proposal.

14. Public hearing is waived based on field inspection, by NH DES staff, on August 31, 2011, with the finding that the project impacts will not significantly impair the resources of Lake Winnepesaukee.

Rulings in Support of Denial

1. All portions of the proposed docking facility will be at least 20 ft from the abutting property lines and the imaginary extensions of those lines over the water as required per RSA 482-A:3, XIII.

2. The information submitted untimely to Application File # 2006-1505 supported the need to construct a breakwater on this site. The proposed wave attenuation system, constructed at the angle shown will provide the functionality of a breakwater but will not require the cubic yards of fill and square ft of impact associated with standard breakwater construction methods. The wave attenuation system will allow better flow of water and passage for aquatic organisms than standard breakwater construction methods. The alternative design to provide the functionality of a breakwater on this frontage is in keeping with the purpose of the Rules within Chapter Env-Wt 400 as stated in Rule Env-Wt 401.01.

3. The Abutter has failed conclusively show that the proposed docking facility will unreasonably affect the value or enjoyment of their property.

-Send to Governor and Executive Council-

2012-00055 ✓ **HAMPSHIRE HOSPITALITY HOLDINGS LLC**
MEREDITH Lake Winnepesaukee

Requested Action:

Construct three 6 ft x 30 ft piling supported piers connected by a 6 ft x 54 ft wharf along the shoreline in a "E" configuration, install 6 tie off piles, and install three 14 ft x 30 ft seasonal canopies on an average of 183 feet of shoreline frontage on Lake Winnepesaukee, in Meredith.

Conservation Commission/Staff Comments:

Con Com has no objection

APPROVE PERMIT:

Construct three 6 ft x 30 ft piling supported piers connected by a 6 ft x 54 ft wharf along the shoreline in a "E" configuration, install 6 tie off piles, and install three 14 ft x 30 ft seasonal canopies on an average of 183 feet of shoreline frontage on Lake Winnepesaukee, in Meredith.

With Conditions:

1. All work shall be in accordance with plans by Ambrose Marine Construction revision dated April 20, 2012, as received by the Department on April 23, 2012.
2. This permit shall not be effective until it has been recorded with the County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. This permit is not valid until a copy of a covenant registered with the registry of deeds running with both lots, permanently transferring one slip from tax map U6, lot 147 to tax map U6, lot 149, is submitted to the Department.
4. This permanent docking system shall be for use by the general public. If at any time the docking system becomes restricted to private use and is no longer available to the general public, it shall be modified to meet regulations for private use facilities in effect at that time.
5. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement or revocation action if the DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not

previously permitted or grandfathered.

- 6. Repairs to these structures may be conducted, as necessary, throughout the duration of this permit provided that the permittee notifies the Wetlands Bureau and Conservation Commission, in writing, of the proposed start and completion date prior to performing any repair.
- 7. Repairs shall maintain existing size, location and configuration.
- 8. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
- 9. This permit does not allow for maintenance dredging.
- 10. The dock shall not extend more than 30 ft lakeward at full lake elevation of 504.32.
- 11. The minimum clear spacing between piles shall be 12 feet.
- 12. Canopies shall be of seasonal construction type with a flexible fabric cover. The seasonal support frame shall be designed to be removed for the non-boating season. The flexible fabric cover shall be removed during all seasons of non-use.
- 13. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

- 1. Pursuant to Rule Env-Wt 303.02(m), any project that is related to other applications or permits in the wetlands area or wetlands complex in a manner such that if the proposed action were considered as a single application the combined impact would be considered major shall be classified as a major project.
- 2. The lot identified as Meredith tax map U6, lot 149 has an average of 183 feet of frontage along Lake Winnepesaukee.
- 3. A maximum of 3 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
- 4. The proposed docking facility will provide 4 slips as defined per RSA 482-A:2, VIII.
- 5. This permit is contingent upon the transfer of one slip from the propoerty identified tax map U6, lot 147, to tax map U6, lot 149.
- 6. The existing and proposed docking facilities on lots 147 and 149 will provide more than 5 slips as defined per RSA 482-A:2, VIII, therefore this project is classified as a major project per Rule Env-Wt 303.02 (d), construction or modification of docking facilities providing 5 or more slips.
- 7. Public hearing is waived with the finding that the project impacts will not significantly impair the resources of Lake Winnepesaukee.

-Send to Governor and Executive Council-

2012-00128 ✓ **BEURANG, NICOLE**
NEW CASTLE Piscataqua River

Requested Action:

Construct and install a 6'x105' permanent fixed pier leading to a 3'x50' seasonal ramp landing on a 10'x30' seasonal float on approximately 222.5 ft of shoreline frontage on the Piscataqua River.

Conservation Commission/Staff Comments:

"The New Castle Conservation Commission voted to recommend approval of the proposed pier and dock in accordance with our jurisdiction and our building code." e-mail received from Bill Stewart, Chair NCCC, on May 15, 2012.

Inspection Date: 02/16/2012 by Eben M Lewis

APPROVE PERMIT:

Construct and install a 6'x105' permanent fixed pier leading to a 3'x50' seasonal ramp landing on a 10'x30' seasonal float on approximately 222.5 ft of shoreline frontage on the Piscataqua River.

With Conditions:

1. All work shall be in accordance with plans by Riverside & Pickering Marine Contractors dated 12/26/11, as received by DES on January 19, 2012.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. NH DES Wetlands Bureau Southeast Region staff and the New Castle Conservation Commission shall be notified in writing prior to commencement of work and upon its completion.
4. This permit shall not be effective until it has been recorded with the Rockingham County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
5. All activities shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B.
6. Work on the riprap revetment shall be done during low tide only.
7. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
8. Faulty equipment shall be repaired prior to entering jurisdictional areas.
9. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
10. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(a); projects in tidal wetlands
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) and (c), Requirements for Application Evaluation, has been considered in the design of the project.
5. A memo dated January 6, 2012 (the "Memo") from the NH Natural Heritage Bureau ("NHB") states, " NHB has no further concerns about potential impacts posed by this project."
5. DES Staff conducted a field inspection of the proposed project on February 16, 2012. Field inspection determined the areas of salt marsh vegetation identified on the plans and location of the proposed docking structures are accurate.
6. The Chief Harbor Master for the PDA, Division of Ports and Harbors reports: "We examined the proposed site and found that the project would have no negative effect on navigation in the channel."
7. "The New Castle Conservation Commission voted to recommend approval of the proposed pier and dock in accordance with our jurisdiction and our building code." e-mail received from Bill Stewart, Chair NCCC, on May 15, 2012.

-Send to Governor and Executive Council-

2012-00680

HALECROFT REALTY TRUST, DANIEL PRAWDZIK

NELSON Nubinusit Lake

Requested Action:

Install a 6 ft x 45 ft seasonal pier with two 6 ft x 20 ft seasonal finger piers in a reverse "F" configuration, relocate 5 rocks, install a 6 ft x 20 ft seasonal pier extension to an existing 6 ft x 30 ft seasonal pier on an average of 555 feet of shoreline frontage on Lake Nubanusit, in Nelson.

Conservation Commission/Staff Comments:

No Con Com comments by April 17, 2012

APPROVE PERMIT:

Install a 6 ft x 45 ft seasonal pier with two 6 ft x 20 ft seasonal finger piers in a reverse "F" configuration, relocate 5 rocks, install a 6 ft x 20 ft seasonal pier extension to an existing 6 ft x 30 ft seasonal pier on an average of 555 feet of shoreline frontage on Lake

Nubanusit, in Nelson.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction dated March 15, 2012, as received by the NH Department of Environmental Services (DES) on March 23, 2012.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
4. This permit only allows for the relocation of 5 rocks to locations under the proposed pier. This permit does not allow dredging for any purpose.
5. These shall be the only structures on this water frontage and all portions of the docking structures shall be at least 20 ft from abutting property lines or the imaginary extension of those lines into the water.
6. The seasonal docking structures shall be removed from the lake for the non-boating season.
7. No portion of the "F" shaped pier shall extend more than 45 feet from the shoreline at full lake elevation.
8. No portion of the single, straight pier shall extend more than 55 feet from the shoreline at full lake elevation.
9. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
10. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
11. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(d), construction of docking facilities providing 5 or more boat slips.
2. The need for the proposed impacts has been demonstrated by the Applicant per Env-Wt 302.01.
3. The Applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The Applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.
5. The Applicant has an average of 555 feet of frontage along Lake Nubanusit.
6. A maximum of 9 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
7. The proposed docking facility will provide 8 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.
8. Public hearing is waived with the finding that the project impacts will not significantly impair the resources of Lake Nubanusit.

-Send to Governor and Executive Council-

2012-01023 ✓

BEDFORD, TOWN OF

BEDFORD Unnamed Wetland

Requested Action:

Proposal to dredge and fill 598 sq. ft. perennial stream "Bowman Brook" (includes 572 sq. ft. of temporary impact and 26 sq. ft. of permanent impact) to extend an existing 72 in. RCP by 2 linear ft. for a turning lane associated with the construction of "Market Basket Supermarket".

APPROVE PERMIT:

Dredge and fill 598 sq. ft. perennial stream "Bowman Brook" (includes 572 sq. ft. of temporary impact and 26 sq. ft. of permanent impact) to extend an existing 72 in. RCP by 2 linear ft. for a turning lane associated with the construction of "Market Basket

Supermarket".

With Conditions:

1. All work shall be in accordance with plans and narratives by TFM Inc., as received by the NH Department of Environmental Services (DES) on April 23, 2012.
2. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
3. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
4. Work shall be done during low flow.
5. A qualified professional shall monitor the project during construction to assure it is constructed in accordance with the approved plans and narratives and to assure no water quality violations occur.
6. Construction equipment shall not enter the surface water and shall conduct work from the adjacent banks and upland areas.
7. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
8. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
9. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
10. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
11. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
12. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
13. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired immediately.
14. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
15. All refueling of equipment shall occur outside of surface waters or wetlands during construction.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 903.01.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The wetland impact is needed to provide a turning lane associated with the construction of a new supermarket.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The proposed work is for minimal changes (i.e., 2 foot culvert extension with a new headwall). Therefore, the proposal was submitted as an Alternative Design per Administrative Rule Env-Wt 904.09.
6. The original design called for a new retaining wall behind the existing headwall but due to the uncertain stability of the existing wall the design was changed to a short culvert extension with a new headwall.
7. A New Hampshire Licensed Professional Engineer ("PE") has indicated that the design will not cause any adverse impact to the surrounding wetlands or function of Bowman Brook.
8. A PE provided a stamped plan and narrative/report.
9. DES has not received any abutter or public comments in objection to the proposed project.
10. DES received comments from NHDOT approving the proposed work in their right-of-way.
11. In accordance with RSA 428-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the riverine resource, as identified under RSA 482-A:1.

MINOR IMPACT PROJECT

2012-00277 **MERRIMACK, TOWN OF**
MERRIMACK Tributary To Souhegan River

Requested Action:

Dredge and fill a total of 3,108 sq. ft. within the embankments, flow channel and adjacent wetlands of an unnamed tributary to the Souhegan river for work associated with the replacement of the four (4) existing CMP culverts with a 10 foot wide x 4 foot high precast concrete box culvert, embedded, with 15-18 inches of natural streambed material and rip-rap scour protection, to carry Amherst Road over this unnamed brook.

Conservation Commission/Staff Comments:

No report or comments were received from the Merrimack Conservation Commission regarding this application.

APPROVE PERMIT:

Dredge and fill a total of 3,108 sq. ft. within the embankments, flow channel and adjacent wetlands of an unnamed tributary to the Souhegan river for work associated with the replacement of the four (4) existing CMP culverts with a 10 foot wide x 4 foot high precast concrete box culvert, embedded, with 15-18 inches of natural streambed material and rip-rap scour protection, to carry Amherst Road over this unnamed brook.

With Conditions:

1. All work shall be in accordance with plans by Quantum Construction Consultants, LLC & Meridian Land Services, Inc. dated June 09, 2010 (last revised 12/20/11), as received by the NH Department of Environmental Services (DES) on February 07, 2012.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. NH DES Wetlands Bureau Southeast Region staff and the Merrimack Conservation Commission shall be notified in writing prior to commencement of work and upon its completion.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Work shall be done during low flow.
6. Culvert outlets shall be protected in accordance with the DES Best Management Practices for Urban Stormwater Runoff Manual (January 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August 1992).
7. Unconfined work within the brook, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
8. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
9. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
10. Temporary cofferdams shall be entirely removed immediately following construction.
11. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
12. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
13. Faulty equipment shall be repaired prior to entering jurisdictional areas.
14. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.

15. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(c), projects that involve dredge, fill, or construction of a permanent structure in a stream or marsh & (1) projects that alter the course of or disturb less than 200 linear feet of an intermittent or perennial nontidal stream.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

2012-00375

TOWN OF KINGSTON

KINGSTON Unnamed Stream

Requested Action:

Dredge and fill a total of 1,780 sq. ft. within the embankments and flow channel of an unnamed stream to replace an existing undersized 18-inch culvert with a 10 ft. wide x 3 ft. high x 58 ft. long precast concrete box culvert with concrete head walls, wing walls and a simulated river stone bottom.

Conservation Commission/Staff Comments:

No report or comments were received from the Kingston Conservation Commission on this application.

APPROVE PERMIT:

Dredge and fill a total of 1,780 sq. ft. within the embankments and flow channel of an unnamed stream to replace an existing undersized 18-inch culvert with a 10 ft. wide x 3 ft. high x 58 ft. long precast concrete box culvert with concrete head walls, wing walls and a simulated river stone bottom.

With Conditions:

1. All work shall be in accordance with plans by CMA Engineers dated January 2012, as received by the NH Department of Environmental Services (DES) on February 21, 2012.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. NH DES Wetlands Bureau Southeast Region staff and the Kingston Conservation Commission shall be notified in writing prior to commencement of work and upon its completion.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Work shall be done during low flow.
6. Culvert outlets shall be protected in accordance with the DES Best Management Practices for Urban Stormwater Runoff Manual (January 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August 1992).
7. Unconfined work within the river, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
8. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
9. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
10. Temporary cofferdams shall be entirely removed immediately following construction.
11. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or

other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.

12. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.

13. Faulty equipment shall be repaired prior to entering jurisdictional areas.

14. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.

15. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(c), projects that involve dredge, fill, or construction of a permanent structure in a stream or marsh & (l) projects that alter the course of or disturb less than 200 linear feet of an intermittent or perennial nontidal stream.

2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.

3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.

4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

2012-00726 ✓

D'AMATO REVOC TRUST, ROBERT

WOLFEBORO Lake Winnepesaukee

Requested Action:

Completely remove 77 linear ft of marine rail system, including the underlying concrete, a 6 ft x 6 ft concrete pad, and a 6 ft x 50 ft seasonal pier from the lakebed and bank. Install two 6 ft x 50 ft seasonal piers connected by a 6 ft x 12 ft walkway in a "U" configuration with a 14 ft x 30 ft seasonal canopy over the center slip and two personal watercraft lifts located to the east on an average of 336 ft of frontage on Lake Winnepesaukee in Wolfeboro

Conservation Commission/Staff Comments:

Con Com submttd comments, will canopy obstruct views, staight line frontage 125ft, possible future dredging,

APPROVE PERMIT:

Completely remove 77 linear ft of marine rail system, including the underlying concrete, a 6 ft x 6 ft concrete pad, and a 6 ft x 50 ft seasonal pier from the lakebed and bank. Install two 6 ft x 50 ft seasonal piers connected by a 6 ft x 12 ft walkway in a "U" configuration with a 14 ft x 30 ft seasonal canopy over the center slip and two personal watercraft lifts located to the east on an average of 336 ft of frontage on Lake Winnepesaukee in Wolfeboro

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction as revised May 11, 2012 and received by the NH Department of Environmental Services (DES) on May 14, 2012.

2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.

3. The marine rail system, including the underlying concrete, and the 6 ft x 6 ft concrete pad shall be completely removed and the impacted areas shall be regraded to original contours and stabilized prior to the installation of the new seasonal piers.

4. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.

5. These shall be the only structures on this water frontage and all portions of the docking structures shall be at least 20 ft from abutting property lines or the imaginary extension of those lines into the water except as authorized in writing by the owner of the

property identified as lot 4 on Wolfeboro tax map 244 on March 7, 2012.

6. All seasonal structures shall be removed from the lake for the non-boating season.
7. No portion of the piers shall extend more than 50 feet from the shoreline at full lake elevation.
8. Canopies shall be of seasonal construction type with a flexible fabric cover. The seasonal support frame shall be designed to be removed for the non-boating season. The flexible fabric cover shall be removed during all seasons of non-use.
9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), construction of a 3-slip docking facility.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 336 feet of shoreline frontage along Lake Winnepesaukee.
6. A maximum of 5 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
7. The proposed docking facility will provide 3 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

2012-00787 ✓

BOUCHER REV LIVING TRUST

BRISTOL Newfound Lake

Requested Action:

Completely remove a 10 ft x 27 ft concrete boat ramp from the bank and lakebed, repair 43.5 linear ft of retaining wall in-kind, install 6 ft wide steps to the water, a 6 ft x 40 ft seasonal pier, a seasonal boatlift, and two seasonal personal watercraft lifts on an average of 131 ft of frontage on Newfound Lake, in Bristol.

Conservation Commission/Staff Comments:

No comments from Con Com by May 14, 2012

APPROVE PERMIT:

Completely remove a 10 ft x 27 ft concrete boat ramp from the bank and lakebed, repair 43.5 linear ft of retaining wall in-kind, install 6 ft wide steps to the water, a 6 ft x 40 ft seasonal pier, a seasonal boatlift, and two seasonal personal watercraft lifts on an average of 131 ft of frontage on Newfound Lake, in Bristol.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction dated February 22, 2012, as received by the NH Department of Environmental Services (DES) on April 4, 2012.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. The repairs shall maintain the size, location and configuration of the pre-existing structures.
4. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
5. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
7. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.

- 8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
- 9. This shall be the only structure on this water frontage and all portions of the docking structure shall be at least 20 ft from abutting property lines or the imaginary extension of those lines into the water.
- 10. All seasonal structures shall be removed from the lake for the non-boating season.
- 11. No portion of the pier shall extend more than 40 feet from the shoreline at full lake elevation.
- 12. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

- 1. This is a minor impact project per Administrative Rule Env-Wt 303.03(g), removal of less than 20 cu yd of materail from the lakebed associated with the removal of the boat ramp.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. The applicant has an average of 131 feet of shoreline frontage along Newfound Lake.
- 6. A maximum of 2 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
- 7. The proposed docking facility will provide 2 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

MINIMUM IMPACT PROJECT

**2012-00675 MARDIN, LEWIS/PAMELA
LANDAFF**

Requested Action:

Impact 1,700 square feet for the maintenance dredge a man-made pond.

APPROVE PERMIT:

Impact 1,700 square feet for the maintenance dredge a man-made pond.

With Conditions:

- 1. All work shall be in accordance with plans by Lobdell Associates Inc. entitled Mardin Farm Pond Maintenance Dredging as received by the department on March 23, 2012.
- 2. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized.
- 3. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
- 4. Dewatering of work areas or of dredge materials, if required, shall be conducted in a manner so as to prevent turbidity.
- 5. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
- 6. Machinery shall be staged and refueled in upland areas.
- 7. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
- 8. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized

within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.

9. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

10. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

11. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

1. This is a Minimum Impact Project per NH Administrative Rule Env-Wt 303.04 (k) Maintenance dredging, when necessary to provide continued usefulness of nontidal drainage ditches, man-made ponds, and spillways.
2. The need for the proposed impacts has been demonstrated by the applicant per Rule Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Rule Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. No wetland impacts will occur outside of the limits of the pond.
6. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program or the Natural Heritage Bureau.

FORESTRY NOTIFICATION

2012-00746 MOULTON, ROBERT
SANDWICH Unnamed Stream

COMPLETE NOTIFICATION:
Sandwich Tax Map R10, Lot# 66

2012-00894 MOULTON, DONALD/ROBERT
RAYMOND Unnamed Stream

COMPLETE NOTIFICATION:
Raymond Tax Map 28, Lot# 4-7

2012-01086 WEBSTER 1983 TRUST, JOHN
SANDWICH Unnamed Stream

COMPLETE NOTIFICATION:
Sandwich Tax Map R2, Lot# 43

2012-01091 BOLSON, ISABEL
CHICHESTER Unnamed Stream

COMPLETE NOTIFICATION:
Chichester Tax Map 9, Lot# 129

2012-01100 **TALBOT, THOMAS**
WINCHESTER Unnamed Stream

COMPLETE NOTIFICATION:
Winchester Tax Map 8, Lot# 61

2012-01101 **LABROSSE, JOHN**
STODDARD Unnamed Stream

COMPLETE NOTIFICATION:
Stoddard Tax MAp 402, Lot# 1

2012-01114 **NASER, ROBERT**
GOFFSTOWN Unnamed Stream

COMPLETE NOTIFICATION:
Goffstown Tax Map 7, Lot# 64

2012-01115 **DONIGIAN, JACOB/JANICE**
FREMONT Unnamed Stream

COMPLETE NOTIFICATION:
Fremont Tax Map/Lot# 1/12 & 3/189

2012-01120 **EDMUNDS, RICHARD**
FRANKLIN Unnamed Stream

COMPLETE NOTIFICATION:
Franklin Tax Map 147, Lot# 1

2012-01121 **CLEVELAND, HILARY**
NEW LONDON Unnamed Stream

COMPLETE NOTIFICATION:
New London Tax Map 7, Lot# 1

2012-01136 **DUHAIME, MICHAEL**
WEARE Unnamed Stream

COMPLETE NOTIFICATION:

Weare TAx Map 408, Lot# 11

2012-01137 **YORK, ARTHUR**
MILAN Unnamed Stream

COMPLETE NOTIFICATION:
Milan Tax Map 290, Lot# 41

2012-01153 **NFTI**
WILMOT Unnamed Stream

COMPLETE NOTIFICATION:
Wilmot Tax Map 8, Lot# 10

2012-01154 **LAWRIE, ROBERT/JEAN**
BOSCAWEN Unnamed Stream

COMPLETE NOTIFICATION:
Boscawen Tax Map 45, Lot# 94

2012-01161 **REED, WADE**
FRANKLIN Unnamed Stream

COMPLETE NOTIFICATION:
Franklin Tax Map 37, Lot# 403

2012-01163 **OEDEL, HOWARD**
HEBRON Unnamed Stream

COMPLETE NOTIFICATION:
Hebron Tax Map/Lot# 9/10 & 8/7

2012-01165 **REED, WADE**
EFFINGHAM Unnamed Stream

COMPLETE NOTIFICATION:
Effingham Tax Map 410, Lot# 60

2012-01167 **BARNARD, BRUCE**
HEBRON Unnamed Stream

COMPLETE NOTIFICATION:
Hebron Tax Map 1, Lot# 11

2012-01168 RENNIE, CRAIG
BARNSTEAD Unnamed Stream

COMPLETE NOTIFICATION:
Barnstead Tax Map 6, Lot# 66

2012-01178 GREEN CROW CORP
HILL Unnamed Stream

COMPLETE NOTIFICATION:
Hill Tax Map 14, Lot# 4

2012-01179 BALD HILL REALTY TRUST, GEORGE & LEONARD DENEALT
BROOKLINE Unnamed Stream

COMPLETE NOTIFICATION:
Brookline Tax Map/Lot# A/2 & B/72

2012-01190 BARRETT, MARSHALL
SWANZEY Unnamed Stream

COMPLETE NOTIFICATION:
Swanzey Tax Map/Lot# 81/17, 83/1, 86/6

2012-01196 YANKEE FOREST LLC
MILAN Unnamed Stream

COMPLETE NOTIFICATION:
Milan Tax Map 42, Lot# 21

EXPEDITED MINIMUM

2008-00118 DARBYSHIRE, PAUL
GILMANTON Unnamed Wetland

Requested Action:
Request permit time extension.

APPROVE TIME EXTENSION:
Dredge and fill 80 square feet including installation of an 18-inch x 26 foot culvert for access to a proposed single family lot in the

subdivision of 24.43 acres into three single family residential lots.

With Conditions:

1. All work shall be in accordance with plans by Paul M Darbyshire Associates dated January 16, 2008, as received by the Department on January 28, 2008.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
4. The deed which accompanies the sales transaction for each of the lots in this subdivision shall contain condition #3 of this approval.
5. Work shall be done during periods of non-flow.
6. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized.
7. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
8. Proper headwalls shall be constructed within seven days of culvert installation.
9. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
10. Silt fencing must be removed once the area is stabilized.

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.
2. This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

2012-00942 HALL, JOAN/LEONARD
TILTON Lake Winnisquam

Requested Action:

Install a 14 ft x 30 ft seasonal canopy over the center slip of an existing "U" shaped seasonal docking system on Lake Winnisquam, Tilton.

Conservation Commission/Staff Comments:

Con Com signed application

APPROVE PERMIT:

Install a 14 ft x 30 ft seasonal canopy over the center slip of an existing "U" shaped seasonal docking system on Lake Winnisquam, Tilton.

With Conditions:

1. All work shall be in accordance with plans by New Hampshire Environmental Consultants dated March 13, 2012, as received by the NH Department of Environmental Services (DES) on April 18, 2012.
2. This permit shall not be effective until it has been recorded with the County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.
4. Canopies shall be of seasonal construction type with a flexible fabric cover. The seasonal support frame shall be designed to be removed for the non-boating season. The flexible fabric cover shall be removed during all seasons of non-use.

5. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(o), projects deemed minimum by the Department.

GOLD DREDGE

2012-01250 TAYLOR, JARROD
(ALL TOWNS) Unnamed Stream

2012-01268 HORTON, DANIEL
(ALL TOWNS) Unnamed Stream

2012-01270 HAMMOND, JOSHUA
(ALL TOWNS) Unnamed Stream

2012-01271 MANNION, JOHN
(ALL TOWNS) Unnamed Stream

2012-01272 COULTER, WILLIAM
(ALL TOWNS) Unnamed Stream

LAKES-SEASONAL DOCK NOTIF

2012-01224 PUTNAM, ROBERT
ALSTEAD Newell Pond

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

2012-01238 PARIS, ALBERT
TILTON Winnisquam Lake(lochmere Dam)

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

2012-01274 FRIEZE, KENNETH
NEW LONDON Sunapee Lake

COMPLETE NOTIFICATION:
New London Tax Map 80, Lot# 10

2012-01293 STRAIGHT REVOC LINVING TRUST, PAUL/LYNN
NEW DURHAM Marchs Pond

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure

ROADWAY MAINTENANCE NOTIF

2012-01234 NH DEPT OF TRANSPORTATION
ERROL Unnamed Wetland

COMPLETE NOTIFICATION:
Replace an existing 15" RCP in the same location

2012-01281 NOTTINGHAM DPW, TOWN OF
NOTTINGHAM Unnamed Stream

COMPLETE NOTIFICATION:
Replace an existing 12"x 40' culvert and headwall

2012-01282 HANCOCK HWY DEPT, TOWN OF HANCOCK
HANCOCK Unnamed Wetland

COMPLETE NOTIFICATION:
Replace an existing 12" culvert with a 12" HDPE, extend inlet & outlets by 5 feet

**2012-01283 NH DEPT OF TRANSPORTATION
SPRINGFIELD Unnamed Stream Unnamed Wetlands**

COMPLETE NOTIFICATION:
Replace a 48"x 40' RCP and rebuild headers

**2012-01284 NH DEPT OF TRANSPORTATION
DUBLIN Unnamed Stream Unnamed Wetland**

COMPLETE NOTIFICATION:
Replace an existing 15"x 40' CMP with an HDPE, replace an 18"x 40' CMP with an HDPE and construct a stone apron at all inlets and outlets

**2012-01285 NH DEPT OF TRANSPORTATION
DUBLIN Unnamed Stream Unnamed Wetlands**

COMPLETE NOTIFICATION:
Replace an existing 12"x 40' CMP with HDPE, replace a 15"x 40' CMP with HDPE and construct stone aprons at all inlets & outlets

**2012-01286 NH DEPT OF TRANSPORTATION
STODDARD Unnamed Stream Unnamed Wetlands**

COMPLETE NOTIFICATION:
Replace an existing 15"x 40' CMP with a 15"x 40' HDPE, replace an 18"x 40' CMP with a HDPE and construct stone aprons at the inlets & inlets

**2012-01288 NH DEPT OF TRANSPORTATION DISTRICT 5
NORTHFIELD Unnamed Wetland**

COMPLETE NOTIFICATION:
Restore of eroded embankment and repair 16 feet of an 18" RCP pipe and rebuild headwall

PERMIT BY NOTIFICATION

**2012-00880 MOORES POND ASSOCIATION BEACH
MADISON Moores Pond**

Requested Action:
Replenish beach with less than 10 cubic yards of sand.

PBN IS COMPLETE:

Replenish beach with less than 10 cubic yards of sand.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(aa), replenish beach with less than 10 cubic yards of sand.

2012-01192 COBURN, LINDA
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Repair or replacement of existing retaining walls that is performed "in the dry" during drawdown of waters, and that results in no change in height, length, location, or configuration.

Conservation Commission/Staff Comments:

Con Com signed PBN form

PBN IS COMPLETE:

Repair or replacement of existing retaining walls that is performed "in the dry" during drawdown of waters, and that results in no change in height, length, location, or configuration.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(c), repair or replacement of existing retaining walls that is performed "in the dry" during drawdown of waters, and that results in no change in height, length, location, or configuration.

2012-01213 NEWBURY, TOWN OF
NEWBURY Lake Sunapee

Requested Action:

Repair of existing docking structures with no change in size, location or configuration.

Conservation Commission/Staff Comments:

Con Com signed PBN form

PBN IS COMPLETE:

Repair of existing docking structures with no change in size, location or configuration.

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(v), repair of existing docking structures with no change in size, location or configuration.

2012-01239 BARVEL WHANG ASSOCIATES
TUFTONBORO Lake Winnepesaukee

Requested Action:

Repair of existing docking structures with no change in size, location or configuration.

PBN IS COMPLETE:

Repair of existing docking structures with no change in size, location or configuration.

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(v), repair of existing docking structures with no change in size, location or configuration.

2012-01240 **TERRIO, KRISTINE**
ALTON **Cub Island**

Requested Action:

Repair of existing docking structures with no change in size, location or configuration.

Conservation Commission/Staff Comments:

Con Com signed PBN application

PBN IS COMPLETE:

Repair of existing docking structures with no change in size, location or configuration.

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(v), repair of existing docking structures with no change in size, location or configuration.

2012-01244 **VAUGHN, TIMOTHY**
LITTLETON **Partridge Lake**

Requested Action:

Repair of existing docking structures with no change in size, location or configuration.

Conservation Commission/Staff Comments:

Con Com signed PBN form

PBN IS COMPLETE:

Repair of existing docking structures with no change in size, location or configuration.

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(v), repair of existing docking structures with no change in size, location or configuration.

CSPA PERMIT

2011-01099 **CARLISLE, DON**
MUNSONVILLE Granite Lake

Requested Action:

Owner proposes to stump the area between 150 and 250 of the reference line, grade and plant grass.

Owner proposes to amend the plan by including reconstructing the deck within the same footprint and winterizing the cottage.

Impact 2,153 sq ft in order to construct parking area and improve access to existing building.

APPROVE AMENDMENT:

Impact the area between 150ft and 250ft of the Shoreland Protection to stumping and grading for planting, impact an additional 1,784 sq ft for the purpose of winterizing the cottage with the approved 2,153 sq ft to construct parking area and improve access to existing building.

With Conditions:

1. All work shall be in accordance with revised plans by Jeremy Hamilton dated May 8, 2012 and received by the NH Department of Environmental Services (DES) on May 10, 2012.
2. No more than 11.7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. In order to remain compliant with RSA 483-B:9, V, (b), (2), the 2,675 sq ft of the existing native vegetation between 50 feet and 150 feet from the reference, as delineated on plans received by DES, must remain in an unaltered state.
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-00695 **HENRY, CHICK/SANDRA**
LEBANON Mascoma River

Requested Action:

Impact 19,870 sq ft in order to construct an addition to an existing building, extend access driveway and parking.

APPROVE PERMIT:

Impact 19,870 sq ft in order to construct an addition to an existing building, extend access driveway and parking.

With Conditions:

1. All work shall be in accordance with plans by Pathways Consulting, LLC dated March 12, 2012 and received by the NH Department of Environmental Services (DES) on March 26, 2012.
2. No more than 31.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.

3. At least 4,960 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-00963 RUST POND CABIN REALTY TRUST
WOLFEBORO Rust Pond

Requested Action:

Impact 2,185 sq ft in order to install a septic system.

APPROVE PERMIT:

Impact 2,185 sq ft in order to install a septic system.

With Conditions:

1. All work shall be in accordance with plans by Roseen Survey PLLC dated April 13, 2012 and received by the NH Department of Environmental Services (DES) on April 24, 2012.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 10% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 5,008 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-00988 ROBERT P LEFEVERE FAMILY LIMITED
KINGSTON Powwow Pond

Requested Action:

Impact 12,440 sq ft in order to raze existing structure and replace with a new dwelling further from the reference line, reconfigure and repave driveway, and install new septic system.

APPROVE PERMIT:

Impact 12,440 sq ft in order to raze existing structure and replace with a new dwelling further from the reference line, reconfigure and repave driveway, and install new septic system.

With Conditions:

1. All work shall be in accordance with plans by James M. Lavell, LLS dated April 11, 2012 and received by the NH Department of Environmental Services (DES) on April 20, 2012.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 19.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. The percentage of area maintained in an unaltered state on nonconforming lots shall not be decreased if less than 25 percent state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-01007 HOMSI, RICHARD
LACONIA Lake Winnepesaukee

Requested Action:

Impact 2,425 sq ft to remove two carport structures, construct a cottage/storage building, install sewer tie-in line, and expand the existing driveway.

APPROVE PERMIT:

Impact 2,425 sq ft to remove two carport structures, construct a cottage/storage building, install sewer tie-in line, and expand the existing driveway.

With Conditions:

1. All work shall be in accordance with plans by SB dated March 30, 2012, revised April 23, 2012, with additional hand drawn revisions by Richard Homsy as received by the NH Department of Environmental Services (DES) on May 14, 2012.
2. No more than 18.49% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
4. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau or the DES Shoreland Program will require a new application and further permitting by the Bureau.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-01022 BOWEN, JAMES
NELSON Nubanusit Lake

Requested Action:

Impact 6,090 sq ft in order to reconstruct existing house with no increase in sq ft and located further from the reference line.

APPROVE PERMIT:

Impact 6,090 sq ft in order to reconstruct existing house with no increase in sq ft and located further from the reference line.

With Conditions:

1. All work shall be in accordance with plans by James D. Bowen dated April 21, 2012 and received by the NH Department of Environmental Services (DES) on April 24, 2012.
2. No more than 14% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 2,750 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-01048 BUSSICHELLA, JOSEPH
WOLFEBORO Lake Winnepesaukee

Requested Action:

Impact 3,348 sq ft in order to demolish existing residence and rebuild a larger residence with a new septic system.

APPROVE PERMIT:

Impact 3,348 sq ft in order to demolish existing residence and rebuild a larger residence with a new septic system.

With Conditions:

1. All work shall be in accordance with plans by Athew Lawrence dated April 1, 2012 and received by the NH Department of Environmental Services (DES) on April 26, 2012.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 20.7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 4,473 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.

7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-01058 CALLIHAN, JAMES
PETERBOROUGH Cunningham Pond

Requested Action:

Impact 4,002 sq ft in order to construct a garage and an addition to existing residence.

APPROVE PERMIT:

Impact 4,002 sq ft in order to construct a garage and an addition to existing residence.

With Conditions:

1. All work shall be in accordance with plans by Meridian Land Services, Inc. dated April 18, 2012 and received by the NH Department of Environmental Services (DES) on April 26, 2012.
2. No more than 18.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 4,897 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-01075 ROY, WILLIAM
MERRIMACK Baboosic Lake

Requested Action:

Impact 4,973 sq ft in order to remove existing residence and rebuild a larger residence with septic tank, remove existing garage and rebuild on same foundation, remove screen house, concrete walkways and pads, and install crushed stone for driveway.

APPROVE PERMIT:

Impact 4,973 sq ft in order to remove existing residence and rebuild a larger residence with septic tank, remove existing garage and rebuild on same foundation, remove screen house, concrete walkways and pads, and install crushed stone for driveway.

With Conditions:

1. All work shall be in accordance with plans by Meridian Land Services, Inc. dated March 23, 2012/Joseph M. Wichert, LLS Inc. dated April 26, 2012 and received by the NH Department of Environmental Services (DES) on April 30, 2012.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 17.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless

additional approval is obtained from DES.

- 4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-01076 MEDREK, LAURIE/THOEDORE
HAMPSTEAD Big Island Pond

Requested Action:

Impact 510 sq ft in order to install a 30ft x 17ft permeable patio.

APPROVE PERMIT:

Impact 510 sq ft in order to install a 30ft x 17ft permeable patio.

With Conditions:

- 1. All work shall be in accordance with plans by Interstate Landscape dated May 1, 2012 and received by the NH Department of Environmental Services (DES) on May 1, 2012.
- 2. No more than 1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 3. In order to remain compliant with RSA 483-B:9, V, (b), (2), there shall be no impacts to native vegetation or natural ground cover between 50 feet and 150 feet from the reference line.
- 4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-01078 GOODBY REVOCABLE DEED TRUST, VIRGINIA L
MEREDITH Lake Winnepesaukee

Requested Action:

Impact 3,750 sq ft in order to construct a 20ft x 24ft garage, convert deck into living space on residence, install a septic system, driveway, and a 10ft x 10ft shed.

APPROVE PERMIT:

Impact 3,750 sq ft in order to construct a 20ft x 24ft garage, convert deck into living space on residence, install a septic system,

driveway, and a 10ft x 10ft shed.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated March 29, 2012 and received by the NH Department of Environmental Services (DES) on May 1, 2012.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 19.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 4,560 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-01140 SUNAPEE, TOWN OF
SUNAPEE Sugar River

Requested Action:

Impact 930 sq ft in order to install abutments for covered, wooden pedestrian bridge across Sugar River.

APPROVE PERMIT:

Impact 930 sq ft in order to install abutments for covered, wooden pedestrian bridge across Sugar River.

With Conditions:

1. All work shall be in accordance with plans by H.E. Bergeron, Inc. dated November 4, 2012 and received by the NH Department of Environmental Services (DES) on May 7, 2012.
2. There shall be no impacts within wetlands, surface waters, or their banks until any permit as may be required under RSA 482-A has been obtained.
3. No more than 4.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-01142 BROWN, RUSSELL
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Impact 800 sq ft in order to excavate, form and pour a concrete foundation for the existing dwelling and add an 8ft x 10ft addition.

APPROVE PERMIT:

Impact 800 sq ft in order to excavate, form and pour a concrete foundation for the existing dwelling and add an 8ft x 10ft addition.

With Conditions:

1. All work shall be in accordance with plans by WM Evans Engineering, LLC dated April 30, 2012 and received by the NH Department of Environmental Services (DES) on May 7, 2012.
2. No more than 11.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 2,613 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-01146 LABONTE, LIONEL
NEWMARKET Great Bay

Requested Action:

Impact 13,236 sq ft in order to construct a 3 bedroom home with a gravel driveway, septic system and a well.

APPROVE PERMIT:

Impact 13,236 sq ft in order to construct a 3 bedroom home with a gravel driveway, septic system and a well.

With Conditions:

1. All work shall be in accordance with plans by Trittech Engineering Corporation dated February 24, 2012 and received by the NH Department of Environmental Services (DES) on May 7, 2012.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 3.2% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 10,898 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-01147 GLASSER, ALAN
WHITEFIELD Burns Lake

Requested Action:

Impact 6,729 sq ft in order to construct a residence with a deck, parking area and septic system.

APPROVE PERMIT:

Impact 6,729 sq ft in order to construct a residence with a deck, parking area and septic system.

With Conditions:

1. All work shall be in accordance with plans by Larry Rexford dated April 27, 2012 and received by the NH Department of Environmental Services (DES) on May 7, 2012.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 19.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 24 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-01157 BLACKENHORN, PATRICIA
HOLDERNESS Little Squam Lake

Requested Action:

Impact 270 sq ft in order to add an addition to the south end of an existing cabin.

APPROVE PERMIT:

Impact 270 sq ft in order to add an addition to the south end of an existing cabin.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated March 22, 2012 and received by the NH Department of Environmental Services (DES) on May 8, 2012.
2. No more than 9.4% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 5,300 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.

6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-01158 KOSTA, JOHN
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Impact 515 sq ft in order to remove and rebuild existing residence, add an addition to the SW corner, relocate walkway, reconfigure porch and deck.

APPROVE PERMIT:

Impact 515 sq ft in order to remove and rebuild existing residence, add an addition to the SW corner, relocate walkway, reconfigure porch and deck.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated April 24, 2012 and received by the NH Department of Environmental Services (DES) on May 7, 2012.
2. No more than 40.2% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 520 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-01160 DOOLEY, DOUGLAS
GILFORD Lake Winnepesaukee

Requested Action:

Impact 560 sq ft in order to repair/replace an existing foundation drain for the primary residence.

APPROVE PERMIT:

Impact 560 sq ft in order to repair/replace an existing foundation drain for the primary residence.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated April 20, 2012 and received by the NH Department of Environmental Services (DES) on May 8, 2012.
2. No more than 28.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.

3. At least 1,900 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-01174 B & D HARVEY REALTY TRUST
LOUDON Rocky Pond

Requested Action:

Impact 9,057 sq ft in order to raze existing structure and build a new home, septic system, driveway and associated improvements.

APPROVE PERMIT:

Impact 9,057 sq ft in order to raze existing structure and build a new home, septic system, driveway and associated improvements.

With Conditions:

1. All work shall be in accordance with plans by Benchmark Engineering, Inc. dated April 26, 2012 and received by the NH Department of Environmental Services (DES) on May 9, 2012.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 33% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 2,652 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-01183 MARTIN III, KELLI/WILLIAM
CENTER CONWAY Conway Lake

Requested Action:

Impact 13,080 sq ft in order to replace existing cottage with a new residence, septic system, and driveway with parking area.

APPROVE PERMIT:

Impact 13,080 sq ft in order to replace existing cottage with a new residence, septic system, and driveway with parking area.

With Conditions:

1. All work shall be in accordance with plans by Paul L. King, LLS, PE dated May 1, 2012 and received by the NH Department of Environmental Services (DES) on May 10, 2012.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 25% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. In order to remain compliant with RSA 483-B:9, V, (b), (2), there shall be no impacts to native vegetation or natural ground cover between 50 feet and 150 feet from the reference line.
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

CSPA PERMIT W/WAIVER

2010-02835 GOLDSMITH, GARY
BELMONT Lake Winnisquam

Requested Action:

Owner wishes to reduce number of drywells and enlarge another well located in the rear yard and relocate the garage further from the waterfront buffer with no increase in demension and increase the impervious driveway by 220 sq ft.

Impact 4,643 sq ft for the purpose of expanding a nonconforming primary structure.

APPROVE AMENDMENT:

Impact 4,863 sq ft for the purpose of expanding a nonconforming primary structure.

WAIVER APPROVED: RSA 483-B:9, II(b) is waived to allow the expansion of a primary structure that encroaches upon the primary building setback.

With Conditions:

1. All work shall be in accordance with revised plans submitted by Gary Goldsmith and received by the Department of Environmental Services ("DES") on May 9, 2012.
2. This approval includes a waiver of RSA 483-B:9, II (b) and, therefore, shall not be effective until it has been recorded at the appropriate Registry of Deeds and a copy of the recorded waiver is sent to the department by certified mail, return receipt requested.
3. No more than 10.4% of the area of the lot within the protected shoreland shall be composed of impervious surfaces unless additional approval is obtained from DES.
4. This permit is contingent upon receiving all necessary approvals from the NH DES Subsurface Systems Bureau.
5. The proposed stormwater treatment measures shall be designed, installed and maintained to effectively intercept and infiltrate stormwater.
6. No impacts to natural ground cover shall occur within the waterfront buffer.
7. There shall be no impacts within wetlands, surface waters, or their banks until any permit as may be required under RSA 482-A has been obtained.

8. In order to remain compliant with RSA 483-B:9, V,(b),(2), at least 8,273 sq ft of the Natural Woodland Buffer beyond the primary building must remain in an unaltered state.
9. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on areas determined to remain in an unaltered state.
10. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
11. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
12. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
13. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
14. Any fill used shall be clean sand, gravel, rock, or other suitable material.
15. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
16. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
17. Silt fencing must be removed once the area is stabilized.