

Wetlands Bureau Decision Report

*Review by
WAC 1/17/13*

Decisions Taken
12/31/2012 to 01/06/2013

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

I. Any affected party may ask for reconsideration of a permit decision in accordance with RSA 482-A:10,II within 30 days of the Department's issuance of a decision. Requests for reconsideration should:

- 1) describe in detail each ground for complaint. Only grounds set forth in the request for reconsideration can be considered at subsequent levels of appeal;
- 2) provide new evidence or information to support the requested action;
- 3) Parties other than the applicant, the town, or contiguous abutters must explain why they believe they are affected; and
- 4) Be mailed to the DES Wetlands Bureau, PO Box 95, Concord, NH 03302-0095.

II. An appeal of a decision of the department after reconsideration may be filed with the Wetlands Council in accordance with RSA 482-A:10, IV within 30 days of the department's decision. Filing of the appeal must:

- 1) be made by certified mail to George "Chip" Kimball, Chairperson, Wetlands Council, PO Box 95, Concord, NH 03302-0095 (a copy should also be sent to the DES Wetlands Bureau);
- 2) contain a detailed description of the land involved in the department's decision; and
- 3) set forth every ground upon which it is claimed that the department's decision is unlawful or unreasonable.

MAJOR IMPACT PROJECT

2012-00833 LA DREW INC
BARTLETT Saco River

Requested Action:

Proposal to dredge and fill 3645 sq. ft. of river bank "Saco River" to install 9 boulder deflectors and root wads structures to prevent further bank erosion and loss of property.

WITHDRAW APPLICATION:

Withdraw proposal to dredge and fill 3645 sq. ft. of river bank "Saco River" to install 9 boulder deflectors and root wads structures to prevent further bank erosion and loss of property.

With Findings:

1. On December 3, 2012, the department received a letter (electronic mail) from the applicant's agent requesting withdrawal of the pending application to dredge and fill 3645 sq. ft. of river bank "Saco River" to install 9 boulder deflectors and root wads structures to prevent further bank erosion and loss of property.
2. The department has processed the request and no further permitting action will be taken on the applications/file.
3. Any proposed or future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

2012-01010 INTERVALE VILLAGE IMPROVEMENTS ASSOCIATION
BARTLETT Saco River

Requested Action:

Proposal to dredge and fill 4650 sq. ft. of river bank "Saco River" to install 7 boulder deflectors with wood "bar-buddies" to protect the existing eroded river bank.

WITHDRAW APPLICATION:

Withdraw proposal to dredge and fill 4650 sq. ft. of river bank "Saco River" to install 7 boulder deflectors with wood "bar-buddies" to protect the existing eroded river bank.

With Findings:

1. On December 3, 2012, the department received a letter (electronic mail) from the applicant's agent requesting withdrawal of the pending application to dredge and fill 4650 sq. ft. of river bank "Saco River" to install 7 boulder deflectors with wood "bar-buddies" to protect the existing eroded river bank.
2. The department has processed the request and no further permitting action will be taken on the applications/file.
3. Any proposed or future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

2012-01050 MARTINGALE WHARF LIMITED PARTNERSHIP
PORTSMOUTH Piscataqua River

Requested Action:

Construct a tidal docking structure consisting of a 14'-8" x 4' platform attached to an existing wharf to a 3' x 25' ramp connecting to a 10' x 75' float, providing three slip on 185.5 ft. of frontage on Piscataqua River.

Inspection Date: 11/13/2012 by David A Price

APPROVE PERMIT:

Construct a tidal docking structure consisting of a 14'-8" x 4' platform attached to an existing wharf to a 3' x 25' ramp connecting to a 10' x 75' float, providing three slip on 185.5 ft. of frontage on Piscataqua River.

With Conditions:

1. All work shall be in accordance with revised plans by Riverside & Pickering Marine Contractors dated December 6, 2012, as received by the Department on December 10, 2012.
2. Any future work in jurisdiction as specified in RSA 482-A on this property will require a new application and approval by the Department of Environmental Services ("DES") Wetlands Bureau.
3. This permit shall not be effective until recorded at the Rockingham County Registry of Deeds Office by the permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau prior to construction.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain in until the area is stabilized.
5. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
6. Construction of this tidal docking structure consisting of a 14'-8" x 4' platform attached to an existing wharf to a 3' x 25' ramp connecting to a 10' x 75' float, providing three slip on 185.5 ft. of frontage on Piscataqua River shall be the only dock structure on this water frontage.
7. Work shall be done during low tide.
8. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
9. Work shall be conducted in a manner that avoids excessive discharges of sediments to fish spawning areas.

With Findings:

1. This is a major impact project per Administrative Rule Wt 303.02(a), projects in sand dunes, tidal wetlands, or bogs, except for the repair of existing structures pursuant to Wt 303.04(v).
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01. The proposed float will provide access to the water from the existing wharf.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03. The applicant has demonstrated that the proposal is the minimal amount of float necessary to allow reasonable and safe access to the water.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a) and (c), Requirements for Application Evaluation, has been considered in the design of the project. NH Natural Heritage Bureau (NHB) has record of a sensitive species within the vicinity of the project, but NHB does not expect impacts to this sensitive species. This project has been reviewed by the Pease Development Authority Division of Ports and Harbors which determined that the project would have no negative effect on navigation, per letter dated 5/16/2012.
5. This dock is consistent with other tidal dock approvals in the seacoast.
6. DES staff field inspection on 11/13/2012 found that the site is accurately represented in the application.
7. The Portsmouth Conservation Commission recommends approval of the application.
8. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the estuarine resource, as identified under RSA 482-A:1.

**2012-02502
SUNAPEE**

SUNAPEE, TOWN OF

Requested Action:

Install nine fender pilings and one 5-piling bumper pile associated with a U-shaped public docking system and dredge 18 cu. yd. from 360 sq ft of lakebed to improve navigation and docking for public and commercial watercraft on an average of 312 ft of frontage along Lake Sunapee in Sunapee.

Conservation Commission/Staff Comments:

Con Com signed Wetlands applicaiton

APPROVE PERMIT:

Install nine fender pilings and one 5-piling bumper pile associated with a U-shaped public docking system and dredge 18 cu. yd. from 360 sq ft of lakebed to improve navigation and docking for public and commercial watercraft on an average of 312 ft of frontage along Lake Sunapee in Sunapee.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction dated August 30, 2012, as received by the NH Department of Environmental Services (DES) on September 14, 2012.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. This permit shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
4. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
5. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
6. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
7. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
8. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This project is classified as a major project per Rule Env-Wt 303.02(d), modification of a major docking facility.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 312 feet of frontage along Lake Sunapee.
6. The proposed modifications and dredging will not increase the number of boat slips provided by the docking facility.
7. The Applicant has met the requirements of Rule Part Env-Wt 204, Criteria and therefore, a waiver of Rule Env-Wt 402.21, Modification of Existing Structures is granted.
8. Public hearing is with the finding that the project impacts will not significantly impair the resources of Lake Sunapee.

2012-02862 PUBLIC SERVICE CORP OF NH
ROLLINSFORD Fresh Brook

Requested Action:

Temporarily impact 82,907 square feet of wetlands to install swamp maps for access, and permanently impact 33 square feet of wetlands for installation of new utility poles.

Conservation Commission/Staff Comments:

This app. is in conjunction with 2012-01560.

APPROVE PERMIT:

Temporarily impact 82,907 square feet of wetlands to install swamp maps for access, and permanently impact 33 square feet of wetlands for installation of new utility poles.

With Conditions:

1. All work shall be in accordance with revised plans by Tighe & Bond dated 8/24/2012, as received by the NH Department of Environmental Services (DES) on 9/11/2012.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
3. The permittee shall coordinate with the NH Natural Heritage Bureau ("NHB") to execute a field survey at the direction of the NHB, for the fringed gentian prior to construction, and as further directed by the NHB.
4. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(c), projects that involve alteration of nontidal wetlands, nontidal surface waters, and banks adjacent to nontidal surface waters in excess of 20,000 sq. ft. in the aggregate.
2. DES issued a permit, Wetlands Permit #2012-1560, on 7/12/2012 for work at this location to temporarily impact 2,557 sq. ft. of wetlands to install swamp mats for access, and permanently impact 33 sq. ft. of wetlands for installation of new utility poles. The current application request is considered a significant amendment to the previously requested wetland impacts under 2012-1560 and therefore required a new application pursuant to RSA 482-A:3,XIV,(e).
3. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
4. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. Work will be performed under dry conditions with temporary impacts from swamp mats, and permanent impact is limited to the footprint of new utility poles.
5. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project. The applicant has agreed to coordinate a plant survey with NHB relative to the reported species of concern, and the permit is further conditioned to require this coordination; the NH Fish & Game Department reports that it does not expect impacts to the reported New England Cottontail as a result of this project.
6. The Rollinsford Conservation Commission did not comment on the application.
7. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the palustrine scrub-shrub, forested, and emergent resources, as identified under RSA 482-A:1.

MINOR IMPACT PROJECT

2012-00232 DEFEO, MICHELLE
STRAFFORD Bow Lake

Requested Action:

Correct permit to reflect the standard pier length of 40 ft allowed under Rule Env-Wt 402.03, Dimensions.

Conservation Commission/Staff Comments:

No comments from Con Com by March 01, 2012

APPROVE AMENDMENT:

Correct permit to read: Install two 6 ft x 40 ft seasonal docks connected by a 6 ft x 18 ft seasonal walkway in a "U" shaped configuration, relocate 13 rocks located within the boatslips provided, and construct a 900 sq ft beach with less than 10 cubic yards of sand on an average of 497 feet of shoreline frontage along Bow Lake, in Strafford.

With Conditions:

1. All work shall be in accordance with plans by Geometres Blue Hills LLC revision dated December 19, 2012, as received by the NH Department of Environmental Services (DES) on December 20, 2012.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. No construction activities related to the docking structure and the perched beach shall occur between May 15 and July 15 pursuant to comments by the Loon Preservation Committee.
4. These shall be the only structures on this water frontage and all portions of the docking structures shall be at least 20 ft from abutting property lines or the imaginary extension of those lines into the water.
5. The seasonal piers shall be removed from the lake for the non-boating season.
6. No portion of the piers shall extend more than 40 feet from the shoreline at full lake elevation.
7. Dredged or excavated material from the beach area shall be placed outside of the DES Wetlands Bureau jurisdiction.
8. Stone placed along the beach front for the purpose of retaining sand shall be placed above and/or landward of those rocks currently located along the normal high water line (Elevation 514.82). Those rocks existing at the normal high water line shall remain otherwise undisturbed such that the natural shoreline remains identifiable.
9. The steps installed for access to the water shall be located completely landward of the normal high water line.
10. No more than 10 cu yd of sand may be used and all sand shall be located above the normal high water line.
11. This permit shall be used only once, and does not allow for annual beach replenishment.
12. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
13. Revegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall begin at a distance no greater than 5 feet landward from the beach area.
14. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
15. Rocks removed from the boat slips shall be placed in the areas shown on the approved plan.
16. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(c), installation of a docking structure that exceeds the requirements for minimum impact docks.
2. This approval nullifies the original permit approved July 18, 2012 and permit the appropriate pier length of 40 ft.

3. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
4. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
5. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
6. The applicant has an average of 497 feet of shoreline frontage along Bow Lake.
7. A maximum of 7 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
8. The proposed docking facility will provide 4 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

2012-01172 THE HAVERTY GROUP
ALLENSTOWN Unnamed Wetland

Requested Action:

Dredge and fill 5104 sq. ft. of wetlands for access to a commercial building.

APPROVE PERMIT:

Dredge and fill 5104 sq. ft. of wetlands for access to a commercial building.

With Conditions:

1. All work shall be in accordance with the construction sequence by Schauer Environmental Consultants, LLC, as received by the NH Department of Environmental Services (DES) on May 16, 2012 and Site Plan by Jeffrey L. Green, revision date of December 27, 2012, as received by DES on December 27, 2012.
2. Work shall be done during low flow.
3. All areas between the new impervious surfaces (building, parking and access) and the existing wetland/detention pond shall be vegetated to provide stormwater treatment before discharging to the existing detention pond.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
6. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
8. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
9. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
10. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
12. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired immediately.
13. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h) Projects involving less than 20,000 square feet of alteration in the aggregate in nontidal wetlands, nontidal surface waters, or banks adjacent to nontidal surface waters which exceed the criteria of Env-Wt 303.04(f).

2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. DES required a vegetated area between the existing detention pond and the new development because the detention pond was previously constructed in wetlands through NHDES Wetlands Bureau File #1990-00303.

**2012-02682 NH DEPT OF TRANSPORTATION
HAVERHILL Unnamed Wetland**

Requested Action:

Place fill to stabilize the roadway slope impacting 14,977 sq. ft. (869 sq. ft. temporary) of palustrine wetlands. Compensatory mitigation includes a one-time payment of \$43,697.72 into the Aquatic Resource Mitigation Fund.

Conservation Commission/Staff Comments:

Cons. Comm. - no comments

River Comm. notes the project is necessary

APPROVE PERMIT:

Place fill to stabilize the roadway slope impacting 14,977 sq. ft. (869 sq. ft. temporary) of palustrine wetlands. Compensatory mitigation includes a one-time payment of \$43,697.72 into the Aquatic Resource Mitigation Fund. NHDOT project #14154.

With Conditions:

1. All work shall be in accordance with plans by NHDOT Bureau of Highway Design dated 06/12, as received by the Department on Oct. 4, 2012.
2. Dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
3. Construction equipment shall not be located within surface waters.
4. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
6. Within three days of the last activity in an area, all exposed soil areas, where construction activities are complete, shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack on slopes steeper than 3:1 or netting /matting and pinning on slopes steeper than 2:1.
7. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching or if temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching, mulching with tack on slopes steeper than 3:1 and stabilized by matting and pinning on slopes steeper than 2:1.
8. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
9. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.
10. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
11. Standard precautions shall be taken to prevent import or transport of soil or seed stock from nuisance, invading species such as purple loosestrife or Phragmites.
12. The impacts associated with the temporary work shall be restored immediately following construction.
13. This approval is contingent on receipt by DES of a one time payment of \$43,697.72 to the DES Aquatic Resource Mitigation (ARM) Fund. The payment shall be received by DES within 120 days of the date of the approval letter or the application will be

denied.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h), alteration of less than 20,000 sq. ft. of non-tidal wetlands.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The NH Fish and Game Dept. has reviewed the project relative to the species noted and does not expect any impacts.
6. The river advisory committee notes that the project is necessary.
7. The applicant has reviewed on-site options for mitigation and the department has determined that this project is acceptable for payment to the Aquatic Resource Mitigation (ARM) Fund.
8. The payment calculated for the proposed wetland loss equals \$43,697.72.
9. The Department decision is issued in letter form and upon receipt of the ARM fund payment, the Department shall issue a posting permit in accordance with Env-Wt 803.08(f).
10. The payment into the ARM fund shall be deposited in the DES fund for the Middle Connecticut River service area per RSA 482-A:29.

MINIMUM IMPACT PROJECT

2012-02404 WSK INC
WOLFEBORO Unnamed Pond

Requested Action:

Dredge and fill 6,220 sq. ft. of forested wetlands and existing farm pond to create a fire pond, dry hydrant and hydrant access.

APPROVE PERMIT:

Dredge and fill 6,220 sq. ft. of forested wetlands and existing farm pond to create a fire pond, dry hydrant and hydrant access.

With Conditions:

1. All work shall be in accordance with plans by Fernstone Associates for the Natural Resources dated December 14, 2012, as received by the NH Department of Environmental Services (DES) on December 17, 2012.
2. A qualified professional shall monitor the project during construction to assure the pond and associated impacts are constructed in accordance with the approved plans and narratives and that there are no water quality violations.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
5. Work shall be done during low flow.
6. There shall be no excavation or operation of construction equipment in flowing water.
7. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.

8. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
9. Proper headwalls shall be constructed within seven days of culvert installation.
10. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
11. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
12. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired immediately.
13. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
14. All refueling of equipment shall occur outside of surface waters or wetlands during construction.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(p) Construction of a pond with less than 20,000 sq. ft. of wetlands impact, provided:
 - (1) None of the wetlands have very poorly drained soil as defined in Env-Ws 1002.84;
 - (2) There are no streams into or out of the proposed pond site;
 - (3) The project is not located in prime wetlands; and
 - (4) The project does not meet the requirements of Env-Wt 303.02(k)
2. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
3. The applicant's agent has indicated that this is an isolated part of town and there is no access to other fire hydrants and no other dry hydrants.
4. The applicant's agent has indicated that the fire department has provided a letter of approval.
5. A majority of the pond expansion utilizes uplands.
6. The final pond will be 14,750 sq. ft. in size.

2012-02471 LOCKE, LOUISE/RONALD
WOLFEBORO Unnamed Wetland

Requested Action:

Dredge and fill 200 sq. ft. of forested wetlands for access to a single family building site. Work in wetlands consists of installation of a 18 in. x 25 ft. culvert with stone headwalls and associated filling and grading.

APPROVE PERMIT:

Dredge and fill 200 sq. ft. of forested wetlands for access to a single family building site. Work in wetlands consists of installation of a 18 in. x 25 ft. culvert with stone headwalls and associated filling and grading.

With Conditions:

1. All work shall be in accordance with plans by Roseen Survey PLLC dated August 31, 2012, as received by the NH Department of Environmental Services (DES) on September 17, 2012 and December 17, 2012 and plan by Fernstone Associates for the Natural Resources, dated August 29, 2012, as received by DES on December 17, 2012.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. Work shall be done during low flow.
4. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a

minimum of 20 feet of undisturbed vegetated buffer.

7. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
8. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
9. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
10. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
11. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
12. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired immediately.
13. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
14. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f) Projects involving alteration of less than 3,000 square feet in swamps or wet meadows that are not in prime wetlands or do not meet the requirements of Env-Wt 303.02(k), provided that no previous department permit has placed restrictions on the property of the applicant
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2012-02670 FERWERDA, LINDA/MARTIN
GREENLAND Tidal Buffer Zone Adjacent To Great Bay

Requested Action:

Impact a total of 1,860 square feet of jurisdictional area to include 1,500 square feet within the previously-developed upland 100-foot tidal buffer zone to construct a gravel driveway and impact 360 square feet of forested wetland to relocate the existing driveway to provide access to a single-family residential dwelling on Great Bay with approximately 158 feet of shoreline frontage.

APPROVE PERMIT:

Impact a total of 1,860 square feet of jurisdictional area to include 1,500 square feet within the previously-developed upland 100-foot tidal buffer zone to construct a gravel driveway and impact 360 square feet of forested wetland to relocate the existing driveway to provide access to a single-family residential dwelling on Great Bay with approximately 158 feet of shoreline frontage.

With Conditions:

1. All work shall be in accordance with plans by Ambit Engineering, Inc. dated September 2012, as received by the NH Department of Environmental Services (DES) on 11/30/12.
2. DES Southeast Region staff (Portsmouth office) shall be notified in writing prior to commencement of work and upon its completion.
3. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require further permitting by the Bureau.
4. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B.
5. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.

6. Work shall be done during seasonal low flow conditions.
7. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
8. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. Proper headwalls shall be constructed within seven days of culvert installation.
11. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
12. No more than 18.30% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
13. A qualified environmental consultant shall inspect the restoration area and submit an initial monitoring report with photographs to DES within 14 days of the restoration. The initial monitoring report shall include, but not be limited to, documentation of erosion control deployment, construction sequencing, restoration activities and status of restoration at time of initial monitoring report. Photographs should depict all stages of restoration sequencing.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(b) Projects in previously-developed upland areas within 100 feet of the highest observable tide line unless they are major or minor as defined in Env-Wt 303.02 or Env-Wt 303.03, respectively.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. Approximately 1,132 square feet of forested wetland will be restored following the relocation of the existing driveway.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. The application included a memo dated 9/26/2012 from the NH Natural Heritage Bureau ("NHB"). The NHB memo identified one (1) State threatened species in the vicinity of the project, Marsh Elder (*Iva frutescens*).
6. In response to the NHB memo, NHB responded via email, "We [NHB] were able to dismiss concerns about potential impacts to the marsh elder base on the type of wetland in question."
7. This project does not require the filing of a Shoreland Permit application in accordance with RSA 483-B:5-b IV.
8. In accordance with Env-Wt 304.04(a), the applicant received written concurrence from the abutters whose property is within 20-feet of the proposed impacts.

2012-02704 JOHN H MORSE REVOCABLE TRUST
WILMOT Unnamed Wetland

Requested Action:

Dredge 14,680 sq. ft. of poorly drained forested wetlands to create a 26,244 sq. ft. wildlife and fire suppression pond.

APPROVE PERMIT:

Dredge 14,680 sq. ft. of poorly drained forested wetlands to create a 26,244 sq. ft. wildlife and fire suppression pond.

With Conditions:

1. All work shall be in accordance with plans by Schauer Environmental, LLC, sheet 3 of 5 revision date of December 4, 2012 and sheet 4 of 4 revision date of December 3, 2012, as received by the NH Department of Environmental Services (DES) on December 11, 2012.
2. A New Hampshire Certified Wetland Scientist (CWS) shall monitor the project during construction to assure the pond is constructed in accordance with the approved plans and narratives.
3. This permit replaces the previously approved pond design and NHDES Wetland Bureau Permit #2010-02759.

4. A post-construction report documenting the status project area with photographs shall be prepared by a CWS and submitted to the Wetlands Bureau within 60 days of the completion of the pond construction.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Work shall be done during low flow.
7. There shall be no excavation or operation of construction equipment in flowing water.
8. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
9. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
10. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
11. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
12. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired immediately.
13. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
14. All refueling of equipment shall occur outside of surface waters or wetlands during construction.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(p) Construction of a pond with less than 20,000 sq. ft. of wetlands impact, provided:
 - (1) None of the wetlands have very poorly drained soil as defined in Env-Ws 1002.84;
 - (2) There are no streams into or out of the proposed pond site;
 - (3) The project is not located in prime wetlands; and
 - (4) The project does not meet the requirements of Env-Wt 303.02(k)
2. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
3. This permit replaces the previous design and NHDES Wetlands Bureau Permit #2010-02759.
4. The previously approved pond design was changed due to bedrock found during the start of construction.

2012-02730
SALEM

SALEM, TOWN OF

Requested Action:

Impact a total of 2,500 square feet (1,190 square feet of temporary impact and 1,310 square feet of permanent impact) within forested wetlands and the outlet of a man-made pond for the reconstruction of Pond Street and Sand Hill Road to install new underground utility services and roadway and drainage improvements.

APPROVE PERMIT:

Impact a total of 2,500 square feet (1,190 square feet of temporary impact and 1,310 square feet of permanent impact) within forested wetlands and the outlet of a man-made pond for the reconstruction of Pond Street and Sand Hill Road to install new underground utility services and roadway and drainage improvements.

With Conditions:

1. All work shall be in accordance with plans by Stantec Consulting Services, Inc. revised through 7/20/2012 as received by the NH Department of Environmental Services (DES) on December 3, 2012.
2. DES Southeast Region staff (Portsmouth Office) shall be notified in writing prior to commencement of work and upon its

completion.

3. Any future work on this project that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require approval by the Bureau.
4. Unconfined work within the surface waters, exclusive of work associated with installation of a cofferdam, shall be done during periods of seasonal low flow.
5. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
8. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
9. Temporary cofferdams shall be entirely removed immediately following construction.
10. Culvert outlets shall be protected in accordance with the DES Best Management Practices for Urban Stormwater Runoff Manual (January 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August 1992).
11. Proper headwalls shall be constructed within seven days of culvert installation.
12. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
13. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
14. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
15. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
16. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
17. Faulty equipment shall be repaired prior to entering jurisdictional areas.
18. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
19. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(x) Maintenance, repair, or replacement of a nondocking structure such as a culvert, headwall, bridge, dam, residential utility line, or rip-rap slope of less than 50 linear feet.
2. The project is necessary to provide safe access and meet the demands of the growing population of the Town; therefore, the need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. This project has been designed in accordance with Env-Wt 904.01.
6. No comments were submitted from the NHEM Nongame and Endangered Wildlife Program or the Natural Heritage Bureau.
7. In a letter dated October 4, 2012, the Salem Conservation Commission stated, "voted to recommend approval of the application and plans as submitted."

FORESTRY NOTIFICATION

2012-00576 **CAMP PEMIGEWASSETT**
ORFORD Unnamed Stream

COMPLETE NOTIFICATION:
Orford, Tax Map#1-93, Lot#4

2012-01880 **BAYROOT LLC**
DIXVILLE Unnamed Stream

COMPLETE NOTIFICATION:
Dixville, Tax Map#1626, Lot#2&9

2012-03154 **STEADY, GEORGE**
STARK Unnamed Stream

COMPLETE NOTIFICATION:
Stark, Tax Map #000414, Lots #000003, 000004

2012-03329 **KROHG, KRISTEN**
SANDWICH Unnamed Stream

COMPLETE NOTIFICATION:
Sandwich, Tax Map #R12, Lot #73

2012-03338 **DAVIS, RAE MARIE**
MOULTONBOROUGH Unnamed Stream

COMPLETE NOTIFICATION:
Moultonborough, Tax Map #134, Lot #3

2012-03344 **CONNOLLY, JANICE/MICHAEL**
TAMWORTH Unnamed Stream

COMPLETE NOTIFICATION:
Tamworth, Tax Map #401, Lot #49

2012-03345 **CIOLA, BARBARA**
PIERMONT Unnamed Stream

COMPLETE NOTIFICATION:
Piermont, Tax Map #12, Lot #14

2013-00001 **MILLER, BRIAN**
MIDDLETON Unnamed Stream

COMPLETE NOTIFICATION:
Middleton, Tax Map #17, Lots #1, 2, 3, 4

2013-00002 NEW ENGLAND FORESTRY FOUNDATION
DALTON Unnamed Stream

COMPLETE NOTIFICATION:
Dalton, Tax Map #405, Lot #14.1

2013-00005 HADLEY, DANA
TEMPLE Unnamed Stream

COMPLETE NOTIFICATION:
Temple, Tax Map #6, Lot #26

2013-00036 SCHWAEGLER, BRUCE/SARAH
ORFORD Unnamed Stream

COMPLETE NOTIFICATION:
Orford, Tax Map #7-34, Lots #3A & 3B

2013-00046 NH DRED
PLAINFIELD Unnamed Stream

COMPLETE NOTIFICATION:
Plainfield, Tax Map #232, Lot #9

2013-00050 ZAVOROTNY, ALAN/PETER
WINCHESTER Unnamed Stream

COMPLETE NOTIFICATION:
Winchester, Tax Map #10,7, Lot #1,68,71

2013-00069 OSBORNE, DAVID/LOUISE
PITTSFIELD Unnamed Stream

COMPLETE NOTIFICATION:
Pittsfield, Tax Map #R2, R1, Lot #2, 1

2013-00070 OSBORNE, DAVID/LOUISE
BARNSTEAD Unnamed Stream

COMPLETE NOTIFICATION:

Barnstead, Tax Map #1, Lots #3, 4, 19

2013-00071 **RUEL, ALAN**
MEREDITH **Unnamed Stream**

COMPLETE NOTIFICATION:
Meredith, Tax Map #S06, Lot #73

EXPEDITED MINIMUM

2012-03221 **WELCH, CRAIG**
PORTSMOUTH **South Mill Pond**

Requested Action:

Impact a total of 2,972 sq. ft., 1,012 sq. ft. permanent impact and 1,960 sq. ft. of temporary impact, of previously developed upland tidal buffer zone to construct a carport with a deck above attached to an existing dwelling, reconstruction of an existing addition, reconfigure parking and walkways, and construction of a rain garden.

APPROVE PERMIT:

Impact a total of 2,972 sq. ft., 1,012 sq. ft. permanent impact and 1,960 sq. ft. of temporary impact, of previously developed upland tidal buffer zone to construct a carport with a deck above attached to an existing dwelling, reconstruction of an existing addition, reconfigure parking and walkways, and construction of a rain garden.

With Conditions:

1. All work shall be in accordance with revised plans by Ambit Engineering, Inc. dated December 10, 2012, as received by the NH Department of Environmental Services (DES) on December 14, 2012
2. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not 3. No more than 40.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. The applicant shall implement and follow the Stormwater Management-Inspection and Maintenance Plan dated November 6, 2012.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering jurisdictional areas.
11. Faulty equipment shall be repaired prior to entering jurisdictional areas.
12. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04((b) Projects in previously-developed upland areas within 100 feet of the highest observable tide line unless they are major or minor as defined in Env-Wt 303.02 or Env-Wt 303.03, respectively.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The applicant has demonstrated the need for reconfiguring the parking and walkways to provide safer access to the dwelling.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. All of the impacts occur landward of the highest observable tide line and within the previously developed upland tidal buffer zone. There will be a decrease of impervious surfaces on the lot by 6.1% from the existing conditions, the applicant is proposing construction of a porous paver shoulder, and the existing street runoff and roof runoff will be diverted to a proposed rain garden/bioretenion area to infiltrate into underlying soils to minimize potential impacts to South Mill Pond.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b)(d) Requirements for Application Evaluation, has been considered in the design of the project. The NH Natural Heritage Bureau ("NHB") has record of a sensitive specie present within the vicinity of the project area, but NHB does not expect impacts to this specie from the project.
5. The Portsmouth Conservation Commission signed the expedited application and has no objection to permitting the proposed work.

2012-03296 MATTHEWS, LAUREL
NEWBURY Sunapee Lake

Requested Action:

Repair two 28 ft. 4 in. x 9 ft. permanent docks supported by two 8 ft. x 8 ft. cribs and connected by a 10 ft. x 10 ft. walkway in a "U" shaped configuration on Lake Sunapee, Newbury.

Conservation Commission/Staff Comments:
Con Com signed Wet application

APPROVE PERMIT:

Repair two 28 ft. 4 in. x 9 ft. permanent docks supported by two 8 ft. x 8 ft. cribs and connected by a 10 ft. x 10 ft. walkway in a "U" shaped configuration on Lake Sunapee, Newbury.

With Conditions:

1. All work shall be in accordance with plans by Richard Green dated December 14, 2012, as received by the NH Department of Environmental Services (DES) on December 24, 2012.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. The repairs shall maintain the size, location and configuration of the pre-existing structures.
4. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
5. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
7. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the

Protected Shoreland.

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(v), repair of existing docking structures with no change in size, location or configuration.

GOLD DREDGE

2012-03341 LUND, TERRY
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath ConCom

LAKES-SEASONAL DOCK NOTIF

2013-00003 TAMULIS, MIKE & STEFANIE
RINDGE Monomonac Lake

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

With Findings:
Installation of a seasonal docking structure.

PERMIT BY NOTIFICATION

2012-03309 HODSDON, LEE & CAROL
DURHAM Unnamed Stream

Requested Action:
Temporarily impact 120 square feet of intermittent stream to reset culvert at proper elevation in same footprint.

Conservation Commission/Staff Comments:

Newmarket Conservation Commission signed PBN.

PBN IS COMPLETE:

Temporarily impact 120 square feet of intermittent stream to reset culvert at proper elevation in same footprint.

CSPA PERMIT

2012-03201 BAKER, CINDI/STEVE
NEW CASTLE Piscataqua River

Requested Action:

Impact 651 sq ft in order to replace nonconforming structure with a more nearly conforming structure further from the reference line.

APPROVE PERMIT:

Impact 651 sq ft in order to replace nonconforming structure with a more nearly conforming structure further from the reference line.

With Conditions:

1. All work shall be in accordance with plans by Ambit Engineering, Inc. dated September 2012 and received by the NH Department of Environmental Services (DES) on December 12, 2012.
2. No more than 29.2% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 600 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

With Findings:

1. The proposed project will more nearly conform to the minimum standards of RSA 483-B in that the new structure will be further from the reference line, two areas in the waterfront buffer will be planted, stormwater management will be achieved using drip edge and porous patio, and the septic tank and pump chamber will be replaced.

2012-03224 LADD, DAVID/RACHEL
PEMBROKE Soucook River

Requested Action:

Impact 320,690 sq ft in order to expand an existing sand and gravel operation.

APPROVE PERMIT:

Impact 320,690 sq ft in order to expand an existing sand and gravel operation.

With Conditions:

1. All work shall be in accordance with plans by T. F. Bernier, Inc. dated December 1, 2012 and received by the NH Department of Environmental Services (DES) on December 14, 2012.
2. This permit is contingent on approval by the DES Alteration of Terrain Bureau.
3. Within the Natural Woodland Buffer, (50ft to 150ft), 25 percent must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.

**2012-03254 VAN FLANDERN, GEOFFREY/LINETTE
MOULTONBOROUGH Lake Winnepesaukee**

Requested Action:

Impact 9,935 in order to construct a patio consisting of pervious (1,535 sq ft) and impervious material (2045 sq ft) on the southerly side of residence, and pervious material (1,715 sq ft) at the southerly end of existing tennis court. Drip lines will be installed around driveway and part of house.

APPROVE PERMIT:

Impact 9,935 in order to construct a patio consisting of pervious (1,535 sq ft) and impervious material (2045 sq ft) on the southerly side of residence, and pervious material (1,715 sq ft) at the southerly end of existing tennis court. Drip lines will be installed around driveway and part of house.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated December 3, 2012 and received by the NH Department of Environmental Services (DES) on December 19, 2012.
2. No more than 29.1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 1,700 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-03258 WENTWORTH, TOWN OF
WENTWORTH Baker River

Requested Action:

Impact 5,755 sq ft in order to replace steel/wood single lane bridge, repair wing walls, and add rip rap to control erosion.

APPROVE PERMIT:

Impact 5,755 sq ft in order to replace steel/wood single lane bridge, repair wing walls, and add rip rap to control erosion.

With Conditions:

1. All work shall be in accordance with plans by Holden Transportation Engineering dated December 5, 2012 and received by the NH Department of Environmental Services (DES) on December 19, 2012.
2. This permit is contingent on approval by the DES Wetlands Bureau.
3. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
6. Any fill used shall be clean sand, gravel, rock, or other suitable material.
7. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-03268 KATHLEEN FIORE REVOCABLE TRUST
MEREDITH Lake Winnepesaukee

Requested Action:

Impact 2,980 sq ft in order to construct an addition to an existing house, add a patio, and install a stormwater management plan.

APPROVE PERMIT:

Impact 2,980 sq ft in order to construct an addition to an existing house, add a patio, and install a stormwater management plan.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated December 13, 2012 and received by the NH Department of Environmental Services (DES) on December 20, 2012.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 36.4% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the

structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

With Findings:

The owner is requesting a waiver of the minimum standards under RSA 483-B:9. The impervious area will increase from 30.7 percent to 36.4 percent. The lot begins 150 feet from the reference line and therefore cannot meet the tree points required in the waterfront buffer.

2012-03277 TAGLIERI, ED
BRIDGEWATER Newfound Lake

Requested Action:

Impact 8,340 sq ft in order to install bio-retention area along designated parking areas, replace existing walkways with permeable pavers, install ornamental plantings, remove parking area and restore with loam and seed, and install granit curbing.

APPROVE PERMIT:

Impact 8,340 sq ft in order to install bio-retention area along designated parking areas, replace existing walkways with permeable pavers, install ornamental plantings, remove parking area and restore with loam and seed, and install granit curbing.

With Conditions:

1. All work shall be in accordance with plans by Polluck Land Planning LLC dated December 18, 2012 and received by the NH Department of Environmental Services (DES) on December 21, 2012.
2. No more than 29.7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
6. Any fill used shall be clean sand, gravel, rock, or other suitable material.
7. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-03298 MEYER, DEBORAH
RYE Atlantic Ocean

Requested Action:

Impact 2,161 sq ft in order to raise existing structure, add 316 sq ft of permanent impact, modify footprint of house, and replace impervious driveway with a pervious driveway.

APPROVE PERMIT:

Impact 2,161 sq ft in order to raise existing structure, add 316 sq ft of permanent impact, modify footprint of house, and replace impervious driveway with a pervious driveway.

With Conditions:

1. All work shall be in accordance with plans by James Verra and Associates, Inc. dated October 15, 2012 and received by the NH Department of Environmental Services (DES) on December 24, 2012.

2. No more than 12.7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
4. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-03303 LEAVITT, JANET/MARK
MILAN Cedar Pond

Requested Action:

Impact 23,332 sq ft in order to relocate existing building with a reduction 495 sq ft. In the existing location rebuild a 2 bedroom house, replace parking lot with a driveway, and install septic system.

APPROVE PERMIT:

Impact 23,332 sq ft in order to relocate existing building with a reduction 495 sq ft. In the existing location rebuild a 2 bedroom house, replace parking lot with a driveway, and install septic system.

With Conditions:

1. All work shall be in accordance with plans by North Country Septic Design dated December 21, 2012 and received by the NH Department of Environmental Services (DES) on December 26, 2012.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 27.2% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 234 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2012-03304 SABOURN, ROY
PITTSBURG Back Lake

Requested Action:

Impact 1,871 sq ft in order to add a 56 sq ft addition to a 3 bedroom cottage, 80 sq ft addition to existing shed, and construct 1,419 sq ft gravel parking and turnaround area to an existing driveway.

APPROVE PERMIT:

Impact 1,871 sq ft in order to add a 56 sq ft addition to a 3 bedroom cottage, 80 sq ft addition to existing shed, and construct 1,419 sq ft gravel parking and turnaround area to an existing driveway.

With Conditions:

1. All work shall be in accordance with plans by Sabourn Surveying Inc. dated December 2012 and received by the NH Department of Environmental Services (DES) on December 26, 2012.
2. No more than 18.6% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 2,579 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

UTILITY NOTIFICATION

2013-00004 PSNH
ALLENSTOWN Unnamed Wetland

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00006 PSNH
AMHERST Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 fee amount.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00007 PSNH
ANDOVER Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00008 **PSNH**
ANTRIM Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00009 **PSNH**
ASHLAND Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00010 **PSNH**
AUBURN Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00011 **PSNH**
BARRINGTON Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00013 **PSNH**
BEDFORD Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:

Vegetative maintenance of ROW.

2013-00014 PSNH
BELMONT Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00015 PSNH
BERLIN Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00016 PSNH
BETHLEHEM Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00017 PSNH
BOW Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00018 PSNH
BRENTWOOD Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00019 PSNH
BRIDGEWATER Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00020 PSNH
BRISTOL Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00021 PSNH
BROOKLINE Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00022 PSNH
CAMPTON Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00023 PSNH
CANDIA Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00024 PSNH
CANTERBURY Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00025 PSNH
CHESTER Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00026 PSNH
CLAREMONT Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00027 PSNH
CONCORD Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00028 PSNH
CONWAY Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00029 PSNH
CROYDON Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00030 PSNH
DALTON Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00031 PSNH
DANVILLE Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00032 PSNH
DEERFIELD Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00033 PSNH
DEERING Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00034 PSNH
DERRY Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00035 PSNH
DOVER Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00037 PSNH
DUMMER Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00038 PSNH
DUNBARTON Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00039 PSNH
DURHAM Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00040 PSNH
EAST KINGSTON Unnamed Wetland

Conservation Commission/Staff Comments:

See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00041 PSNH
EASTON Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00042 PSNH
EXETER Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00043 PSNH
FITZWILLIAM Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00044 PSNH
FRANKLIN Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00045 PSNH
FREMONT Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00047 PSNH
GOFFSTOWN Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00048 PSNH
GORHAM Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00049 PSNH
GREENLAND Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00051 PSNH
GREENVILLE Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00052 PSNH
HAMPTON Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00053 **PSNH**
HAMPTON FALLS Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00054 **PSNH**
HILL Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00056 **PSNH**
HILLSBOROUGH Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00057 **PSNH**
HINSDALE Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00058 **PSNH**
HOLDERNESS Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:

Vegetative maintenance of ROW.

2013-00059 PSNH
HOOKSETT Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00060 PSNH
HUDSON Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00062 PSNH
JEFFERSON Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00063 PSNH
KEENE Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00064 PSNH
KENSINGTON Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00072 **PSNH**
KINGSTON Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00073 **NELSON, KURT**
LACONIA Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00074 **PSNH**
LANCASTER Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00075 **NELSON, KURT**
LEE Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00076 **NELSON, KURT**
LINCOLN Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00077 **NELSON, KURT**
LITCHFIELD **Unnamed Wetland**

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00078 **NELSON, KURT**
LITTLETON **Unnamed Wetland**

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00079 **NELSON, KURT**
LONDONDERRY **Unnamed Wetland**

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00080 **NELSON, KURT**
MADBURY **Unnamed Wetland**

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00081 **PSNH**
MADISON **Unnamed Wetland**

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00082 **PSNH**
MANCHESTER **Unnamed Wetland**

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00083 **PSNH**
MARLBOROUGH Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.

2013-00084 **PSNH**
MASON Unnamed Wetland

Conservation Commission/Staff Comments:
See file 13-00004 for fee.

COMPLETE NOTIFICATION:
Vegetative maintenance of ROW.