

Wetlands Bureau Decision Report

Revised
4/28/14

Decisions Taken
04/21/2014 to 04/27/2014

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

I. Any affected party may ask for reconsideration of a permit decision in accordance with RSA 482-A:10,II within 30 days of the Department's issuance of a decision. Requests for reconsideration should:

- 1) describe in detail each ground for complaint. Only grounds set forth in the request for reconsideration can be considered at subsequent levels of appeal;
- 2) provide new evidence or information to support the requested action;
- 3) Parties other than the applicant, the town, or contiguous abutters must explain why they believe they are affected; and
- 4) Be mailed to the DES Wetlands Bureau, PO Box 95, Concord, NH 03302-0095.

II. An appeal of a decision of the department after reconsideration may be filed with the Wetlands Council in accordance with RSA 482-A:10, IV within 30 days of the department's decision. Filing of the appeal must:

- 1) be made by certified mail to George "Chip" Kimball, Chairperson, Wetlands Council, PO Box 95, Concord, NH 03302-0095 (a copy should also be sent to the DES Wetlands Bureau);
- 2) contain a detailed description of the land involved in the department's decision; and
- 3) set forth every ground upon which it is claimed that the department's decision is unlawful or unreasonable.

MAJOR IMPACT PROJECT

2013-02883 NH DEPT OF TRANSPORTATION
DURHAM Lamprey River

Requested Action:

Modify the existing Route 108 roadway that currently has 12 ft. lanes to be 11 ft. travel lanes and 4 ft. shoulders to improve bicycle, pedestrian and vehicular safety along with providing several bus pull-off areas impacting 66,606 sq. ft. (21,114 sq. ft. temporary) of palustrine, riverine and lacustrine wetlands. Mitigation for the proposed impacts includes culvert upgrades, turtle sustainability improvements and through a payment into the Aquatic Resource Mitigation Fund.

Conservation Commission/Staff Comments:

Lamrey Rivers Advisory Comm. letter of 11-18-13 notes plans show little detail, erosion control plans are too general, notes consideration of oil/water separators and questions if DES can require eradication of invasive species

Cons Comm sent draft minutes and an e-mail
3/4/14 Newmarket Con. Com. has no objections.

APPROVE PERMIT:

Modify the existing Route 108 roadway that currently has 12 ft. lanes to be 11 ft. travel lanes and 4 ft. shoulders to improve bicycle, pedestrian and vehicular safety along with providing several bus pull-off areas impacting 66,606 sq. ft. (21,114 sq. ft. temporary) of palustrine, riverine and lacustrine wetlands. Mitigation for the proposed impacts includes culvert upgrades, turtle sustainability improvements and through a payment into the Aquatic Resource Mitigation Fund. NHDOT project #13080

Request a waiver of rule Env-Wt 806.05(b), the mitigation in lieu fee payment requirement, be extended from 120 days of the approval to be 240 days.

With Conditions:

1. All work shall be in accordance with plans by NHDOT Bureau of Highway Design noting Wetland Impact Plans date 10/02/2013 and sheets 15 and 16 noting Wetland Impact Plans date 2/3/2014, as received by the Department on Feb. 14, 2014.
2. At least 48 hours prior to the start of construction, a pre-construction meeting shall be held with NHDES Land Resources Management Program staff at the project site, at the NHDES Office in Concord, N.H. or NHDOT Office in Concord, N.H. to review the conditions of this wetlands permit.
3. It shall be the responsibility of the permittee to schedule and coordinate the pre-construction meeting providing at least 5-day notice to the NHDES Wetlands Bureau and / or other Land Resources Management Program staff, and the meeting shall be attended by the permittee, the contract administrator(s), wetlands scientist(s), erosion control monitor, and the contractor(s) responsible for performing the work.
4. Dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
5. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
6. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
7. Temporary cofferdams shall be entirely removed immediately following construction.
8. Construction equipment shall not be located within surface waters.
9. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
10. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.

11. Within three days of the last activity in an area, all exposed soil areas, where construction activities are complete, shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack on slopes steeper than 3:1 or netting /matting and pinning on slopes steeper than 2:1.
12. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching or if temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching, mulching with tack on slopes steeper than 3:1 and stabilized by matting and pinning on slopes steeper than 2:1.
13. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
14. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.
15. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
16. Standard precautions shall be taken to prevent import or transport of soil or seed stock from nuisance, invading species such as purple loosestrife or Phragmites.
17. All activity shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B.
18. The mitigation shall be as stated in the Inter-Department memo dated July 18, 2013 as received on July 25, 2013.
19. This approval is contingent on receipt by DES of a one time payment of \$139,996.25 to the DES Aquatic Resource Mitigation (ARM) Fund. The payment shall be received by DES within 240 days of the date of the approval letter or the application will be denied.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(c), alteration of more than 20,000 sq. ft. of nontidal wetlands, surface waters and banks.
2. The need for the proposed impacts to improve bicycle, pedestrian and vehicular safety has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.
5. The project was discussed and coordinated through discussions on seven occasions from 2002 to 2013 at the monthly Natural Resource Agency Meeting held at the NH Dept. of Transportation.
6. At the Natural Resource Agency Meeting held on July 17, 2013 the NHDOT presented the draft mitigation proposal to show the costs of mitigation and to clarify how the impacts would be calculated as they related to the Aquatic Resource Mitigation fund (ARM fund).
7. On Oct. 21, 2013, the Department of Environmental Services Wetlands Bureau (DES) received an application to: Modify the existing Route 108 roadway that currently has 12 ft. lanes to be 11 ft. travel lanes and 4 ft. shoulders to improve bicycle, pedestrian and vehicular safety along with providing several bus pull-off areas impacting 66,606 sq. ft. (21,114 sq. ft. temporary) of palustrine, riverine and lacustrine wetlands. Mitigation for the proposed impacts is through a payment into the Aquatic Resource Mitigation Fund.
8. On Nov. 18, 2013 the DES received comments from the Lamprey Rivers Advisory Committee noting the Erosion Control Plans are too general, oil/water separators and best management practices for salt application should be considered along with prompt revegetation with native species.
9. On Dec. 10, 2013 the DES received comments from the Durham Boat Company, Inc. noting concerns of flooding and providing a detailed history of the area.
10. On Dec. 24, 2013 the DES received comments from Roger Lamson noting concerns with drainage, flow and possible road failure.
11. On Jan. 12, 2014 the DES received an e-mail from the Durham Conservation Commission noting their concerns of flooding and the project altering the natural hydrology although see some positive benefits. It was noted there were two attachments.
12. On Feb. 4, 2014 the DES received modified plan sheets 15 and 16 changing drainage design including up sizing a proposed culvert outlet from 15 in. to 24 in.

13. On Feb. 11, 2014 the DES responded to the Durham Conservation Commission stating that their e-mail attachments could not be opened and any information should be printed and mailed to be placed in the file.
14. On Feb. 14, 2014 the DES received a letter of concern relative to flooding from Stephan Burns.
15. On Feb. 14, 2014 the DES received a full size plan set including the modified plan sheets 15 and 16 along with half scale plans of cross sections.
16. On March 28, 2014 the DES received a report from the Newmarket Conservation Commission noting no objection to the application.
17. On March 28, 2014 the DES received a summary of a meeting held on Feb. 20, 2014 regarding hydraulic modeling and project timelines from the NHDOT.
18. In accordance with RSA 482-A:8, DES found the project was of substantial public interest and held a public hearing on March 28, 2014.
19. At the public hearing on March 28, 2014 numerous persons testified and submitted information relative to the concerns of flooding.
20. On April 4, 2014 the DES, along with a representative from the US Army Corps of Engineers, inspected numerous locations along the project to assess the information in the record.
21. On April 16, 2014 the DES received a memo from the NHDOT with a Drainage Summary Table and an additional memo on the Lamprey River Hydraulic Model attached. The memo summarizes the history of the project design, the mitigation measures and the need to raise the profile in order to install larger culverts. The NHDOT states "that the raise in profile, in conjunction with the proposed culvert upgrades, will have no adverse effects on the operation and effectiveness of the Floodplain, and will result in no increase of water on abutting properties."
22. On April 22, 2014 the DES received a copy of the letter to the NHDOT dated April 22, 2014 from the Federal Highway Administration concurring that the subject project qualifies for both the Programmatic Wetlands Finding and Programmatic Floodplain Finding.

Mitigation Findings:

23. The request to waive Rule Env-Wt 806.05 (b), requiring payment within 120 days, is waived as the applicant has met the criteria required per rule Env-Wt 204.04 as the request will not result in an adverse impact to the natural environment and granting the request is consistent with the intent and purpose of the rule.
24. The applicant has reviewed and provided some on-site options for mitigation. The department has determined that this project is acceptable for payment to the Aquatic Resource Mitigation (ARM) Fund for the remaining portion of the mitigation.
25. The payment calculated for the proposed wetland loss equals \$139,996.25.
26. The Department decision is issued in letter form and upon receipt of the ARM fund payment, the Department shall issue a posting permit in accordance with Env-Wt 803.08(f).
27. The payment into the ARM fund shall be deposited in the DES fund for the Salmon Falls - Piscataqua Rivers watershed per RSA 482-A:29.

2014-00350 GARCEAU, ELIZABETH/MICHAEL
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Repair a 69 linear ft. dog-leg shaped breakwater with a 9 ft gap at the shoreline and a 3 ft. x 30 ft. cantilevered pier accessed by a 5 ft. x 42 ft. walkway, dredge 13 cu. yd. from 741 sq. ft of lakebed, and add two 3.5 ft. x 30 ft finger piers, two seasonal boatlifts, and two 13 ft. x 30 ft. canopies, replace a 4 ft. x 6.5 ft granite slab with wood decking and replenish 650 square ft of perched beach on an average of 151 ft. of frontage along Lake Winnepesaukee in Moultonborough.

Conservation Commission/Staff Comments:

2/5/14 Con. Com. would like the owner to indicate on the application how he will deal with the ledge outcropping when the lake is dredged for the additional boatslip.

APPROVE PERMIT:

Repair a 69 linear ft. dog-leg shaped breakwater with a 9 ft gap at the shoreline and a 3 ft. x 30 ft. cantilevered pier accessed by a 5 ft. x 42 ft. walkway, dredge 13 cu. yd. from 741 sq. ft of lakebed, and add two 3. 5 ft. x 30 ft finger piers, two seasonal boatlifts, and two 13 ft. x 30 ft. canopies, replace a 4 ft. x 6.5 ft granite slab with wood decking and replenish 650 square ft of perched beach on an average of 151 ft. of frontage along Lake Winnepesaukee in Moultonborough.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction as revised March 6, 2014 and received by the NH Department of Environmental Services (DES) on March 13, 2014.
2. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
3. Only the existing rocks which have fallen from the breakwater shall be used for the repairs. No additional rocks shall be brought on site.
4. Repairs shall maintain previously approved dimensions, size, location and configuration of the structures.
5. The seasonal lifts shall be removed for the non-boating season.
6. No more than 10 cu. yds. of sand may be used to replenish the beach and all sand shall be located above the normal high water line.
7. This permit shall be used only once, and does not allow for annual beach replenishment.
8. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
9. Canopies shall be of seasonal construction type with a flexible fabric cover. The seasonal support frame shall be designed to be removed for the non-boating season. The flexible fabric cover shall be removed during all seasons of non-use.
10. The maximum size of cribs supporting the finger piers shall not exceed 6 ft. long by 3.5 ft. wide and of such height as necessary to support the docking structure above the water level.
11. Crib material shall be timber, concrete, or other material approved by DES, and of such size and spacing as necessary to completely contain the ballast.
12. The minimum clear spacing between cribs shall be 12 feet.
13. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This project is classified as a major project per Rule Env-Wt 303.02(j), modification of docking facilities associated with a breakwater.
2. The applicant has an average of 151 feet of shoreline frontage along Lake Winnepesaukee.
3. A maximum of 3 slips may be permitted on this frontage per Rule Env-Wt 402.13 Frontage Over 75'.
4. The proposed docking facility will provide 3 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.
5. Public hearing is waived with the finding that the project impacts will not significantly impair the resources of Lake Winnepesaukee.

-Send to Governor and Executive Council-

2014-00363 SANDPIPER CONDOMINIUM
HAMPTON Eel Creek

Requested Action:

Temporarily impact 105 sq. ft. in the non-vegetated intertidal zone (gravelly embankment) and 500 sq. ft. in the upland tidal buffer zone for work associated with the replacement of the existing undersized 12in. PVC drain pipe with a 15 in. RCP drainage outfall pipe from drain manhole to headwall at Eel Ditch.

Conservation Commission/Staff Comments:

"The [Hampton] Conservation Commission does not oppose the granting of the wetlands permit for the reconstruction of the drainage outfall pipe at 571 Winnacunnet Road."

Inspection Date: 09/06/2013 by Frank D Richardson

APPROVE PERMIT:

Temporarily impact 105 sq. ft. in the non-vegetated intertidal zone (gravelly embankment) and 500 sq. ft. in the upland tidal buffer zone for work associated with the replacement of the existing undersized 12in. PVC drain pipe with a 15 in. RCP drainage outfall pipe from drain manhole to headwall at Eel Ditch.

With Conditions:

1. All work shall be in accordance with plans by Jones & Beach Engineers, Inc. dated 9/10/13 (last revised 01/27/14), as received by the NH Department of Environmental Services (DES) on February 04, 2014.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. NHDES Wetlands Bureau Southeast Region staff and the Hampton Conservation Commission shall be notified in writing prior to commencement of work and upon its completion.
4. Proper headwalls shall be constructed within seven days of culvert installation.
5. Culvert outlet shall be properly rip rapped.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Work shall be done only during periods of low tide.
8. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
9. Faulty equipment shall be repaired prior to entering jurisdictional areas.
10. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
11. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(a), projects in tidal wetlands & (b) projects within 100 feet of the highest observable tide line that alter any bank.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a)&(c), Requirements for Application Evaluation, has been considered in the design of the project.
5. DES Staff conducted a field inspection of the proposed project on September 06, 2013. Field inspection determined the project is necessary to assure proper drainage in the area and will have no negative impact on Eel Ditch or the nearby salt marsh.
6. In accordance with RSA 482-A:8, DES finds that the requirements for a prime wetlands public hearing per RSA 482-A:11 IV(a) do not apply as the permitted project will not result in the significant loss of any of the values set forth in RSA 482-A:1.

MINOR IMPACT PROJECT

**2013-03235 ASPLUND WALSH, BRONWYN
FRANKLIN Webster Lake**

Requested Action:

Install a second 6 ft. x 30 ft. seasonal dock to the east of the existing 6 ft. x 30 ft. seasonal dock on an average of 377 feet of shoreline frontage along Webster Lake, in Franklin.

Conservation Commission/Staff Comments:

12/30/13 DHR comments: No Historic Properties Affected.

APPROVE PERMIT:

Install a second 6 ft. x 30 ft. seasonal dock to the east of the existing 6 ft. x 30 ft. seasonal dock on an average of 377 feet of shoreline frontage along Webster Lake, in Franklin.

With Conditions:

1. All work shall be in accordance with plans by Bill Doherty dated March 15, 2014, as received by the NH Department of Environmental Services (DES) on March 25, 2014.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. These shall be the only structures on this water frontage and all portions of the docking structures shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
4. Seasonal piers shall be removed from the lake for the non-boating season.
5. No portion of the piers shall extend more than 30 feet from the shoreline at full lake elevation.
6. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), installation of a docking system which provides for 4 boat slips.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 377 feet of shoreline frontage along Webster Lake.
6. A maximum of 6 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
7. The proposed docking facility will provide 4 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

**2013-03282 BOWER ET AL, BRUCE
SUNAPEE Sunapee Lake**

Requested Action:

Remove approximately 5 sq. ft. of concrete dock support, construct a 20 ft. x 6 ft. wharf to extend from an existing 40 ft. wharf in an "L" configuration, install a seasonal boatlift, and replace 54 linear ft of stone retaining wall with rip-rap on an average of 117 ft. of frontage along Lake Sunapee, in Sunapee.

APPROVE PERMIT:

Remove approximately 5 sq. ft. of concrete dock support, construct a 20 ft. x 6 ft. wharf to extend from an existing 40 ft. wharf in an

"L" configuration, install a seasonal boatlift, and replace 54 linear ft of stone retaining wall with rip-rap on an average of 117 ft. of frontage along Lake Sunapee, in Sunapee.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction as revised March 20, 2014, and received by the NH Department of Environmental Services (DES) on April 7, 2014.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. This permit to replace or modify existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
4. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
5. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
6. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
7. These shall be the only structures on this water frontage and all portions of the docking structures shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
8. The seasonal boatlift shall be removed from the lake for the non-boating season.
9. Rip rap shall be placed landward of the base of the pre-existing retaining wall.
10. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), modification of a permanent docking system providing 2 slips.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 177 feet of shoreline frontage along Lake Sunapee.
6. A maximum of 3 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
7. The proposed docking facility will provide 2 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

2013-03365 **MARGOLIS, MICHAEL**
ALTON Lake Winnepesaukee

Requested Action:

Amend permit to provide for a longer permanent dock and reduce the width of the wharf along the shoreline.

Conservation Commission/Staff Comments:

No comments from Con Com by Jan 07, 2014

1/13/2014 Con. Com. finds no objection to the permit being granted.

APPROVE AMENDMENT:

Amend permit to read: Replace an existing 4 ft. x 24 ft. seasonal dock with a 4 ft. x 28 ft. permanent dock, reduce the width of an existing wharf along the shore from 8 ft. to 7 ft., add two tie off piles and one 3 pile ice cluster on an average of 100 feet of shoreline

frontage along Lake Winnepesaukee, in Alton.

With Conditions:

1. All work shall be in accordance with plans by Winnepesaukee Marine Construction revision dated March 07, 2014, as received by the NH Department of Environmental Services (DES) on March 07, 2014.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. The existing wharf along the shoreline shall be reduced in width prior to the installation of the permanent dock.
4. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
5. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
7. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
9. This permit does not allow for maintenance dredging.
10. The dock shall not extend more than 24 ft lakeward at full lake elevation of 504.32.
11. The minimum clear spacing between piles shall be 12 feet as measured from pile center to pile center.
12. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), installation of a docking structure which exceeds the criteria for minimum impact docking structures.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The proposed docking structure meets the fetch requirements for a permanent dock in accordance with Env-Wt 402.06.
6. The applicant has an average of 100 feet of shoreline frontage along Lake Winnepesaukee.
7. A maximum of 2 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
8. The proposed docking facility will provide 2 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

2014-00126 WALLACE FARMS LLC
LONDONDERRY Unnamed Wetland

Requested Action:

Dredge and fill a total of 6,690 sq. ft. of palustrine scrub-shrub & wet meadow wetlands to construct a roadway with culvert crossings to access a workforce housing complex on a 45 acre parcel of land.

Conservation Commission/Staff Comments:

1/24/14 Con. Com. approved application but with comments concerning the box culvert. Letter sent to file.
3/25/2014. Per DHR, no known properties of archaeological significance within the area of the undertaking's potential impact and no further identification or evaluative studies are recommended.
USEPA NHPGP review of project "OK with this going as an GP"

APPROVE PERMIT:

Dredge and fill a total of 6,690 sq. ft. of palustrine scrub-shrub & wet meadow wetlands to construct a roadway with culvert crossings to access a workforce housing complex on a 45 acre parcel of land.

With Conditions:

1. All work shall be in accordance with plans by The Dubai Group, Inc. dated Dec. 24, 2013, as received by the NH Department of Environmental Services (DES) on January 15, 2014.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. NH DES Wetlands Bureau Southeast Region staff and the Londonderry Conservation Commission shall be notified in writing prior to commencement of work and upon its completion.
4. This permit is contingent on approval by the DES Alteration of Terrain Bureau.
5. Proper headwalls shall be constructed within seven days of culvert installation.
6. Culvert outlets shall be properly rip rapped.
7. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
8. Work shall be done during low flow conditions.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h), projects involving less than 20,000 square feet of alteration in the aggregate of nontidal wetlands.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

2014-00307 KEVIN DOHERTY BUILDER INC
BEDFORD Bowman Brook

Requested Action:

Dredge and Fill 5,414 sq. ft. in a palustrine scrub-shrub/emergent wetland to construct a roadway with a 43 foot long by 60 inch diameter culvert crossing of Bowman Brook to access a five lot residential subdivision.

An existing farm road culvert crossing consisting of a 15 inch culvert and 2,017 sq. ft. of fill material will be removed and the area restored and stabilized.

Conservation Commission/Staff Comments:

2/7/14: Con. Com. letter dated 1/31/14 at their meeting on 1/28/14, voted to support the Dredge & Fill request to fill 5,414 sq. ft. of wetland for culvert improvement. See letter in file.

APPROVE PERMIT:

Dredge and Fill 5,414 sq. ft. in a palustrine scrub-shrub/emergent wetland to construct a roadway with a 43 foot long by 60 inch diameter culvert crossing of Bowman Brook to access a five lot residential subdivision.

An existing farm road culvert crossing consisting of a 15 inch culvert and 2,017 sq. ft. of fill material will be removed and the area restored and stabilized.

With Conditions:

1. All work shall be in accordance with plans by Sandford Surveying and Engineering dated 1-14-14, as received by the NH Department of Environmental Services (DES) on January 30, 2014.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.

3. This permit shall not be effective until it has been recorded with the Hillsborough County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
4. The Bedford Conservation Commission shall be notified in writing prior to commencement of work and upon its completion.
5. There shall be no further alteration of wetlands for lot development, driveways, culverts, for septic setback or other construction activities.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Proper headwalls shall be constructed within seven days of culvert installation.
8. Culvert outlets shall be properly rip rapped.
9. Work shall be done during low flow.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h), projects involving less than 20,000 square feet of alteration in the aggregate in nontidal wetlands.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

2014-00408 PSNH
CHESTER Exeter River

Requested Action:

Dredge and fill a total of 8,555 sq. ft. in palustrine forested & scrub-shrub wetlands and temporarily impact 2,726 sq. ft. of wetlands for work associated with the construction of a switchyard/substation adjacent to an existing substation to increase the efficiency and reliability of the transmission infrastructure in the region.

APPROVE PERMIT:

Dredge and fill a total of 8,555 sq. ft. in palustrine forested & scrub-shrub wetlands and temporarily impact 2,726 sq. ft. of wetlands for work associated with the construction of a switchyard/substation adjacent to an existing substation to increase the efficiency and reliability of the transmission infrastructure in the region.

With Conditions:

1. All work shall be in accordance with plans by Tighe & Bond Consulting Engineers dated 01/09/14 (last revised 03/26/14), as received by the NH Department of Environmental Services (DES) on 04/25/2014.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. NH DES Wetlands Bureau Southeast Region staff and the Chester Conservation Commission shall be notified in writing prior to commencement of work and upon its completion.
4. This permit is contingent on approval by the DES Alteration of Terrain Bureau.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h), projects involving less than 20,000 square feet of alteration in the aggregate in nontidal wetlands.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.

3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

**2014-00660 POPE, CAROLYN/DANA
TUFTONBORO Lake Winnepesaukee**

Requested Action:

Replace or repair existing docking structures including an existing 16 ft. 4 in. x 23 ft. boathouse and a 34 ft rock breakwater and dredge no more than 6 cubic yards of material from 225 sq. ft. within the boathouse slip on an average of 218 feet of shoreline frontage along Lake Winnepesaukee, in Tuftonboro.

Conservation Commission/Staff Comments:

3/26/14 Con. Com. attempted site visit but, due to snow and ice conditions, the property was inaccessible. They defer the application to Wetlands.

APPROVE PERMIT:

Replace or repair existing docking structures including an existing 16 ft. 4 in. x 23 ft. boathouse and a 34 ft rock breakwater and dredge no more than 6 cubic yards of material from 225 sq. ft. within the boathouse slip on an average of 218 feet of shoreline frontage along Lake Winnepesaukee, in Tuftonboro.

With Conditions:

1. All work shall be in accordance with plans by Folsom Design and Construction Management dated February 12, 2014, as received by the NH Department of Environmental Services (DES) on March 18, 2014.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. The repairs shall maintain the size, location and configuration of the pre-existing structures.
4. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
5. All dredged material and construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
7. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(g), removal of no more than 20 cubic yards of material from public waters.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

2014-00670 MANCHESTER, CITY OF
MANCHESTER Nutt Pond

Requested Action:

Replace an existing gravel boat ramp with a 10 ft. x 38 ft. concrete ramp and upgrade stormwater treatment and control structures on Nutt Pond, in Manchester.

Conservation Commission/Staff Comments:

DHR has no concerns

APPROVE PERMIT:

Replace an existing gravel boat ramp with a 10 ft. x 38 ft. concrete ramp and upgrade stormwater treatment and control structures on Nutt Pond, in Manchester.

With Conditions:

1. All work shall be in accordance with plans by Comprehensive Environmental Incorporated dated March 2014, as received by the NH Department of Environmental Services (DES) on March 18, 2014.
2. This permit shall not be effective until it has been recorded with the County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
4. Appropriate siltation and erosion controls, including a turbidity curtain, shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
5. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
6. There shall be no cutting of trees or removal of any stumps from the bank except for the area within which construction of the ramp will take place.
7. The ramp approach shall be crowned so that drainage is directed away from the slope of the ramp.
8. The boatramp shall be utilized indefinitely as a public access to Nutt Pond and shall not change in use.
9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(g), removal of no more than 20 cubic yards of material from public waters.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The proposed project upgrades stormwater controls and provides public access to a degraded waterbody.
6. Removal of trees below the minimum standard in one shoreline segment allows for better stormwater controls for the waterbody, therefore pursuant to RSA 483-B:9 V(i) the minimum tree points for those affected waterfront segments is waived.

2014-00718 KIDDER, STEPHEN
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Permanently remove an existing seasonal dock, construct two 6 ft. x 30 ft. piling piers connected by a 6 ft. x 12 ft. walkway in a "U" configuration with a permanent boatlift and a 14 ft. x 30 ft. seasonal canopy in the center slip, install 2 seasonal personal watercraft lifts and two tie off piles along the south side of the structure, and drive two, 3 pile ice clusters on an average of 206 feet of shoreline frontage, along Lake Winnepesaukee, in Moultonborough.

Conservation Commission/Staff Comments:

3/25/14 Per DHR, no historic properties are affected.

03/26/2014. Con. Com. recommends that there be notice of removing trees or vegetation. See letter in file.

APPROVE PERMIT:

Permanently remove an existing seasonal dock, construct two 6 ft. x 30 ft. piling piers connected by a 6 ft. x 12 ft. walkway in a "U" configuration with a permanent boatlift and a 14 ft. x 30 ft. seasonal canopy in the center slip, install 2 seasonal personal watercraft lifts and two tie off piles along the south side of the structure, and drive two, 3 pile ice clusters on an average of 206 feet of shoreline frontage, along Lake Winnepesaukee, in Moultonborough.

With Conditions:

1. All work shall be in accordance with plans dated February 01, 2014, as received by the NH Department of Environmental Services (DES) on March 25, 2014.
2. This permit shall not be effective until it has been recorded with the County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement or revocation action if the DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.
4. Repairs to these structures may be conducted, as necessary, throughout the duration of this permit provided that the permittee notifies the Wetlands Bureau and Conservation Commission, in writing, of the proposed start and completion date prior to performing any repair.
5. Repairs shall maintain existing size, location and configuration.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
7. This permit does not allow for dredging to provide depth for the permanent boatlift. If there is insufficient depth for the permanent boatlift, the boatlift and support piles shall be subject to removal.
8. The dock shall not extend more than 30 ft. lakeward at full lake elevation of 504.32.
9. The minimum clear spacing between piles shall be 12 feet.
10. Seasonal personal watercraft lifts shall be removed for the non-boating season.
11. Canopies shall be of seasonal construction type with a flexible fabric cover. The seasonal support frame shall be designed to be removed for the non-boating season. The flexible fabric cover shall be removed during all seasons of non-use. The canopy shall not extend past the most lakeward end of the docking structure.
12. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), construction of a docking system that exceeds the criteria for minimum impact docking structures.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 206 feet of shoreline frontage along Lake Winnepesaukee.

6. A maximum of 3 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
7. The proposed docking facility will provide 3 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

MINIMUM IMPACT PROJECT

2014-00531 NH FISH & GAME DEPT
MIDDLETON Jones Brook Pond

Requested Action:

Impact a total of 35,500 sq. ft. of wetlands and surface water for repair and reconstruction of an existing dam within the same general footprint, including the following:

- a) Permanently impact 34,500 sq. ft. within the same footprint of the existing dam for repair of auxiliary outlet, regrading upstream face of dam and placement of rip-rap and b) Temporarily impact 1,000 sq. ft. for the removal of the failed outlet pipe, replacement of the outlet structure, installation of a 36 inch bypass culvert during construction.

APPROVE PERMIT:

Impact a total of 35,500 sq. ft. of wetlands and surface water for repair and reconstruction of an existing dam within the same general footprint, including the following:

- a) Permanently impact 34,500 sq. ft. within the same footprint of the existing dam for repair of auxiliary outlet, regrading upstream face of dam and placement of rip-rap and b) Temporarily impact 1,000 sq. ft. for the removal of the failed outlet pipe, replacement of the outlet structure, installation of a 36 inch bypass culvert during construction.

With Conditions:

1. All work shall be in accordance with plans by The State of New Hampshire, Department of Environmental Services, Dam Bureau, dated October 2013, as received by the Department on February 28, 2014.
2. This permit is contingent on approval by the NH Fish and Game Department with respect to the timing of construction.
3. All activities shall be in accordance with Shoreland Permit #2013-3037 and the Shoreland Water Quality Protection Act, RSA 483-B.
4. All work shall be done in the dry during drawdown.
5. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with haybales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 ft. of undisturbed vegetated buffer.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
7. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
8. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
9. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
10. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
11. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
12. Faulty equipment shall be repaired prior to entering jurisdictional areas.
13. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each

operator shall be trained in its use.

14. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(x), maintenance, repair, or replacement of a nondocking structure such as a culvert, headwall, bridge, dam, residential utility line, or rip-rap slope of less than 50 ft.
2. The need for the proposed impacts has been addressed by the applicant per Env-Wt 302.01. The applicant has demonstrated that the dam has failed and needs to be repaired and reconstructed. Further, in 2011 the NH Legislature passed House Bill 25-FN-A requiring the NH Fish and Game Department repair and reconstruct the dam, known as Jones Pond Dam.
3. The 863 acres of land surrounding the dam was acquired by the NH Fish and Game Department in 1983 and is known as the Ellis R. Hatch Jr. Wildlife Management Area (WMA), one of the largest WMA in the state. Prior to the dam failure, Jones Pond was stocked with brook trout and was a popular hike-in angling destination with fly-fishing only regulations.
4. The applicant has demonstrated that repair and reconstruction of the dam will enhance fisheries habitat by restoring Jones Pond and will minimize flooding downstream during rain events.
5. This project has received an extensive inter-agency coordinated review between the NH Fish and Game Department and NH Department of Environmental Services.
6. The NH Fish and Game Department is the owner of the dam and the NH Department of Environmental Services, Dam Bureau, is responsible for the repair and reconstruction of the dam.
7. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the Department's jurisdiction per Env-Wt 302.03.
8. The dam will be repaired and reconstructed in the dry during drawdown within the same general footprint as the existing dam.
9. The full pond elevation of Jones Pond is not being raised after completion of work.
10. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project. The NH Natural Heritage Bureau has no record of sensitive species present within the vicinity of the project area.
11. The applicant is not required to provide compensatory mitigation in accordance with Env-Wt 302.02(c)(2)(a).
12. The applicant obtained DES Shoreland Permit #2013-3037 for work within the jurisdiction of RSA 483-B, Shoreland Water Quality Protection Act.
13. The Middleton Conservation Commission did not submit comments on the application.
14. DES has not received any comments in opposition to the project.
15. The applicant has provided a waiver request per Env-Wt 204.03, to waive the delineation of wetland boundaries as required per Env-Wt 301.01 (g).
16. The wetlands to be impacted consist of the bed and bank of Jones Brook Pond.
17. There will be no adverse effect to the environment or natural resources of the state, public health, or public safety; or on abutting properties that is more significant than that which would result from complying with the Env-Wt 301.01.
18. The waiver is granted in accordance with Env-Wt 204.04(b), as strict compliance with the rule will provide no benefit to the public and will cause an operational or economic hardship to the applicant.

FORESTRY NOTIFICATION

2014-00767 BAYROOT LLC
DIXVILLE Unnamed Stream

COMPLETE NOTIFICATION:
Dixville, Tax Map #1626, Lot #1 & 9

2014-00768 BAYROOT LLC
ATK GIL GRANT Unnamed Stream

COMPLETE NOTIFICATION:
Atk Gil Grant, Tax Map #1628, Lot #2

2014-00980 PETERBOROUGH COMMERCE PARK LP
PETERBOROUGH Unnamed Stream

COMPLETE NOTIFICATION:
Peterborough, Tax Map #11, Lot #43

2014-00981 PELHAM, TOWN OF
PELHAM Unnamed Stream

COMPLETE NOTIFICATION:
Pelham, Tax Map #31, Lot #11-36

2014-00982 PELHAM, TOWN OF
PELHAM Unnamed Stream

COMPLETE NOTIFICATION:
Pelham, Tax Map #24, Lot #12-100

2014-00983 AMHERST CONSERVATION COMMISSION
AMHERST Unnamed Stream

COMPLETE NOTIFICATION:
Amherst, Tax Map #8, Lot #10, 11, 26

EXPEDITED MINIMUM

2009-00592 PINE TRAIL CONDOMINIUMS, RICHARD THORNTON
LACONIA Lake Winnepesaukee

Requested Action:
Request permit time extension

Conservation Commission/Staff Comments:
Con Com did not sign Exp App, but submitted a letter stating they had no concerns with proposed repair

APPROVE TIME EXTENSION:

Replace two, 3 pile ice clusters and 8 dock support piles on an 11 ft x 59 ft permanent pier connected to a 27 ft 4 in x 32 ft 6 in permanent pier on an average of 495 ft of frontage on Lake Winnepesaukee.

With Conditions:

1. All work shall be in accordance with plans by Winnepesaukee Marine Construction dated March 26, 2009, as received by DES on April 08, 2009.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. The repairs shall maintain the size, location and configuration of the pre-existing structures.
4. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
5. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
7. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
9. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.
10. All activities shall be in accordance with the Comprehensive Shoreland Protection Act, per RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland after July 1, 2008.

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.
2. This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

**2014-00709 THE RIVERWOODS COMPANY AT EXETER NH
EXETER Unnamed Wetland**

Requested Action:

Impact 1,127 sq. ft. of an unsightly and problematic man-made drainage ditch to transform and enhance its function to treat stormwater runoff into an aesthetically pleasing hybrid rain garden.

Conservation Commission/Staff Comments:

3/28/2014. Per DHR, no historic properties affected.

APPROVE PERMIT:

Impact 1,127 sq. ft. of an unsightly and problematic man-made drainage ditch to transform and enhance its function to treat stormwater runoff into an aesthetically pleasing hybrid rain garden.

With Conditions:

1. All work shall be in accordance with plans by Altus Engineering, Inc. dated March 13, 2014, as received by the NH Department of Environmental Services (DES) on March 24, 2014.

2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. Culvert outlets shall be protected in accordance with the DES Best Management Practices for Urban Stormwater Runoff Manual (January 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August 1992).
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

GOLD DREDGE

2014-00910 BOTBYL, JENNIFER
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-00912 BOTBYL, ALFRED
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-00958 KELLEY, MATTHEW
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-00959 JACKSON, WAYNE
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-00960 **LIESENDAHL, GARY**
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-00961 **MAHONEY, ARTHUR**
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-00962 **RICHARDSON, BRIAN**
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-00963 **OKESSON, ROBERT**
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-00964 **HUFF, LAWRENCE**
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-00973 **BOUCHER, ALBERT**
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-00974 **CARLE, CHARLES**
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-00979 **AMBLO, MARK**
(ALL TOWNS) Unnamed Stream

Installation of a seasonal docking structure.

2014-00924 SLITER, LORRAINE
FRANKLIN Webster Lake

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

ROADWAY MAINTENANCE NOTIF

2014-00928 BELMONT, TOWN OF
BELMONT Unnamed Stream

COMPLETE NOTIFICATION:
Replace 24" diameter culvert with a 30" culvert.

PERMIT BY NOTIFICATION

2014-00795 PRARIO, KATHY LYN
MOULTONBOROUGH Wakondah Pond

Requested Action:
Replacement of existing 42.6 linear feet of retaining wall and 8.1 x 4.8 ft. deck, that is performed "in the dry" during drawdown of waters, and that results in no change in height, length, location, or configuration in accordance with plans dated February 22, 2014.

PBN IS COMPLETE:
Replacement of existing 42.6 linear feet of retaining wall and 8.1 x 4.8 ft. deck, that is performed "in the dry" during drawdown of waters, and that results in no change in height, length, location, or configuration in accordance with plans dated February 22, 2014.

CSPA PERMIT

2009-00624 LIAN, PAUL
GILFORD Lake Winnepesaukee

Requested Action:

Request permit time extension.

APPROVE TIME EXTENSION:

Impact 7250 sq ft for the purpose of constructing a single family-dwelling and a driveway.

With Conditions:

1. All work shall be in accordance with plans by Donald Pangburn revised January 1, 2009 and received by the Department of Environmental Services ("DES") on April 10, 2009.
2. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands or areas to remain unaltered.
3. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
4. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. No more than 18.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
7. The project as proposed will leave approximately 4,994 sq ft of the Natural Woodland Buffer beyond the primary building setback in an unaltered state. At least 1853 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
8. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
10. Any fill used shall be clean sand, gravel, rock, or other suitable material.

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 483-B:5-b, VI and Env-Wq 1406.19.
2. This permit has been extended in accordance with RSA 483-B:5-b, VI and Env-Wq 1406.19.

2013-01463 ZAMMETT, LORNA
SANBORNTON Hermit Lake

Requested Action:

Amended Description: Owner wishes to change the garage dimension from 32ft x 34ft to 32ft x 32ft and install a walkway to connect the two buildings.

APPROVE AMENDMENT:

Impact 1,352 sq ft in order to construct a detached 32ft x 32ft garage and walkway connecting the two structures.

With Conditions:

1. All work shall be in accordance with revised plans by Tom Strecker dated April 12, 2014 and received by the NH Department of Environmental Services (DES) on April 14, 2014.
2. No more than 14.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless

additional approval is obtained from DES.

3. At least 2,947 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-00503 GRAVES, JAMES
MILTON Depot Pond

Requested Action:

Impact 3,788 sq. ft. in order to replace existing house and install a septic system.

APPROVE PERMIT:

Impact 3,788 sq. ft. in order to replace existing house and install a septic system.

With Conditions:

1. All work shall be in accordance with plans by Norway Plains Associates, Inc. revised April 3, 2014 and received by the NH Department of Environmental Services (DES) on April 7, 2014.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 26.4% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-00505 DOUCETTE, JUDITH/PAUL
WAKEFIELD Lovell Lake

Requested Action:

Impact 5,994 sq. ft. in order to construct a house and install a septic system.

APPROVE PERMIT:

Impact 5,994 sq. ft. in order to construct a house and install a septic system.

With Conditions:

1. All work shall be in accordance with plans by Land Technical Service Corp. dated April 7, 2014 and received by the NH Department of Environmental Services (DES) on April 8, 2014.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 16.1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 2,186 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.

2014-00551 OLSEN JR, WILLIAM
MILTON Northeast Pond

Requested Action:

Impact 3,675 sq ft in replace existing house with a new house and septic system.

APPROVE PERMIT:

Impact 3,675 sq ft in replace existing house with a new house and septic system.

With Conditions:

1. All work shall be in accordance with plans by Blaisdell Survey, LLC dated February 14, 2014 and received by the NH Department of Environmental Services (DES) on March 4, 2014.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 21% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 203 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-00603 MCDONOUGH, COLEMAN
WAKEFIELD Pine River Pond

Requested Action:

Impact 11,124 sq. ft. in order to construct a cottage with deck and patio, driveway, stairs and walkway to lake, and install a septic system and well.

APPROVE PERMIT:

Impact 11,124 sq. ft. in order to construct a cottage with deck and patio, driveway, stairs and walkway to lake, and install a septic system and well.

With Conditions:

1. All work shall be in accordance with plans by Fox Survey Company revised April 7, 2014 and received by the NH Department of Environmental Services (DES) on April 10, 2014.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 16% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 4,612 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.

2014-00604 KROON FAMILY 2011 IRREV TRUST
ALTON BAY Lake Winnepesaukee

Requested Action:

Impact 4,726 sq. ft. in order to upgrade the septic system for the campground and cabins.

APPROVE PERMIT:

Impact 4,726 sq. ft. in order to upgrade the septic system for the campground and cabins.

With Conditions:

1. All work shall be in accordance with plans by Varney Engineering, LLC. dated February 28, 2014 and received by the NH Department of Environmental Services (DES) on March 11, 2014.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 27% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 3,447 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.

8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-00609 DOWNES, DANIEL/ELIZABETH
LEBANON Great Brook

Requested Action:

Impact 6,420 sq. ft. in order to build a driveway.

APPROVE PERMIT:

Impact 6,420 sq. ft. in order to build a driveway.

With Conditions:

1. All work shall be in accordance with plans by Riverside Ecological Designs LLC. dated February 12, 2014 and received by the NH Department of Environmental Services (DES) on March 12, 2014.
2. No more than 3.4% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
4. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.

2014-00737 TOMMY B RIVER VIEW LLC
HILLSBOROUGH Contoocook River

Requested Action:

Impact 44,807 sq ft in order to replace existing barn with 5,086 sq ft dental office and construct 18,451 sq ft of parking.

APPROVE PERMIT:

Impact 44,807 sq ft in order to replace existing barn with 5,086 sq ft dental office and construct 18,451 sq ft of parking.

With Conditions:

1. All work shall be in accordance with plans by Donald R. Mellen Surveyor, LLC dated March 19, 2014 and received by the NH Department of Environmental Services (DES) on March 27, 2014.
2. No more than 29.2% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. The proposed stormwater management plan shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.

- 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-00738 BRITTING REALTY TRUST II
MOULTONBOROUGH Lee's Pond

Requested Action:

Impact 5,485 sq. ft. in order to construct an attached garage and breezeway, and reconfigure existing driveway.

APPROVE PERMIT:

Impact 5,485 sq. ft. in order to construct an attached garage and breezeway, and reconfigure existing driveway.

With Conditions:

- 1. All work shall be in accordance with plans by David M. Dolan Associates, P.C. dated March 24, 2014 and received by the NH Department of Environmental Services (DES) on March 27, 2014.
- 2. No more than 12% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 3. At least 5,596 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
- 6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-00745 GROTH, HERMAN
STRAFFORD Bow Lake

Requested Action:

Impact 4,085 sq. ft. in order to replace a non-conforming cottage with a conforming house, and upgrade septic system.

APPROVE PERMIT:

Impact 4,085 sq. ft. in order to replace a non-conforming cottage with a conforming house, and upgrade septic system.

With Conditions:

- 1. All work shall be in accordance with plans by Geometres Blue Hills, LLC. dated March 6, 2014 and received by the NH Department of Environmental Services (DES) on March 28, 2014.

2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 11% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 2,508 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-00752 HOFFMAN, BENJAMIN/ALEXA
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Impact 13,501 sq ft in order to reconfigure driveway, remove portion of existing deck, construct walkway, provide additional stormwater management features and planting beds.

APPROVE PERMIT:

Impact 13,501 sq ft in order to reconfigure driveway, remove portion of existing deck, construct walkway, provide additional stormwater management features and planting beds.

With Conditions:

1. All work shall be in accordance with plans by Allen Folsom dated January 29, 2014 and received by the NH Department of Environmental Services (DES) on March 31, 2014.
2. No more than 22% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 6,457 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-00779 PRARIO, KATHY LYN
MOULTONBOROUGH Wakondah Pond

Requested Action:

Impact 2,128 sq. ft. in order to remove retaining walls and steps, regrade impact area, and stabilize area with native plantings.

APPROVE PERMIT:

Impact 2,128 sq. ft. in order to remove retaining walls and steps, regrade impact area, and stabilize area with native plantings.

With Conditions:

1. All work shall be in accordance with plans by New Hampshire Environmental Consultants LLC. dated February 22, 2014 and received by the NH Department of Environmental Services (DES) on April 3, 2014.
2. No more than 21.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 4,195 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-00785 STONE POND BOAT HOUSE LLC
MARLBOROUGH Stone Pond

Requested Action:

Impact 2,933 sq. ft. in order to construct a gravel driveway.

APPROVE PERMIT:

Impact 2,933 sq. ft. in order to construct a gravel driveway.

With Conditions:

1. All work shall be in accordance with plans by Forest Designs dated March 28, 2014 and received by the NH Department of Environmental Services (DES) on April 4, 2014.
2. No more than 8.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 8,972 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.

9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

CSPA PERMIT W/WAIVER

2014-00610 GOULD, FREDERICK
NEW DURHAM Merrymeeting Lake

Requested Action:

Impact 18,065 sq. ft. in order to remove existing residential structures from the lot, construct new residential structures, install septic system, and restore a portion of the property.

APPROVE PERMIT:

Impact 18,065 sq. ft. in order to remove existing residential structures from the lot, construct new residential structures, install septic system, and restore a portion of the property.

With Conditions:

1. All work shall be in accordance with plans by Berry Surveying & Engineering revised April 4, 2014 and received by the NH Department of Environmental Services (DES) on April 11, 2014.
2. This approval includes a waiver of RSA 483-B:9, V, b, 2(a) and, therefore, shall not be effective until it has been recorded at the appropriate county registry of deeds office by the Permittee. A copy of the recorded approval shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. This permit is contingent on approval by the DES Subsurface Systems Bureau.
4. No more than 20.1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
5. The restoration area identified on the approved plan shall be planted prior to any removal of vegetation from the existing unaltered area, so that the amount of unaltered area shall not at any point be less than 2,940 sq. ft.
6. Orange construction fencing shall be placed at the limits of the restored area following planting to prevent accidental damage to the vegetation during construction.
7. The restored area shall be maintained in an unaltered state, as specified in RSA 483-B:4, XXIV(b).
8. Following construction, at least 3,244 sq. ft. of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
9. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
10. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
11. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
12. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
13. Any fill used shall be clean sand, gravel, rock, or other suitable material.
14. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

With Findings:

1. In accordance with RSA 483-B:9, V, (i) The commissioner shall have the authority to grant waivers from the minimum standards of this section. Such authority shall be exercised if the commissioner deems that strict compliance with the minimum standards of

this section will provide no material benefit to the public and have no material adverse effect on the environment or the natural resources of the state.

2. The existing non-conforming structure is located within the 50 ft. primary building setback to Merrymeeting Lake and, therefore, fails to conform to the setback restriction set forth in RSA 483-B:9, II.

3. The new primary structure is proposed to be constructed greater than 75 feet from the reference line of Merrymeeting Lake.

4. In order to construct the proposed primary structure 582 sq. ft. of unaltered area will need to be altered. This action will reduce the area of vegetation maintained in an unaltered state below the standard established in RSA 483-B:9 V, (b), 2(a).

5. The applicant proposes to restore 886 sq. ft. of previously altered area by planting native vegetation and allowing the area to be maintained as an unaltered area, as per RSA 483-B:4, XXIV(b).

6. The installation of a state approved septic system will better protect the public water and therefore, is consistent with the intents of the statute.

7. The strict compliance with the minimum standards of this section will not provide material benefit to the public and will have no material adverse effect on the environment or the natural resources of the state and therefore, the requirements for a waiver to RSA 483-B:9, V, b have been met.

UTILITY NOTIFICATION

2014-00927 UNITIL
PORTSMOUTH Unnamed Wetland

COMPLETE NOTIFICATION:
Replace 1300' of natural gas pipeline.

2014-00975 NATIONAL GRID
BATH Childs Brook

COMPLETE NOTIFICATION:
Maintenance/repair on the A201/B202 transmission line ROW. In -kind replacement of 24"x30'culvert north of Structure 68.

2014-00977 NATIONAL GRID
WENTWORTH Unnamed Stream

COMPLETE NOTIFICATION:
Maintenance/repair on the A201/B202 transmission line ROW. In -kind replacement of 24"x30'culvert west of Structure 270.

2014-00978 NATIONAL GRID
PLAINFIELD Unnamed Wetland

COMPLETE NOTIFICATION:
Maintenance and repair on the W149S transmission line ROW. In-kind replacement of wood utility structure(Structure #408).