

Revised
6/16/14

Wetlands Bureau Decision Report

Decisions Taken
06/09/2014 to 06/15/2014

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

Any party aggrieved by a decision may file an appeal within 30 days of the date of this decision as specified in RSA 482-A:10, RSA 21-O:14, and the rules adopted by the Wetlands Council, Env-WtC 100-200.

The appeal must be filed directly with the Council, c/o the Council Appeals Clerk, who may be contacted at (603) 271-6072 or at appeals@des.nh.gov. The notice of appeal must set forth fully every ground upon which it is claimed that the decision complained of is unlawful or unreasonable. Only those grounds set forth in the notice of appeal can be considered by the council.

MAJOR IMPACT PROJECT

2011-02009 NEW BOSTON, TOWN OF
NEW BOSTON Piscataquog River

Requested Action:

Approve amendment to replace bridge footings.

APPROVE AMENDMENT:

Dredge and fill ± 451 square feet and temporarily impact ± 531 square feet of the Middle Branch of the Piscataquog River to replace the Dougherty Lane Bridge footings, portions of the wing walls and install riprap protection. The existing upper bridge sections will be reused.

With Conditions:

1. All work shall be in accordance with plans by Sanford Surveying and Engineering dated September 10, 2013, and revised through March 18, 2014, as received by the Department on April 30, 2014.
2. Work shall be done during low flow conditions.
3. Notice shall be given to NHFG (603-271-6544 or kim.tuttle@wildlife.nh.gov) 30 days prior to construction, to allow the mussel survey to be completed under favorable conditions (i.e. low water) and in the months of June and August.
4. Contractors on-site shall be made aware of the potential to encounter wood turtles, especially during turtle nesting season, which extends from late May through the end of June. If wood turtles are found laying eggs in a work area, please contact Kim Tuttle at 603-271-6544 or Mike Marchand, Wetlands Systems Biologist at 603-271-3016 for instructions. A description of wood turtle including photos may be found at: http://www.wildlife.state.nh.us/Wildlife/Nongame/reptiles_amphibians.htm.
5. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate work area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
7. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to wetlands and surface waters.
8. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
9. There shall be no excavation or operation of construction equipment in flowing water.
10. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
11. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of twenty (20) feet of undisturbed vegetated buffer.
12. Work within the stream, inclusive of work associated with installation of a cofferdam, shall be done during periods of low flow. High flows can be caused by seasonal runoff or precipitation; the permittee shall monitor local forecasts to review weather conditions.
13. No work within the confined area shall proceed until the cofferdam is fully effective, and water flow is controlled.
14. Temporary cofferdams shall be entirely removed immediately following construction.
15. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
16. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired prior to construction.
17. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
18. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
19. Banks shall be restored to their original grades and to a stable condition within three days of completion of construction.
20. Extreme precautions shall be taken within riparian areas to limit unnecessary removal of vegetation during access road

construction and areas cleared of vegetation to be revegetated with native like species within three days of the completion of this project.

21. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

22. The applicant shall notify the DES Wetlands Bureau in writing within twenty-four (24) hours of an erosion event resulting in sediment entering a wetland or surface water.

23. Post-construction photographs documenting the status of the completed construction shall be submitted to the DES Wetlands Bureau within thirty (30) days of the completion of construction.

With Findings:

DES reaffirms original findings, no.'s 2 - 9:

1. A pre-application meeting to discuss the project was held at NHDES on August 09, 2011.
2. In correspondence dated August 06, 2011, the New Boston Conservation Commission indicated their satisfaction with the permit application.
3. In email correspondence dated September 07, 2011, the Piscataquog River Local Advisory Committee noted they were not providing additional comments.
4. The Natural Heritage Bureau report dated August 15, 2011, stated that although there was a NHB record present in the vicinity that impacts from the proposed project were not expected.
5. A follow-up conversation between the agent and the NH Fish and Game Department, Nongame and Endangered Species Program on September 22, 2011, confirmed additional coordination regarding brook floater mussels is not required.
6. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
7. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
8. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

DES also makes the following additional findings:

9. This is a major impact project per Administrative Rule Env-Wt 303.02(p), Any project that includes a new or replacement stream crossing which meets the criteria for a tier 3 stream crossing as specified in Env-Wt 904.04(a).
10. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the riverine resource, as identified under RSA 482-A:1.
11. The amended plans are stamped by the professional engineer licensed by the State of New Hampshire.
12. Replacement of this bridge was approved by the NHDES Wetlands Bureau in 2003 (2003-01992).
13. An updated NHB receipt (NHB14-0505) provided the following results of rare species and exemplary natural communities: Brook floater (state endangered) and Wood turtle (state species of concern). This site was also flagged as an area for possible impact on the state listed brook floater in the South Branch of the Piscataquog River.
14. In further coordination the NH Fish and Game Department (NHFG) requested that contractors are made aware of the potential to encounter wood turtles and sightings reported. Also, NHFG stated that additional mussel surveys are not needed and that since the project area represents high quality habitat for the species, NHFG will survey the work area prior to construction.
15. NHFG also requested that as a condition of the this permit includes notice be given to NHFG prior to 30 days prior to construction, to allow survey completion under favorable conditions (i.e. low water) and to be conducted between June and August.
16. The submitted Tier 3 replacement alternative design meets the General Design Criteria to the maximum extent practicable per Env-Wt 904.09.

MINOR IMPACT PROJECT

**2014-00018 KELLY, JAMES
NORTH WOODSTOCK**

Requested Action:

Dredge and fill 12,986 square feet of forested wetlands and a perennial stream for the construction of an access road and a 54 unit campground. Work in jurisdiction includes the installation of a 65" x 54" pipe arch culvert and 3,046 square feet of temporary impacts.

Conservation Commission/Staff Comments:

1/9/14 Per DHR, no historic properties affected.

APPROVE PERMIT:

Dredge and fill 12,986 square feet of forested wetlands and a perennial stream for the construction of an access road and a 54 unit campground. Work in jurisdiction includes the installation of a 65" x 54" pipe arch culvert and 3,046 square feet of temporary impacts.

With Conditions:

1. All work shall be in accordance with the plans by Horizons Engineering Inc. entitled Site Plans: Lost River Valley Campground Expansion dated December 2013 as revised March 25 2014 and received by DES on May 15, 2014.
2. The permittee shall delineate the areas of wetlands impacted on the site and depict the delineation as an overlay in a final as-built plan submitted to the department within 60 days of the completion of construction. The area of wetlands impacted shall be quantified.
3. This permit is contingent on approval by the DES Alteration of Terrain Program.
4. This permit is contingent on approval by the DES Subsurface Systems Bureau.
5. A qualified professional shall monitor the project during construction to assure it is constructed in accordance with the approved plans and narratives and to assure no water quality violations occur.
6. Areas of temporary impact shall be restored to original conditions following the completion of work.
7. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
8. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized.
9. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
10. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
11. Work within the stream, inclusive of work associated with installation of a cofferdam, shall be done during periods of low flow. High flows can be caused by seasonal runoff or precipitation; the permittee shall monitor local forecasts to review weather conditions.
12. No work within the confined area shall proceed until the cofferdam is fully effective, and water flow is controlled.
13. Temporary cofferdams shall be entirely removed immediately following construction.
14. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
15. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands
16. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
17. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
18. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
19. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.

20. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
21. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

1. This is a minor impact project per 303.03(h) Projects involving less than 20,000 square feet of alteration in the aggregate in nontidal wetlands, nontidal surface waters, or banks adjacent to nontidal surface waters which exceed the criteria of Env-Wt 303.04(f).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The proposed stream crossing was designed to pass the 100 year storm event and to meet all of the General Design Considerations (Env-Wt 904.01).
6. No vernal pools were found in the delineated area on site which included the proposed development.
7. The applicant has provided a waiver request per Env-Wt 204.03, to waive the wetland delineation over the remaining lot as required by Env-Wt 304.09(a).
8. The applicant has had a Certified Wetland Scientist field delineate the area of the proposed development.
9. It would be an economic hardship for the owner to have the entire 108 acre lot delineated in the field.
10. There will be no adverse effect to the environment or natural resources of the state, public health, or public safety; or on abutting properties that is more significant than that which would result from complying with the Env-Wt 304.09(a).
11. The waiver is granted in accordance with Env-Wt 204.04(b), as strict compliance with the rule will provide no benefit to the public and will cause an operational or economic hardship to the applicant.
12. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program or the NH Natural Heritage Bureau.

2014-00557
WEBSTER

STEELE, JULIE

Requested Action:

Dredge and fill a total of 4,546 sq. ft. in palustrine forested/scrub-shrub wetlands with intermittent streams to upgrade an existing woods (logging) road and to improve, properly size and stabilize all culvert crossing locations to access a single family home site on a 114 acre parcel of land.

Conservation Commission/Staff Comments:

No comments on file.

APPROVE PERMIT:

Dredge and fill a total of 4,546 sq. ft. in palustrine forested/scrub-shrub wetlands with intermittent streams to upgrade an existing woods (logging) road and to improve, properly size and stabilize all culvert crossing locations to access a single family home site on a 114 acre parcel of land.

With Conditions:

1. All work shall be in accordance with plans by Northpoint Engineering, LLC dated Feb. 2014, as received by the NH Department of Environmental Services (DES) on March 06, 2014.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. This permit is contingent on approval by the DES Subsurface Systems Bureau.

4. Proper headwalls shall be constructed within seven days of culvert installation.
5. Culvert outlets shall be properly rip rapped.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Work shall be done during low flow.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h), projects involving less than 20,000 square feet of alteration in the aggregate in nontidal wetlands.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

**2014-00639
GILFORD**

BURDICK, ANSJE

Requested Action:

Install a 6 ft. x 40 ft. seasonal dock anchored to an existing boulder on the shoreline, accessed by a 4 ft. x 6 ft. seasonal walkway around a boulder, with no work to the existing 6 ft. x 40 ft. crib supported wharf along the shoreline, on an average of 646 feet of shoreline frontage, Timber Island, Lake Winnepesaukee, Gilford.

Conservation Commission/Staff Comments:

03/21/2014. Per DHR, no historic properties affected.

No comments from Con Com by April 24, 2014

APPROVE PERMIT:

Install a 6 ft. x 40 ft. seasonal dock anchored to an existing boulder on the shoreline, accessed by a 4 ft. x 6 ft. seasonal walkway around a boulder, with no work to the existing 6 ft. x 40 ft. crib supported wharf along the shoreline, on an average of 646 feet of shoreline frontage, Timber Island, Lake Winnepesaukee, Gilford.

With Conditions:

1. All work shall be in accordance with plans, as received by the NH Department of Environmental Services (DES) on May 15, 2014.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. This shall be the only structure on this water frontage and all portions of the dock shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
4. Seasonal pier shall be removed from the lake for the non-boating season.
5. No portion of the pier shall extend more than 40 feet from the shoreline at full lake elevation.
6. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), construction of a docking system that exceeds the criteria for minimum impact docking structures.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas

and environments under the department's jurisdiction per Env-Wt 302.03.

4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 646 feet of shoreline frontage along Lake Winnepesaukee.
6. A maximum of 9 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
7. The proposed docking facility will provide 3 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

2014-00645 HARBOR STREET LIMITED PARTNERSHIP
NOTTINGHAM Unnamed Wetland

Requested Action:

Fill a total of 9,854 sq. ft. of wetlands in five locations for construction of a roadway for construction of 42 single-family residential lots on 153 acres including the following: Wetland Impact #1: fill 1,869 sq. ft. and installation of 2 ft. x 4 ft. x 38 ft. box culvert for roadway construction; Wetland Impact #2: fill 510 sq. ft. of wetland edge for roadway construction; Wetland Impact #3: fill 2,171 sq. ft. and installation of 24 in. x 50 ft. HDPE culvert for roadway construction; Wetland Impact #4: fill 2,106 sq. ft. and installation of 30 in. x 56 ft. HDPE culvert for roadway construction; and Wetland Impact #5: fill 3,198 sq. ft. and installation of 30 in. x 74 ft. HDPE culvert for roadway construction.

APPROVE PERMIT:

Fill a total of 9,854 sq. ft. of wetlands in five locations for construction of a roadway for construction of 42 single-family residential lots on 153 acres including the following: Wetland Impact #1: fill 1,869 sq. ft. and installation of 2 ft. x 4 ft. x 38 ft. box culvert for roadway construction; Wetland Impact #2: fill 510 sq. ft. of wetland edge for roadway construction; Wetland Impact #3: fill 2,171 sq. ft. and installation of 24 in. x 50 ft. HDPE culvert for roadway construction; Wetland Impact #4: fill 2,106 sq. ft. and installation of 30 in. x 56 ft. HDPE culvert for roadway construction; and Wetland Impact #5: fill 3,198 sq. ft. and installation of 30 in. x 74 ft. HDPE culvert for roadway construction.

With Conditions:

1. All work shall be in accordance with plans by Beals Associates, PLLC dated May 2013, as received by the NH Department of Environmental Services (DES) on March 20, 2014.
2. The open space and deed restricted lots shall be in accordance with plans titled Revised Subdivision Plan by Beals Associates, PLLC dated February 7, 2011, as received by the DES on June 5, 2014.
3. All open space and deed restricted lots shall be marked by signs and identified as protected open space.
4. The open space and deed restricted lots shall be written to run with the land, and both existing and future property owners shall be subject to the restrictions.
5. The plan noting the open space and deed restricted lots with a copy of the final deed language shall be recorded with the Registry of Deeds Office for each appropriate lot. A copy of the recording from the County Registry of Deeds Office shall be submitted to the DES Wetlands Bureau prior to the start of construction.
6. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
7. The deed which accompanies the sales transaction for each of the lots in this subdivision shall contain condition #5 of this approval.
8. This permit shall not be effective until it has been recorded with the Strafford County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
9. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
10. This permit is contingent on approval by the DES Alteration of Terrain Bureau.
11. This permit is contingent on approval by the DES Subsurface Systems Bureau.
12. Any erosion control matting used on the project shall be "snake friendly" (e.g. woven organic material such as coco matting).
13. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a

minimum of 20 feet of undisturbed vegetated buffer.

14. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.

15. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

16. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

17. Work shall be done during low flow.

18. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.

19. Faulty equipment shall be repaired prior to entering jurisdictional areas.

20. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.

21. All refueling of equipment shall occur outside of surface waters or wetlands.

22. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

23. Proper headwalls shall be constructed within seven days of culvert installation.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h), projects involving less than 20,000 square feet of alteration in the aggregate in nontidal wetlands.

2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The applicant has demonstrated that wetland impact is necessary to access buildable uplands.

3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The applicant has demonstrated that the location of the proposed impacts are crossing perpendicular to the resource at the most narrowest width of the wetland.

4. The applicant has coordinated with the US Environmental Protection Agency to address minimizing project impacts and protecting high value wildlife habitat and vernal pools.

5. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project. Natural Heritage Bureau ("NHB") has record of threatened and endangered invertebrate, vertebrate, and plant species within the vicinity of this project. The applicant has coordinated with NH Fish and Game Department (NH F&G) regarding the invertebrate and vertebrate species. After review, NH F&G do not expect impacts to these species because they are either extremely limited or likely found within the proposed protected open space area. The applicant also investigated the property for the sensitive plant species, but it was not found within the limits of the project. The applicant coordinated with the US Fish and Wildlife Service (USFWS) regarding the plant species and USFWS agreed with the applicant's findings.

6. This project qualifies as a Tier 1 Stream Crossing and the applicant has designed the stream crossings in accordance with Env-Wt 904.02 and Env-Wt 903.03. The applicant has demonstrated that the proposed crossings have been designed to accommodate the 50-year frequency flood without restriction, are closed-bottom culverts embedded to mimic the natural channel, and should not disrupt the movement of indigenous aquatic life. Further, the stream crossings were reviewed by NH F&G.

7. The Lamprey Rivers Advisory Committee (LRAC) provided comments on the project to DES in a letter dated April 18, 2014. The applicant has addressed the LRAC comments.

8. The Nottingham Conservation Commission did not submit comments on the application.

2014-00755

LEE P PAGE TRUST OF 4-14-1975

SUNAPEE Sunapee Lake

Requested Action:

Permanently remove an existing seasonal docking structure, relocate 6 rocks to within the waterbody and remove 3 rocks from jurisdiction, construct a 6 ft. x 43 ft. pile supported dock accessed by a 6 ft. x 10 ft. ramp from the bank, install two seasonal boatlifts

adjacent to the dock, on an average of 100 feet of shoreline frontage, Lake Sunapee, Sunapee.

APPROVE PERMIT:

Permanently remove an existing seasonal docking structure, relocate 6 rocks to within the waterbody and remove 3 rocks from jurisdiction, construct a 6 ft. x 43 ft. pile supported dock accessed by a 6 ft. x 10 ft. ramp from the bank, install two seasonal boatlifts adjacent to the dock, on an average of 100 feet of shoreline frontage, Lake Sunapee, Sunapee.

With Conditions:

1. All work shall be in accordance with plans by David Page dated March 15, 2014, as received by the Department on May 19, 2014.
2. This permit shall not be effective until it has been recorded with the County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement or revocation action if the DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.
4. Repairs to these structures may be conducted, as necessary, throughout the duration of this permit provided that the permittee notifies the Wetlands Bureau and Conservation Commission, in writing, of the proposed start and completion date prior to performing any repair.
5. Repairs shall maintain existing size, location and configuration.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
7. This permit does not allow for maintenance dredging.
8. The dock shall not extend more than 43 ft. lakeward at full lake elevation of 1093.15.
9. The minimum clear spacing between piles shall be 12 feet.
10. Seasonal boatlifts shall be removed for the non-boating season.
11. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), installation of a docking structure that exceeds the criteria for minimum impact docking structures.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 100 feet of shoreline frontage along Lake Sunapee.
6. A maximum of 2 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
7. The proposed docking facility will provide 2 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

**2014-01020 CFF DYNASTY TRUST
WOLFEBORO Lake Winnepesaukee**

Requested Action:

Permanently remove 6 sq. feet of existing permanent dock from the lakeward end, install 6 tie off piles and two 14 foot x 30 foot seasonal canopies, adjacent to an existing 8 ft. x 40 ft. crib supported permanent dock with a 6 ft. x 12 ft. "L" section at the shore, on an average of 200 feet of shoreline frontage, Lake Winnepesaukee, Wolfeboro.

Conservation Commission/Staff Comments:
No comments from Con Com by 06/13/2014

APPROVE PERMIT:

Permanently remove 6 sq. feet of existing permanent dock from the lakeward end, install 6 tie off piles and two 14 foot x 30 foot seasonal canopies, adjacent to an existing 8 ft. x 40 ft. crib supported permanent dock with a 6 ft. x 12 ft. "L" section at the shore, on an average of 200 feet of shoreline frontage, Lake Winnepesaukee, Wolfeboro.

With Conditions:

1. All work shall be in accordance with plans by White Mountain Survey and Engineering Inc. dated April 24, 2014, as received by the NH Department of Environmental Services (DES) on April 30, 2014.
2. This permit shall not be effective until it has been recorded with the County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. The existing docking structure shall be reduce in length prior to the installation of the tie off piles and seasonal canopies.
5. Canopies shall be of seasonal construction type with a flexible fabric cover. The seasonal support frame shall be designed to be removed for the non-boating season. The flexible fabric cover shall be removed during all seasons of non-use.
6. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(m), installation of new tie off piles to an existing structure which do not add boat slips.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 200 feet of shoreline frontage along Lake Winnepesaukee.
6. A maximum of 3 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
7. The proposed docking facility will provide 2 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

**2014-01056 ANN B GLOVER LIVING TRUST
MEREDITH Lake Winnepesaukee**

Requested Action:

Permanently remove an existing previously permitted 6 ft. x 30 ft. "U" shaped seasonal docking structure, install two 6 ft. x 40 ft. seasonal docks connected by a 6 ft. x 12 ft. seasonal walkway in a "U" shaped configuration in the same location, on an average of 234 feet of shoreline frontage, Lake Winnepesaukee, Meredith.

Conservation Commission/Staff Comments:
No comments from Con Com by June 13, 2014.

APPROVE PERMIT:

Permanently remove an existing previously permitted 6 ft. x 30 ft. "U" shaped seasonal docking structure, install two 6 ft. x 40 ft. seasonal docks connected by a 6 ft. x 12 ft. seasonal walkway in a "U" shaped configuration in the same location, on an average of 234 feet of shoreline frontage, Lake Winnepesaukee, Meredith.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated April 16, 2014, as received by the NH Department of Environmental Services (DES) on May 05, 2014.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. The existing docking structure shall be completely removed prior to the installation of the approved docking structure.
4. This shall be the only structure on this water frontage and all portions of the dock shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
5. Seasonal pier shall be removed from the lake for the non-boating season.
6. No portion of the pier shall extend more than 40 feet from the shoreline at full lake elevation.
7. The proposed perched beach is addressed with a separate application and permit.
8. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), construction of a docking structure that exceeds the criteria for minimum impact docking structures.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 234 feet of shoreline frontage along Lake Winnepesaukee.
6. A maximum of 4 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
7. The proposed docking facility will provide 3 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

2014-01058 ANN B GLOVER LIVING TRUST
MEREDITH Lake Winnepesaukee

Requested Action:

Construct an 840 sq. ft. perched beach with retaining wall and steps to access water, using no more than 10 cubic yards of sand, on Lake Winnepesaukee, in Meredith.

APPROVE PERMIT:

Construct an 840 sq. ft. perched beach with retaining wall and steps to access water, using no more than 10 cubic yards of sand, on Lake Winnepesaukee, in Meredith.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates revised on June 10, 2014, as received by the NH Department of Environmental Services (DES) on June 12, 2014.
2. A seasonal dock has been permitted on this property through NH DES file 2014-1056.
3. Dredged or excavated material shall be placed outside of the DES Wetlands Bureau jurisdiction.
4. Stone placed along the beach front for the purpose of retaining sand shall be placed above and/or landward of those rocks currently located along the normal high water line (Elevation 504.32). Those rocks existing at the normal high water line shall remain otherwise undisturbed such that the natural shoreline remains identifiable.
5. The steps installed for access to the water shall be located completely landward of the normal high water line.
6. No more than 10 cu. yds. of sand may be used and all sand shall be located above the normal high water line.
7. This permit shall be used only once, and does not allow for annual beach replenishment.
8. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.

- 9. Revegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall begin at a distance no greater than 5 feet landward from the beach area.
- 10. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
- 11. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

- 1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), construction of a docking system that exceeds the criteria for minimum impact docks.
- 2. The proposed perched beach and construction of a minor impact docking structure under a separate application, when considered in aggregate, meet the criteria of a minor impact project.
- 3. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 4. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 5. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

MINIMUM IMPACT PROJECT

2014-00553 NH FISH & GAME DEPT
MIDDLETON Jones Brook Pond

Requested Action:

Dredge 29,700 sq. ft. of the bed and banks of Jones Pond to improve aquatic fisheries habitat.

APPROVE PERMIT:

Dredge 29,700 sq. ft. of the bed and banks of Jones Pond to improve aquatic fisheries habitat.

With Conditions:

- 1. All work shall be in accordance with plans by The State of New Hampshire, Department of Environmental Services, Dam Bureau, dated December 2013, as received by the Department on March 5, 2014.
- 2. This permit is contingent on approval by the NH Fish and Game Department with respect to the timing of construction.
- 3. All activities shall be in accordance with Shoreland Permit #2013-3037 and the Shoreland Water Quality Protection Act, RSA 483-B.
- 4. All work shall be done during draw down.
- 5. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with haybales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 ft. of undisturbed vegetated buffer.
- 6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
- 7. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
- 8. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
- 9. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting

and pinning on slopes steeper than 3:1.

10. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.

11. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.

12. Faulty equipment shall be repaired prior to entering jurisdictional areas.

13. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.

14. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This project is deemed a minimum impact project per Administrative Rule Env-Wt 303.04(o), based on the minimal environmental impact of the project.
2. This project is associated with the repair and reconstruction of the adjacent dam, known as the Jones Pond Dam.
3. The applicant has demonstrated that the proposed project will benefit cold water fisheries habitat by providing a thermal refuge during warm summer months for cold water fish species such as eastern brook trout.
4. The 863 acres of land surrounding the project area was acquired by the NH Fish and Game Department in 1983 and is known as the Ellis R. Hatch Jr. Wildlife Management Area (WMA), one of the largest WMA in the state. Prior to the dam failure, Jones Pond was stocked with brook trout and was a popular hike-in angling destination with fly-fishing only regulations.
5. The need for the proposed impacts has been addressed by the applicant per Env-Wt 302.01. The applicant has demonstrated that dredging is necessary to restore Jones Pond to improve fisheries and wildlife habitat for the Ellis R. Hatch Jr. WMA.
6. The applicant has demonstrated that the project will enhance fisheries and wildlife habitat by restoring Jones Pond and will minimize flooding downstream during rain events.
7. This project has received an extensive inter-agency coordinated review between the NH Fish and Game Department and NH Department of Environmental Services.
8. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the Department's jurisdiction per Env-Wt 302.03.
9. The full pond elevation of Jones Pond is not being raised after completion of work.
10. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project. The NH Natural Heritage Bureau (NHB) has a record of sensitive species present within the vicinity of the project area, but NHB does not expect impacts to the species from the project.
11. The applicant is not required to provide compensatory mitigation in accordance with Env-Wt 302.02(c)(2)(a).
12. The applicant obtained DES Shoreland Permit #2013-3037 for work within the jurisdiction of RSA 483-B, Shoreland Water Quality Protection Act.
13. The Middleton Conservation Commission did not submit comments on the application.
14. DES has not received any comments in opposition to the project.
15. The applicant has provided a waiver request per Env-Wt 204.03, to waive the delineation of wetland boundaries as required per Env-Wt 301.01 (g).
16. No streams will be impacted by the project and the aquatic resources to be impacted consist of the bed and bank of Jones Brook Pond.
17. There will be no adverse effect to the environment or natural resources of the state, public health, or public safety; or on abutting properties that is more significant than that which would result from complying with the Env-Wt 301.01.
18. The waiver is granted in accordance with Env-Wt 204.04(b), as strict compliance with the rule will provide no benefit to the public and will cause an operational or economic hardship to the applicant.

Requested Action:

Dredge and fill 2,100 sq. ft. in a palustrine forested wetland to construct a common driveway / culvert crossing to access three(3) single family residential house lots.

Conservation Commission/Staff Comments:

4/3/14 Con. Com. approved application subject to inclusion of a maintenance operations plan for the detention pond.

APPROVE PERMIT:

Dredge and fill 2,100 sq. ft. in a palustrine forested wetland to construct a common driveway / culvert crossing to access three(3) single family residential house lots.

With Conditions:

1. All work shall be in accordance with plans by Sandford Surveying and Engineering dated 3/13/14, as received by the NH Department of Environmental Services (DES) on March 20, 2014.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. There shall be no further alteration of wetlands for lot development, driveways, culverts, for septic setback or other construction activities.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Work shall be done during low flow.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

FORESTRY NOTIFICATION

2014-01311 EWPRC
ALEXANDRIA Unnamed Stream

COMPLETE NOTIFICATION:
Alexandria, Tax Map #404, Lot #38

2014-01312 EWPRC
HEBRON Unnamed Stream

COMPLETE NOTIFICATION:
Hebron, Tax Map #21, Lot #1

2014-01346 **MORIARTY, PHYLLIS**
GOFFSTOWN Unnamed Stream

COMPLETE NOTIFICATION:
Goffstown, Tax Map #7, Lot #55, 74, 75

2014-01478 **FREEDOM, TOWN OF**
FREEDOM Unnamed Stream

COMPLETE NOTIFICATION:
Freedom, Tax Map #6, Lot #2

2014-01499 **NH DRED**
WINCHESTER Unnamed Stream

COMPLETE NOTIFICATION:
Winchester, Tax Map #7, Lot #47

2014-01524 **HOLMES, BRAD/KATIE**
SANDWICH Unnamed Stream

COMPLETE NOTIFICATION:
Sandwich, Tax Map #R12, Lot #80A

2014-01525 **JH TREEHOUSE**
GROTON Unnamed Stream

COMPLETE NOTIFICATION:
Groton, Tax Map/Lot: 2/81, 3/2, 3/4, 3/5, 3/10, 3/11, 3/18

2014-01526 **BUNTING FAMILY V FORESTRY**
STRATFORD Unnamed Stream

COMPLETE NOTIFICATION:
Stratford, Tax Map #405, Lot #2

2014-01530 **BUNNELL, ROCKY**
MONROE Unnamed Stream

COMPLETE NOTIFICATION:
Monroe, Tax Map #U03, Lot #24, 25

2014-01531 **DAYTON, H BLISS**
BRADFORD Unnamed Stream

COMPLETE NOTIFICATION:
Bradford, Tax Map #9, Lot #36

EXPEDITED MINIMUM

2014-01061 BEDFORD SAU 25
BEDFORD Unnamed Wetland

Requested Action:

Dredge and fill 250 sq. ft. in a palustrine emergent wetland & intermittent stream to replace an existing deteriorated headwall.

APPROVE PERMIT:

Dredge and fill 250 sq. ft. in a palustrine emergent wetland & intermittent stream to replace an existing deteriorated headwall.

With Conditions:

1. All work shall be in accordance with plans by Meridian Land Services, Inc. dated April 10, 2014, as received by the NH Department of Environmental Services (DES) on May 05, 2014.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. Culvert outlet shall be properly rip rapped.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Work shall be done during low flow.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2014-01093 NAFRANOWICZ, BASIL
MEREDITH Unnamed Wetland

Requested Action:

Dredge and fill 678 sq. ft. in a previously disturbed area on the edge of a palustrine forested wetland to construct a driveway with a retaining wall to access a single family home site on a 5.12 acre parcel of land.

APPROVE PERMIT:

Dredge and fill 678 sq. ft. in a previously disturbed area on the edge of a palustrine forested wetland to construct a driveway with a retaining wall to access a single family home site on a 5.12 acre parcel of land.

With Conditions:

1. All work shall be in accordance with plans by Advanced Land Surveying Consultants, P.L.L.C. dated January 2014, as received by the NH Department of Environmental Services (DES) on May 07, 2014.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. This permit is contingent on approval by the DES Subsurface Systems Bureau.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Work shall be done during low flow.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**2014-01132 UNIVERSITY OF NEW HAMPSHIRE
DURHAM College Brook**

Requested Action:

Dredge and fill a total of 36 square feet of wetland for the reconstruction of an existing headwall and replacement of a 4 inch culvert outfall with a 12 inch culvert outfall.

Conservation Commission/Staff Comments:
5/23/14 Per DHR, no potential to cause effect.

APPROVE PERMIT:

Dredge and fill a total of 36 square feet of wetland for the reconstruction of an existing headwall and replacement of a 4 inch culvert outfall with a 12 inch culvert outfall.

With Conditions:

1. All work shall be in accordance with plans by Tighe & Bond, Inc. dated May 8, 2014, as received by NH Department of Environmental Services (DES) on May 13, 2014.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require further permitting by the Bureau.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Any dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
5. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
6. Work shall be done during low flow.
7. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
8. Faulty equipment shall be repaired prior to entering jurisdictional areas.
9. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.

10. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum project pursuant to Administrative Rule Env-Wt 303.04(f), projects involving alteration of less than 3,000 sq. ft. of wetland.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The applicant has demonstrated the need to improve drainage for an existing University of New Hampshire building.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The reconstructed headwall and new culvert is being replaced within the same general footprint as the existing headwall and culvert.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project. The NH Natural Heritage Bureau ("NHB") has no record of sensitive species within the vicinity of the project.
5. The Durham Conservation commission signed the DES expedited application.

2014-01134 FORTIN, RICHARD
EATON Unnamed Stream

Requested Action:

Restore aquatic habitat for native brook trout along 1,000 linear feet of an unnamed perennial stream by cutting trees/wood into the brook impacting approximately 450 square feet of the stream.

Conservation Commission/Staff Comments:

5/23/14 Per DHR, no historic properties affected.

APPROVE PERMIT:

Restore aquatic habitat for native brook trout along 1,000 linear feet of an unnamed perennial stream by cutting trees/wood into the brook impacting approximately 450 square feet of the stream.

With Conditions:

1. All work shall be in accordance with the plans and narratives as received by DES on May 13, 2014.
2. Work shall be done during low flow and between the months of June through August.
3. Only hand tools shall be used.
4. No trees shall that are stabilizing banks or slopes shall be cut.
5. All in-stream work shall be conducted in a manner to minimize turbidity and sedimentation to surface waters and shall be conducted in a manner so as to minimize the duration of construction in the watercourse.
6. If applicable, appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized.
7. A post-construction report with photographs documenting the status of the completed project shall be submitted to the Wetlands Bureau within 60 days of the completion of construction.
8. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.

With Findings:

1. This is a Minimum Impact Project per NH Administrative Rule Env-Wt 303.04((o)), projects deemed minimum impact by the Department based on the degree of the environmental impact.
2. The project proposes to restore degraded aquatic resources that benefit native brook trout.

3. The need for the proposed impacts has been demonstrated by the applicant per Rule Env-Wt 302.01.
4. The goal of the project is to improve native brook trout habitat, create pools, slow nutrient loss and reduce stream velocity at high flow events.
5. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Env-Wt 302.03.
6. The applicant has demonstrated by plan and example that each factor listed in Rule Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
7. The applicant provided a written permission from the owners of property located at Town of Eaton tax map U-2 lots 20 and 20-A waiving the NH Wetlands Bureau requirement of maintaining a 20 foot setback.
8. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program, the Natural Heritage Bureau, or the Conservation Commission.

**2014-01136 UNIVERSITY OF NEW HAMPSHIRE
DURHAM**

Requested Action:

Fill 1,042 square feet of wetland for the construction of a bus pull-off area and sidewalk.

Conservation Commission/Staff Comments:

5/23/14 Per DHR, no historic properties affected.

APPROVE PERMIT:

Fill 1,042 square feet of wetland for the construction of a bus pull-off area and sidewalk.

With Conditions:

1. All work shall be in accordance with plans by Tighe & Bond, Inc. dated May 8, 2014, as received by NH Department of Environmental Services (DES) on May 13, 2014.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require further permitting by the Bureau.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Any dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
5. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
6. Work shall be done during low flow.
7. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
8. Faulty equipment shall be repaired prior to entering jurisdictional areas.
9. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
10. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum project pursuant to Administrative Rule Env-Wt 303.04(f), projects involving alteration of less than 3,000 sq. ft. of wetland.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The applicant has demonstrated

the need to impact the wetland swale to provide a bus stop and sidewalk to provide alternative transportation and reduce vehicle congestion within Town of Durham.

3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The impacted wetland is at the high point of the swale, where the wetland is the most narrow.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project. The NH Natural Heritage Bureau ("NHB") has no record of sensitive species within the vicinity of the project.
5. The Durham Conservation Commission signed the DES expedited application.

**2014-01153 WEEDER, STEPHEN
JACKSON Unnamed Stream**

Requested Action:

Restore aquatic habitat for native brook trout along 1,500 linear feet of an unnamed perennial stream by cutting trees/wood into the brook impacting approximately 750 square feet of the stream.

Conservation Commission/Staff Comments:

5/23/14 Per DHR, no historic properties affected.

APPROVE PERMIT:

Restore aquatic habitat for native brook trout along 1,500 linear feet of an unnamed perennial stream by cutting trees/wood into the brook impacting approximately 750 square feet of the stream.

With Conditions:

1. All work shall be in accordance with the plans and narratives as received by DES on May 14, 2014.
2. A twenty foot setback from abutting properties shall be maintained.
3. Work shall be done during low flow and between the months of June through August.
4. Only hand tools shall be used.
5. No trees shall that are stabilizing banks or slopes shall be cut.
6. All in-stream work shall be conducted in a manner to minimize turbidity and sedimentation to surface waters and shall be conducted in a manner so as to minimize the duration of construction in the watercourse.
7. If applicable, appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized.
8. A post-construction report with photographs documenting the status of the completed project shall be submitted to the Wetlands Bureau within 60 days of the completion of construction.
9. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.

With Findings:

1. This is a Minimum Impact Project per NH Administrative Rule Env-Wt 303.04((o)), projects deemed minimum impact by the Department based on the degree of the environmental impact.
2. The project proposes to restore degraded aquatic resources that benefit native brook trout.
3. The need for the proposed impacts has been demonstrated by the applicant per Rule Env-Wt 302.01.
4. The goal of the project is to improve native brook trout habitat, create pools, slow nutrient loss and reduce stream velocity at high flow events.
5. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Env-Wt 302.03.
6. The applicant has demonstrated by plan and example that each factor listed in Rule Env-Wt 302.04(b) Requirements for

Application Evaluation, has been considered in the design of the project.

- 7. The Conservation Commission signed the application waiving their right to intervene pursuant to RSA 482-A:11.
- 8. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program or the Natural Heritage Bureau.

2014-01264 CLEMENT FAMILY TRUST
LACONIA Lake Winnepesaukee

Requested Action:

Repair of an existing 6 ft. by 30 ft. piling supported dock and two pilings located on the southerly side of existing seasonal boat lift, with no change in size, location or configuration, on an average of 90 ft. of shoreline frontage on Lake Winnepesaukee, in Laconia.

APPROVE PERMIT:

Repair of an existing 6 ft. by 30 ft. piling supported dock and two pilings located on the southerly side of existing seasonal boat lift, with no change in size, location or configuration, on an average of 90 ft. of shoreline frontage on Lake Winnepesaukee, in Laconia.

With Conditions:

- 1. All work shall be in accordance with plans by Winnepesaukee Marine Construction revised June 9, 2014, as received by the NH Department of Environmental Services (DES) on June, 9, 2014.
- 2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
- 3. The repairs shall maintain the size, location and configuration of the pre-existing structures.
- 4. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
- 5. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
- 6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
- 7. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
- 8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
- 9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

- 1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(v), repair of existing docking structures with no change in size, location or configuration.

2014-01285 EUPHORIA REVOCABLE TRUST
ALTON Lake Winnepesaukee

Requested Action:

Repair of a 6 ft. x 12 ft. section of a crib supporting a 5 ft. 6 in. x 29 ft. 6 in. pier connected to an 8 ft. by 25 ft. pier in an "L" shaped configuration with no change in size, location or configuration, on an average of 107 ft. of shoreline frontage on Lake Winnepesaukee, in Alton.

APPROVE PERMIT:

Repair of a 6 ft. x 12 ft. section of a crib supporting a 5 ft. 6 in. x 29 ft. 6 in. pier connected to an 8 ft. by 25 ft. pier in an "L" shaped configuration with no change in size, location or configuration, on an average of 107 ft. of shoreline frontage on Lake Winnepesaukee, in Alton.

With Conditions:

1. All work shall be in accordance with plans by Winnepesaukee Marine Construction revised June 10, 2014, as received by the NH Department of Environmental Services (DES) on June 10, 2014.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. The repairs shall maintain the size, location and configuration of the pre-existing structures.
4. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
5. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
7. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(v), repair of existing docking structures with no change in size, location or configuration.

AGRICULTURE MINIMUM

2012-00443 MOCK, CHRISTOPHER
BRADFORD Unnamed Wetland

Requested Action:

Request name change to: Christopher Mock

Dredge and fill approximately 3,000 sq. ft. of wetlands (400 linear ft.) for construction of a trapezoidal waterway for improvements to an existing hayfield.

Conservation Commission/Staff Comments:

1. The Conservation Commission signed the application waiving their right to intervene.

APPROVE NAME CHANGE:

Request name change to: Christopher Mock, 142 Fairgrounds Rd., Bradford, NH 03221

Dredge and fill approximately 3,000 sq. ft. of wetlands (400 linear ft.) for construction of a trapezoidal waterway for improvements to an existing hayfield.

With Conditions:

1. All work shall be done in accordance with plans by Delbert Harris III, as received by the NH Department of Environmental Services ("DES") on June 1, 2012 and as revised through plans by Natural Resources Conservation Service, ("NRCS"), dated November 14, 2011, as received by DES on June 1, 2012 and "Trapezoidal Waterway" plan, standards and specifications dated July 2012 and July 23, 2012, as received by DES on July 23, 2012. All work shall adhere to the standards of the "Best Management Wetlands Practices for Agriculture," NH Dept. of Agriculture, September 1998.
2. Any change in use to a non-agricultural purpose will require further permitting by the DES Wetlands Bureau.
3. This permit shall be recorded with the county Registry of Deeds office by the permittee.

With Findings:

1. This permit transfer is issued in accordance with NH Administrative Rule Env-Wt 502.02 (b).

GOLD DREDGE

2014-01482 BLISH, KEITH
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-01533 SKIRCHAK JR, SAMUEL
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-01536 LEMAY, DENISE
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-01537 LEMAY, MARK
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-01540 LAWRENCE, BUCKLEY
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-01541 GRAY, JAMES
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

TRAILS NOTIFICATION

2014-01419 PEABODY, MARK
MILAN Unnamed Wetland

COMPLETE NOTIFICATION:
Trails: Corduroy with bridge, Milan, Tax Map #46, Lot #96-2

2014-01420 GAGNE, MIKE
MILAN Unnamed Stream

COMPLETE NOTIFICATION:
Trails: Culvert, Trail 114, Milan, Tax Map #44, Lot #100

LAKES-SEASONAL DOCK NOTIF

2014-01434 SOUCY, ROGER
ROCHESTER Little Long Pond

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

2014-01501 SNYDER, KRISTEN
NEWBURY Chalk Pond

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

ROADWAY MAINTENANCE NOTIF

**2014-01504 NH DEPARTMENT OF TRANSPORTATION DISTRICT 4
HANCOCK Unnamed Wetland**

COMPLETE NOTIFICATION:
Replace 24" pipe.

**2014-01505 NH DEPARTMENT OF TRANSPORTATION DISTRICT 4
DEERING Unnamed Wetland**

COMPLETE NOTIFICATION:
Replace three 15" culverts.

**2014-01506 NH DEPT OF TRANSPORTATION
COLEBROOK Unnamed Stream**

COMPLETE NOTIFICATION:
Replace a 24" culvert.

**2014-01507 NH DEPT OF TRANSPORTATION
STEWARTSTOWN Unnamed Stream**

COMPLETE NOTIFICATION:
Replace 24" culvert adn dredge 350 ft of ditch.

**2014-01508 NH DEPT OF TRANSPORTATION
LANDAFF Unnamed Wetland**

COMPLETE NOTIFICATION:
Replace 40'x36" culvert. Construct 10' extensions.

**2014-01509 NH DEPT OF TRANSPORTATION
PITTSFIELD Unnamed Stream**

COMPLETE NOTIFICATION:
Replace 24" x 60' culvert.

**2014-01510 NH DEPARTMENT OF TRANSPORTATION DISTRICT 4
SWANZEY Unnamed Wetland**

COMPLETE NOTIFICATION:
Replace 36" x 40' with a 36" x 47' pipe.

PERMIT BY NOTIFICATION

**2014-01230 SHAFFER, HUGH/KAREN
SANBORNTON Winnisquam Lake**

Requested Action:
Replacement of an existing 4 ft. x 36 ft. docking structure with no change in size, location or configuration in accordance with plans received May 30, 2014.

PBN IS COMPLETE:
Replacement of an existing 4 ft. x 36 ft. docking structure with no change in size, location or configuration in accordance with plans received May 30, 2014.

**2014-01435 MCKINLEY, CHARLES/LEONORE
WAKEFIELD Great East Lake**

Requested Action:
Install a 6 ft. x 30 ft. seasonal dock attached to a 7 ft. by 3 ft. concrete anchoring pad, in accordance with plans received June 9, 2014, on an average of 124 feet of shoreline frontage on Great East Lake, in Wakefield.

PBN IS COMPLETE:
Install a 6 ft. x 30 ft. seasonal dock attached to a 7 ft. by 3 ft. concrete anchoring pad, in accordance with plans received June 9, 2014, on an average of 124 feet of shoreline frontage on Great East Lake, in Wakefield.

**2014-01463 MITCHELL, NANCY
ALTON Lake Winnepesaukee**

Requested Action:
Repair of existing docking structures with no change in size, location or configuration in accordance with plans dated June 2, 2014, on an average of 336 feet of shoreline frontage on Lake Winnepesaukee, in Alton.

PBN IS COMPLETE:
Repair of existing docking structures with no change in size, location or configuration in accordance with plans dated June 2, 2014, on an average of 336 feet of shoreline frontage on Lake Winnepesaukee, in Alton.

2014-01489 JACOBUS, GLENN/PATTIE
MADISON Middle Pea Porridge Pond

Requested Action:

Replenish an existing beach with no more than 10 cubic yards of sand, in accordance with plans dated June 13, 2014, on Middle Pea Porridge Pond, in Madison.

PBN IS COMPLETE:

Replenish an existing beach with no more than 10 cubic yards of sand, in accordance with plans dated June 13, 2014, on Middle Pea Porridge Pond, in Madison.

CSPA PERMIT

2014-01017 SHULKIN, EDWARD
ENFIELD Mascoma Lake

Requested Action:

Impact 16,661 sq. ft. in order to replace existing house, expand driveway, and install a septic system.

APPROVE PERMIT:

Impact 16,661 sq. ft. in order to replace existing house, expand driveway, and install a septic system.

With Conditions:

1. All work shall be in accordance with plans by Hogg Hill Design, LLC revised May 8, 2014 and received by the NH Department of Environmental Services (DES) on May 15, 2014.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 14.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 3,549 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-01068 ANDERSON, ANDREW/PAMELA
NEW DURHAM Merrymeeting Lake

Requested Action:

Impact 6,923 sq. ft. in order to remove existing house and rebuild a new house with the same square footage.

APPROVE PERMIT:

Impact 6,923 sq. ft. in order to remove existing house and rebuild a new house with the same square footage.

With Conditions:

1. All work shall be in accordance with plans by Prospect Mountain Survey dated January 2, 2013 and received by the NH Department of Environmental Services (DES) on May 15, 2014.
2. No more than 29.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 2,411 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-01090 HENNESSEY, SHAWN
PIERMONT Armington Lake

Requested Action:

Impact 2,375 sq. ft. in order to construct additions on an existing house.

APPROVE PERMIT:

Impact 2,375 sq. ft. in order to construct additions on an existing house.

With Conditions:

1. All work shall be in accordance with plans dated April 22, 2014 and received by the NH Department of Environmental Services (DES) on May 15, 2014.
2. No more than 19.1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 4,295 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the

structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-01141 BIELAWA, KATHLEEN/ROBERT
ALTON BAY Lake Winnepesaukee

Requested Action:

Impact 3,906 sq ft in order to construct a detached garage with driveway.

APPROVE PERMIT:

Impact 3,906 sq ft in order to construct a detached garage with driveway.

With Conditions:

1. All work shall be in accordance with plans by Varney Engineering, LLC dated October 12, 2007 and received by the NH Department of Environmental Services (DES) on May 13, 2014.
2. No more than 11.24% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 510 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-01155 MCKEEN, SHANNON
CHATHAM Lower Kimball Lake

Requested Action:

Impact 12,973 sq ft in order to construct a 3 bedroom house, septic system, well, and gravel driveway.

APPROVE PERMIT:

Impact 12,973 sq ft in order to construct a 3 bedroom house, septic system, well, and gravel driveway.

With Conditions:

1. All work shall be in accordance with plans by Bliss & Associates, Inc. dated April 15, 2014 and received by the NH Department of Environmental Services (DES) on May 14, 2014.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 13% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 3,814 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).

5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-01157 TEAL LIVING TRUSTS
OSSIPEE Ossipee Lake

Requested Action:

Impact 7,353 sq. ft. in order to construct a 2 bedroom home with associated structures.

APPROVE PERMIT:

Impact 7,353 sq. ft. in order to construct a 2 bedroom home with associated structure

With Conditions:

1. All work shall be in accordance with plans by Land Technical Service Corp. dated April 24, 2014 and received by the NH Department of Environmental Services (DES) on May 14, 2014.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 24.6% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 2,125 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-01187 OLIVER III, JAMES
UNITY Crescent Lake

Requested Action:

Impact 96 sq ft in order to replant the waterfront buffer.

APPROVE PERMIT:

Impact 96 sq ft in order to replant the waterfront buffer.

With Conditions:

1. All work shall be in accordance with plans by Earth Design Group dated May 19, 2012 and received by the NH Department of

Environmental Services (DES) on Junr 3, 2014.

2. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
3. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
4. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
5. Any fill used shall be clean sand, gravel, rock, or other suitable material.
6. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-01203 GAGNE, CECILE/RAYMOND
WOLFEBORO Sargent's Pond

Requested Action:

Impact 1,745 sq. ft. in order to install a septic system.

APPROVE PERMIT:

Impact 1,745 sq. ft. in order to install a septic system.

With Conditions:

1. All work shall be in accordance with plans dated May 6, 2014 and received by the NH Department of Environmental Services (DES) on May 19, 2014.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 32.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 2,610 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-01204 635 AMHERST STREET LLC
NASHUA Pennichuck Brook

Requested Action:

Impact 83,700 sq. ft. in order to re-develop the existing site to construct a 1-story car center building with appurtenant parking and vehicle display areas, and other site improvements.

APPROVE PERMIT:

Impact 83,700 sq. ft. in order to re-develop the existing site to construct a 1-story car center building with appurtenant parking and vehicle display areas, and other site improvements.

With Conditions:

1. All work shall be in accordance with plans by Hayner/Swanson, Inc. dated May 12, 2014 and received by the NH Department of Environmental Services (DES) on May 19, 2014.
2. No more than 29.7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. The proposed stormwater management plan shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
4. At least 34,738 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-01205 REGISH, KAREN
PITTSBURG First Connecticut Lake

Requested Action:

Impact 4,584 sq. ft. in order to replace existing house.

APPROVE PERMIT:

Impact 4,584 sq. ft. in order to replace existing house.

With Conditions:

1. All work shall be in accordance with plans by North Country Septic Design dated May 14, 2014 and received by the NH Department of Environmental Services (DES) on May 19, 2014.
2. No more than 13.6% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 957 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

