

*Review
7/21/14*

Wetlands Bureau Decision Report

Decisions Taken
07/14/2014 to 07/20/2014

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

Any party aggrieved by a decision may file an appeal within 30 days of the date of this decision as specified in RSA 482-A:10, RSA 21-O:14, and the rules adopted by the Wetlands Council, Env-WtC 100-200.

The appeal must be filed directly with the Council, c/o the Council Appeals Clerk, who may be contacted at (603) 271-6072 or at appeals@des.nh.gov. The notice of appeal must set forth fully every ground upon which it is claimed that the decision complained of is unlawful or unreasonable. Only those grounds set forth in the notice of appeal can be considered by the council.

MAJOR IMPACT PROJECT

2014-00696 PEASE DEVELOPMENT AUTHORITY
ROCHESTER Unnamed Wetland

Requested Action:

Fill a total of 68,390 sq. ft. of wetlands, 53,579 sq. ft. permanent impact and 14,811 sq. ft. temporary impact, for the reconstruction and extension of an existing runway and installation of a Omni-Directional Approach Lighting System (ODALS) with a service road. This project is part of a 20-year development plan.

Conservation Commission/Staff Comments:

No comments by Conservation Commission

Inspection Date: 06/24/2014 by David A Price

APPROVE PERMIT:

Fill a total of 68,390 sq. ft. of wetlands, 53,579 sq. ft. permanent impact and 14,811 sq. ft. temporary impact, for the reconstruction and extension of an existing runway and installation of a Omni-Directional Approach Lighting System (ODALS) with a service road. This project is part of a 20-year development plan.

With Conditions:

1. All work shall be in accordance with plans by Jacobs Engineering Group, Inc.:
 - a. Drawing WD.1 dated 6/18/14 as received by the Department on June 18, 2014 and
 - b. Drawing 3.1 dated 4/4/14 as received by the Department on June 18, 2014 and
 - c. Drawing 3.5 dated 4/11/14 as received by the Department on June 18, 2014.
2. The applicant shall coordinate with NH Fish and Game Department Non-Game and Endangered Wildlife Program on the timing of construction and staging of equipment to minimize impacts to turtles.
3. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.
4. Any dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
7. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
8. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
9. This permit is contingent on approval by the DES Alteration of Terrain Bureau.
10. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
12. Faulty equipment shall be repaired prior to entering jurisdictional areas.
13. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
14. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(c), alteration of more than 20,000 sq. ft. of non-tidal wetlands and surface waters.
2. On March 21, 2014 the DES Wetlands Bureau received an application to fill 68,390 sq. ft. of wetlands for the reconstruction and extension of an existing runway and installation of a Omni-Directional Approach Lighting System (ODALS) with a service road as a part of a 20-year development plan.
3. On March 21, 2014 the DES Wetlands Bureau deemed the application administratively complete and sent notice on March 21, 2014.
4. On June 17, 2014 the DES met with the applicant to clarify the need for some of the impact areas proposed for this phase of the 20 year plan.
5. The purpose and need for the project has been documented, by the applicant, in the Application, the Environmental Study and other materials contained in the NHDES file as required per Rule Env-Wt 302.01.
6. The applicant has demonstrated by plan and example that each factor listed in Rule Env-Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project. The NH Natural Heritage has no record of sensitive species within the project area. However, the applicant's agent found a spotted turtle within the project limits and reported the sighting to NH Fish and Game Department.
7. DES Staff conducted a field inspection of the proposed project on June 24, 2014 and finds that the plans accurately reflect site conditions.
8. The DES finds that this project is within the scope of the impacts previously identified in the planning process, which included local, state and federal agencies and as noted in the Division of Aeronautics June 23, 2004 memo signed by the DES on October 12, 2004 and Addendum #1 titled "Skyhaven Airport 2001 Master Planning - 20-year Plan signed by the DES on November 22, 2010.
9. The Deed transfer and Conservation Easement previously executed compensates for this permit and the total estimated 15.84 acres of wetland impacts as noted in the Airport's 20-year plan. This meets the DES Administrative Rules Part Env-Wt 800 Compensation Mitigation.
10. The Rochester Conservation Commission did not submit comments to DES on the application.

2014-00736 FITZPATRICK, KAREN/RICHARD
HAMPTON Atlantic Ocean

Requested Action:

In-kind repair of the existing seawall to maintain continued usefulness and protection from storm wave action.

Conservation Commission/Staff Comments:

6/16/14 Per DHR, no historic properties affected.

CONFIRM EMERGENCY AUTHORIZATION:

In-kind repair of the existing seawall to maintain continued usefulness and protection from storm wave action.

With Conditions:

1. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(b) Projects in previously-developed upland areas within 100 feet of the highest observable tide line unless they are major or minor as defined in Env-Wt 303.02 or Env-Wt 303.03, respectively
2. The project was necessary to repair the existing sea wall damaged by winter storms to protect the property.
3. Emergency authorization for this work was issued by DES Wetlands Bureau Staff on March 27, 2014.
4. Review of the application submitted pursuant the emergency authorization indicates that work has been completed in accordance

with the emergency authorization.

**2014-00803 US DEPT OF AGRICULTURE FOREST SERVICE
LINCOLN Pemigewasset River(east Branch)**

Requested Action:

Dredge and fill 7,584 square feet of intermittent and perennial streams and 79 square feet of wetlands for the replacement of two stream crossing, stream restoration, and the relocation of Eastside Road away from the East Branch of the Pemigewasset River.

APPROVE PERMIT:

Dredge and fill 7,584 square feet of intermittent and perennial streams and 79 square feet of wetlands for the replacement of two stream crossing, stream restoration, and the relocation of Eastside Road away from the East Branch of the Pemigewasset River.

With Conditions:

1. All work shall be in accordance with plans by DuBois & King Inc. entitled Eastside Road- #87 Storm Damage Repair (sheets 1-30 of 30) as received by the Department on July 07, 2014.
2. A qualified professional shall monitor the project during construction to assure it is constructed in accordance with the approved plans and narratives and to assure no water quality violations occur.
3. Construction in the cold water fishery streams (stream crossings sites #1 and #4) shall not occur after October 1st.
4. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized.
5. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
6. The Permittee shall monitor the weather and will not commence work within flowing water, including the installation of cofferdams, when rain is in the forecast.
7. Work shall be conducted in a manner so as to minimize turbidity and sedimentation.
8. Prior to commencing work within surface waters, a cofferdam shall be constructed to isolate the work area from the surface waters.
9. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
10. Work within the stream, inclusive of work associated with installation of a cofferdam, shall be done during periods of low flow. High flows can be caused by seasonal runoff or precipitation; the permittee shall monitor local forecasts to review weather conditions.
11. No work within the confined area shall proceed until the cofferdam is fully effective, and water flow is controlled.
12. Materials used to emulate a natural channel bottom in the stream restoration areas and between the bridge abutments must be rounded and smooth stones similar to the natural stream substrate and shall not include angular rip-rap.
13. Extreme precautions shall be taken within riparian areas to limit unnecessary removal of vegetation during construction.
14. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired prior to entering jurisdictional areas.
15. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
16. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
17. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
18. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
19. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

- 20. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 21. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
- 22. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
- 23. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.
- 24. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

- 1. This is a Major Project per Administrative Rule Env-Wt 303.02 (p) Any project that includes a new or replacement stream crossing which meets the criteria for a tier 3 stream crossing as specified in Env-Wt 904.04(a).
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04 Requirements for Application Evaluation, has been considered in the design of the project.
- 5. Tropical storm Irene caused extensive damage to East Side Road.
- 6. The road adjacent to the East Branch of the Pemigewasset River has been and would continue to be damaged by lateral channel movement of the river.
- 7. The project will restore Aquatic Organism Passage and channel morphology and several undersized stream crossings
- 8. The relocated road has been sited between the wetland and a steep bank to the west and has avoided all but 79 square feet of the wetlands impact.
- 9. The new bridges have been designed to exceed the stream crossing requirements (Env-Wt 900s). The ratio of bridge hydraulic span to channel bankfull width at the four replacement crossings ranges from 1.7 to 2.2.
- 10. There are no vernal pools in the vicinity of the project.
- 11. The NH Natural Heritage Bureau commented that although there was a NHB record present in the vicinity, they do not expect that it will be impacted by the proposed project.

MINOR IMPACT PROJECT

2014-00814 BATTAINI, JOSEPH
CENTER HARBOR Lake Winnepesaukee

Requested Action:

Relocate an existing 6 ft. x 40 ft. seasonal dock, install a second 6 ft. x 40 ft. seasonal dock connected to the first by a 6 ft. x 12 ft. walkway in a "U" configuration, remove an existing concrete anchor pad, and install two seasonal personal watercraft lifts adjacent to the docking structure on an average of 153 feet of shoreline frontage along Lake Winnepesaukee, in Center Harbor.

Conservation Commission/Staff Comments:

04/10/2014. Per DHR, no historic properties affected.
Con Com signed Wet application

APPROVE PERMIT:

Relocate an existing 6 ft. x 40 ft. seasonal dock, install a second 6 ft. x 40 ft. seasonal dock connected to the first by a 6 ft. x 12 ft. walkway in a "U" configuration, remove an existing concrete anchor pad, and install two seasonal personal watercraft lifts adjacent to the docking structure on an average of 153 feet of shoreline frontage along Lake Winnepesaukee, in Center Harbor.

With Conditions:

1. All work shall be in accordance with plans by Don Carey dated March 28, 2014, as received by the NH Department of Environmental Services (DES) on July 15, 2014.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. These shall be the only structures on this water frontage and all portions of the docking structures shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
4. The seasonal piers shall be removed from the lake for the non-boating season.
5. No portion of the piers shall extend more than 40 feet from the shoreline at full lake elevation.
6. The seasonal personal watercraft lifts shall be removed from the lake for the non-boating season.
7. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
8. The shoreline in the area of the removed concrete pad shall be restored to a natural shoreline.
9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), installation of a 3 slip docking system.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 153 feet of shoreline frontage along Lake Winnepesaukee.
6. A maximum of 3 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
7. The proposed docking facility will provide 3 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

**2014-00900 NH DEPT OF TRANSPORTATION
CARROLL Gibbs Brook**

Requested Action:

Place a 6 in. reinforced concrete invert in the existing 14 ft. wide metal culvet, place cutoff walls below the inlet and the outlet, rebuild existing wingwalls and install fish weirs downstream of the structure impacting 2,038 sq. ft. (926 sq. ft. temporary) of riverine wetlands.

Conservation Commission/Staff Comments:

Cons. Comm. understands the project is self mitigating and will be monitored for 2 to 3 years

APPROVE PERMIT:

Place a 6 in. reinforced concrete invert in the existing 14 ft. wide metal culvet, place cutoff walls below the inlet and the outlet, rebuild existing wingwalls and install fish weirs downstream of the structure impacting 2,038 sq. ft. (926 sq. ft. temporary) of riverine wetlands. NHDOT project #26902

With Conditions:

1. All work shall be in accordance with plan by NHDOT Bureau of Bridge Maintenance dated 5/29/13, signed 4/4/14 and fish weir plan dated 1/23/14, as received by the Department on April 18, 2014.
2. Dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
3. Unconfined work within the brook, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
4. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
5. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
6. Temporary cofferdams shall be entirely removed immediately following construction.
7. Construction equipment shall not be located within surface waters.
8. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
9. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
10. Within three days of the last activity in an area, all exposed soil areas, where construction activities are complete, shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack on slopes steeper than 3:1 or netting /matting and pinning on slopes steeper than 2:1.
11. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching or if temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching, mulching with tack on slopes steeper than 3:1 and stabilized by matting and pinning on slopes steeper than 2:1.
12. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
13. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.
14. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
15. Standard precautions shall be taken to prevent import or transport of soil or seed stock from nuisance, invading species such as purple loosestrife or Phragmites.
16. Monitoring of the fish weir stability and connectivity shall occur for three years after construction is complete and a report submitted to the file and Conservation Commission by July 1 of each year.

With Findings:

1. This is a minor impact project per Administrative Rule Wt 303.03(1), alteration of less than 200 linear feet of banks of a stream.
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The DES has determined the applicant has met the purpose of the current stream rules relative to not causing damage upstream or downstream and by providing a method to improve aquatic organism passage opportunities in the design of the structure.
The Conservation Commission commented they understand the project is self-mitigating as a result of improving connectivity and the project will be monitored for 2 to 3 years.
6. Coordination with the NH Natural Heritage Bureau determined that although there was a record in the vicinity there are no impacts expected by the proposed project.

Requested Action:

Repair an existing 10 ft. x 14 ft. 3 in. deck and 2 ft. wide walkway "in kind," permanently remove a 4 ft. x 36 ft. crib dock, construct two 6 ft. x 30 ft. crib docks connected by a 6 ft. x 12 ft. permanent walkway in a "U" configuration, and install a 14 ft. x 27 ft. seasonal canopy over the center slip on Devens Island, Lake Winnepesaukee, in Tuftonboro.

Conservation Commission/Staff Comments:

5/29/2014. Con. Com. have no objections to the issuance of this permit.

APPROVE PERMIT:

Repair an existing 10 ft. x 14 ft. 3 in. deck and 2 ft. wide walkway "in kind," permanently remove a 4 ft. x 36 ft. crib dock, construct two 6 ft. x 30 ft. crib docks connected by a 6 ft. x 12 ft. permanent walkway in a "U" configuration, and install a 14 ft. x 27 ft. seasonal canopy over the center slip on Devens Island, Lake Winnepesaukee, in Tuftonboro.

With Conditions:

1. All work shall be in accordance with plans by Folsom Design and Construction Management dated April 28, 2014, as received by the NH Department of Environmental Services (DES) on May 13, 2014.
2. This permit shall not be effective until it has been recorded with the County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement or revocation action if the DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.
4. Repairs to these structures may be conducted, as necessary, throughout the duration of this permit provided that the permittee notifies the Wetlands Bureau and Conservation Commission, in writing, of the proposed start and completion date prior to performing any repair.
5. Repairs shall maintain existing size, location and configuration.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
7. This permit does not allow for maintenance dredging.
8. The docks shall not extend more than 30 ft. lakeward of the shoreline as measured at full lake elevation of 504.32.
9. The maximum size of cribs shall not exceed 6 feet long by 6 feet wide and of such height as necessary to support the docking structure above the water level.
10. Crib material shall be timber, concrete, or other material approved by the Department of Environmental Services, and of such size and spacing as necessary to completely contain the ballast.
11. The minimum clear spacing between cribs shall be 12 feet.
12. Canopies shall be of seasonal construction type with a flexible fabric cover. The seasonal support frame shall be designed to be removed for the non-boating season. The flexible fabric cover shall be removed during all seasons of non-use.
13. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), construction of a permanent docking system providing fewer than 5 slips.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. This is a single lot island property. The average of a straight line along the longest axis of the island and the circumference is 750 feet of shoreline frontage along Lake Winnepesaukee.
6. A maximum of 11 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.

7. The proposed docking facilities will provide not more than 3 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

**2014-01416 NH DEPT OF TRANSPORTATION
BERLIN**

Requested Action:

Emergency Authorization to repair and stabilize 15 linear feet of river bank with stone impacting 200 sq. ft., originally estimated at 150 sq. ft.

CONFIRM EMERGENCY AUTHORIZATION:

Emergency Authorization to repair and stabilize 15 linear feet of river bank with stone impacting 200 sq. ft., originally estimated at 150 sq. ft.

With Findings:

1. This project is classified as a minor impact project per Rule Env-Wt 303.03(l) less than 200 ft. of impact along a river bank or channel.
2. The project was necessary to stabilize the banks of the Androscoggin River in order to prevent damage to Route 16.
3. Emergency authorization for this work was issued by DES Wetlands Bureau Staff on June 4, 2014
4. Review of the follow-up report submitted pursuant the emergency authorization indicates that work has been completed in accordance with the emergency authorization.

MINIMUM IMPACT PROJECT

**2007-01651 SOUSSAN, BEN & LAURA
HAMPTON Atlantic Ocean**

Requested Action:

Applicant requests to amend existing permit.

Conservation Commission/Staff Comments:

No Comments were received from the Hampton Conservation Commission.

Inspection Date: 08/07/2013 by Eben M Lewis

Inspection Date: 05/21/2014 by Eben M Lewis

APPROVE AMENDMENT:

Amend description to include an additional 49 square feet of impact for the placement of boulders within the existing ROW in conjunction with the previous impacts of 2,660 square feet within the previously disturbed 100-foot tidal buffer zone for the repair of an existing riprap revetment seawall to include extending the toe-of-slope for enhanced wave attenuation along approximately 100 feet of shoreline frontage on the Atlantic Ocean.

With Conditions:

1. All work shall be in accordance with the following plans by Waterfront Engineers, LLC:
 - a.) dated March 28, 2008, as received by DES on April 22, 2008; and,

- b.) dated March 28, 2008 and revised May 29 ,2014, as received by DES on June 23, 2014.
- 2. DES staff shall be notified in writing prior to commencement of work and upon its completion.
- 3. There shall be no further alteration of jurisdictional areas for lot development, driveways, culverts, or for any other construction related activities.
- 4. All activities shall be in accordance with the Comprehensive Shoreland Protection Act, per RSA 483-B.
- 5. Work shall be done during low tide only.
- 6. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
- 7. Faulty equipment shall be repaired prior to entering jurisdictional areas.
- 8. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
- 9. All refueling of equipment shall occur outside of surface waters or wetlands during construction.

With Findings:

- 1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(c) Repair or replacement of existing retaining walls that is performed "in the dry" during drawdown of waters, and that results in no change in height, length, location, or configuration..
- 2. The structural integrity of the existing seawall had been compromised during the large storm events that occurred during April 2007, therefore; the need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The existing seawall does not have adequate support at the toe-of-slope for the continued project needed along the ocean. The additional toe stones will be in line with the toe-of-slope of the wall to the east, the Krukonis property; therefore, the applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. Pursuant to Env-Wt 304.04, the applicant received written concurrence from those abutters whose property line will be within 20-feet of the proposed work.

**2013-02452 PSNH
NORTHUMBERLAND Unnamed Wetland**

Requested Action:

Confirm emergency authorization to temporarily impact 18,840 square feet of wetlands and 36 square feet of a perennial stream for the replacement of two existing utility poles.

CONFIRM EMERGENCY AUTHORIZATION:

Confirm emergency authorization to temporarily impact 18,840 square feet of wetlands and 36 square feet of a perennial stream for the replacement of two existing utility poles.

With Conditions:

- 1. The temporary wetland impact areas shall have at least 75% successful establishment of wetlands vegetation after two (2) growing seasons, or shall be replanted and re-established until a functional wetland is replicated in a manner satisfactory to the DES Wetlands Bureau.
- 2. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

- 1. This is a minimum impact project pursuant to Env-Wt 303.04 (af) Temporary impacts associated with the inspection, maintenance, and repair of existing utility lines within an existing utility right of way and Env-Wt 303.04(i) Construction of a

temporary crossing of a brook, stream, or river for the construction or maintenance of utility pipes or lines.

2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. Emergency authorization for this work was issued by DES Wetlands Bureau Staff on September 10, 2013.
6. Review of the materials submitted pursuant the emergency authorization indicates that work has been completed in accordance with the emergency authorization.
7. The NH Natural Heritage Bureau commented that although there was a NHB record present in the vicinity, they do not expect that it will be impacted by the proposed project.

2013-03047 JORGE, ANTONIO/PATRICIA
WASHINGTON Highland Lake

Requested Action:

Retain after-the-fact an existing 560 sq. ft. perched beach and install a 4 ft. x 10 ft. seasonal dock, on Highland Lake, Washington.

APPROVE PERMIT:

Retain after-the-fact an existing 560 sq. ft. perched beach and install a 4 ft. x 10 ft. seasonal dock, on Highland Lake, Washington.

With Conditions:

1. All work shall be in accordance with plans by West Environmental Inc. dated July 07, 2014 and overview plan dated July 10, 2014, as received by the NH Department of Environmental Services (DES).
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. This shall be the only structure on this water frontage and all portions of the dock shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
4. Seasonal pier shall be removed from the lake for the non-boating season.
5. No portion of the pier shall extend more than 10 feet from the shoreline at full lake elevation.
6. This permit to retain the beach does not allow the placement of additional sand.
7. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
8. Revegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall begin at a distance no greater than 5 feet landward from the beach area.
9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(a), installation of a seasonal docking structure.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2014-00864 PLYMOUTH VILLAGE WATER & SEWER
PLYMOUTH Unnamed Stream

Requested Action:

Dredge and fill a total of 346 sq. ft. (81 sf permanent & 265 sf temporary construction impacts) to the embankments and flow channel for work associated with the replacement and upgrade of an existing undersized 24 in. CMP culvert with a 6 ft. wide pipe arch culvert to carry the PVW&SD ROW access road over an intermittent stream tributary to the Baker River.

Conservation Commission/Staff Comments:

The Plymouth Conservation Commission has no objections to the proposed work provided it is done after wood turtle breeding season.

APPROVE PERMIT:

Dredge and fill a total of 346 sq. ft. (81 sf permanent & 265 sf temporary construction impacts) to the embankments and flow channel for work associated with the replacement and upgrade of an existing undersized 24 in. CMP culvert with a 6 ft. wide pipe arch culvert to carry the PVW&SD ROW access road over an intermittent stream tributary to the Baker River.

With Conditions:

1. All work shall be in accordance with plans by Wright-Pierce dated 3/14, as received by the NH Department of Environmental Services (DES) on April 14, 2014.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Work shall be done during low flow.
5. Proper headwalls shall be constructed within seven days of culvert installation.
6. Culvert outlets shall be properly rip rapped.
7. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
8. Faulty equipment shall be repaired prior to entering jurisdictional areas.
9. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
10. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(j)&(x).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**2014-00986 MOULTONBORO, TOWN OF
MOULTONBOROUGH**

Requested Action:

Dredge and fill a total of 463 sq. ft. (263 sf permanent & 200 sf temporary construction impacts) in the embankments and flow channel for work associated with the replacement of a 48-inch corrugated metal pipe (CMP) culvert with a 48-inch high density polyethylene pipe (HDPE) culvert and installation of stone aprons to carry Shaker Jerry Road over Meadow Brook.

Conservation Commission/Staff Comments:

Con. Com. has no objections to issuance of permit.
5/13/14 Per DHR, no historic properties affected.

APPROVE PERMIT:

Dredge and fill a total of 463 sq. ft. (263 sf permanent & 200 sf temporary construction impacts) in the embankments and flow channel for work associated with the replacement of a 48-inch corrugated metal pipe (CMP) culvert with a 48-inch high density polyethylene pipe (HDPE) culvert and installation of stone aprons to carry Shaker Jerry Road over Meadow Brook.

With Conditions:

1. All work shall be in accordance with plans by KV Partners Consulting Engineers dated 03-15-14, as received by the NH Department of Environmental Services (DES) on April 28, 2014.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Work shall be done during low flow.
5. Proper headwalls shall be constructed within seven days of culvert installation.
6. Culvert outlets shall be properly rip rapped.
7. Unconfined work within the brook, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
8. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
9. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
10. Temporary cofferdams shall be entirely removed immediately following construction.
11. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
12. Faulty equipment shall be repaired prior to entering jurisdictional areas.
13. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
14. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(j)&(x).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**2014-01071 ROSE LAWN PROPERTIES
DURHAM Reservoir Brook (pettee Brook)**

Requested Action:

Temporarily impact 225 sq. ft. of surface waters for the replacement of a sewer line and permanently impact a total of 188 sq. ft. of bank at four locations for the replacement of two existing pedestrian bridges.

APPROVE PERMIT:

Temporarily impact 225 sq. ft. of surface waters for the replacement of a sewer line and permanently impact a total of 188 sq. ft. of

bank at four locations for the replacement of two existing pedestrian bridges.

With Conditions:

1. All work shall be in accordance with plans by MJS Engineering, PC dated April 14, 2014, as received by the NH Department of Environmental Services (DES) on May 6, 2014.
2. The temporary impact area shall be regraded to original contours following completion of work.
3. Work within surface waters shall be done during low flow.
4. Construction within the temporary impact area shall be inspected by a qualified wetland scientist, erosion control specialist, or professional engineer to insure that appropriate protective measures are properly implemented, including those outlined in the plans and documents supporting this permit application and the conditions of this authorization.
5. A post-construction photographic report documenting status of temporary work area shall be submitted to the Wetlands Bureau within four (4) weeks of the completion of construction.
6. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require approval by the Bureau.
7. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
8. Dewatering of work areas shall be discharged to sediment basins located in uplands and lined with hay bales or other acceptable sediment trapping liners. Dewatering water shall be discharged away from water bodies, on stable surfaces, in a non erosive manner.
9. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
10. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
11. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
12. This permit is contingent on approval by the DES Alteration of Terrain Bureau.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(i) and Env-Wt 303.04(h), construction of a temporary crossing of a brook, stream, or river for the construction or maintenance of utility pipes or lines and installation of a new bridge or replacement of an existing bridge that does not meet the requirements of Env-Wt 303.05(r).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The applicant has demonstrated that the impact is necessary to install a replacement sewer line and replace two pedestrian bridges that will service a proposed multi-use redevelopment project including housing, office/retail and associated parking.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The applicant has demonstrated that the sewer line impact is temporary and will be restored to original condition upon completion of work. Further, the applicant has designed the pedestrian bridges to span the brook with minimal bank impacts.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project. The NH Natural Heritage Bureau (NHB) has record of a sensitive species present within the vicinity of the project area, but NHB does not expect impacts to the species by the proposed project.
5. The Durham Conservation Commission did not submit comments to DES on the application.

FORESTRY NOTIFICATION

2014-01724 **BRENNAN, JENNIFER/ROBERT**
TUFTONBORO Unnamed Stream

COMPLETE NOTIFICATION:
Tuftonboro, Tax Map #46, Lot #9, Block #2

2014-01730 TARBELL, ADDIE
NEW HAMPTON Unnamed Stream

COMPLETE NOTIFICATION:
New Hampton, Tax Map #R5, Lot #14

2014-01773 NH DRED
GROTON Unnamed Stream

COMPLETE NOTIFICATION:
Groton, Tax Map #5, Lot #36 & 28

2014-01831 FOOTE, GEORGE
RICHMOND Unnamed Stream

COMPLETE NOTIFICATION:
Richmond, Tax Map/Lot #412/38, 39, 40 & 413/7 & 14

2014-01832 PULSIFER, ROBERT
CAMPTON Unnamed Stream

COMPLETE NOTIFICATION:
Campton, Tax Map #14, Lot #5-1

2014-01850 CHOCORUA FORESTLANDS LLC
BATH Unnamed Stream

COMPLETE NOTIFICATION:
Bath, Tax Map #13, Lot #3 & 4

2014-01851 LEMINGTON TIMBER CO
COLUMBIA Unnamed Stream

COMPLETE NOTIFICATION:
Columbia, Tax Map #405, Lot #22

2014-01852 COOMBS, JEFFERY/SHERI
SANDWICH Unnamed Stream

COMPLETE NOTIFICATION:

Sandwich, Tax Map #R1, Lot #13, 13A, 53A

2014-01875 DAVID H/MARY F TEWKSBURY FAMILY ASSOC
WILMOT Unnamed Stream

COMPLETE NOTIFICATION:
Wilmot, Tax Map #3, Lot #44

2014-01877 NEVERS, ASHLEY
RUMNEY Unnamed Stream

COMPLETE NOTIFICATION:
Rumney, Tax Map #11-7, Lot #7

2014-01902 HILL, TOWN OF
HILL Unnamed Stream

COMPLETE NOTIFICATION:
Hill, Tax Map/Lot #R10/30 & #R11/29

2014-01903 SOCIETY FOR THE PROTECTION OF NH FORESTS
FRANKLIN Unnamed Stream

COMPLETE NOTIFICATION:
Franklin, Tax Map #3, Lot #401, 402

2014-01904 POIRIER, ARMAND
LYNDEBOROUGH Unnamed Stream

COMPLETE NOTIFICATION:
Lyndeborough, Tax Map #225, Lot #16

2014-01906 MERSFELDER REVOCABLE TRUST
TAMWORTH Unnamed Stream

COMPLETE NOTIFICATION:
Tamworth, Tax Map/Lot #410/11 & #406/55

2014-01913 MATTESON, GARY
EPSOM Unnamed Stream

COMPLETE NOTIFICATION:
Epsom, Tax Map/Lot #R2/2, 6, 14, 15, 19 & #R5/13A

2014-01917 CARDILLO, ROBERT
MARLBOROUGH Unnamed Stream

COMPLETE NOTIFICATION:
Marlborough, Tax Map #5, Lot #24 & 26

EXPEDITED MINIMUM

2014-01639 DUBLIN, TOWN OF
DUBLIN

Requested Action:

Proposal to dredge and fill 212 sq. ft. of emergent wetlands for improvements to 700 linear foot segment of Main Street.

Conservation Commission/Staff Comments:

1. The Conservation Commission signed the application waiving their right to intervene.

APPROVE PERMIT:

Dredge and fill 212 sq. ft. of emergent wetlands for improvements to 700 linear foot segment of Main Street.

With Conditions:

1. All work shall be in accordance with plans by Fay Spofford & Thorndike, LLC, plan date 02/14, as received by the NH Department of Environmental Services (DES) on June 24, 2014 and plan section and narratives received by DES on July 18, 2014.
2. The Town shall obtain temporary construction easements or written agreements from affected landowners with work in jurisdiction on their property. Copies shall be supplied to DES Wetlands Bureau File No. 2014-01639 prior to construction.
3. Work shall be done during low flow.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
6. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
8. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
9. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
10. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
12. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired

immediately.

13 kits on site and readily accessible at all times during construction and each operator shall be trained in its use.

14. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f) Projects involving alteration of less than 3,000 square feet in swamps or wet meadows that are not in prime wetlands or do not meet the requirements of Env-Wt 303.02(k), provided that no previous department permit has placed restrictions on the property of the applicant
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

GOLD DREDGE

2014-01874 LAVALLEY, BONITA
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-01879 HUMPHREY, DARBY
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc Bath Con Com

2014-01894 DORR, ROBERT
(ALL TOWNS) Unnamed Stream

TRAILS NOTIFICATION

2014-01747 SKI HEARTH FARM LLC
SUGAR HILL Unnamed Wetland

COMPLETE NOTIFICATION:
Trails: Ski Hearth Farm, Sugar Hill, Tax Map #207, Lot #10

LAKES-SEASONAL DOCK NOTIF

2014-01834 KING, CLARENCE/MARY
MARLBOROUGH Stone Pond

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

2014-01864 HOGAN, ARTHUR
WASHINGTON Highland Lake

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

2014-01867 ALEX-BARTON, DAVID/SUSAN
JAFFREY Frost Pond

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

ROADWAY MAINTENANCE NOTIF

2014-01858 STEWARTSTOWN
STEWARTSTOWN Unnamed Stream Unnamed Wetland

COMPLETE NOTIFICATION:
Replace 24" culvert and installation of headwalls.

**2014-01859 NH DEPT OF TRANSPORTATION
RANDOLPH Unnamed Stream**

COMPLETE NOTIFICATION:
Dredge outlet of culvert to original dimensions.

**2014-01871 NH DEPT OF TRANSPORTATION
CHATHAM Unnamed Stream**

COMPLETE NOTIFICATION:
Replacing a 15"x45' with an 18"x50' pipe.

**2014-01872 NH DEPARTMENT OF TRANSPORTATION DISTRICT 4
CHARLESTOWN Unnamed Stream Unnamed Wetland**

COMPLETE NOTIFICATION:
Replace 24"x55' pipe.

**2014-01873 NH DEPT OF TRANSPORTATION
GRANTHAM Unnamed Stream**

COMPLETE NOTIFICATION:
Replace 50' of 18" pipe.

PERMIT BY NOTIFICATION

**2014-01790 WHITE, B BLAIR/HOLLY
ASHLAND Little Squam Lake**

Requested Action:
Repair foundation walls under a residence on Little Squam Lake.

PBN DISQUALIFIED:
Repair foundation walls under a residence on Little Squam Lake.

With Findings:
The proposed project is not a Permit by Notification project type.

**2014-01836 RACE, JODY
NEWBURY Sunapee Lake**

Requested Action:

Repair of existing docking structures with no change in size, location or configuration.

PBN IS COMPLETE:

Repair of existing docking structures with no change in size, location or configuration.

**2014-01840 PAUGUS BAY VIEW CONDO ASSOC.
LACONIA Lake Winnepesaukee**

Requested Action:

Repair of existing docking structures with no change in size, location or configuration.

PBN IS COMPLETE:

Repair of existing docking structures with no change in size, location or configuration.

CSPA PERMIT

**2010-01130 MORIN, BOB & DEBORAH
CANAN Goose Pond**

Requested Action:

Amendment Description: Reconfigure the location and the layout of the approved structure.

APPROVE AMENDMENT:

Impact 13,980 sq ft for the reconstruction of house on existing foundation, garage and driveway.

With Conditions:

1. All work shall be in accordance with revised plans by Right Angle Engineering, PLLC dated May 20, 2014 and received by the Department of Environmental Services ("DES") on June 30, 2014. 2. No more than 19.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. The project as proposed will leave approximately 6,220 sq ft of the Natural Woodland Buffer beyond the primary building setback in an unaltered state. At least 6,210 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement or revocation action if the DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not

previously permitted or grandfathered.

**2013-02450 TWISTED PROPERTIES LLC
MANCHESTER Piscataquog River**

Requested Action:

Impact 30,692 sq. ft. in order to redevelop a site with 1 bedroom apartments.

APPROVE CSPA WAIVER:

Impact 30,692 sq. ft. in order to redevelop a site with 1 bedroom apartments.

With Conditions:

1. All work shall be in accordance with revised plans by TFM dated July 30, 2013 and received by the NH Department of Environmental Services (DES) on September 10, 2013.
2. This approval includes a waiver of RSA 483-B:9, V, b, 2(a) and, therefore, shall not be effective until it has been recorded at the appropriate county registry of deeds office by the Permittee. A copy of the recorded approval shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. No more than 62% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. The proposed stormwater management plan shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

With Findings:

1. In accordance with RSA 483-B:9, V, (i) The commissioner shall have the authority to grant waivers from the minimum standards of this section. Such authority shall be exercised if the commissioner deems that strict compliance with the minimum standards of this section will provide no material benefit to the public and have no material adverse effect on the environment or the natural resources of the state.
2. The new non-conforming structure is located within the 50 ft. primary building setback to Piscataquog River and, therefore, fails to conform to the setback restriction set forth in RSA 483-B:9, II.
3. In order to construct the proposed primary structure and meet town requirements for emergency vehicles the structure cannot meet the 50 ft. primary setback.
4. The applicant proposes to remove invasive species, re-plant and improve the waterfront buffer.
5. The project as proposed will reduce the impervious coverage from 68% to 62%.
6. The installation of a stormwater management plan will better protect the public water and therefore, is consistent with the intents of the statute.
7. The strict compliance with the minimum standards of this section will not provide material benefit to the public and will have no material adverse effect on the environment or the natural resources of the state and therefore, the requirements for a waiver to RSA 483-B:9, V, b have been met.

2013-03000 DOPSON, CHRISTINE/TIMOTHY
NORTHWOOD Northwood Lake

With Findings:
Standards for Approval

1. Pursuant to RSA 483-B:3, Consistency Required, "State and local permits shall be issued only when consistent with the policies of this chapter."
2. Pursuant to RSA 483-B:9, V,(a)(1), "The waterfront buffer shall be those protected shorelands within 50 feet of the reference line. The purpose of this buffer shall be to protect the quality of public waters while allowing homeowner discretion with regard to water access, safety, viewscape maintenance, and lot design."
3. Pursuant to RSA 483-B:9 (V)(a)(2)(C), "Subject to subparagraph (2)(C), No natural ground cover shall be removed except as necessary for a foot path to water and access ways as provided under RSA 483-B:9, V(a)(2)(D), (viii) and (ix), for normal maintenance, to protect the waterfront buffer, cutting those portions that have grown over 3 feet in height for the purpose of providing a view, to provide access to natural areas or shoreline, or as specifically approved by the department, pursuant to RSA 482-A or RSA 483-B."
4. Pursuant to RSA 483-B:9 (V)(a)(2)(D), "Subject to subparagraph (D), Starting from the northerly or easterly boundary of the property, and working along the shoreline, the waterfront buffer shall be divided into 50 by 50 foot segments. Owners of land within the waterfront buffer shall measure, calculate, and maintain the tree, sapling, shrub, and groundcover point score in each of these segments in accordance with the methods and standards described in subparagraphs (i) through (ix).
5. Pursuant to Env-Wq 1405.04, "All accessory structures built after November 26, 1996 shall be back at least 20 feet from the reference line, unless otherwise approved by the department in accordance with RSA 482-A and rules adopted pursuant thereto, Env-Wt 100-800.

Findings of Fact

1. The Applicant is the owner of a lot that is approximately 0.2 acres in size located within the protected shoreland of Northwood Lake more particularly identified as Northwood tax map 19, lot 36 (the "Property").
2. On November 4, 2013 the Department of Environmental Services recieved an application for an After-the-Fact construction for a retaining wall located within the waterfront buffer.
3. The construction of the retaining wall failed to meet the minimum standards for RSA 483-B:9, and therefore, the application is denied in accordance with RSA 483-B:3 I.

2013-03322 ANDERSON, DONALD
LEE Wheelwright Pond

Requested Action:
Amendment Description: Reconfigure the house and reduce the impervious area.

APPROVE AMENDMENT:
Impact 13,509 sq ft in order to construct a house with a deck beyond the 50 ft. primary building setback and install a driveway leading to a drive-under garage.

With Conditions:
1. All work shall be in accordance with revised plans by MJS Engineering, PC dated June 20, 2014 and received by the NH Department of Environmental Services (DES) on June 25, 2014

2. All actions associated with the replacement of the septic system are contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 26.2% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 2,366 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-01064 BROWN, ROBERT/SANDRA
NEW LONDON Messer Pond

Requested Action:

Amendment Description: Owner wishes to an additional 50 sq ft to the garage.

APPROVE AMENDMENT:

Impact 4,900 sq. ft. in order to construct a 3 bedroom home, expand garage, and remove an existing storage shed.

With Conditions:

1. All work shall be in accordance with revised plans by CLD Consulting Engineers dated June 23, 2014 and received by the NH Department of Environmental Services (DES) on June 24, 2014.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 15.7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 2,970 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-01424 MARTIN, CAROLE
WINDHAM Cobbetts Pond

Requested Action:

Impact 4,445 sq. ft. in order to replace an existing house, install a new septic system and well.

APPROVE PERMIT:

Impact 4,445 sq. ft. in order to replace an existing house, install a new septic system and well.

With Conditions:

1. All work shall be in accordance with plans by Benchmark Engineering revised June 26, 2014 and received by the NH Department of Environmental Services (DES) on July 1, 2014.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 47% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. The proposed stormwater management plan shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

**2014-01550 NH DOT/ BUREAU OF RAILS AND TRANSIT
TILTON Winnepesaukee River**

Requested Action:

Impact 20,233 sq. ft. in order to construct Phase IIA of the Winnepesaukee River Trail.

APPROVE PERMIT:

Impact 20,233 sq. ft. in order to construct Phase IIA of the Winnepesaukee River Trail.

With Conditions:

1. All work shall be in accordance with plans by Quantum Construction Consultants dated June 9, 2014 and received by the NH Department of Environmental Services (DES) on June 16, 2014.
2. No more than 7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
4. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-01600 RHODES, DAVID
NEWBURY Sunapee Lake

Requested Action:

Impact 4,015 sq. ft. in order to demolish existing primary structure and replace with a new primary structure.

APPROVE PERMIT:

Impact 4,015 sq. ft. in order to demolish existing primary structure and replace with a new primary structure.

With Conditions:

1. All work shall be in accordance with plans by R & R Realty Trust and received by the NH Department of Environmental Services (DES) on June 24, 2014.
2. No more than 48.1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 1,560 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-01606 EVANS, CHARLIE
HOOKSETT Merrimack River

Requested Action:

Impact 3,920 sq. ft. in order to construct a detached garage more than 100 feet from the reference line.

Conservation Commission/Staff Comments:

Per DHR, no historic properties affected.

APPROVE PERMIT:

Impact 3,920 sq. ft. in order to construct a detached garage more than 100 feet from the reference line.

With Conditions:

1. All work shall be in accordance with plans by BAG Land Consultants dated June 6, 2014 and received by the NH Department of Environmental Services (DES) on June 19, 2014.
2. No more than 11.2% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 7,450 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.

6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-01613 HATCH, ANDREW
WASHINGTON Millen Pond

Requested Action:

Impact 2,800 sq. ft. in order to construct a garage, add a porch to an existing structure, and install a greenhouse.

APPROVE PERMIT:

Impact 2,800 sq. ft. in order to construct a garage, add a porch to an existing structure, and install a greenhouse.

With Conditions:

1. All work shall be in accordance with plans by Mieridian Land Services, Inc. dated May 27, 2014 and received by the NH Department of Environmental Services (DES) on June 20, 2014.
2. No more than 7.6% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 9,878 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-01623 OCEAN BOULEVARD NTU LLC
HAMPTON Atlantic Ocean

Requested Action:

Impact 29,702 sq. ft. in order to construct a 13-unit condominium with pool and municipal utilities.

APPROVE PERMIT:

Impact 29,702 sq. ft. in order to construct a 13-unit condominium with pool and municipal utilities.

With Conditions:

1. All work shall be in accordance with plans by Jones & Beach Engineers, Inc. dated June 3, 2014 and received by the NH Department of Environmental Services (DES) on June 23, 2014.
2. All work within the 100 ft. tidal buffer shall receive a wetlands permit prior to the start of work per RSA 482-A.
3. No more than 73.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. The proposed stormwater management plan shall be designed, installed and maintained to effectively absorb and infiltrate

stormwater.

- 5. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
- 6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 7. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
- 8. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 10. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 11. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-01628 NASSER, JOSEPH/NANCY
WINDHAM Canobie Lake

Requested Action:

Impact 3,646 sq. ft. in order to construct a single-family home and septic system.

APPROVE PERMIT:

Impact 3,646 sq. ft. in order to construct a single-family home and septic system.

With Conditions:

- 1. All work shall be in accordance with plans by Meisner Brem Corporation dated June 17, 2014 and received by the NH Department of Environmental Services (DES) on June 23, 2014.
- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. No more than 11% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 4. At least 2,718 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

UTILITY NOTIFICATION

2014-01915 PSNH
SOMERSWORTH Unnamed Wetland

Conservation Commission/Staff Comments:
See file 14-00002 for fee amount.

COMPLETE NOTIFICATION:
Repair to pole 32/2 in a ROW behind Wal-Mart on High St.

EMERGENCY AUTHORIZATION

2014-01529 LABRIQUE, STEVEN
BRIDGEWATER Pemigewasset River

Requested Action:

Confirm Emergency Authorization issued by DES on June 30, 2014 to stabilize approximately 70 linear feet of riverbank on the Pemigewasset River. Work consisted of stabilization of the upper slope using existing onsite native wood materials, loam and seeding.

CONFIRM EMERGENCY AUTHORIZATION:

Confirm Emergency Authorization issued by DES on June 30, 2014 to stabilize approximately 70 linear feet of riverbank on the Pemigewasset River. Work consisted of stabilization of the upper slope using existing onsite native wood materials, loam and seeding.

With Conditions:

1. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
2. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(o) Projects deemed minimum impact by the department based on the degree of environmental impact;
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The work was needed immediately to protect the adjacent trail system and reduce continued erosion of the adjacent bank.
4. The work conducted was minimal and consisted of using onsite wood/tree material to stabilize the upper slope of the eroding bank.

