

Revised 1/20/15

Wetlands Bureau Decision Report

Decisions Taken
01/12/2015 to 01/18/2015

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

Any party aggrieved by a decision may file an appeal within 30 days of the date of this decision as specified in RSA 482-A:10, RSA 21-O:14, and the rules adopted by the Wetlands Council, Env-WtC 100-200.

The appeal must be filed directly with the Council, c/o the Council Appeals Clerk, who may be contacted at (603) 271-6072 or at appeals@des.nh.gov. The notice of appeal must set forth fully every ground upon which it is claimed that the decision complained of is unlawful or unreasonable. Only those grounds set forth in the notice of appeal can be considered by the council.

MAJOR IMPACT PROJECT

2013-00391 HALL, LISA/ROBERT
DOVER Bellamy River

Requested Action:

An amendment request received on December 2, 2014, requested the addition of a 8 ft. x 10 ft. float connected to the existing float, providing one slip on 127 ft. of frontage on the Bellamy River.

Inspection Date: 05/14/2013 by David A Price

APPROVE AMENDMENT:

Construct a tidal docking structure consisting of a 4 ft. x 35 ft. permanent pier to a 3 ft. x 25 ft. ramp connecting to a 8 ft. x 20 ft. float, providing one slip on 127 ft. of frontage on the Bellamy River.

With Conditions:

1. AMENDED: All work shall be in accordance with existing conditions plan by Civilworks Engineers & Surveyors dated October 11, 2012 with revisions by R.E. Hall dated November 24, 2014, as received by the Department on December 2, 2014.
2. Construction of the dock shall occur from a barge and crane to reduce impacts to the saltmarsh.
3. The existing wooden structure shall be removed from the saltmarsh prior to construction of the dock.
4. The decking of the dock shall have a minimum of 4 ft. clearance from the surface of the tidal marsh and shall have 3/4-inch spacing between the decking planks.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain in until the area is stabilized.
6. Any future work in jurisdiction as specified in RSA 482-A on this property will require a new application and approval by the Department of Environmental Services ("DES") Wetlands Bureau.
7. This permit shall not be effective until recorded at the Strafford County Registry of Deeds Office by the permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau prior to construction.
8. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
9. AMENDED: Construction of this tidal docking structure consisting of a 4 ft. x 35 ft. permanent pier to a 3 ft. x 25 ft. ramp connecting to a 8 ft. x 20 ft. float, providing one slip on 127 ft. of frontage on the Bellamy River shall be the only dock structure on this water frontage.
10. Work shall be done during low tide.
11. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
12. Work shall be conducted in a manner that avoids excessive discharges of sediments to fish spawning areas.
13. The float shall be constructed with skids to prevent it from resting directly on the mudflat at low tide.

With Findings:

DES reaffirms finding no.'s 1 - 8:

1. This is a major impact project per Administrative Rule Wt 303.02(a), projects in sand dunes, tidal wetlands, or bogs, except for the repair of existing structures pursuant to Wt 303.04(v).
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01. The docking structure will provide access to the water.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas

- and environments under the department's jurisdiction per Wt 302.03. The decking of the dock will have a minimum of a 1:1 ratio of deck height to width as appropriate, and will have 3/4-inch spacing between the decking planks. Further, the applicant will be utilizing a barge and crane to complete construction of the dock from the water to minimize impacts to the wetland resource.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a) and (c), Requirements for Application Evaluation, has been considered in the design of the project. NH Natural Heritage Bureau (NHB) has record of a sensitive species within the vicinity of the project, but NHB does not expect impacts to the species by the project. This project has been reviewed by the Pease Development Authority Division of Ports and Harbors which determined that the project would have no negative effect on navigation, per letter dated February 26, 2013.
 5. This dock is consistent with other tidal dock approvals in the seacoast.
 6. DES staff field inspection on 5/14/2013 found that the site is accurately represented in the application.
 7. The Dover Conservation Commission endorsed the application.
 8. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the estuarine resource, as identified under RSA 482-A:1.

-Send to Governor and Executive Council-

2014-01521 LEBANON, CITY OF
LEBANON Unnamed Wetland

Requested Action:

Remove tree obstructions permanently converting 6.49 acres of forested wetlands to scrub-shrub and emergent wetlands, relocate a portion of the perimeter safety fence, add a control structure at the inlet of a 36 in. culvert, install two hazard beacons and construct an access road impacting 300,182 sq. ft. (282,704 sq. ft. temporary) of palustrine wetlands.

Compensatory mitigation for US Army Corps of Engineers consists of the purchase a 34 acre parcel for conservation to be owned in fee by the Upper Valley Land Trust and a one-time payment of \$130,091.00 into the Aquatic Resource Mitigation Fund ("ARM").

Conservation Commission/Staff Comments:

on July 18, 2014 recived a report from Lebanon Conservation Commission expressing extreme reservations regarding the application and concerns that the overflow structure will be adequate to prevent erosion from tree removal and stump grinding; the airport should not be allowed to disrupt a wetland that mitigated another project and that 33acres of wildlife habitat will be destroyed

Inspection Date: 09/04/2014 by Gino E Infascelli

APPROVE PERMIT:

Remove tree obstructions permanently converting 6.49 acres of forested wetlands to scrub-shrub and emergent wetlands, relocate a portion of the perimeter safety fence, add a control structure at the inlet of a 36 in. culvert, install two hazard beacons and construct an access road impacting 300,182 sq. ft. (282,704 sq. ft. temporary) of palustrine wetlands.

Compensatory mitigation for US Army Corps of Engineers ("ACOE")consists of the purchase a 34 acre parcel for conservation to be owned in fee by the Upper Valley Land Trust and a one-time payment of \$130,091.00 into the Aquatic Resource Mitigation Fund ("ARM").

With Conditions:

1. All work shall be in accordance with the Wetland Impact plans prepared by McFarland Johnson, dated May, 2014 as listed:
 - a. Wetland Impact Plans 3 and 4 as received by the Department on June 12, 2014;
 - b. Wetland Impact Plans 1 and 2, revised 11/05/14 as received by the Department on Nov. 13, 2014; and

- c. Utility Easement Hazard Beacon Layout Plan by Hoyle Tanner & Assoc. revised 10-3-14 as received by the Department on Jan. 7, 2015 all as conditioned below.
2. All work shall be during dry or frozen conditions.
3. There shall be no earth disturbance in wetland conversion (tree clearing) areas.
4. Wetlands shall be re-flagged or otherwise located on the ground prior to each phase of construction.
5. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.
6. Construction equipment shall not be located within surface waters.
7. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
8. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
9. Within three days of the last activity in an area, all exposed soil areas, where construction activities are complete, shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack on slopes steeper than 3:1 or netting /matting and pinning on slopes steeper than 2:1.
10. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching or if temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching, mulching with tack on slopes steeper than 3:1 and stabilized by matting and pinning on slopes steeper than 2:1.
11. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
12. All areas cleared of vegetation to be revegetated as quickly as possible.
13. Wetland areas having a needle-leaved evergreen overstory and / or very little understory shall have special attention regarding erosion and sediment controls including but not limited to mulching heavily after tree removal and the utilization of an appropriate wetland seed mix having native species that will benefit wildlife as determined by a qualified wetland scientist.
14. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
15. Extraordinary precautions, such as cleaning equipment of all dirt and vegetative debris before it enters the site, shall be taken to prevent import or transport of seed stock from nuisance and invasive species such as purple loosestrife (*Lythrum salicaria*) and common reed (*Phragmites australis*).
- 16.. At least 48 hours prior to the start of construction, a pre-construction meeting shall be held with NHDES Land Resources Management Program staff at the project site or at the NHDES Office in Concord, N.H. to review the conditions of this wetlands permit.
17. It shall be the responsibility of the permittee to schedule and coordinate the pre-construction meeting providing at least 5-day notice to the NHDES Wetlands Bureau and / or other Land Resources Management Program staff, and the meeting shall be attended by the permittee, the contract administrator(s), wetlands scientist(s), erosion control monitor, and the contractor(s) responsible for performing the work.
18. Grinding of stumps in wetland areas shall not be below ground level.
19. Construction of the roadway providing access to the beacons shall not alter the hydrology of the remaining wetlands.
20. The applicant shall identify the location of invasive plant species prior to construction and implement a plan to prevent the transport, propagation and transplanted of any viable portion.
21. Prior to construction the purchase of the 34 acre parcel and deed transfer to the Uppler Valley Land Trust shall be completed.
22. The deed for the conservation parcel shall include conservation restrictions to be recorded at the Registry of Deeds with a copy submitted to the file.
- 23 This approval is contingent on receipt by DES of a one-time payment of \$130,091.00 to the DES Aquatic Resource Mitigation ("ARM") Fund. The payment shall be received by DES within 120 days of the date of the approval letter.

With Findings:

1. This is a Major Impact Project per NH Code of Administrative Rules Env-Wt 303.02(c), projects that involve alteration of nontidal wetlands, nontidal surface waters, and banks adjacent to nontidal surface waters in excess of 20,000 square feet.
2. On June 12, 2014 the NH Department of Environmental Services (DES) received an application to: Remove tree obstructions permanently converting 6.49 acres of forested wetlands to scrub-shrub and emergent wetlands, relocate a portion of the perimeter

- safety fence, add a control structure at the inlet of a 36 in. culvert, install two hazard beacons and construct an access road impacting 299,417 sq. ft. (282,758 sq. ft. temporary) of palustrine wetlands.
- The proposed mitigation is to preserve a 34 acre parcel. Permanent impacts from dredging or filling proposed are 16,659 sq. ft.
3. On July 9, 2014 the DES received an update regarding the proposed mitigation parcel.
 4. On July 17, 2014 a NH Programmatic General Permit Project Review sheet was provided to the file by Mark Kern of the US Environmental Protection Agency (EPA) indicating the need for more details regarding the proposed mitigation parcel.
 5. On July 18, 2014 the DES received a report from the Lebanon Conservation Commission expressing extreme reservations regarding the application and concerns that the overflow structure will be adequate to prevent erosion from tree removal and stump grinding; the airport should not be allowed to disrupt a wetland that mitigated another project and that 33 acres of wildlife habitat will be destroyed.
 6. On Aug. 12, 2014 the DES received a letter from the Lebanon Airport responding to the concerns stated in the letter from the Conservation Commission. The response letter notes the design to minimize project impacts includes the overflow structure in order to anticipate any increase in flow that may occur from the cover type change and that a DES Alteration of Terrain Permit has been issued. In response to concerns regarding impacts to an area having a deed restriction the letter points out the activity is allowed according to the deed.
 7. On Sept. 2, 2014, the DES received a Draft Environmental Assessment for the Obstruction Removal Project at the Lebanon Airport.
 8. Inspection of the project on Sept. 4, 2014 determined the fill for access to the proposed hazard beacon requires an additional culvert and will have a permanent impact to the wetlands located approximately 1,100 feet from Poverty Lane although the legend on the plan submitted with the application indicated this area as a temporary impact. It was determined that the design for the most easterly detention basin expansion will not impact streams or wetlands more than the existing basin. A concern was noted regarding soil stabilization due to the lack of understory vegetation in some areas and the need for controlling invasive species found on the property.
 9. On Sept. 4, 2014, the DES received more details regarding the area of detention basins and additional mapping of the parcel being considered for mitigation.
 10. On Sept. 12, 2014, the DES received a Mitigation Proposal to preserve a 34 acre parcel along with a Baseline Documentation Report intended to meet the requirements with rules Env-Wt 501.02 and part Env-Wt 804.
 11. On Sept. 17, 2014, the DES received a figure showing the wetlands in the surrounding area of the Mitigation Parcel as depicted in a Lebanon GIS layer.
 12. On Sept. 29, 2014 the DES receive a letter from the Mayor of Lebanon on behalf of the City Council in support of the Mitigation Proposal.
 13. On Oct. 2, the DES was informed the Mitigation Proposal was being amended to include an in-lieu fee payment as recommended by EPA.
 14. On Oct. 13, the DES received a copy of the Oct. 7, 2014 letter from the EPA to the US Army Corps of Engineers explaining the reasons why protection of the Mitigation Parcel by itself did not satisfy the mitigation requirements and supports a payment to the NH In-Lieu Fee program for the remaining 50%.
 15. On Oct. 15, 2014 at the monthly Natural Resource Agency meeting held at the NH Dept. of Transportation, the applicant presented a modified mitigation proposal in accordance with the recommendations suggested by the EPA.
 16. On Nov. 13, 2014, the DES received a letter from the Lebanon City Manager noting that since the application was submitted, the design has advanced and revisions to the plans will have a slight increase in permanent impacts to 17,478 sq. ft. The letter also to formalize changes to the mitigation discussed on Oct. 15 for inclusion of the purchase and preservation of the 34 acre parcel #26-7 and an in lieu fee payment of \$130,091.
 17. On Nov. 17, 2014, the DES received a Final Environmental Assessment for the Obstruction Removal Project at the Lebanon Airport (document on a CD).
 18. On Jan. 7, 2015, the DES received a memo noting the attached Hazard Beacon road plan (GE1.1) is amended to include a second culvert and both culverts sizes are 12 in. x 20 ft.
 19. According to Rule Env-Wt 302.04(a), the applicant shall demonstrate by plan and example that many factors were considered in the project's design in assessing the impacts to areas and environments under the department's jurisdiction including, but not limited to, plants, fish and wildlife.
 20. The purpose and need for the project has been documented, by the applicant, in the Application, the Final Environmental Assessment and other materials contained in the file as required per Rule Env-Wt 302.01
 21. The application included appropriate responses to rules Env-Wt 302.04(a) (1-20), Requirements for Application Evaluation

including:

- a. The need of the project is for public safety;
- b. The type and classification of the wetlands to be impacted are mostly forested wetlands;
- c. Although there was a NH Natural Heritage Bureau record, they do not expect that it will be impacted by the project and
- d. The project will impact the wetland areas as the clearing will change the wetland type and re-vegetation will provide habitat for other wildlife species.

22. Coordination of the project was through the Natural Resource Agency meetings held at the NH Dept. of Transportation on June 19, 2013, Aug. 20, 2014 and Oct. 19, 2014.

23. The application received on June 12, 2014 included the proposal to mitigate the project's impacts by conserving a 34 acre parcel. After considering written comments noting the parcel was not under development pressure due to steep slopes and consulting with the Natural Resource Agencies, it was determined that protection of the parcel would meet 50% of mitigation and an in-lieu fee payment to the ARM Fund would provide for the remaining 50% of the mitigation amount.

24. The ACOE is requiring compensatory mitigation for a portion of the temporary wetland impacts and for conversion of forested wetlands on the property.

25. The compensatory mitigation for the ACOE consists of a one-time payment into the department's ARM Fund of \$130,091.00.

26. The Department decision is issued in letter form and upon receipt of the ARM Fund payment, the Department shall issue a posting permit in accordance with Env-Wt 803.08(f).

27. The payment into the ARM Fund shall be deposited in the DES fund for the Lower Connecticut River watershed per RSA 482-A:29.

2014-02757 DUMMER, TOWN OF
DUMMER Ammonoosuc River

Requested Action:

Dredge and fill 3,010 square feet of the bed and banks of the Upper Ammonoosuc River, a perennial stream, to replace an existing 65' steel beam bridge with an 80' single span steel girder bridge. Work in jurisdiction includes 2,048 square feet of temporary impacts.

APPROVE PERMIT:

Dredge and fill 3,010 square feet of the bed and banks of the Upper Ammonoosuc River, a perennial stream, to replace an existing 65' steel beam bridge with an 80' single span steel girder bridge. Work in jurisdiction includes 2,048 square feet of temporary impacts.

With Conditions:

- 1. All work shall be in accordance with plans by Quantum Construction Consultants, LLC. entitled Town of Dummer, NH: Old Route 110 Over Upper Ammonoosuc River (Sheets WIP and WIP2) as received by the Department on December 12, 2014.
- 2. The Town of Dummer shall obtain easements from any affected landowners and shall supply copies of the easements to DES Wetlands File No. 2014-02757 prior to construction.
- 3. A qualified professional shall monitor the project during construction to assure it is constructed in accordance with the approved plans and narratives and to assure no water quality violations occur.
- 4. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized.
- 5. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
- 6. Extreme precautions shall be taken within riparian areas to limit unnecessary removal of vegetation during construction.
- 7. The permittee shall use best management practice to minimize the likelihood of introducing invasive plants, weedy species such as purple loosestrife (*Lythrum salicaria*) and common reed (*Phragmites australis*), into new areas.
- 8. No equipment shall enter the water.
- 9. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the

substructure work area from the surface waters.

10. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
11. Work within the stream, inclusive of work associated with installation of a cofferdam, shall be done during periods of low flow. High flows can be caused by seasonal runoff or precipitation; the permittee shall monitor local forecasts to review weather conditions.
12. No work within the confined area shall proceed until the cofferdam is fully effective, and water flow is controlled.
13. Temporary cofferdams shall be entirely removed immediately following construction.
14. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
15. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired prior to entering jurisdictional areas.
16. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
17. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
18. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
19. Areas of temporary impact shall be restored to original conditions following the completion of work.
20. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
21. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
22. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
23. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
24. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.
25. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

1. This is a major project per NH Administrative Rule Env-Wt 303.02 (p) Any project that includes a new or replacement stream crossing which meets the criteria for a tier 3 stream crossing as specified in Env-Wt 904.04(a).
2. The need for the proposed impacts has been demonstrated by the applicant per Rule Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Rule Env-Wt 302.04 Requirements for Application Evaluation, has been considered in the design of the project.
5. The existing bridge is on the NHDOT Red List of Bridges.
6. The design meets the criteria for a Tier 3 Stream crossing (Env-Wt 904.05) to the extent practicable.
7. The proximity of the railroad inhibits the ability to lengthen the span or raise the bridge to increase capacity. The proposed roadway will be raised 0.9 feet on the east side but can not vary from the existing profile on the west side as it needs to maintain the railroad crossing just west of the bridge.
8. The proposed bridge will have a larger hydraulic capacity and natural stream bottom.
9. The proposed bridge will increase the existing span from 62 feet to 78 feet and maintain a natural stream bottom.
10. A survey for vernal pools found no potential vernal pools within 200 feet of the bridge.
11. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program or the Natural Heritage Bureau.
12. The Conservation Commission signed the application waiving their right to intervene pursuant to RSA 482-A:11.

13. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the riverine resources, as identified under RSA 482-A:1.

2014-03094 STOLZER, MARTHA
PORTSMOUTH Piscataqua River

Requested Action:

Proposal to construct a tidal docking structure consisting of a 4 ft. x 10 ft. permanent pier connecting to a 3 ft. x 34 ft. ramp connecting to a 8 ft. x 24 ft. float, overall length of 63 ft., providing two slips on 118 ft. of frontage on the Piscataqua River.

Conservation Commission/Staff Comments:

11/06/14 Per DHR No historic properties affected.

APPROVE PERMIT:

Construct a tidal docking structure consisting of a 4 ft. x 10 ft. permanent pier connecting to a 3 ft. x 34 ft. ramp connecting to a 8 ft. x 24 ft. float, overall length of 63 ft., providing two slips on 118 ft. of frontage on the Piscataqua River.

With Conditions:

1. All work shall be in accordance with revised plans by Eco-Analysts, Inc. dated December 15, 2014, as received by the by the NH Department of Environmental Services (DES) on December 22, 2014 and float plan dated January 7, 2015 as received by the DES on January 7, 2015.
2. A qualified professional shall coordinate with the contractor doing the work to avoid the protected plant species on the property as identified in the Protected Species Report by Sandpiper Environmental Services, LLC dated July 2014.
3. The proposed path shall be in accordance with RSA 483-B, the Shoreland Water Quality Protection Act, and only involve removal of vegetation.
4. The float shall be constructed with float stops to prevent it from resting on the mud at low tide.
5. Any future work in jurisdiction as specified in RSA 482-A on this property will require a new application and approval by the Department of Environmental Services ("DES") Wetlands Bureau.
6. This permit shall not be effective until recorded at the Rockingham County Registry of Deeds Office by the permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau prior to construction.
7. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain in until the area is stabilized.
8. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
9. Construction of this tidal docking structure consisting of a 4 ft. x 10 ft. permanent pier connecting to a 3 ft. x 34 ft. ramp connecting to a 8 ft. x 24 ft. float, overall length of 63 ft., providing two slips on 118 ft. of frontage on the Piscataqua River shall be the only dock structure on this water frontage.
10. Work shall be done during low tide.
11. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
12. Work shall be conducted in a manner that avoids excessive discharges of sediments to fish spawning areas.
13. Construction of the new dock shall occur from a barge and crane to reduce impacts to the saltmarsh.
14. The decking of the dock shall have a minimum of 4 ft. clearance from the surface of the tidal marsh and shall have 3/4-inch spacing between the decking planks.

With Findings:

1. This is a major impact project per Administrative Rule Wt 303.02(a), projects in sand dunes, tidal wetlands, or bogs, except for the repair of existing structures pursuant to Wt 303.04(v).
2. The need for the proposed impacts has been demonstrated by the applicant per Wt 302.01. There is currently no docking structure on the property to provide access to the water.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Wt 302.03. The decking of the dock will have a minimum of a 1:1 ratio of deck height to width as appropriate, and will have 3/4-inch spacing between the decking planks. Further, the applicant will be utilizing a barge and crane to complete construction of the dock from the water to minimize impacts to the wetland resource.
4. The applicant has demonstrated by plan and example that each factor listed in Wt 302.04(a) and (c), Requirements for Application Evaluation, has been considered in the design of the project.
5. NH Natural Heritage Bureau (NHB) has record of sensitive species within the vicinity of the project. The applicant coordinated with NHB and permit is conditioned to avoid impacts to the protected species.
6. This project has been reviewed by the Pease Development Authority Division of Ports and Harbors which determined that the project would have no negative effect on navigation in the channel, per letter dated December 18, 2014.
5. This dock is consistent with other tidal dock approvals in the seacoast.
6. DES staff field inspection on January 13, 2015 found that the site is accurately represented in the application.
7. The Portsmouth Conservation Commission recommends approval of project.
8. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the estuarine resource, as identified under RSA 482-A:1.

-Send to Governor and Executive Council-

MINOR IMPACT PROJECT

2013-02246 O'NEIL, JOHN
AUBURN Massabesic Lake

Requested Action:

Amend permit to allow for additional dock length and correct boat ramp dimensions.

APPROVE AMENDMENT:

Amend permit to read: Remove an existing 6 ft. x 30 ft. seasonal pier and install a 10 ft. x 61 ft. seasonal pier accessed by a 5 ft. x 15.5 ft. walkway adjacent to the existing 10 ft. x 44 ft. public boat ramp on Lake Massabesic in Auburn.

With Conditions:

1. The structures shall be maintained as depicted on the as-built plans by City of Manchester Waterworks dated May 14, 2014, as received by the NH Department of Environmental Services (DES) on May 29, 2014.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. This shall be the only structure on this water frontage and all portions of the docking structure shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
4. The seasonal pier shall be removed from the lake for the non-boating season.
5. No portion of the pier shall extend more than 76 feet from the shoreline at full lake elevation.
6. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for

obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.04(d), installation of a 4 slip seasonal pier.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. The proposed pier is designed to provide safe access for high school crew teams. Rule Env-Wt 402.03, Dimensions, as it pertains to width of piers is waived to allow the 10 ft. pier width on the grounds that the pier will provide public benefit and the additional width will facilitate safer access for competitors.

2014-01522 GEORGE DAVID FLANDERS LIVING TRUST
LACONIA Lake Winnepesaukee

Requested Action:

Re-configure an existing concrete pad constructed over public waters from which extends a 4 ft. x 33 ft. seasonal dock, retain a seasonal personal watercraft lift, and add pervious pavers landward of the reference line on an average of 60 feet of shoreline frontage along Lake Winnepesaukee, in Laconia.

APPROVE PERMIT:

Re-configure an existing concrete pad constructed over public waters from which extends a 4 ft. x 33 ft. seasonal dock, retain a seasonal personal watercraft lift, and add pervious pavers landward of the reference line on an average of 60 feet of shoreline frontage along Lake Winnepesaukee, in Laconia.

With Conditions:

1. All work shall be in accordance with plans by David Farley revision dated October 3, 2014, as received by the NH Department of Environmental Services (DES) on November 11, 2014.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. All seasonal structures shall be removed from the lake for the non-boating season.
4. No portion of the pier shall extend more than 33 ft. from the concrete deck at full lake elevation.
5. All impacts landward of the reference line shall be pervious, no impervious surface shall be constructed.
6. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain in place until suspended particles have settled and the water at the work site has returned to normal clarity.
8. No concrete shall be placed within or below elevation 504.32. Filter fabric shall be placed above elevation 504.32 prior to pouring the concrete pad.
9. Photographs documenting all phases of the construction to include crib works and pervious patio construction shall be submitted to the Department within 30 days of completion of the project.
10. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), modification of a docking system that exceeds the

criteria for minimum impact docking structures.

2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. DES Staff conducted a field inspection of the proposed project on August 14, 2014. Field inspection verified existing conditions.
6. The applicant has an average of 60 feet of shoreline frontage along Lake Winnepesaukee.
7. A maximum of 2 slips may be permitted on this frontage per Rule Env-Wt 402.12, Frontage Under 75'.
8. The proposed docking facility will provide 2 slips as defined per RSA 482-A:2, VIII.

2014-02603 CROCKETTS CROSSING LIMITED PARTNERSHIP
SOMERSWORTH Unnamed Stream

Requested Action:

Deny permit request to fill approximately 11,000 sq. ft. of wetland for installation of a solar array.

Conservation Commission/Staff Comments:

9/30/14 Per DHR, no historic properties affected.

DENY PERMIT-INSUFFICIENT & UNTIMELY RESP:

Deny permit request to fill approximately 11,000 sq. ft. of wetland for installation of a solar array.

With Findings:

1. A request for additional information dated November 10, 2014, addressed to the applicant or agent of record, clearly identified the requirement that the applicant submit additional information to DES within 60 days of the request. 2. Pursuant to RSA 482-A:3, XIV(a) (2), if the requested additional information is not received by DES within 60 days of the request, DES shall deny the application.
3. DES did not receive the requested additional information within 60 days and therefore the application has been denied.

2014-03142 OYSTER RIVER COOPERATIVE SCHOOL DISTRICT
DURHAM Oyster River

Requested Action:

Proposal to fill a total of 6,860 sq. ft. of wetland in three locations for the expansion of an existing athletic field and construction of a running track.

Conservation Commission/Staff Comments:

11/06/14 Per DHR No historic properties affected.

APPROVE PERMIT:

Fill a total of 6,860 sq. ft. of wetland in three locations for the expansion of an existing athletic field and construction of a running track.

With Conditions:

1. All work shall be in accordance with plans by Tighe & Bond Inc., dated October 6, 2014, as received by the NH Department of

Environmental Services (DES) on November 5, 2014.

2. This permit is contingent on approval by the DES Alteration of Terrain Bureau.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
5. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
6. Any dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
8. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 8 days by seeding and mulching.
9. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
10. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired immediately.
12. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
13. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h), projects involving less than 20,000 square feet of alteration in the aggregate in nontidal wetlands.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. Oyster River High School does not currently have a running track. The applicant has demonstrated that wetland impact is necessary to construct the track.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has provided documentation that wetland impacts were minimized by designing a running track configuration that reduced the length by 18 ft. from the original proposal.
5. The applicant has designed this project to avoid impacts to high quality wetland systems and impacts only edges of wetland systems and small isolated wetlands.
6. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
7. The Natural Heritage Bureau ("NHB") has record of sensitive species within the project vicinity, but NHB does not expect impacts to the species by the proposed project.
8. The Durham Conservation Commission did not submit comments on the application.

MINIMUM IMPACT PROJECT

2014-02540 CORDWELL, EUGENE/SARA
STARK Upper Ammonoosuc River

Requested Action:

Install a log ladder and anchor pad to provide canoe access in a previously disturbed section of the bank of the Upper Ammonoosuc

River, in Stark.

Conservation Commission/Staff Comments:

Per DHR, no potential to cause effects.

APPROVE PERMIT:

Install a log ladder and anchor pad to provide canoe access in a previously disturbed section of the bank of the Upper Ammonoosuc River, in Stark.

With Conditions:

1. All work shall be in accordance with plans, as received by the NH Department of Environmental Services (DES) on January 12, 2015..
2. This permit does not allow dredging for any purpose.
3. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
5. Work shall be done during periods of low water flow.
6. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04 (o) Projects deemed minimum impact by the department based on the degree of environmental impact.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The proposed impact will stabilize an area already impacted by recreational canoe activity.

2014-02853 SKENDERIAN, GLORIA
MONT VERNON Unnamed Wetland

Requested Action:

Conduct a maintenance dredge on an existing pond and construct a temporary entrance to the work site. Maintenance dredge impacts to the existing pond is 9,702 sq. ft. Temporary access impact to work area is 847 sq. ft. and involves the construction of a temporary access road with a 15" diameter culvert to maintain surface drainage at the wetlands crossing for the duration of the project. After the project is completed, the culvert and temporary crossing will be removed and the area of impact will be restored to preconstruction condition.

APPROVE PERMIT:

Conduct a maintenance dredge on an existing pond and construct a temporary entrance to the work site. Maintenance dredge impacts to the existing pond is 9,702 sq. ft. Temporary access impact to work area is 847 sq. ft. and involves the construction of a temporary access road with a 15" diameter culvert to maintain surface drainage at the wetlands crossing for the duration of the project. After the project is completed, the culvert and temporary crossing will be removed and the area of impact will be restored to preconstruction condition.

With Conditions:

1. All work shall be in accordance with plans by TF Moran, Inc. dated September 11, 2014, as received by the NH Department of Environmental Services (DES) on October 09, 2014.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
4. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Work shall be done during low flow.
6. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
7. Faulty equipment shall be repaired prior to entering jurisdictional areas.
8. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
9. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(k), maintenance dredging of man-made ponds.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2014-02957 **CICCARELLI, DENIS**
OSSIPEE Unnamed Wetland

Requested Action:

Proposal to dredge and fill a total of 11,950 sq. ft. of wetland to construct a pond. Retain a total of 290 sq. ft. of fill in wetlands in two locations for construction of a roadway to access uplands. Restore a total of 420 sq. ft. wetlands in two locations.

APPROVE PERMIT:

Dredge and fill a total of 11,950 sq. ft. of wetland to construct a pond. Retain a total of 290 sq. ft. of fill in wetlands in two locations for construction of a roadway to access uplands. Restore a total of 420 sq. ft. wetlands in two locations.

With Conditions:

1. All work shall be in accordance with revised plans by Raymond Lobdell dated December 30, 2014, as received by the NH Department of Environmental Services (DES) on January 6, 2014.
2. This permit is contingent upon restoration of a total of 420 sq. ft. of unauthorized wetland fill.
3. A New Hampshire Certified Wetland Scientist ("Project Manager") shall be on site to monitor/direct the wetland restoration work during construction to assure it is constructed in accordance with the approved plans and narratives.
4. A post-construction report prepared by the Project Manager documenting the status of the wetland restoration work shall be submitted to the NHDES Wetlands Bureau within 60 days following the completion of construction (or suspension of work).
5. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.
6. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
7. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
8. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons,

and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.

9. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.

10. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

11. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

12. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.

13. Work shall be done during low flow.

14. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.

15. Faulty equipment shall be repaired prior to entering jurisdictional areas.

16. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.

17. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(p) and Env-Wt 303.04(f), construction of a pond with less than 20,000 sq. ft. of wetlands impact and alteration of less than 3,000 square feet in swamps and wet meadows.

2. In accordance with Administrative Rule Env-Wt 302.03, the applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the Department's jurisdiction. The applicant has minimized impacts by constructing large portions of the pond in uplands. Further, the applicant is restoring unauthorized wetland impacts at the site.

3. In accordance with Administrative Rule Env-Wt 303.04(p)(2) and Administrative Rule Env-Wt 303.04(p)(3), the applicant has demonstrated that there are no streams into or out of the proposed pond site and the project is not located in or adjacent to prime wetlands.

4. Natural Heritage Bureau has no record of sensitive species within the project vicinity.

5. The Ossipee Conservation Commission signed the DES application.

**2014-03174 CHASE, KATHLEEN/STEVEN
CHICHESTER Unnamed Wetland**

Requested Action:

Dredge and fill 1,656 square feet of wetlands to install a 24" x 37' long culvert for construction of a driveway crossing on a single lot.

APPROVE PERMIT:

Dredge and fill 1,656 square feet of wetlands to install a 24" x 37' long culvert for construction of a driveway crossing on a single lot.

With Conditions:

1. All work shall be in accordance with plans by Blaisdell Survey LLC dated 10/08/2014, as received by the NH Department of Environmental Services (DES) on 11/10/2014.

2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.

3. This permit is contingent on approval by the DES Subsurface Systems Bureau.

4. Prior to the commencement of work on site, workers shall be educated to recognize and be watchful for Blandings turtles, particularly throughout the months of May and June, and shall contact either Mike Marchand or Kim Tuttle at NH Fish and Game Department to report any turtle or turtle egg sightings within in the work area or elsewhere on site.
5. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f), projects involving alteration of less than 3,000 square feet of swamps or wet meadows.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. It is necessary to cross the wetland at some point to access the back portion of the property.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The crossing is located at the narrowest point of the wetland.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project. NH Fish & Game has provided comments with respect to the possible presence of Blanding's turtles on the site, stating that impacts to the species were not expected as a result of the project. The permit has been conditioned to further ensure protection of any turtles that may be encountered during site work.

**2014-03256 PINKERTON HILLS DEVELOPMENT CORP
LONDONDERRY**

Requested Action:

Dredge and fill a total of 1,096 sq. ft. in palustrine forested wetlands to construct a driveway/culvert crossing to access one lot of a proposed 6-lot residential subdivision and install two rip-rap aprons associated with existing drainage structures.

APPROVE PERMIT:

Dredge and fill a total of 1,096 sq. ft. in palustrine forested wetlands to construct a driveway/culvert crossing to access one lot of a proposed 6-lot residential subdivision and install two rip-rap aprons associated with existing drainage structures.

With Conditions:

1. All work shall be in accordance with plans by Keach - Nordstrom Associates, Inc. dated June 2 & June 13, 2014, as received by the NH Department of Environmental Services (DES) on November 17, 2014.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. This permit shall not be effective until it has been recorded with the Rockingham County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
4. There shall be no further alteration of wetlands for lot development, driveways, culverts, for septic setback or other construction activities.
5. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Proper headwalls shall be constructed within seven days of culvert installation.
7. Culvert outlets shall be properly rip rapped.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2014-03541 PILLAI, MAHESWARAN
MANCHESTER Merrimack River

Requested Action:

Install a 6 ft. x 40 ft. seasonal wharf parallel to the shoreline accessed by a 3 ft. x 15 ft. gangway held by a concrete anchor pad and two concrete anchor points on an average of 383 ft. of frontage along the Merrimack River, in Manchester.

Conservation Commission/Staff Comments:

12-24-14 No historic properties affected per DHR.

APPROVE PERMIT:

Install a 6 ft. x 40 ft. seasonal wharf parallel to the shoreline accessed by a 3 ft. x 15 ft. gangway held by a concrete anchor pad and two concrete anchor points on an average of 383 ft. of frontage along the Merrimack River, in Manchester.

With Conditions:

1. All work shall be in accordance with plans by Aspen Environmental Consultants, LLC last revised December 16, 2014, as received by the NH Department of Environmental Services (DES) on December 23, 2014.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. This permit does not relieve the Applicant from obtaining any further approval from Public Service of New Hampshire as may be required.
4. This shall be the only docking structure on this water frontage and all portions of the structure shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
5. The seasonal pier shall be removed from the waterbody for the non-boating season.
6. No portion of the pier shall extend more than 20 ft. from the shoreline.
7. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(a), installation of a single-slip seasonal docking structure.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The Applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the Department's jurisdiction per Env-Wt 302.03.
4. The Applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. The Applicant has an average of 383 feet of shoreline frontage along the Merrimack River.
6. A maximum of 6 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
7. The proposed docking facility will provide 1 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.
8. The Applicant has received the required waiver from Public Service of New Hampshire's Shoreland Management Plan for this

reach of the Merrimack River.

FORESTRY NOTIFICATION

2015-00030 BYRNE, SANDRA
BROOKFIELD Unnamed Stream

Requested Action:
Brookfield, Tax Maps 4 & 21, Lots 8 & 7

2015-00031 DIJA REVOCABLE TRUST
WAKEFIELD Unnamed Stream

Requested Action:
Wakefield, Tax Map 44 Lots 11 & 12

2015-00063 WOLFE, STEPHANIE/TIMOTHY
WASHINGTON Unnamed Stream

COMPLETE NOTIFICATION:
Washington, Tax Map #4, Lot #3

2015-00064 SOBETZER, JAY/KATHRYN
RUMNEY Unnamed Stream

Requested Action:
Rumney, Tax Map & Lot: 10-2-10

2015-00065 SOBETZER, JAY/KATHRYN
CAMPTON Unnamed Stream

Requested Action:
Campton, Tax Map/Lot: 13-1-4

2015-00066 PEREIRA, JOHN
HENNIKER Unnamed Stream

COMPLETE NOTIFICATION:

Henniker, Tax Map #7, Lots #560 & 560A

2015-00070 **POPE, HEIDI**
WEARE Unnamed Stream

COMPLETE NOTIFICATION:
Weare, Tax Map #407, Lot #20

2015-00072 **MORAN, THOMAS**
MASON Unnamed Stream

Requested Action:
Mason, Tax Map F, Lot #'s: 24,25,26

2015-00074 **MCDONALD, CHERYL**
WASHINGTON Unnamed Stream

Requested Action:
Washington, Tax Map 3, Lot 1

2015-00075 **JOHNSON, JEANNE**
EPSOM Unnamed Stream

Requested Action:
Epsom, Tax Map R15, Lot 20

2015-00077 **NEW PAGE CORPORATION**
SHELBURNE Unnamed Stream

COMPLETE NOTIFICATION:
Shelburne, Tax Map #05, Lot #06

2015-00079 **BAYROOT LLC**
DUMMER Unnamed Stream

COMPLETE NOTIFICATION:
Dummer Tax Map #R-1, Lot #2

2015-00088 **BUTLER, BRIAN**
BRADFORD Unnamed Stream

COMPLETE NOTIFICATION:
Bradford, Tax Map #4, Lot #33

2015-00108 MENGE, RICHARD
LYME Unnamed Stream

COMPLETE NOTIFICATION:
Lyme, Tax Map #401-18

2015-00110 KENNEY, PATRICK/SARA
NEW IPSWICH Unnamed Stream

COMPLETE NOTIFICATION:
New Ipswich, Tax Map #16B, Lot #14

2015-00112 DICKINSON, LEON
WASHINGTON Unnamed Stream

COMPLETE NOTIFICATION:
Washington, Tax Map #3, Lot #3

2015-00114 JARVIS, BARBARA
CLAREMONT Unnamed Stream

COMPLETE NOTIFICATION:
Claremont, Tax Map #92, Lot #1

EXPEDITED MINIMUM

2014-02599 UNIVERSITY OF NEW HAMPSHIRE
DURHAM

Requested Action:
Proposal to fill a total of 2,234 sq. ft. of wetlands for the construction of a building on the University of New Hampshire campus.

APPROVE PERMIT:
Fill a total of 2,234 sq. ft. of wetlands for the construction of a building on the University of New Hampshire campus.

With Conditions:

1. All work shall be in accordance with revised plans by Tighe & Bond, Inc. dated December 23, 2014, as received by the Department on December 26, 2014.
2. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
3. Work shall be conducted in a manner so as to minimize turbidity and sedimentation.
4. Any dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
5. Dewatering of work areas, if required, shall be conducted in a manner so as to prevent turbidity.
6. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
7. Extreme precautions shall be taken within riparian areas to limit unnecessary removal of vegetation during construction and areas cleared of vegetation to be revegetated with native like species within three days of the completion of this project.
8. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
9. The permittee shall attempt to control invasive, weedy species such as purple loosestrife (*Lythrum salicaria*) and common reed (*Phragmites australis*) by measures agreed upon by the Wetlands Bureau if the species is found in the stabilization areas during construction and during the early stages of vegetative establishment.
10. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid.
11. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
12. All refueling of equipment shall occur outside of jurisdictional areas during construction.

With Findings:

1. This is a minimum project pursuant to Administrative Rule Env-Wt 303.04(f), projects involving alteration of less than 3,000 sq. ft. of wetland.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The applicant has demonstrated the need to impact the edge of an emergent wetland for construction of a new state veterinary diagnostics lab.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The applicant minimized impacts from the original submittal by relocating the building, sidewalk, sidewalk radius, and grading further away from the wetland.
4. The impacted wetland is at the edge of an emergent wetland system which is almost entirely grass that is continuously mowed.
5. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
6. The NH Natural Heritage Bureau has no record of sensitive species within the vicinity of the project.
7. The Durham Conservation Commission signed the DES application.

2014-03478 MEYERS, AMY/STEPHEN
JAFFREY Unnamed Wetland

Requested Action:

Impact a total of 14,800 square feet of wetland for construction of a pond, including dredge and berm construction.

Conservation Commission/Staff Comments:

Con. Com. signed expedited application.
As per DHR No Historic Properties Affected

APPROVE PERMIT:

Impact a total of 14,800 square feet of wetland for construction of a pond, including dredge and berm construction.

With Conditions:

1. All work shall be in accordance with plans by Fieldstone Land Consultants PLLC dated 12/10/2014, as received by the NH Department of Environmental Services (DES) on 12/15/2014.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
3. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
4. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(p), construction of a pond with less than 20,000 square feet of wetlands impact that meet the requirements of Env-Wt 303.04(p)(1) and (2).
 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The project purpose is to provide an agricultural pond on an existing farm.
 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The pond has been located to make use of an existing overgrown wet meadow area.
 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
- There were no species of concern reported by the NH Natural Heritage Bureau as occurring in the project vicinity.

GOLD DREDGE

2015-00061 SAGER, THOMAS
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath ConCom

2015-00109 KELLEY, MATTHEW
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath ConCom

LAKES-SEASONAL DOCK NOTIF

**2015-00071 DEGRAZIA, DEBORAH
SANBORNTON Winnisquam Lake**

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

ROADWAY MAINTENANCE NOTIF

**2015-00060 NH DEPARTMENT OF TRANSPORTATION
CONWAY Unnamed Stream**

COMPLETE NOTIFICATION:
Replace 15" x 40' culvert with 18" x 45'.

PERMIT BY NOTIFICATION

**2010-00537 TSETSILAS, BRANDEN
WINDHAM Cobbetts Pond**

Requested Action:
Repair of existing retaining walls that is performed "in the dry" during drawdown with no change in dimensions.

Conservation Commission/Staff Comments:
Con Com did not sign PBN form

APPROVE TIME EXTENSION:
Repair of existing retaining walls that is performed "in the dry" during drawdown with no change in dimensions.

With Findings:
1.The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.
2.This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

**2015-00056 LEWANDOWSKI, COREY
WINDHAM Rock Pond**

Requested Action:

Repair or replacement of existing retaining walls that is performed "in the dry" during drawdown of waters, and that results in no change in height, length, location, or configuration in accordance with plans dated October 03, 2014.

PBN IS COMPLETE:

Repair or replacement of existing retaining walls that is performed "in the dry" during drawdown of waters, and that results in no change in height, length, location, or configuration in accordance with plans dated October 03, 2014.

CSPA PERMIT

2013-01636 MURRAY, THOMAS
MEREDITH Lake Winnepesaukee

Requested Action:

Request name change to: Thomas R. Murray
Impact 6,842 sq ft in order to construct a three bedroom cottage and a new effluent disposal system.

APPROVE NAME CHANGE:

Request name and address change to: Thomas R. Murray, 231 Pulpit Rd., Bedford, NH 03110
Impact 6,842 sq ft in order to construct a three bedroom cottage and a new effluent disposal system.

With Conditions:

1. All work shall be in accordance with plans by Folsom Design Group dated May 20, 2013 and received by the NH Department of Environmental Services (DES) on June 20, 2013.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 6.1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 2,892 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. All impacts within wetlands, surface waters and their banks shall require a Wetland Permit under RSA 482-A.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

With Findings:

1. This permit transfer is issued in accordance with NH Administrative Rule Env-Wt 502.02 (b).

2014-00655 **KRAKOWER, IRA**
NEW LONDON Pleasant Lake

Requested Action:

Amendment Discription: Revised plans received September 16, 2014 in order to reconfigure pathways, change impervious walkways to pervious, and add a detached screen porch.

APPROVE AMENDMENT:

Impact 32,194 sq ft in order to tear down existing house and reconstruct new house, a detached screen porch, reconfigure walkways and replace impervious with pervious material, and install landscape features.

With Conditions:

1. All work shall be in accordance with revised plans by Bonin Architects & Associates, PLLC dated September 16, 2014 and received by the NH Department of Environmental Services (DES) on September 16, 2014.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 18.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 8,509 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-03434 **SANTER, KENNETH**
BARRINGTON Ayers Lake

Requested Action:

Impact 7,812 sq ft in order to construct 2 houses shared driveway and septic system and wells for both lots.

APPROVE PERMIT:

Impact 7,812 sq ft in order to construct 2 houses shared driveway and septic system and wells for both lots.

With Conditions:

1. All work shall be in accordance with plans by Groover Septic Design dated December 2014 and received by the NH Department of Environmental Services (DES) on December 8, 2014.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 13.5% of the area of the lot 11 and No more than 13.1% of the area of the lot 12 within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 2,320 sq ft of lot 11 and 2,689 sq ft of lot 12 of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the

site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.

- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-03523 MONSON, DOUGLAS
GILMANTON Crystal Lake

Requested Action:

Impact 1,549 sq ft in order to construct a storage building and expand a porch on the existing house.

APPROVE PERMIT:

Impact 1,549 sq ft in order to construct a storage building and expand a porch on the existing house.

With Conditions:

- 1. All work shall be in accordance with plans by Beaver Brook Environmental Consultants, LLC dated December 9, 2014 and received by the NH Department of Environmental Services (DES) on December 19, 2014.
- 2. No more than 17% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 3. At least 2,205 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2014-03525 LOVELL, ELEANOR
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Impact 21,690 sq. ft. to demolish an existing 2 bedroom residence and build a new 4 bedroom residence with decks and stairs, and expand the existing driveway.

APPROVE PERMIT:

Impact 21,690 sq. ft. to demolish an existing 2 bedroom residence and build a new 4 bedroom residence with decks and stairs, and expand the existing driveway.

With Conditions:

- 1. All work shall be in accordance with plans by William J. McNair dated November 30, 2014, as amended on January 2, 2015 and received by the NH Department of Environmental Services (DES) on January 7, 2015.
- 2. No more than 20% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional

Requested Action:

Impact 3,362 sq ft in order to upgrade walkways, stairs, patio and driveway, as well as some planting areas, including two rain gardens.

APPROVE PERMIT:

Impact 3,362 sq ft in order to upgrade walkways, stairs, patio and driveway, as well as some planting areas, including two rain gardens.

With Conditions:

1. All work shall be in accordance with plans by Stoney Ridge Environmental LLC and received by the NH Department of Environmental Services (DES) on January 2, 2015.
2. No more than 26.1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
6. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 7.. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-00004 CADRAN, CLAIRE/OLIVER
MERRIMACK Baboosic Lake

Requested Action:

Impact 5,122 sq ft in order to raze existing house and construct a new house and garage.

APPROVE PERMIT:

Impact 5,122 sq ft in order to raze existing house and construct a new house and garage.

With Conditions:

1. All work shall be in accordance with plans by Meridian Land Services, Inc. dated December 3, 2014 and received by the NH Department of Environmental Services (DES) on January 2, 2015.
2. No more than 19.6% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
4. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized. 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-00005 SPERA, ALAN/BRIAN & JOHN
ASHLAND Little Squam Lake

Requested Action:

Impact 1,409 sq ft in order reconstruct an existing condominium unit with a new foundation and drip line trenches around structure.

APPROVE PERMIT:

Impact 1,409 sq ft in order reconstruct an existing condominium unit with a new foundation and drip line trenches around structure.

With Conditions:

1. All work shall be in accordance with plans by Folsom Design Group dated December 5, 2014 and received by the NH Department of Environmental Services (DES) on January 2, 2015.
2. No more than 40.92% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
4. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized. 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-00011 RACZKA, NANCY
HAMPSTEAD Island Pond

Requested Action:

Impact 7,465 sq ft in order to construct a garage and driveway.

APPROVE PERMIT:

Impact 7,465 sq ft in order to construct a garage and driveway.

With Conditions:

1. All work shall be in accordance with plans by Lavelle Associatesw dated December 2014 and received by the NH Department of Environmental Services (DES) on January 5, 2014.
2. No more than 19% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 3,080 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and

remain in place until all disturbed surfaces are stabilized. 6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.

7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.

8. Any fill used shall be clean sand, gravel, rock, or other suitable material.

9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

**2015-00018 ECS REALTY CORP
DERRY Island Pond**

Requested Action:

Impact 13,640 sq ft in order to construct a dwelling and associated septic system.

APPROVE PERMIT:

Impact 13,640 sq ft in order to construct a dwelling and associated septic system.

With Conditions:

1. All work shall be in accordance with plans by Lavelle Associates dated October 10, 2014 and received by the NH Department of Environmental Services (DES) on January 16, 2015.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 19% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

**2015-00052 AKIE, JOANNE M/RICHARD T
WOLFEBORO Lake Winnepesaukee**

Requested Action:

Impact 635 sq ft in order to remove existing decks, patio and entrance to an existing house, construct a new deck and entrance, and install stormwater trenches.

APPROVE PERMIT:

Impact 635 sq ft in order to remove existing decks, patio and entrance to an existing house, construct a new deck and entrance, and install stormwater trenches.

With Conditions:

1. All work shall be in accordance with plans by White Mountain Survey & Engineering, Inc. dated January 6, 2015 and received by the NH Department of Environmental Services (DES) on January 9, 2015.

2. No more than 28.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 3,180 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-00062 MOULTON, CURT/JANET
HARRISVILLE Harrisville Pond

Requested Action:

Impact 3,320 sq ft in order to construct an addition and garage to an existing nonconforming structure.

APPROVE PERMIT:

Impact 3,320 sq ft in order to construct an addition and garage to an existing nonconforming structure.

With Conditions:

1. All work shall be in accordance with plans by Don Scott, LA Design dated January 8, 2015 and received by the NH Department of Environmental Services (DES) on January 12, 2015.
2. No more than 14.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 2,868 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

UTILITY NOTIFICATION

2015-00057 NATIONAL GRID
HUDSON Unnamed Wetland

COMPLETE NOTIFICATION:

Maintenance and repair along the shared N214, O215, and Y151 electric transmission line corridor.

2015-00059 NATIONAL GRID
LONDONDERRY Unnamed Wetland

COMPLETE NOTIFICATION:

Maintenance and repair activities on the N214, O215, and Y151 transmission line corridor.

2015-00092 PSNH
ASHLAND Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2015-0053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance along the utility ROW.

2015-00093 PSNH
BEDFORD Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2015-0053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance along the utility ROW.

2015-00097 PSNH
BELMONT Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2015-0053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance along the utility ROW.

2015-00099 PSNH
BOW Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance along the utility ROW.

2015-00100 PSNH
BRENTWOOD Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Vegetative maintenance along the utility ROW.

2015-00101 PSNH
BRISTOL Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Vegetative maintenance along the utility ROW.

2015-00102 PSNH
BRIDGEWATER Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Vegetative maintenance along the utility ROW.

