

*Received  
2/3/15*

# Wetlands Bureau Decision Report

Decisions Taken  
01/26/2015 to 02/01/2015

## **DISCLAIMER:**

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

## **APPEAL:**

Any party aggrieved by a decision may file an appeal within 30 days of the date of this decision as specified in RSA 482-A:10, RSA 21-O:14, and the rules adopted by the Wetlands Council, Env-WtC 100-200.

The appeal must be filed directly with the Council, c/o the Council Appeals Clerk, who may be contacted at (603) 271-6072 or at [appeals@des.nh.gov](mailto:appeals@des.nh.gov). The notice of appeal must set forth fully every ground upon which it is claimed that the decision complained of is unlawful or unreasonable. Only those grounds set forth in the notice of appeal can be considered by the council.

**MAJOR IMPACT PROJECT**

\*\*\*\*\*

**2009-02713 ELECTROCRAFT NEW HAMPSHIRE INC, JAMES ELSNER  
DOVER Unnamed Wetland**

Requested Action:  
Request a time extension.

\*\*\*\*\*

**APPROVE TIME EXTENSION:**

Temporarily impact 38,544 sq. ft. of wetlands for the installation of In Situ Heating Thermal Desorption equipment to remediate site contamination of tetrachloroethylene, in coordination with the requirements of the DES Waste Management Division. Replace in-kind existing driveway culvert carrying wetlands drainage with a 36" x 60' HDP culvert with 5' flared end caps, impact in same foot print as existing, approximately 250 square feet.

**With Conditions:**

1. All work shall be in accordance with plans by NHSC Inc. dated 10/2009, as received by DES on 11/12/2009, and per materials by Normandeau Associates dated 6/17/2011 received 8/8/2011 by DES.
- 1.a. AMENDED: This approval is contingent upon receipt of culvert elevational detail sketch.
2. This permit is contingent adherence to project requirements approved by the DES Waste Management Division.
3. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
4. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Area shall be regraded to original contours following completion of work.
7. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or matting and pinning on slopes steeper than 3:1.
8. Wetland restoration area shall have at least 75% successful establishment of wetlands vegetation after two (2) growing seasons, or it shall be replanted and re-established until a functional wetland is replicated in a manner satisfactory to the DES Wetlands Bureau.
9. Wetland restoration areas shall be properly planted and monitored, and remedial actions taken that may be necessary to create functioning wetland areas similar to those of the wetlands destroyed by the project. Remedial measures may include replanting, relocating plantings, removal of invasive species, changing soil composition and depth, changing the elevation of the wetland surface, and changing the hydrologic regime.
10. The permittee shall designate a qualified professional who will be responsible for monitoring and ensuring that the mitigation areas are constructed in accordance with the mitigation plan. Monitoring shall be accomplished in a timely fashion and remedial measures taken if necessary. The Wetlands Bureau shall be notified in writing of the designated professional prior to the start of work and if there is a change of status during the project.
11. The permittee or a designee shall conduct a follow-up inspection after the first growing season, to review the success of the mitigation area and schedule remedial actions if necessary. A report outlining the status of the restoration area and any follow-up measures and a schedule for completing the remedial work shall be submitted by December 1 of that year. Similar inspections, reports and remedial actions shall be undertaken in at least the second year following the completion of each mitigation site.
12. A post-construction report documenting the status of the completed project with photographs shall be submitted to the Wetlands Bureau within 60 days of the completion of construction.
13. The Department has determined that this project is in the vicinity of an impaired waterbody. Therefore stormwater runoff treatment for this project shall be designed and constructed so that the stormwater pollutant loads from the completed project are no greater than the stormwater pollutant loads that existed prior to the project for all pollutants causing impairment which are likely to be in stormwater discharged from the completed project.

With Findings:

1. The owner certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.
2. This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

**2009-03005 KAUFMAN, JEFFREY/VICKI  
GILFORD Lake Winnepesaukee**

Requested Action:

Request permit time extension. Change name and address to: Jeffrey A. & Vicki L. Kaufman; 278 Edgewater Dr.; Gilford, NH 03249

Remove rock from 133 sq ft of breakwater and reset remaining rocks to repair an existing 70 ft "L" shaped breakwater and bring it into compliance with originally permitted dimensions. Dredge 9.7 cu yd from 199 sq ft of lakebed, remove crib remnants from 96 sq ft of lakebed, retain a 4 ft x 28 ft 6 in piling pier, construct a 6 ft x 25 ft piling pier, install 2 seasonal personal watercraft lifts, and replace an existing seasonal canopy with a new 30 ft x 30 ft seasonal canopy on an average of 152 ft of frontage on Governor's Island, on Lake Winnepesaukee.

\*\*\*\*\*

APPROVE TIME EXTENSION:

Change name and address to: Jeffrey A. & Vicki L. Kaufman; 278 Edgewater Dr.; Gilford, NH 03249

Remove rock from 133 sq ft of breakwater and reset remaining rocks to repair an existing 70 ft "L" shaped breakwater and bring it into compliance with originally permitted dimensions. Dredge 9.7 cu yd from 199 sq ft of lakebed, remove crib remnants from 96 sq ft of lakebed, retain a 4 ft x 28 ft 6 in piling pier, construct a 6 ft x 25 ft piling pier, install 2 seasonal personal watercraft lifts, and replace an existing seasonal canopy with a new 30 ft x 30 ft seasonal canopy on an average of 152 ft of frontage on Governor's Island, on Lake Winnepesaukee.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction dated November 12, 2009, as received by DES on December 21, 2009.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. Those portions of the breakwater reaching above Elevation 504.32 and located more than 50 ft from the normal highwater line shall be removed prior to the construction of any new structure on the frontage.
4. No portion of breakwater as measured at normal full lake shall extend more than 50 feet from normal full lake shoreline.
5. The breakwater shall not exceed 3 feet in height (Elev. 507.32) over the normal high water line (Elev. 504.32).
6. The width as measured at the top of the breakwater (Elev. 507.32) shall not exceed 3 feet.
7. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
8. All dredged material and construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
9. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
10. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
11. Canopies shall be of seasonal construction type with a flexible fabric cover. The seasonal support frame shall be designed to be removed for the non-boating season. The flexible fabric cover shall be removed during all seasons of non-use.
12. Seasonal watercraft lifts shall be removed for the non-boating season.
13. All activities shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

- 1.The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.
- 2.This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

-Send to Governor and Executive Council-

## MINOR IMPACT PROJECT

\*\*\*\*\*

2014-03139                      NH DEPT OF TRANSPORTATION  
BOSCAWEN Unnamed Stream

### Requested Action:

Dredge accumulated gravel/sediment from the inlet and outlet of 4 ft. x 3 ft. box culvert impacting 225 sq. ft. of an unnamed perennial stream to restore original hydraulic capacity.

\*\*\*\*\*

### Conservation Commission/Staff Comments:

Cons. Comm. - no comments

LAC notes willingness to help with upstream erosion issue

### APPROVE PERMIT:

Dredge accumulated gravel/sediment from the inlet and outlet of 4 ft. x 3 ft. box culvert impacting 225 sq. ft. of an unnamed perennial stream to restore original hydraulic capacity. NHDOT project 2014-M-211-07

### With Conditions:

1. All work shall be in accordance with plans by NHDOT District 2 dated 09/11/14, as received by the NH Department of Environmental Services (DES) on Nov. 5, 2014.
2. Dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
3. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
4. Temporary cofferdams shall be entirely removed immediately following construction.
5. Construction equipment shall not be located within surface waters.
6. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 ft. of undisturbed vegetated buffer.
7. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain in place until the area is stabilized.
8. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
9. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
10. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Matting and pinning shall stabilize slopes steeper than 3:1.
11. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control

Handbook for Urban and Developing Areas in New Hampshire (August, 1992).

12. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.
13. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
14. Standard precautions shall be taken to prevent import or transport of soil or seed stock from nuisance, invading species such as purple loosestrife or Phragmites.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(l), alteration of less than 200 linear feet of stream.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The Natural Heritage Bureau notes that, although a species was noted in the vicinity, the project is not expected to have any impact.

**2014-03272 CITY OF CLAREMONT  
CLAREMONT Sugar River**

Requested Action:

Proposal to dredge and fill 3,510 sq. ft. (150 linear ft.) of river bank "Sugar River" to stabilize ongoing bank erosion and protect the existing City sewer line located in the bed and bank of the river. The stabilization design consists of slope changes, creation of a bank-full bench and stabilization with a combination of stone fill armoring, fabric encapsulated soil lifts, live branch cuttings and shrub plantings.

\*\*\*\*\*

Conservation Commission/Staff Comments:

1. The Conservation Commission voted to approve the application as presented at their Nov. 20, 2014 meeting.

APPROVE PERMIT:

Dredge and fill 3,510 sq. ft. (150 linear ft.) of river bank "Sugar River" to stabilize ongoing bank erosion and protect the existing City sewer line located in the bed and bank of the river. The stabilization design consists of slope changes, creation of a bank-full bench and stabilization with a combination of stone fill armoring, fabric encapsulated soil lifts, live branch cuttings and shrub plantings.

With Conditions:

1. All work shall be in accordance with plans by Pathways Consulting, LLC dated 11/12/14, as received by the NH Department of Environmental Services (DES) on November 18, 2014.
2. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
3. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
4. Unconfined work within the river, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
5. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
6. Temporary cofferdams shall be entirely removed immediately following construction.
7. The project's professional engineer (PE) shall monitor the project during construction to assure it is constructed in accordance with the approved plans and narratives and to assure no water quality violations occur. A follow-up report shall be submitted to the

Wetlands Bureau within 60 days of the completion of construction and after two full growing seasons.

8. The river bank plantings shall have at least 75% successful establishment after two (2) growing seasons, or it shall be replanted and re-established in a manner satisfactory to the DES Wetlands Bureau.
9. Extreme precautions shall be taken within riparian areas to limit unnecessary removal of vegetation during construction.
10. Construction equipment shall not enter the surface water and shall conduct work from the adjacent banks and upland areas.
11. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
12. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
13. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
14. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
15. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
16. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired immediately.
17. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
18. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
19. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(l) Projects that alter the course of or disturb less than 200 linear feet of an intermittent or perennial nontidal stream or river channel or its banks and do not meet the criteria for minimum impact under Env-Wt 303.04(n).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The work is needed to stabilize the ongoing river bank erosion and protect the adjacent City sewer line located in the bed and bank of the river.
4. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
5. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
6. The applicant's agents conducted a thorough analysis of the project and a "Stream Geomorphic Assessment". The assessment was conducted on a 3,000 foot section of the river in the vicinity of the sewer crossing. It was found that the river reach is moderately unstable vertically and extremely unstable laterally. The reach has continued to widen and shift to the south near the sewer crossing over the past several decades and the channel widening has reduced the river's ability to transport sediment, resulted in some in-stream aggradation and exacerbated bank erosion on the south bank of the river. The channel deterioration has resulted in continued loss of land on the City's property and river bank.
7. A conceptual bank stabilization design was developed from the results of the Stream Geomorphic Assessment. The conceptual design included an approximately 400 linear foot section of river bank. The design consisted of creating a bank-full bench continuing approximately 100 feet downstream of the sewer line forming a pointed lobe, adjacent rock vane flow deflector and continuation of the new bank-full bench upstream with stone armoring, fabric incorporated soils lifts, brush layer matting and shrub plantings.
8. Due to limited funding the scope of the project was reduced to 150 linear directly adjacent to the sewer crossing.
9. The reduced project incorporates many of the features proposed in the full stabilization design.
10. The City hopes to build the entire project if funds became available in the future.
11. The department received comments from the United States Environmental Protection Agency ("EPA") indicating the project is eligible for the New Hampshire State Programmatic General Permit ("SPGP").
12. The department has not received any abutter or public comments in objection to the proposed project.

**FORESTRY NOTIFICATION**

\*\*\*\*\*

**2015-00206                      STEFFEN, TAMMY**  
**WARNER   Unnamed Stream**

COMPLETE NOTIFICATION:  
Warner, Tax Map #20, Lot #5, Unit #3

**2015-00212                      MANCHESTER WATER WORKS**  
**HOOCKETT   Unnamed Stream**

COMPLETE NOTIFICATION:  
Hooksett, Tax Map #21, Lot #11

**2015-00213                      SOCIETY FOR THE PROTECTION OF NH FORESTS**  
**WILTON   Unnamed Stream**

Requested Action:  
Wilton, Tax Map H, Lot 5, Block 83  
\*\*\*\*\*

**2015-00214                      NANCY MATHES TRUST**  
**LITCHFIELD   Unnamed Stream**

COMPLETE NOTIFICATION:  
Litchfield, Tax Map #15, Lot #2

**2015-00220                      BALESTRA, DOMINIC/SUELLEN**  
**LEBANON   Unnamed Stream**

COMPLETE NOTIFICATION:  
Lebanon, Tax Maps #52 & #80, Lots #14 & #13

**2015-00222                      DAY, NANCY**  
**GREENFIELD   Unnamed Stream**

COMPLETE NOTIFICATION:  
Greenfield, Tax Map #M, Lot #4, BL #R2

**2015-00244                    BROOKS, DAVID**  
**SURRY   Unnamed Stream**

COMPLETE NOTIFICATION:  
Surry, Tax Map #4C, Lot #4-83

**2015-00245                    CLAUDIA C MCILVAIN REVOCABLE TRUST**  
**NORTH SANDWICH   Unnamed Stream**

COMPLETE NOTIFICATION:  
North Sandwich, Tax Map #R8, Lots #4 & #5

**2015-00246                    BOW, TOWN OF**  
**BOW   Unnamed Stream**

COMPLETE NOTIFICATION:  
Bow, Tax Map # 20, Lot #64, Block #5

**2015-00253                    MERRILL, DANA/PAULA**  
**DEERFIELD   Unnamed Stream**

COMPLETE NOTIFICATION:  
Deerfield, Tax Map #405, Lot #84

**2015-00257                    DRUBNER, DAVID**  
**BARRINGTON   Unnamed Stream**

Requested Action:  
Barrington, Tax Map 117, Lot 47  
\*\*\*\*\*

**2015-00258                    STEVERSON, HELEN**  
**DANBURY   Unnamed Stream**

COMPLETE NOTIFICATION:  
Danbury, Tax Map #405, Lot #13

**EXPEDITED MINIMUM**

\*\*\*\*\*

**2014-02841                    ALEXANDER PARKSVILLE REVOCABLE TRUST**  
**MEREDITH   Lake Winnepesaukee**

Requested Action:

Replace 2 existing crib supported 4 ft. x 30 ft. docks with docks supported by metal support legs, with two seasonal PWC lifts, a seasonal boatlift, and a seasonal 14 ft. x 30 ft. canopy, replace two, 3 pile ice clusters, repair an existing 33 ft. breakwater "in kind" on Lake Winnepesaukee, Meredith.

\*\*\*\*\*

Conservation Commission/Staff Comments:

9/25/14 Per DHR, no historic properties affected.

APPROVE PERMIT:

Replace 2 existing crib supported 4 ft. x 30 ft. docks with docks supported by metal support legs, with two seasonal PWC lifts, a seasonal boatlift, and a seasonal 14 ft. x 30 ft. canopy, replace two, 3 pile ice clusters, repair an existing 33 ft. breakwater "in kind" on Lake Winnepesaukee, Meredith.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates revision dated December 30, 2014, as received by the NH Department of Environmental Services (DES) on January 05, 2015.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. The repairs shall maintain the size, location and configuration of the pre-existing structures.
4. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
5. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain in place until the area is stabilized.
7. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 303.04(v), repair of existing docking structures with no change in size, location or configuration.

**2014-02850                      CORMIER, ODILON  
MEREDITH Lake Winnepesaukee**

Requested Action:

Install 40 linear feet of rip rap to stabilize the shoreline, construct a 251 sq. ft. perched beach with less than 10 cubic yards of sand, on Lake Winnepesaukee, Meredith.

\*\*\*\*\*

Conservation Commission/Staff Comments:

Con Com signed Wetlands app

APPROVE PERMIT:

Install 40 linear feet of rip rap to stabilize the shoreline, construct a 251 sq. ft. perched beach with less than 10 cubic yards of sand, on Lake Winnepesaukee, Meredith.

With Conditions:

1. All work shall be in accordance with plans by Advanced Survey Consultants revision dated November 24, 2014, as received by the NH Department of Environmental Services (DES) on January 01, 2015.
2. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain in place until the area is stabilized.
3. Work shall be done during low flow.
4. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
5. Work shall be conducted in a manner that avoids discharges of sediments to fish spawning areas.
6. Rip-rap shall be located landward of the shoreline at the normal high water, where practical, and shall not extend more than 2 ft. lakeward of that line at any point.
7. Dredged or excavated material shall be placed outside of the DES Wetlands Bureau jurisdiction.
8. Stone placed along the beach front for the purpose of retaining sand shall be placed above and/or landward of those rocks currently located along the normal high water line (Elevation 504.32). Those rocks existing at the normal high water line shall remain otherwise undisturbed such that the natural shoreline remains identifiable.
9. The steps installed for access to the water shall be located completely landward of the normal high water line.
10. No more than 10 cu. yd. of sand may be used and all sand shall be located above the normal high water line.
11. This permit shall be used only once, and does not allow for annual beach replenishment.
12. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
13. Re-vegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall begin at a distance no greater than 5 ft. landward from the beach area.
14. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(d, construction of a perched beach.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**GOLD DREDGE**

\*\*\*\*\*

**2015-00251                      WILDER, BRYAN**  
**(ALL TOWNS)    Unnamed Stream**

Conservation Commission/Staff Comments:  
cc: Bath Con Com

**TRAILS NOTIFICATION**

\*\*\*\*\*

**2015-00086                    LONGLEY, MARGARET/MARK  
SANDWICH Unnamed Wetland**

COMPLETE NOTIFICATION:  
Sandwich Tax Map R9 Lot 4.

**PERMIT BY NOTIFICATION**

\*\*\*\*\*

**2014-03539                    EFFINGHAM PRESERVATION SOCIETY  
EFFINGHAM Unnamed Wetland**

Requested Action:  
Temporarily impact a total of 105 square feet of wetland for installation of two sewer effluent pump lines.  
\*\*\*\*\*

PBN IS COMPLETE:  
Temporarily impact a total of 105 square feet of wetland for installation of two sewer effluent pump lines.

**2015-00015                    PAPPAS, BETH/PAUL  
FREEDOM Ossipee Lake**

Requested Action:  
Proposal to impact a total of 41 sq. ft. of bank to replace an existing wooden stairway with a new granite stairway within the same footprint.  
\*\*\*\*\*

PBN IS COMPLETE:  
Impact a total of 41 sq. ft. of bank to replace an existing wooden stairway with a new granite stairway within the same footprint.

With Findings:  
1. This project meets the criteria of NH Administrative Rule Env-Wt 506.01(a)(7), maintenance, repair or replacement of a non-docking structure.  
2. The NH Natural Heritage Bureau has no record of sensitive species present within the vicinity of the project area.

**2015-00081                    POINTE TRINITY ASSOCIATION  
STRAFFORD Bow Lake**

Requested Action:  
Replenishment of sand on an existing beach provided no more than 10 cubic yards of sand shall be used.  
\*\*\*\*\*

PBN IS COMPLETE:  
Replenishment of sand on an existing beach provided no more than 10 cubic yards of sand shall be used.

**CSPA PERMIT**

\*\*\*\*\*

**2015-00103                      FOX, JAMES**  
**DOVER   Cochecho River**

Requested Action:

Impact 9,500 sq. ft. to construct a house with a decks, driveway, and septic system on a previously undeveloped lot.  
\*\*\*\*\*

Conservation Commission/Staff Comments:

Also, see file 2014-03504

APPROVE PERMIT:

Impact 9,500 sq. ft. to construct a house with a decks, driveway, and septic system on a previously undeveloped lot.

With Conditions:

1. All work shall be in accordance with plans by Michael Garrepy dated October 24, 2014 and received by the NH Department of Environmental Services (DES) on January 15, 2015.
2. No trees shall be removed from the 50 foot waterfront buffer as a result of this project.
3. No more than 4% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 4,487 sq. ft. of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9,V(b)(2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

**UTILITY NOTIFICATION**

\*\*\*\*\*

**2015-00197                      PSNH**  
**ROCHESTER   Unnamed Wetland**

Conservation Commission/Staff Comments:

See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance of the electric transmission system.

**2015-00198                      PSNH**  
**SANDOWN   Unnamed Wetland**

Conservation Commission/Staff Comments:  
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance of the electric transmission system.

**2015-00199                      PSNH**  
**SEABROOK   Unnamed Wetland**

Conservation Commission/Staff Comments:  
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance of the electric transmission system.

**2015-00200                      PSNH**  
**SOUTH HAMPTON   Unnamed Wetland**

Conservation Commission/Staff Comments:  
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance of the electric transmission system.

**2015-00204                      PSNH**  
**STRAFFORD   Unnamed Wetland**

Conservation Commission/Staff Comments:  
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance of the electric transmission system.

**2015-00205                      PSNH**  
**STRATHAM   Unnamed Wetland**

Conservation Commission/Staff Comments:  
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance of the electric transmission system.

**2015-00207**                    **PSNH**  
**SWANZEY Unnamed Wetland**

Conservation Commission/Staff Comments:

See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance of the electric transmission system.

**2015-00209**                    **PSNH**  
**TILTON Unnamed Wetland**

Conservation Commission/Staff Comments:

See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance of the electric transmission system.

**2015-00211**                    **PSNH**  
**TROY Unnamed Wetland**

Conservation Commission/Staff Comments:

See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance of the electric transmission system.

**2015-00224**                    **PSNH**  
**NEWMARKET Unnamed Wetland**

Conservation Commission/Staff Comments:

See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance of electric transmission system.

**2015-00227**                    **PSNH**  
**FRANCONIA Unnamed Wetland**

Conservation Commission/Staff Comments:

See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance of electric transmission system.

**2015-00228                      PSNH**  
**SUGAR HILL   Unnamed Wetland**

Conservation Commission/Staff Comments:  
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:  
Vegetative maintenance of electric transmission system.

**2015-00229                      PSNH**  
**NEWFIELDS   Unnamed Wetland**

Conservation Commission/Staff Comments:  
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:  
Vegetative maintenance of electric transmission system.

**2015-00230                      PSNH**  
**NORTH HAMPTON   Unnamed Wetland**

Conservation Commission/Staff Comments:  
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:  
Vegetative maintenance of electric transmission system.

**2015-00231                      PSNH**  
**SOMERSWORTH   Unnamed Wetland**

Conservation Commission/Staff Comments:  
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:  
Vegetative maintenance of electric transmission system.

**2015-00232                      PSNH**  
**RYE   Unnamed Wetland**

Conservation Commission/Staff Comments:  
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:  
Vegetative maintenance of electric transmission system.

**2015-00233                      PSNH**  
**ROLLINSFORD   Unnamed Wetland**

Conservation Commission/Staff Comments:  
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:  
Vegetative maintenance of electric transmission system.

**2015-00234                      PSNH**  
**NORTHUMBERLAND   Unnamed Wetland**

Conservation Commission/Staff Comments:  
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:  
Vegetative maintenance of electric transmission system.

**2015-00235                      PSNH**  
**PORTSMOUTH   Unnamed Wetland**

Conservation Commission/Staff Comments:  
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:  
Vegetative maintenance of electric transmission system.