

Review
2/16/15

Wetlands Bureau Decision Report

Decisions Taken
02/02/2015 to 02/08/2015

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

Any party aggrieved by a decision may file an appeal within 30 days of the date of this decision as specified in RSA 482-A:10, RSA 21-O:14, and the rules adopted by the Wetlands Council, Env-WtC 100-200.

The appeal must be filed directly with the Council, c/o the Council Appeals Clerk, who may be contacted at (603) 271-6072 or at appeals@des.nh.gov. The notice of appeal must set forth fully every ground upon which it is claimed that the decision complained of is unlawful or unreasonable. Only those grounds set forth in the notice of appeal can be considered by the council.

MAJOR IMPACT PROJECT

**2009-02851 DURLING MCNABB TRUST OF 1999, DIANNA
GILFORD Lake Winnepesaukee**

Requested Action:

Request permit time extension.

Repair 47 linear ft of breakwater, remove approximately 900 sq ft of existing docking structures, drive three 3-piling ice clusters, construct a 12 ft x 20 ft piling pier accessed by a 6 ft x 46 ft 6 in cantilevered pier accessed by a 6 ft x 18 ft walkway over the bank on an average on 200 ft of frontage on Welch Island, on Lake Winnepesaukee.

Conservation Commission/Staff Comments:

1/6/15 Request for permit time extension which will require G&C approval.

APPROVE TIME EXTENSION:

Repair 47 linear ft of breakwater, remove approximately 900 sq ft of existing docking structures, drive three 3-piling ice clusters, construct a 12 ft x 20 ft piling pier accessed by a 6 ft x 46 ft 6 in cantilevered pier accessed by a 6 ft x 18 ft walkway over the bank on an average on 200 ft of frontage on Welch Island, on Lake Winnepesaukee.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction dated November 24, 2009, as received by DES on November 30, 2009.
2. This permit shall not be effective until it has been recorded with the Belknap County Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. The breakwater repairs shall maintain the size, location and configuration of the pre-existing structure.
4. The breakwater shall have an irregular face to dissipate wave energy.
5. Modifications to the docking structures shall fully comply with those shown on the approved plan. All structures shown to be removed shall be completely and permanently removed from the frontage prior to the construction of any new docking structure.
6. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
7. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
8. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
9. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
10. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
11. All activities shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.
2. This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

-Send to Governor and Executive Council-

**2012-01896 HALL, NANCY
NEW CASTLE**

Requested Action:

1. Impact 635 sq. ft. along the shoreline of Piscataqua River Back Channel for the reconstruction of an existing, deteriorated, dry-laid stone retaining wall;
2. Impact 250 sq. ft. within the previously-developed upland 100-ft. tidal buffer zone for the relocation and reconstruction of the existing dry-laid stone retaining wall;
3. Restore 230 sq. ft. of salt marsh following the relocation/reconstruction of the retaining wall; and,
4. Construct and install a 6 ft. x 8 ft. permanent fixed pier platform leading to a 3 ft. x 32 ft. seasonal ramp landing on a 10 ft. x 20 ft. seasonal float on approximately 86 ft. of shoreline frontage on the Piscataqua River Back Channel.

Inspection Date: 07/19/2013 by Eben M Lewis

Inspection Date: 06/18/2014 by Eben M Lewis

APPROVE AMENDMENT:

1. Impact 635 sq. ft. along the shoreline of Piscataqua River Back Channel for the reconstruction of an existing, deteriorated, dry-laid stone retaining wall;
2. Impact 250 sq. ft. within the previously-developed upland 100-ft. tidal buffer zone for the relocation and reconstruction of the existing dry-laid stone retaining wall;
3. Restore 230 sq. ft. of salt marsh following the relocation/reconstruction of the retaining wall; and,
4. Construct and install a 6 ft. x 8 ft. permanent fixed pier platform leading to a 3 ft. x 32 ft. seasonal ramp landing on a 10 ft. x 20 ft. seasonal float on approximately 86 ft. of shoreline frontage on the Piscataqua River Back Channel.

With Conditions:

1. All work shall be in accordance with plans by Ambit Engineering, Inc. dated June 2012 and revised through 12/23/14 as received by DES on December 23, 2014.
2. This approval is contingent upon the submittal of a restoration plan within 90-days from this approval.
3. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
4. NH DES Wetlands Bureau Southeast Region staff and the New Castle Conservation Commission shall be notified in writing prior to commencement of work and upon its completion.
5. This permit shall not be effective until it has been recorded with the Rockingham County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
8. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
10. Any fill used shall be clean sand, gravel, rock, or other suitable material.
11. No work shall occur below the highest observable tide line.
12. No concrete is to be used anywhere in the construction of the revetment and all work shall be dry laid or placed stone underlain with filter fabric.

13. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
14. Faulty equipment shall be repaired prior to entering jurisdictional areas.
15. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
16. All refueling of equipment shall occur outside of surface waters or wetlands.

RESTORATION CONDITIONS:

1. Within 90-days of this approval, a restoration plan shall be submitted to DES for review and approval. The restoration plan shall be prepared by a NH certified wetlands scientist or environmental consultant and shall include a list of the plants to be used in the replanting and restoration of the salt marsh.
2. The following shall be submitted with the restoration plan:
 - a. A plan with dimensions, and drawn to scale, showing:
 - (i) The existing conditions, with the reference line (highest observable tide line), all shoreland setbacks, and the footprint of both disturbed and unaltered areas located within 150 feet of the reference line;
 - (ii) The proposed conditions after the replanting and restoration of the jurisdictional areas;
 - (iii) The species of plants proposed for use in the replanting;
 - (iv) The number and distribution of plants to be used within the area of the replanting and restoration;
 - (v) The sizes of any shrubs and saplings proposed for replanting; and,
 - (vi) The existing trees remaining within the natural woodland buffer, if any.
 - b. A detailed description of the proposed means of erosion control (silt fence, hay bales, etc.) and stabilization of the restoration area.
 - c. A detailed description of the proposed planting plan for the stabilization and revegetation of the restoration area and control of invasive species such as purple loosestrife (*Lythrum salicaria*) and common reed (*Phragmites australis*).
 - d. A description of the proposed construction sequence and methods for accomplishing restoration and anticipated restoration compliance date.
 - e. A description of the method of documenting at least 75% survival of all vegetation planted during the restoration project. This should include at a minimum monitoring progress reports for two successive growing seasons following completion of the restoration project.
3. A NH certified wetlands scientist shall be retained to supervise the implementation of the restoration planting plan and to submit the restoration progress reports.
4. The restoration plan shall be implemented only after receiving written approval by DES, and only in accordance with any additional conditions imposed by DES.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(a); projects in tidal wetlands.
2. The need for the proposed impacts has been demonstrated by the applicant per Rule Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Rule Env-Wt 302.04(a) and (c), Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has approximately 86 feet of shoreline frontage along the Piscataqua River Back Channel.
6. A maximum of 2 slips may be permitted on this frontage per Rule Env-Wt 402.13 Frontage Over 75'.
7. The proposed docking facility will provide 1 slip as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.
8. The application and plans as proposed satisfy Rule Env-Wt 404.04.
9. A memo dated 6/11/2012 from the NH Natural Heritage Bureau (NHB) states, "We [NHB] currently have no recorded occurrences of sensitive species near this project area."
10. A public hearing was held at the Department of Environmental Services offices located at 222 International Drive, Suite 175, Portsmouth on May 13, 2013. During the hearing several abutters submitted their written and oral concerns. In summary, the abutters voiced concerns suggesting the removal of the fill in question within State property and the believe the conveyance of the filled area to the Hall's will prohibit the public usage of the existing right-of-way for water access. The Town of New Castle seeks, 'an equitable result that will benefit Nancy Hall, the public and the environment. The Town's proposal, which permits the deeding of

certain public land to Ms. Hall and for the reopening and protection of the public Right of Way to Little Harbor, accomplished all of these goals.'

11. DES Staff conducted a field inspection of the proposed project on July 19, 2013. Field inspection determined the areas of salt marsh vegetation identified on the plans and location of the proposed docking structures are accurate.

12. The current proposal is the result of a settlement agreement between the Applicant and the Town of New Castle addressing the removal of historic fill material to improve access to the water from property held by the Town.

13. In accordance with Env-Wt 304.04(a), The applicant has received written concurrence from the Town of New Castle as the docking structure is within 20 feet from the imaginary extension of abutting property line over surface water.

Requested Action:

Recommend approval of the Petitioner's request for Grant in Right for fill placed in public waters forming 2,368 sq ft of land contiguous to the Petitioner's frontage along Little Harbor, Piscataqua River, in New Castle.

OTHER:

Recommend approval of the Petitioner's request for Grant in Right for fill placed in public waters forming 2,368 sq ft of land contiguous to the Petitioner's frontage along Little Harbor, Piscataqua River, in New Castle.

With Conditions:

- 1. The Petitioner shall maintain the property acquired in a manner that meets the standards and requirements of RSA 483-B.
- 2. The Petitioner shall obtain appropriate permits under RSA 482-A for any work in the bank where the acquired land meets Little Harbor, Piscataqua River.

With Findings:

- 1. The Petitioner owns property, identified as Lot 12 on New Castle Tax Map 11, which is has frontage along Little Harbor, Piscataqua River.
- 2. Immediately contiguous to the Petitioner's frontage is an existing 2,368 sq. ft. area of fill of sufficient height to exceed the normal high water line and create land within Little Harbor, Piscataqua River.
- 3. The fill was placed prior to the Petitioner's purchase of the property.
- 4. The exact date of the placement of fill has not been determined. However, the Petitioner has submitted evidence showing that the fill was placed prior to 1976.
- 5. The area of fill has been used exclusively by the owners of the property identified as Lot 12 on New Castle Tax Map 11 for over 35 years.
- 6. The fill is not having an adverse environmental effect on the Piscataqua River.
- 7. The fill is not having an adverse effect on abutting shorelines.
- 8. There would be no environmental gain associated with the removal of the existing fill.
- 9. A public hearing was held at the Department of Environmental Services offices located at 222 International Drive, Suite 175, Portsmouth oh May 13, 2013 in accordance with RSA 482-A:17. In summary, the abutters voiced concerns suggesting the removal of the fill in question within State property and the believe the conveyance of the filled area to the Hall's will prohibit the public usage of the existing right-of-way for water access. The Town of New Castle seeks, 'an equitable result that will benefit Nancy Hall, the public and the environment. The towns proposal, which permits the deeding of certain public land to Ms. Hall and for the reopening and protection of the public Right of Way to Little Harbor, accomplished all of these goals.'
- 10. DES Staff conducted a field inspection of the proposed project on July 19, 2013. Field inspection determined the areas of salt marsh vegetation identified on the plans and location of the proposed docking structures are accurate.
- 11. In response to the concerns raised during the hearing, by abutters, and the Town of New Castle, DES finds the following: Removal of the fill will be deleterious to adjacent jurisdictional areas; The fill has been in place since approximately 1974. On August 24, 1976, the State of New Hampshire Special Board (presently NHDES Wetlands Bureau) permitted the fill; And, as stated in numerous correspondence received by DES from abutters, public access to the water via the right-of-way exists presently; therefore, this decision will not deter access to the water via the right-of-way as no further work will occur to impact access to the water via the right-of-way.

2014-02673

GLEN ELLIS FAMILY CAMPGROUND INC

GLEN Saco River

Requested Action:

Dredge and fill 6,417 square feet, 329 linear feet, of the bed and bank of the Saco River to stabilize the bank. Work in jurisdiction includes 2,255 square feet of temporary impacts.

APPROVE PERMIT:

Dredge and fill 6,417 square feet, 329 linear feet, of the bed and bank of the Saco River to stabilize the bank. Work in jurisdiction includes 2,255 square feet of temporary impacts.

With Conditions:

1. All work shall be in accordance with plans by White Mountain Survey & Engineering, Inc. entitled Proposed Riverbank Stabilization Plan for Glen Ellis Family Campground, Inc. (Sheet 1-2 of 2) as received by DES on January 15, 2015.
2. A qualified professional shall monitor the project during construction to assure it is constructed in accordance with the approved plans and to assure no water quality violations occur.
3. Work shall be done during annual low flow conditions.
4. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate work area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
5. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to wetlands and surface waters.
6. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Construction equipment shall not enter the surface water and shall conduct work from the adjacent banks and upland areas.
8. Native material removed from the streambed during the rip-rap installation, shall be stockpiled separately and reused to emulate a natural channel bottom. Any new materials used to emulate a natural river channel bottom must be rounded and smooth stones similar to the natural stream substrate and shall not include angular riprap or gravel. The recreated stream channel bed must maintain the natural and a consistent stream bed elevation and not impede stream flow.
9. Live stakes shall be planted into the coir logs in the bank.
10. The river bank plantings shall have at least 75% successful establishment after two (2) growing seasons, or it shall be replanted and re-established in a manner satisfactory to the DES Wetlands Bureau.
11. A 25 foot no-cut vegetative buffer along the riverbank shall be maintained.
12. Extreme precautions shall be taken within riparian areas to limit unnecessary removal of vegetation during construction. Areas from which vegetation has been cleared to gain access to the site shall be replanted with like native species.
13. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired immediately.
14. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
15. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
16. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired immediately.
17. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
18. Areas of temporary impact shall be restored to original conditions following the completion of work.
19. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
20. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
21. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized

within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.

22. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

23. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

24. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

1. This is a Major Project per Administrative Rule Env-Wt 303.02 (i) Projects that alter the course of or disturb 200 or more linear feet of an intermittent or perennial nontidal stream or river channel or its banks.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04 Requirements for Application Evaluation, has been considered in the design of the project.
4. The applicant will maintain a 25 foot no-cut vegetative buffer along the riverbank.
5. The application submittal has been revised. The stream bed will be reconstructed using natural stream river substrate stockpiled during construction.
6. The NH Natural Heritage Bureau reviewed the project and requested no additional information or conditions.
7. No comments were submitted from the Conservation Commission.
8. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the riverine resources, as identified under RSA 482-A:1.

2014-02773 NH DEPT OF TRANSPORTATION
 HAMPTON Taylor River

Requested Action:

Replace the 15 ft. (w) x 8 ft. (h) box culvert (NH Bridge No. 120/102) with two 72 ft. span bridges, repair the existing fish ladder with 75 linear feet of bank impact and 70 linear feet of channel impact, and install outlet protection at two culverts impacting 12,493 sq. ft. of estuarine, palustrine and riverine wetlands (9,635 sq. ft. temporary) along with 115,976 sq. ft. of previously disturbed tidal buffer zone and 120,606 sq. ft. of previously disturbed prime wetland buffer. NHDOT project #13408B. Compensatory mitigation includes a one-time payment of \$31,900.00 to the Aquatic Resource Mitigation Fund.

Request waiver of Rules Env-Wt 703.03, Public Hearing requirement; Env-Wt 704.01, twenty day notice of decision to approve an application for work in or adjacent to Prime Wetlands; and Env-Wt 806.05(b), the requirement of the ARM Fund payment to be submitted within 120 days.

Conservation Commission/Staff Comments:

Hampton Cons. Comm. not opposed, notify at start and finish

APPROVE PERMIT:

Replace the 15 ft. (w) x 8 ft. (h) box culvert (NH Bridge No. 120/102) with two 72 ft. span bridges, repair the existing fish ladder with 75 linear feet of bank impact and 70 linear feet of channel impact, and install outlet protection at two culverts impacting 12,493 sq. ft. of estuarine, palustrine and riverine wetlands (9,635 sq. ft. temporary) along with 115,976 sq. ft. of previously disturbed tidal buffer zone and 120,606 sq. ft. of previously disturbed prime wetland buffer. NHDOT project #13408B. Compensatory mitigation includes a one-time payment of \$31,900.00 to the Aquatic Resource Mitigation Fund.

Approve waiver of Rules Env-Wt 703.03, Public Hearing requirement; Env-Wt 704.01, twenty day notice of decision to approve an application for work in or adjacent to Prime Wetlands; and Env-Wt 806.05(b), the requirement of the ARM Fund payment to be submitted within 120 days.

With Conditions:

1. All work shall be in accordance with plans by NHDOT Bureau of Highway Design dated 1/2014 noting Final Wetlands Submission Sept. 2014, as received by the Department on Oct. 2, 2014.
2. This approval is contingent on receipt by DES of a one-time payment of \$31,900.00 to the DES Aquatic Resource Mitigation (ARM) Fund.
3. At least 48 hours prior to the start of construction, a pre-construction meeting shall be held with NHDES Land Resources Management Program staff at the project site, at the NHDES Office in Concord, N.H. or other mutually agreed upon location to review the conditions of this wetlands permit.
4. It shall be the responsibility of the permittee to schedule and coordinate the pre-construction meeting providing at least 5-day notice to the NHDES Wetlands Bureau and / or other Land Resources Management Program staff, and the meeting shall be attended by the permittee, the contract administrator(s), wetlands scientist(s), erosion control monitor, and the contractor(s) responsible for performing the work.
6. Construction monitoring reports shall be provided to the Wetlands Bureau file.
5. Dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
7. Construction equipment shall not be located within surface waters.
8. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
9. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
10. Within three days of the last activity in an area, all exposed soil areas, where construction activities are complete, shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack on slopes steeper than 3:1 or netting /matting and pinning on slopes steeper than 2:1.
11. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching or if temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching, mulching with tack on slopes steeper than 3:1 and stabilized by matting and pinning on slopes steeper than 2:1.
12. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
13. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.
14. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
15. Standard precautions shall be taken to prevent import or transport of soil or seed stock from nuisance, invading species such as purple loosestrife or Phragmites.
16. The impacts associated with the temporary work shall be restored immediately following construction.
17. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
18. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
19. Temporary cofferdams shall be entirely removed immediately following construction.
20. Conservation Commissions shall be notified in writing of the beginning and end of the project.
21. No work shall be conducted in the water between April 15 and June 30.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(a), projects in tidal wetlands.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.

3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The DES has determined the applicant has met the purpose of the current stream rules relative to not causing damage upstream or downstream and not impeding aquatic organisms.
6. Natural Resource Agency meetings were held at the NH Dept. of Transportation (NHDOT) on at least ten occasions including the most recent dates of June 13, 2013 and May 21, 2014 to coordinate the review and permitting of the project.
7. In accordance with Env-Wt 703.01, the department finds that the applicant has shown with clear and convincing evidence there will be no significant loss of value set forth in RSA 482-A:1; the project is consistent with the purpose specified in RSA 482-A:1; the project could not be relocated to avoid impacts reducing the public value of the project or negatively affecting public safety; and there is no practical location to compensate for impacts on site.
8. The request for three rule waivers is granted as follows:
 - (a) Rule Env-Wt 703.03 requiring a public hearing is found to be unnecessary as this project has been the subject of numerous public meetings and it is unlikely another hearing would result in any substantial information and the additional delay is not in the interest of public safety;
 - (b) Rule Env-Wt 704.01 regarding the delay of 20 days for permit issuance after the notice of decision to approve an application for work in or adjacent to Prime Wetlands is found to be unnecessary in this instance since there has been ample time and many opportunities for comment and that after many years of design assessment it is unlikely additional information is available to modify or reduce impacts; and
 - (c) Rule Env-Wt 806.05(b), the requirement of the ARM Fund payment to be submitted within 120 days is extended to 240 days due to the process of awarding a construction contract.
9. The department has determined that this project is acceptable for a one-time payment to the Aquatic Resource Mitigation (ARM) Fund for the mitigation.
10. The payment calculated for the proposed wetland loss equals \$31,900.00.
11. The Department decision is issued in letter form and upon receipt of the ARM fund payment, the Department shall issue a posting permit in accordance with Env-Wt 803.08(f).
12. The payment into the ARM fund shall be deposited in the DES fund for the Salmon Falls -Piscataqua Rivers watershed per RSA 482-A:29.

**2014-03141 NH DEPT OF TRANSPORTATION
GILFORD Jewett Brook**

Requested Action:

Install a concrete invert in a 10 ft. x 232 ft. metal culvert adding cutoff walls and stabilize the inlet and outlet with riprap impacting 2,023 sq. ft. (1,434 sq. ft. temporary) of riverine wetlands.

Conservation Commission/Staff Comments:

Cons. Comm. - no comment

APPROVE PERMIT:

Install a concrete invert in a 10 ft. x 232 ft. metal culvert adding cutoff walls and stabilize the inlet and outlet with riprap impacting 2,023 sq. ft. (1,434 sq. ft. temporary) of riverine wetlands. NHDOT project 29569

With Conditions:

1. All work shall be in accordance with plans by NHDOT Bureau of Bridge Maintenance dated 10/6/14 and signed 10/15/14 as received by the Department on Nov. 5, 2014.
2. Dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
3. Unconfined work within the brook, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.

4. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
5. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
6. Temporary cofferdams shall be entirely removed immediately following construction.
7. Construction equipment shall not be located within surface waters.
8. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
9. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
10. Within three days of the last activity in an area, all exposed soil areas, where construction activities are complete, shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack on slopes steeper than 3:1 or netting /matting and pinning on slopes steeper than 2:1.
11. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching or if temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching, mulching with tack on slopes steeper than 3:1 and stabilized by matting and pinning on slopes steeper than 2:1.
12. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
13. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.
14. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
15. Standard precautions shall be taken to prevent import or transport of soil or seed stock from nuisance, invading species such as purple loosestrife or Phragmites.
16. Any work outside of the Right of Way shall be coordinated with the landowner prior to construction in those areas.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(p), a replacement of a stream crossing structure in a tier 3 stream.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The project was discussed at the monthly Natural Resource Agency (NRA) meeting held at the NH Dept. of Transportation on Sept. 17, 2014 to coordinate the project.
6. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the riverine resource, as identified under RSA 482-A:1.
7. The DES has determined the applicant has met the purpose of the current stream rules relative to not causing damage upstream or downstream and not impeding aquatic organisms.
8. The concret invert and rip rap placement will protect the existing infrastructure and does not require mitigation per rule Env-Wt 302.03(c)(2).
9. The drainage area map submitted with the application showing the location in Boscawen was corrected by DES and it was found to have the same amount of drainage area as presented.

MINOR IMPACT PROJECT

2014-01358 MILLER, LAUDER
GILFORD Lake Winnepesaukee

Requested Action:

Permanently remove all portions of an existing complex crib-supported docking structure and a second 54 ft. crib pier, construct a "W" shaped crib supported docking structure consisting of a 6 ft. x 25 ft. finger, a 3 ft. x 25 ft. finger, a 4 ft. x 25 ft. finger, connected by a 4 ft. x 37 ft. walkway and accessed by an angled 6 ft. x 24 ft. walkway from the shoreline, and relocate submerged rocks on an average of 302 feet of shoreline frontage along Lake Winnepesaukee, on Jolly Island, in Gilford.

Conservation Commission/Staff Comments:

6/9/14 Con. Com. requests a "hold" until they can discuss the project at their next meeting.
6/19/14 Con. Com. released "hold".

APPROVE PERMIT:

Permanently remove all portions of an existing complex crib-supported docking structure and a second 54 ft. crib pier, construct a "W" shaped crib supported docking structure consisting of a 6 ft. x 25 ft. finger, a 3 ft. x 25 ft. finger, a 4 ft. x 25 ft. finger, connected by a 4 ft. x 37 ft. walkway and accessed by an angled 6 ft. x 24 ft. walkway from the shoreline, and relocate submerged rocks on an average of 302 feet of shoreline frontage along Lake Winnepesaukee, on Jolly Island, in Gilford.

With Conditions:

1. All work shall be in accordance with plans by Harold E. Johnson Inc. dated December 17, 2014, as received by the NH Department of Environmental Services (DES) on January 16, 2015.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. Once recorded with the Registry of Deeds, this permit supersedes all other permits issued for docking structures along this frontage.
4. Repairs to these structures may be conducted, as necessary, throughout the duration of this permit provided that the permittee notifies the Wetlands Bureau and Conservation Commission, in writing, of the proposed start and completion date prior to performing any repair.
5. The repairs shall maintain the approved existing size, location, and configuration of the structures.
6. Appropriate siltation and erosion controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
7. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain in place until suspended particles have settled and the water at the work site has returned to normal clarity.
8. This permit does not allow for maintenance dredging.
9. No portion of the docking structure shall extend more than 56 ft. lakeward of the shoreline as measured at full lake elevation of 504.32.
10. All cribs shall be constructed in accordance with the location, spacing and dimensions as specified on the approved plan.
11. Crib material shall be timber, concrete, or other material approved by the Department of Environmental Services, and of such size and spacing as necessary to completely contain the ballast.
12. All recovered crib material not re-used as crib ballast shall be placed outside of the jurisdiction of the DES Wetlands Bureau unless otherwise indicated on the approved plan.
13. The rocks to be re-located shall be placed in front of the applicant's frontage in areas having similar depth of water and not located within 20 feet of the imaginary extension of the property line.
14. The existing westerly dock and all supports shall be completely removed within 30 days of the completion of the new docking structure.
15. Photographs shall be submitted within 45 days of the completion of the new docking structure illustrating that the frontage is in

compliance with this approval.

16. Any deviation from the approved plan shall require an amendment request and approval from the Department.

17. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This project is classified as a minor project per Rule Env-Wt 303.03(d), construction of a permanent docking facility providing fewer than 5 slips.
2. The applicant has an average of 302 feet of frontage along Jolly Island, Lake Winnepesaukee.
4. A maximum of 5 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
5. The proposed docking facility will provide 4 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.
6. The Department approves the request for a waiver of Rule Env-Wt 402.06(i) and (k) specific to crib dimensions and spacing.
7. The proposed docking structure will replace two non-conforming docking structures with a single crib supported docking structure.

**2014-03302 ROMAN CATHOLIC BISHOP
HAMPSTEAD Wash Pond**

Requested Action:

Dredge and fill a total of 5,997 sq. ft. of palustrine forested/scrub-shrub and wet meadow wetlands, containing an intermittent stream, which has previously been culverted, at the location of the new 1,160 linear foot, 14 ft. wide with 2 ft. shoulders, gravel access road to be constructed from St. Anne's Church parking area to the middle school.

Conservation Commission/Staff Comments:

11-26-14 - No historic properties affected per DHR.

Town of Hampstead Conservation Commission "... voted in favor of this project going forward."

APPROVE PERMIT:

Dredge and fill a total of 5,997 sq. ft. of palustrine forested/scrub-shrub and wet meadow wetlands, containing an intermittent stream, which has previously been culverted, at the location of the new 1,160 linear foot, 14 ft. wide with 2 ft. shoulders, gravel access road to be constructed from St. Anne's Church parking area to the middle school.

With Conditions:

1. All work shall be in accordance with plans by Farwell Engineering Services, LLC dated September 10, 2014, as received by the NH Department of Environmental Services (DES) on November 21, 2014.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Proper headwalls shall be constructed within seven days of culvert installation.
5. Culvert outlets shall be properly rip rapped.
6. Work shall be done during low flow.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h), projects involving less than 20,000 square feet of alteration in the aggregate in nontidal wetlands.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas

and environments under the department's jurisdiction per Env-Wt 302.03.

4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

5. The intermittent stream crossing location has been previously culverted with the new crossing replacing and upgrading the existing culvert as with the other culvert crossing locations.

MINIMUM IMPACT PROJECT

2009-02624 MORAN, EDWARD
NORTH HAMPTON Atlantic Ocean

Requested Action:

Request permit time extension.

Conservation Commission/Staff Comments:

No report or comments were received from the North Hampton Conservation Commission on this application.

APPROVE TIME EXTENSION:

Perform maintenance work totaling 3,000 sq. ft. in the tidal buffer zone for the in-kind repair and reconstruction of 675 linear feet of existing stone rip-rap revetment / sea wall.

With Conditions:

1. All work shall be in accordance with plans by Applicant dated October 20, 2009, as received by DES on October 29, 2009.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. NH DES Wetlands Bureau Southeast Region staff shall be notified in writing prior to commencement of work and upon its completion.
4. Existing rocks which have fallen shall be used for repair/reconstruction. No Additional Rocks.
5. Repairs and/or reconstruction shall maintain existing size, location and configuration.

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.
2. This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

2014-03339 MORGRIDGE, BRUCE
ROLLINSFORD Unnamed Wetland

Requested Action:

Proposal to retain 254 sq. ft. of dredge and fill in wetland for the replacement of deteriorated culvert with new and extended 40 ft. long x 24" HDPE culvert in the same general location.

APPROVE AFTER THE FACT:

Retain 254 sq. ft. of dredge and fill in wetland for the replacement of deteriorated culvert with new and extended 40 ft. long x 24" HDPE culvert in the same general location.

With Conditions:

1. All work shall be in accordance with plans by Beals Associates PLLC, dated October 2014, as received by the NH Department of Environmental Services (DES) on November 25, 2014.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f), projects involving alteration of less than 3,000 square feet in swamps or wet meadows that are not prime wetlands or do not meet the requirements of Env-Wt 303.02(k).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The applicant has demonstrated that the existing culvert was deteriorated and needed to be replaced to provide access to buildable uplands.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The new culvert was installed within the same general footprint as the previous culvert.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. There were no species of concern reported by the NH Natural Heritage Bureau within the project area.
6. The Rollinsford Conservation Commission did not submit comments to DES.

FORESTRY NOTIFICATION

2015-00219 SK BEEBE PINNACLE LLC
CANAAN Unnamed Stream

Requested Action:
Canaan, Tax Map 17, Lot#'s 55, 56

2015-00275 ROWE, DAN
TAMWORTH Unnamed Stream

COMPLETE NOTIFICATION:
Tamworth, Tax Map #412, Lot #20

2015-00278 STATE OF NH DRED
MASON Unnamed Stream

COMPLETE NOTIFICATION:

Mason, Tax Map #A, Lot#6

2015-00279 MERRITT, GREGG
NEWPORT Unnamed Stream

Requested Action:
Newport, Tax map 258, Lot# 9

2015-00280 PORTER, JOHN
LEBANON Unnamed Stream

COMPLETE NOTIFICATION:
Lebanon, Tax Map #52, Lot #16

2015-00281 ST AUBIN, NORMAN
CLAREMONT Unnamed Stream

Requested Action:
Claremont, Tax Map 100, Lot# 13

2015-00282 ST AUBIN, NORMAN
CLAREMONT Unnamed Stream

COMPLETE NOTIFICATION:
Claremont, Tax Map #100, Lot #7

2015-00284 EATON, HARLAND
AUBURN Unnamed Stream

Requested Action:
Auburn, Tax Map 8, Lot# 15

EXPEDITED MINIMUM

2014-03112 SOUTH DOWN BEACH CLUB
LACONIA Paugus Bay

Requested Action:
Temporarily impact no more than 200 sq. ft. of bed to install submarine residential utility lines by directional boring to Big Island,

Lake Winnepesaukee, Laconia.

Conservation Commission/Staff Comments:
Con Com signed Wet applicaiton

Possible NHB concerns, loon

APPROVE PERMIT:

Temporarily impact no more than 200 sq. ft. of bed to install submarine residential utility lines by directional boring to Big Island, Lake Winnepesaukee, Laconia.

With Conditions:

1. All work shall be in accordance with plans by Steven Smith dated April 30, 2014, as received by the NH Department of Environmental Services (DES) on January 06, 2015.
2. Area shall be regraded to original contours following completion of work.
3. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain in place until suspended particles have settled and the water at the work site has returned to normal clarity.
5. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04 (w) Excavation of less than 10 linear feet within the bank and bed of a surface water that does not exceed 200 square feet in total jurisdictional impact to the bed.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2014-03115 NH BIG ISLAND CO
LACONIA Paugus Bay

Requested Action:

Temporarily impact 348 sq. ft. of bank to provide access for the installation of directional boring for utility lines to the island property, Big Island, Lake Winnepesaukee, Laconia.

Conservation Commission/Staff Comments:
Con Com signed Wet applicaiton

Possible NHB concerns, loon

APPROVE PERMIT:

Temporarily impact 348 sq. ft. of bank to provide access for the installation of directional boring for utility lines to the island property, Big Island, Lake Winnepesaukee, Laconia.

With Conditions:

1. All work shall be in accordance with plans by Steven Smith Associates dated January 07, 2014, as received by the NH Department of Environmental Services (DES) on November 03, 2014.
2. No work shall be conducted from May 15 through August 15, to address the concerns of the Loon Preservation Committee.
3. Area shall be regraded to original contours following completion of work.
4. Impact area to be replanted to pre-existing conditions to represent pre-existing plant species and density following completion of work.
5. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain in place until suspended particles have settled and the water at the work site has returned to normal clarity.
7. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04 (m) Projects that disturb less than 50 linear feet, measured along the shoreline, of a lake or pond or its bank and do not meet the criteria of Env-Wt 303.03 or Env-Wt 303.02.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2015-00078

REILLY, PATRICIA

RYE Atlantic Ocean

Requested Action:

Impact a total of 1,600 sq. ft. (1,500 sf permanent & 100 sf temporary construction impacts) in the previously developed upland tidal buffer zone for the construction of a concrete generator pad, an outdoor shower, an areaway, a deck expansion, the addition of a pervious paver driveway and to install an underground propane tank.

APPROVE PERMIT:

Impact a total of 1,600 sq. ft. (1,500 sf permanent & 100 sf temporary construction impacts) in the previously developed upland tidal buffer zone for the construction of a concrete generator pad, an outdoor shower, an areaway, a deck expansion, the addition of a pervious paver driveway and to install an underground propane tank.

With Conditions:

1. All work shall be in accordance with plans by James Verra and Associates, Inc. dated 11-7-2014, as received by the NH Department of Environmental Services (DES) on January 13, 2015.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and/or further permitting by the Bureau.
3. DES Wetlands Bureau Southeast Region staff and the Rye Conservation Commission shall be notified in writing prior to commencement of work and upon its completion.
4. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

5. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(b), projects in previously developed upland areas within 100 feet of the highest observable tide line.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

GOLD DREDGE

2015-00120 BOURNE, ROY
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath ConCom

2015-00297 COULTER, HARRY
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath ConCom

2015-00303 ANDERSON, NICHOLAS
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath ConCom

LAKES-SEASONAL DOCK NOTIF

2015-00259 DOYLE, JOHN
NEW LONDON Messer Pond

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

PERMIT BY NOTIFICATION

2015-00032 BARTOLOTTA, FRANK
BELMONT Winnisquam Lake

Requested Action:

Replenishment of sand on an existing beach, provided no sand shall be placed below the high water line or full pond elevation and no more than 10 cubic yards of sand shall be used, Lake Winnisquam.

PBN IS COMPLETE:

Replenishment of sand on an existing beach, provided no sand shall be placed below the high water line or full pond elevation and no more than 10 cubic yards of sand shall be used, Lake Winnisquam.

2015-00055 KEENE, CITY OF
SWANZEY Unnamed Stream

Requested Action:

PBN complete for installation of a temporary cofferdam and culvert repair.

PBN IS COMPLETE:

PBN complete for installation of a temporary cofferdam and culvert repair.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(x) Maintenance, repair, or replacement of a nondocking structure such as a culvert, headwall, bridge,dam, residential utility line, or rip-rap slope of less than 50 linear feet,and per Administrative Rule Env-Wt 303.04(l),Temporary cofferdams and other water control devices constructed in flowing water or adjacent to dams in conjunction with the repair or maintenance of existing structures.

2015-00140 VICKOWSKI, GREGORY
ALTON Lake Winnepesaukee

Requested Action:

Permanently remove existing docking structure, install a 6 ft. x 40 ft. seasonal dock, seasonal boatlift, and 2 seasonal PWC lifts, Lake Winnepesaukee, in accordance with plans dated October 16, 2014.

Conservation Commission/Staff Comments:

Con Com did not sign PBN form.

PBN IS COMPLETE:

Permanently remove existing docking structure, install a 6 ft. x 40 ft. seasonal dock, seasonal boatlift, and 2 seasonal PWC lifts, Lake Winnepesaukee, in accordance with plans dated October 16, 2014.

2015-00254 ROSSWAAG, THOMAS
PETERBOROUGH Contoocook River

Requested Action:

Installation of a 6 ft. x 40 ft. seasonal dock in accordance with plans dated January 15, 2015.

PBN IS COMPLETE:

Installation of a 6 ft. x 40 ft. seasonal dock in accordance with plans dated January 15, 2015.

2015-00296 CIBORSKI, MICHAEL
ALSTEAD Kidders Pond

Requested Action:

Disqualify PBN for proposal to construct a dry hydrant.

Conservation Commission/Staff Comments:

- 1. Conservation Commission signed the Permit by Notification.

PBN DISQUALIFIED:

Disqualify PBN for proposal to construct a dry hydrant.

With Findings:

- 1. The Permit by Notification ("PBN") is disqualified because the proposed wetland impacts associated with the dry hydrant are for a proposed subdivision.
- 2. Administrative Rule 506.01(c); Subdivisions shall not qualify for the permit by notification process.

UTILITY NOTIFICATION

2015-00268 PSNH
BETHLEHEM Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance of the electric transmission system.

2015-00269 PSNH
CARROLL Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Vegetative maintenance of the electric transmission system.

2015-00270 **PSNH**
COLEBROOK Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Vegetative maintenance of the electric transmission system.

2015-00271 **PSNH**
COLUMBIA Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Vegetative maintenance of the electric transmission system.

2015-00272 **PSNH**
DURHAM Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Vegetative maintenance of the electric transmission system.

2015-00273 **PSNH**
HOOKSETT Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Vegetative maintenance of the electric transmission system.

2015-00274 **PSNH**
LACONIA Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Vegetative maintenance of the electric transmission system.

2015-00276 **PSNH**
LONDONDERRY **Unnamed Wetland**

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Vegetative maintenance of the electric transmission system.

2015-00277 **PSNH**
MANCHESTER **Unnamed Wetland**

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Vegetative maintenance of the electric transmission system.

2015-00285 **PSNH**
MERRIMACK **Unnamed Wetland**

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Maintenance on the B143 line.

2015-00286 **PSNH**
ANTRIM **Unnamed Wetland**

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Maintenance on the L163 line.

2015-00288 **PSNH**
HILLSBOROUGH **Unnamed Wetland**

Conservation Commission/Staff Comments:

See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Maintenance on the L163 line.

2015-00289 **PSNH**
NELSON Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Maintenance on the L163 line.

2015-00290 **PSNH**
SULLIVAN Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Maintenance on the L163 line.

