

Review
2/17/15

Wetlands Bureau Decision Report

Decisions Taken
02/09/2015 to 02/15/2015

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

Any party aggrieved by a decision may file an appeal within 30 days of the date of this decision as specified in RSA 482-A:10, RSA 21-O:14, and the rules adopted by the Wetlands Council, Env-WtC 100-200.

The appeal must be filed directly with the Council, c/o the Council Appeals Clerk, who may be contacted at (603) 271-6072 or at appeals@des.nh.gov. The notice of appeal must set forth fully every ground upon which it is claimed that the decision complained of is unlawful or unreasonable. Only those grounds set forth in the notice of appeal can be considered by the council.

MAJOR IMPACT PROJECT

2014-03369 TETREAUULT, ANNETTE D/RAYMOND J
MIDDLETON Cocheco River

Requested Action:

Proposal to dredge and fill a total of 1,108 sq. ft., approximately 140 linear ft. of stream and banks, of surface waters and banks for the removal of two existing 60" CMP's and replace with construction of a 14'8" wide x 20' long freespan bridge and abutments within the same general footprint under an existing driveway.

Conservation Commission/Staff Comments:
As per DHR No Historic Properties affected.

APPROVE PERMIT:

Dredge and fill a total of 1,108 sq. ft., approximately 140 linear ft. of stream and banks, of surface waters and banks for the removal of two existing 60" CMP's and replace with construction of a 14'8" wide x 20' long freespan bridge and abutments within the same general footprint under an existing driveway.

With Conditions:

1. All work shall be in accordance with plans by Norway Plains Associates, Inc., dated November 18, 2014, as received by the NH Department of Environmental Services (DES) on December 1, 2014.
2. Construction shall be inspected by a qualified wetland scientist, erosion control specialist, or professional engineer to insure that appropriate protective measures are properly implemented, including those outlined in the plans and documents supporting this permit application and the conditions of this authorization.
3. This permit is contingent upon review and approval of a stream diversion plan by the DES Wetlands Bureau.
4. The applicant shall notify DES Wetlands Bureau in writing within twenty-four (24) hours of an erosion event resulting in sediment entering a wetland or surface water.
5. Any temporary work areas shall be restored to original condition upon completion of work.
6. Any further alteration of areas on these properties that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
7. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
8. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
9. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
10. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
11. Work shall be done during low flow.
12. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
13. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with haybales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 ft. of undisturbed vegetated buffer.
14. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
15. Faulty equipment shall be repaired prior to entering jurisdictional areas.
16. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.

17. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(p), any project that includes a new or replacement stream crossing which meets the criteria for a Tier 3 stream crossing as specified in Env-Wt 904.04(a).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The applicant has demonstrated that the two existing 60" culverts are deteriorated and need to be replaced. In addition, the crossing is the only access to the applicant's home and the Town of Middleton uses two ponds on the property for fire suppression water supply.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The proposed removal of the existing 60" culverts and replacing with a bridge will remove an impoundment, restore a natural stream bottom, and allow the movement of aquatic species.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant's agent submitted a written request for an alternative design in accordance with Env-Wt 904.09 due to not meeting some of the requirements of Env-Wt 904.09(c)(1), the NH Stream Crossing Guidelines, University of New Hampshire, May 2009. Specifically, a bed load sediment transport capacity analysis and a hydrologic stormwater analysis using HydroCAD was not completed for the crossing. The replacement stream crossing matches the capacity of the downstream crossing at Old Bay Road which makes these requirements unwarranted. The submitted Tier 3 replacement alternative design meets the General Design Criteria to the maximum extent practicable pursuant to Env-Wt 904.09.
6. The proposed bridge is 361% larger than the existing crossing and will exceed the requirements for the 100-year flood flows, dramatically reduce the current flooding at this location, will establish a natural stream bottom, will better match the upstream and downstream channel width, and allow aquatic species passage which is currently limited.
7. Natural Heritage Bureau ("NHB") has no record of sensitive species within the vicinity of this project.
8. The Middleton Conservation Commission did not submit comments on the application.
9. The Cocheco River Local Advisory Committee did not submit comments on the application.
10. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the riverine resource, as identified under RSA 482-A:1.

2014-03387 NH DES / DAM BUREAU
HARRISVILLE Seaver Reservoir

Requested Action:

Proposal to dredge and fill 46,717 sq. ft. (includes 7,492 sq. ft. permanent impacts and 39,225 sq. ft. of temporary impacts) of pond bed, bank, spillway and stream (dam outlet) for repairs and reconstruction of the Seaver Reservoir Dam and auxiliary spillway. Proposed work includes removing the existing outlet structure, reconstructing the outlet, dam, reconstruction of the auxiliary spillway and temporary impacts for the construction area and temporary storage of the excavated embankment materials.

APPROVE PERMIT:

Dredge and fill 46,717 sq. ft. (includes 7,492 sq. ft. permanent impacts and 39,225 sq. ft. of temporary impacts) of pond bed, bank, spillway and stream (dam outlet) for repairs and reconstruction of the Seaver Reservoir Dam and auxiliary spillway. Proposed work includes removing the existing outlet structure, reconstructing the outlet, dam, reconstruction of the auxiliary spillway and temporary impacts for the construction area and temporary storage of the excavated embankment materials.

With Conditions:

1. All work shall be in accordance with plans by NHDES Dam Bureau dated JAN 2015, as received by the NH Department of

Environmental Services (DES) on February 13, 2015.

2. This permit is contingent on coordination and approval of the timing of work and drawdown with the New Hampshire Fish and Game Department.
3. This permit is contingent on approval by the DES Dam Safety Program.
4. The NHDES Dam Bureau (if applicable) shall obtain temporary construction easements or written agreements from affected landowners with work in jurisdiction on their property or within 20 feet of their property. Copies shall be supplied to DES Wetlands Bureau File No. 2014-03387 prior to construction.
5. A qualified professional shall monitor the project during construction to assure it is constructed in accordance with the approved plans and narratives and to assure no water quality violations occur. A follow-up report shall be submitted to the Wetlands Bureau within 60 days of the completion of construction.
6. Work shall be done during drawdown.
7. All temporary jurisdictional impacts within the staging area shall be restored to original grades and substrate materials.
8. Extreme precautions shall be taken within riparian areas to limit unnecessary removal of vegetation during access construction and areas cleared of vegetation for temporary access shall be vegetated within native species.
9. Unconfined work within the stream and reservoir, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
10. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
11. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
12. Temporary cofferdams shall be entirely removed immediately following construction.
13. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
14. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain in place until suspended particles have settled and the water at the work site has returned to normal clarity.
15. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 ft. of undisturbed vegetated buffer.
16. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
17. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
18. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired immediately.
19. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
20. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
21. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.
22. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require additional approval by the Bureau.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(c) Projects that involve alteration of nontidal wetlands, nontidal surface waters, and banks adjacent to nontidal surface waters in excess of 20,000 square feet in the aggregate.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The work is needed to address dam safety deficiencies noted in the department's (NHDES Dam Bureau) Memorandum of Deficiency dated 11/4/2013.

4. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
5. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
6. The applicant will coordinate timing of the work and drawdown with the NH Fish and Game Department.
7. The proposed work is within the footprint of the existing dam, auxiliary spillway and stream bed and banks directly adjacent to the existing dam outlet.
8. The applicant has indicated that the new outlet structure will not increase discharge downstream into Chesham Pond.
9. The applicant indicated that the temporary storage area impact is needed due to the removal of 6,000 cubic yards of embankment material that will be reused for the dam reconstruction. This area is needed due to the identified cultural resources that need to be protected on the southern upstream and downstream borders of the dam.
10. The applicant has indicated that the height of the dam will not be increased and the current water elevation will be maintained.
11. The temporary closure of Seaver Road has been discussed with Harrisville Selectmen.
12. The applicant has provided a waiver request per Env-Wt 204.03, to waive the delineation of wetland boundaries as required per Env-Wt 301.01 (g).
13. The wetlands to be impacted consist of the bed and bank (dam) of Seaver Reservoir, the existing man-made spillway and the stream bed and bank directly adjacent to the existing dam outlet.
14. There will be no adverse effect to the environment or natural resources of the state, public health, or public safety; or on abutting properties that is more significant than that which would result from complying with the Env-Wt 301.01.
15. The waiver is granted in accordance with Env-Wt 204.04(b), as strict compliance with the rule will provide no benefit to the public and will cause an operational or economic hardship to the applicant.
16. The department has not received any comments from the Harrisville Conservation Commission.
17. The department has not received any comments in objection to the proposed project.
18. The project does not require compensatory mitigation because the permanent jurisdictional impacts are under 10,000 square feet and the work is needed for the protection of existing infrastructure per Administrative Rule Env-Wt 302.03(c)(2).
19. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the lacustrine and riverine resource, as identified under RSA 482-A:1.

2015-00083 NH DEPT OF TRANSPORTATION
SANBORNTON Unnamed Wetland

Requested Action:

Replace two 15 in. x 40 ft. culverts and one 15. x 50 ft. along NH Route 132 impacting 538 sq. ft. (263 sq. ft. temporary including 32 sq. ft. of prime wetland) of palustrine emergent wetland.

Conservation Commission/Staff Comments:

Cons. Comm. - no comment

APPROVE PERMIT:

Replace two 15 in. x 40 ft. culverts and one 15. x 50 ft. along NH Route 132 impacting 538 sq. ft. (263 sq. ft. temporary including 32 sq. ft. of prime wetland) of palustrine emergent wetland. NHDOT project #28635.

With Conditions:

1. All work shall be in accordance with plans by NHDOT Bureau of Highway Design dated 12/2014 signed 2-10-15 as received by the Department on Feb. 10, 2015.
2. Any dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
4. Construction equipment shall not be located within surface waters.

5. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
6. Within three days of the last activity in an area, all exposed soil areas, where construction activities are complete, shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack on slopes steeper than 3:1 or netting /matting and pinning on slopes steeper than 2:1.
7. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching or if temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching, mulching with tack on slopes steeper than 3:1 and stabilized by matting and pinning on slopes steeper than 2:1.
8. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
9. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.
10. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
11. Proper headwalls shall be constructed within seven days of culvert installation.
12. Work shall be done during low flow.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(f), projects located in or adjacent to designated prime wetlands under RSA 482-A:15.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that his/her project, as approved and conditioned, is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.
5. The detailed engineering plans accurately locate the boundary of the wetlands and prime wetlands.
6. The erosion controls, water velocity controls, grass treatment swales, stabilization methods, culvert sizing and invert elevations will protect the ability of the wetlands to retain floodwaters and silt.
7. The project as approved and constructed in adherence to the provided construction sequence and erosion control conditions assure the Prime Wetland impacts are only temporary.
9. Based on the previous inspection of file 2011-01620 conducted on Aug. 26, 2011 by the DES Wetlands Bureau and the information provided to the current application file 2015-00083, the project involves minor environmental impacts.
11. Public hearing is not required with the finding that the project will not have a permanent impact on any wetland areas that are considered to be of special value.
12. As there are no permanent impacts to any function or value, no mitigation is required under rule Env-Wt 703.01(b)(5) and Env-Wt 302.03(d).
13. Based on findings #1-12 above, there is clear and convincing evidence this proposal will have no loss of values to the prime wetlands as set forth in RSA 482-A:1, and the project meets the criteria set forth in Rule Wt 703.01 Criteria for Approval.

Any party aggrieved by this decision may file an appeal within 30 days of the date of this decision as specified in RSA 482-A:10, RSA 21-O:14, and the rules adopted by the Wetlands Council, Env-WtC 100-200. For any decision made on or after August 3, 2013, a motion for reconsideration to DES is no longer required or allowed. The appeal must be filed directly with the Council, c/o the Council Appeals Clerk, who may be contacted at (603) 271-6072 or at appeals@des.nh.gov <<mailto:appeals@des.nh.gov>>. The notice of appeal must set forth fully every ground upon which it is claimed that the decision complained of is unlawful or unreasonable. Only those grounds set forth in the notice of appeal can be considered by the council.

MINOR IMPACT PROJECT

2013-02091 ROCKAFELLOW, SCOTT
MEREDITH Lake Winnepesaukee

Requested Action:

Amend permit to allow an alternative configuration of the proposed tie-off piles.

APPROVE AMENDMENT:

Amend permit to read: Repair an existing 4 ft. x 28 ft. piling pier, a 16 ft. x 20 ft. deck with a 9 ft. x 10 ft. roof area, a 4 ft. x 18 ft. walkway, and a 4 ft. x 10 ft. walkway in-kind, replace the concrete footings supporting an existing 14 ft. x 30 ft. boathouse with piling, dredge 6.5 cu. yd. from 175 sq. ft. within the boathouse, repair the boathouse in-kind, install a seasonal boatlift and two seasonal personal watercraft lifts, and relocate 2 tie-off pilings on 158 ft of frontage along Lake Winnepesaukee in Meredith.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction revised January 25, 2015, as received by the NH Department of Environmental Services (DES) on February 2, 2015.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. All dredged material and construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
4. All seasonal structures shall be removed from the lake for the non-boating season.
5. Repairs to these structures may be conducted, as necessary, throughout the duration of this permit provided that the permittee notifies the Wetlands Bureau and Conservation Commission, in writing, of the proposed start and completion date prior to performing any repair.
6. The repairs shall maintain the size, location, and configuration of the pre-existing structures.
7. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if it later determines that any structures represented as "existing" were not previously permitted or grandfathered in their current configuration.
8. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
9. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
10. Work shall be carried out in a time and manner such that there will be no disturbance to migratory waterfowl breeding areas or fish spawning areas.
11. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(g), dredge of less than 20 cu. yd of material from public waters.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

2014-00755 LEE P PAGE TRUST OF 4-14-1975
SUNAPEE Sunapee Lake

Requested Action:

Amend permit to reflect seasonal dock instead of permanent dock moved 3 feet westerly, and relocate one additional rock.

APPROVE AMENDMENT:

Amend permit to read: Permanently remove an existing seasonal docking structure, relocate 7 rocks within the waterbody and remove 3 rocks from jurisdiction, construct a 6 ft. x 51 ft. seasonal dock accessed by a 6 ft. x 10 ft. ramp from the bank, and install two seasonal boatlifts on an average of 100 feet of shoreline frontage along Lake Sunapee, in Sunapee.

With Conditions:

1. All work shall be in accordance with revised plans by David Page dated November 3, 2014, as received by the Department on November 4, 2014.
2. This permit shall not be effective until it has been recorded with the County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement or revocation action if the DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.
4. Repairs to these structures may be conducted, as necessary, throughout the duration of this permit provided that the permittee notifies the Wetlands Bureau and Conservation Commission, in writing, of the proposed start and completion date prior to performing any repair.
5. Repairs shall maintain existing size, location and configuration.
6. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, maintained during construction, and shall remain until the area is stabilized.
7. This permit does not allow for maintenance dredging.
8. The dock shall not extend more than 51 ft. lakeward at full lake elevation of 1093.15.
9. The seasonal dock shall be removed for the non-boating season.
10. Seasonal boatlifts shall be removed for the non-boating season.
11. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(g) removal of no more than 20 cubic yards of rock, gravel, sand, mud, or other materials from public waters.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 100 feet of shoreline frontage along Lake Sunapee.
6. A maximum of 2 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
7. The proposed docking facility will provide 2 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

2014-02093 DEMERS, M ALANA
LACONIA Lake Winnepesaukee

Requested Action:

Repair an existing 12 ft. x 6 in. x 18 ft. 8 in. full crib dock, repair and relocate the attached 4 ft. x 31 ft. 4 in. piling pier, and install a permanent boatlift in the southerly slip on an average of 60 feet of shoreline frontage along Lake Winnepesaukee, in Laconia.

Conservation Commission/Staff Comments:
no comments from Con Com by Sept 25, 2014

APPROVE PERMIT:

Repair an existing 12 ft. x 6 in. x 18 ft. 8 in. full crib dock, repair and relocate the attached 4 ft. x 31 ft. 4 in. piling pier, and install a permanent boatlift in the southerly slip on an average of 60 feet of shoreline frontage along Lake Winnepesaukee, in Laconia.

With Conditions:

1. All work shall be in accordance with plans by Peter Schauer dated January 6, 2015, as received by the NH Department of Environmental Services (DES) on January 12, 2015.
2. This permit shall not be effective until it has been recorded with the Belknap County Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. The repairs to the full crib dock shall maintain the size, location and configuration of the pre-existing structure.
4. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
5. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain in place until the area is stabilized.
7. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), modification of a 2 slip permanent pier.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 60 feet of shoreline frontage along Lake Winnepesaukee.
4. A maximum of 2 slips may be permitted on this frontage per Rule Env-Wt 402.12, Frontage With Less Than 75'.
5. The proposed modification of the docking structure will provide the same number of slips and same square feet of impact as previously existed on this frontage.

**2014-03144 NH DEPT OF TRANSPORTATION
BENTON Waterman Brook**

Requested Action:

Install a 6 in. reinforced concrete invert in an 8 ft. 7 in. wide by 5 ft. 11 in. high x 104 ft. long metal pipe arch adding concrete cutoff walls and placing riprap at the inlet and outlet to stabilize the structure along with the installation of a fish weir downstream impacting 1,191 sq. ft. (611 sq. ft. temporary) of riverine wetland.

Conservation Commission/Staff Comments:

Cons. Comm. - no comment

APPROVE PERMIT:

Install a 6 in. reinforced concrete invert in an 8 ft. 7 in. wide by 5 ft. 11 in. high x 104 ft. long metal pipe arch adding concrete cutoff walls and placing riprap at the inlet and outlet to stabilize the structure along with the installation of a fish weir downstream impacting 1,191 sq. ft. (611 sq. ft. temporary) of riverine wetland. NHDOT project #29703

With Conditions:

1. All work shall be in accordance with plans by NHDOT Bureau of Bridge Maintenance dated 10/7/14 as received by the Department on Nov. 6, 2014.
2. Dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
3. Unconfined work within the brook, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
4. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
5. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
6. Temporary cofferdams shall be entirely removed immediately following construction.
7. Construction equipment shall not be located within surface waters.
8. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
9. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
10. Within three days of the last activity in an area, all exposed soil areas, where construction activities are complete, shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack on slopes steeper than 3:1 or netting /matting and pinning on slopes steeper than 2:1.
11. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching or if temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching, mulching with tack on slopes steeper than 3:1 and stabilized by matting and pinning on slopes steeper than 2:1.
12. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
13. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.
14. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
15. Standard precautions shall be taken to prevent import or transport of soil or seed stock from nuisance, invading species such as purple loosestrife or Phragmites.
16. Any work outside of the Right of Way shall be coordinated with the landowner prior to construction in those areas.
17. The permittee shall conduct yearly inspections and submit a summary report to the file by Nov. 1st for three years after project completion to assure the absence of a perched outlet.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(1), projects impacting less than 200 linear feet of banks and channel.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The project was discussed at the monthly Natural Resource Agency (NRA) meeting held at the NH Dept. of Transportation on

Oct. 15, 2014 to coordinate the project.

6. The DES has determined the applicant has met the purpose of the current stream rules relative to not causing damage upstream or downstream and not impeding aquatic organisms.
7. Mitigation is not required as the project meet the requirements of Env-Wt 302.03(c)(2)(e).

2014-03233 MIDDLETON SCHOOL DISTRICT
MIDDLETON Unnamed Wetland

Requested Action:

Proposal to fill a total of 3,215 sq. ft. of wetland in three locations to construct a new elementary school including the following:
Impact #1: 2,740 sq. ft. of fill for slope impacts and building construction; Impact #2: 390 sq. ft. of fill for slope impacts and; Impact #3: 85 sq. ft. of fill for access to recreational fields and installation of a water line.

APPROVE PERMIT:

Fill a total of 3,215 sq. ft. of wetland in three locations to construct a new elementary school including the following: Impact #1: 2,740 sq. ft. of fill for slope impacts and building construction; Impact #2: 390 sq. ft. of fill for slope impacts and; Impact #3: 85 sq. ft. of fill for access to recreational fields and installation of a water line.

With Conditions:

1. All work shall be in accordance with plans by Meridian Land Services, Inc., dated February 3, 2015, as received by the NH Department of Environmental Services (DES) on February 9, 2015.
2. Construction shall be inspected by a qualified wetland scientist, erosion control specialist, or professional engineer to insure that appropriate protective measures are properly implemented, including those outlined in the plans and documents supporting this permit application and the conditions of this authorization.
3. Any further alteration of areas on these properties that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
6. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
7. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with haybales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 ft. of undisturbed vegetated buffer.
8. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
9. Faulty equipment shall be repaired prior to entering jurisdictional areas.
10. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
11. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h), projects involving less than 20,000 square feet of alteration in the aggregate of non-tidal wetlands.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. Currently, elementary aged children of both Farmington and Middleton utilize the same school in Farmington. The

applicant has demonstrated that a new elementary school is needed to better serve the community.

3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The applicant minimized impacts by only impacting the edges of wetland systems with 2:1 slope impacts, minimal wetland fill for building construction, and fill in wetlands to construct a footpath for access to recreational fields and installation of a water line.

4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project. 5. NH Natural Heritage Bureau (NHB) has no record of sensitive species within the vicinity of the project.

6. The Middleton Conservation Commission did not submit comments to DES on the application.

2014-03290 FTOREK, ROBERT/WENDY
WOLFEBORO Wentworth Lake

Requested Action:

Replace an existing 25 ft. 8 in. x 15 ft. 5 in. boathouse supported permanent pre-cast concrete posts over public waters with an existing walkway around the outside and relocate an access ramp on frontage along Lake Wentworth.

Conservation Commission/Staff Comments:

Con Com signed Wetland Application

APPROVE PERMIT:

Replace an existing 25 ft. 8 in. x 15 ft. 5 in. boathouse supported permanent pre-cast concrete posts over public waters with an existing walkway around the outside and relocate an access ramp on frontage along Lake Wentworth.

With Conditions:

1. All work shall be in accordance with plans by Fernstone Associates for the Natural Resources revision dated January 10, 2015, as received by the NH Department of Environmental Services (DES) on January 15, 2015.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. Any modification which would make the structure more suitable as a dwelling shall be prohibited. The structure shall be used solely for storage of boats and boating related activities.
4. The repairs shall maintain the size, location and configuration of the pre-existing structures with the exception of relocating the access walkway.
5. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
6. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain in place until the area is stabilized.
8. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
9. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
10. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), modification of a permanent docking system that provides fewer than 5 slips.

2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

2014-03477 **KRAKOWER, IRA**
NEW LONDON Pleasant Lake

Requested Action:

Remove the existing 4 ft. x 40 ft. seasonal pier and walkway, relocate 14 rocks, construct two 6 ft. x 40 ft. seasonal piers connected by a 6 ft. x 10 ft. walkway in a "U" configuration accessed by a 6 ft. walkway, and install a seasonal boatlift and a 12 ft. x 30 ft. seasonal canopy in the center slip on an average of 362 ft. along Pleasant Lake, in New London.

Conservation Commission/Staff Comments:

Con Com submitted comments stating per town ordinance the proposed seasonal canopy would be considered a boathouse.

APPROVE PERMIT:

Remove the existing 4 ft. x 40 ft. seasonal pier and walkway, relocate 14 rocks, construct two 6 ft. x 40 ft. seasonal piers connected by a 6 ft. x 10 ft. walkway in a "U" configuration accessed by a 6 ft. walkway, and install a seasonal boatlift and a 12 ft. x 30 ft. seasonal canopy in the center slip on an average of 362 ft. along Pleasant Lake, in New London.

With Conditions:

1. All work shall be in accordance with revised plans by Watermark Marine Construction dated January, 28, 2015, as received by the NH Department of Environmental Services (DES) on January 30, 2015
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. All portions of the existing pier and walkway shall be removed from the frontage prior to the installation of any new structures.
4. This shall be the only structure on this water frontage and all portions of the dock shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
5. Seasonal pier shall be removed from the lake for the non-boating season.
6. No portion of the pier shall extend more than 40 ft. from the shoreline at full lake elevation.
7. Canopies shall be of seasonal construction type with a flexible fabric cover. The seasonal support frame shall be designed to be removed for the non-boating season. The flexible fabric cover shall be removed during all seasons of non-use.
8. The 14 rocks to be relocated shall be evenly distributed throughout the two identified deposition areas so as to preserve their value as habitat.
9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), construction of a 3-slip docking structure.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 362 ft. of shoreline frontage along Pleasant Lake.
6. A maximum of 5 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
7. The proposed docking facility will provide 3 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

MINIMUM IMPACT PROJECT

2009-02848 KWA LLC
NEWINGTON Unnamed Wetland

Requested Action:

Dredge 2,000 sq. ft. of wetlands to construct a filtration pond.

APPROVE PERMIT:

Dredge 2,000 sq. ft. of wetlands to construct a filtration pond.

With Conditions:

1. All work shall be in accordance with plans by Ambit Engineering Inc. dated 1/13/2010, as received by DES on 1/20/2010.
2. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
5. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f), alteration of less than 3,000 sq. ft. of swamps or wet meadows.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The filtration pond is part of the commercial site development Alteration of Terrain Permit, which was granted on 2/4/2010.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The pond is located in a narrow finger of disturbed wetland area beyond the main body of the larger, very poorly drained wetland, thereby protecting the water quality of the larger wetland, and nearby Little Bay.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project. There were no species of concern reported for the project vicinity by the NH Natural Heritage Bureau.
5. The Newington Conservation Commission strongly supports the project, as the applicant is mitigating a the Town level by granting the Town a conservation easement over an upland/wetland complex surrounding Flagstone Brook as it drains into Little Bay.

Requested Action:

Request permit time extension.

APPROVE TIME EXTENSION:

Dredge 2,000 sq. ft. of wetlands to construct a filtration pond.

With Conditions:

1. All work shall be in accordance with plans by Ambit Engineering Inc. dated 1/13/2010, as received by DES on 1/20/2010.

2. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
5. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.
2. This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

2014-01035 **BELANGER, BRUCE**
NEWINGTON

Requested Action:

Deny permit request to fill 2,950 sq. ft. of wetland in two locations to construct two driveways for a three lot residential subdivision.

DENY PERMIT-INSUFFICIENT & UNTIMELY RESP:

Deny permit request to fill 2,950 sq. ft. of wetland in two locations to construct two driveways for a three lot residential subdivision.

With Findings:

1. A request for additional information dated July 8, 2014, addressed to the applicant or agent of record, clearly identified the requirement that the applicant submit additional information to DES within 60 days of the request.
2. The applicant and DES, by mutual agreement authorized RSA 482-A:3, XIV(a)(3)(D), agreed to extend the response time to February 6, 2015 for the applicant to submit the DES requested additional information.
3. Pursuant to RSA 482-A:3, XIV(a)(2) and RSA 482-A:3, XIV(a)(3)(D), if the requested additional information is not received by DES within 60 days of the request or the date specified in the mutual agreement, DES shall deny the application.
4. DES did not receive the requested additional information within 60 days or the date specified in the mutual agreement and therefore the application has been denied.

2014-02505 **HOWARD, TIMOTHY**
WAKEFIELD Pine River Pond

Requested Action:

Replace 49 linear feet of retaining wall in-kind, remove one set of steps, retain a second set of steps, and install 65 linear feet of coir log to stabilize the shoreline along on Pine River Pond, in Wakefield.

Conservation Commission/Staff Comments:

No comments from Con Com by Nov 07, 2014

APPROVE PERMIT:

Replace 49 linear feet of retaining wall in-kind, remove one set of steps, retain a second set of steps, and install 65 linear feet of coir log to stabilize the shoreline along on Pine River Pond, in Wakefield.

With Conditions:

1. All work shall be in accordance with plans by Fox Survey Company dated January 12, 2015, as received by the NH Department of Environmental Services (DES) on January 15, 2015.
2. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.
3. Work shall be done during drawdown.
4. Removed wall material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
5. The repairs shall maintain the size, location and configuration of the pre-existing structures.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04 Repair or replacement of existing retaining walls that is performed "in the dry" during drawdown of waters, and that results in no change in height, length, location, or configuration.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**2014-02690 MURPHY, GARRY/NORMA
NEWBURY Todd Lake**

Requested Action:

Replace 45 linear ft. of existing retaining wall and replenish and expand an existing beach to a post construction size of 317 sq. ft. on an average of 217 ft. of frontage along Todd Lake, in Newbury.

Conservation Commission/Staff Comments:

No comments from Con Com by Nov 26, 2014

APPROVE PERMIT:

Replace 45 linear ft. of existing retaining wall and replenish and expand an existing beach to a post construction size of 317 sq. ft. on an average of 217 ft. of frontage along Todd Lake, in Newbury.

With Conditions:

1. All work shall be in accordance with plans by WM Evans Engineering LLC revision dated January 10, 2015, as received by the NH Department of Environmental Services (DES) on January 12, 2015.
2. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.
3. Excavated material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
4. The repairs shall maintain the size, location and configuration of the pre-existing structures.
5. The retaining wall shall be constructed in the same footprint as the existing retaining wall so as not to create land in public water.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.

8. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
9. Temporary cofferdams shall be entirely removed immediately following construction.
10. No more than 10 cu. yd. of sand may be used and all sand shall be located above the normal high water line.
11. This permit shall be used only once, and does not allow for annual beach replenishment.
12. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
13. Re-vegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall begin at a distance no greater than 5 ft. landward from the beach area.
14. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(c) repair or replacement of existing retaining walls.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2014-02944 CONCORD - CITY FOREST, CITY OF
CONCORD Unnamed Wetland

Requested Action:

Proposal to dredge and fill 2,638 sq. ft. (includes 450 sq. ft. of temporary impact) of scrub shrub wetlands (roadside ditch) for stormwater drainage control improvements related to road "Broken Bridge Road" upgrades required by the City for the new Liberty Utilities commercial development. Work consists of modifications to work previously conducted by the City, reshaping an existing ditch, addition of rip-rap and installation of a new drainage structure and associated level spreader.

APPROVE PERMIT:

Dredge and fill 2,638 sq. ft. (includes 450 sq. ft. of temporary impact) of scrub shrub wetlands (roadside ditch) for stormwater drainage control improvements related to road "Broken Bridge Road" upgrades required by the City for the new Liberty Utilities commercial development. Work consists of modifications to work previously conducted by the City, reshaping an existing ditch, addition of rip-rap and installation of a new drainage structure and associated level spreader.

With Conditions:

1. All work shall be in accordance with plans by Northpoint Engineering, LLC sheet 1 and 2 of 2 dated 9/26/14, sheet 1 of 2 dated 1/05/15, as received by the NH Department of Environmental Services (DES) on January 15, 2015 and narrative by Michael A. Lambert dated February 12, 2015 as received by DES on February 12, 2015.
2. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized.
3. No erosion control fabric with netting shall be used.
4. In order to avoid impacts to snakes and other wildlife, coco matting and erosion control berms shall be used for erosion and sediment control.
5. Any drainage control structures used shall have sumps of less than one foot.
6. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
7. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
8. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired

immediately.

9. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
10. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f) Projects involving alteration of less than 3,000 square feet in swamps or wet meadows that are not in prime wetlands or do not meet the requirements of Env-Wt 303.02(k), provided that no previous department permit has placed restrictions on the property of the applicant
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. There are no wetland impacts proposed on the Liberty Utilities Property.
6. A separate NHDES Alteration of Terrain permit was obtained for the work conducted on the Liberty Utilities property.
7. The applicant has addressed the New Hampshire Fish and Game Department, Nongame and Endangered Wildlife Program's condition request for the road improvements.
8. This approval contains the requested conditions.

**2014-02955 EDWARDS, DEBRA/MICHAEL
RAYMOND Unnamed Wetland**

Requested Action:

Dredge and fill 722 sq. ft. of palustrine forested/ shrub-scrub wetlands to construct a driveway with a 24 in. RCP culvert crossing to access an upland site for a proposed garage.

APPROVE PERMIT:

Dredge and fill 722 sq. ft. of palustrine forested/ shrub-scrub wetlands to construct a driveway with a 24 in. RCP culvert crossing to access an upland site for a proposed garage.

With Conditions:

1. All work shall be in accordance with plans by LaVelle Associates dated 8/11/2014, as received by the NH Department of Environmental Services (DES) on October 21, 2014.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application or further permitting by the Bureau.
3. Proper headwalls shall be constructed within seven days of culvert installation.
4. Culvert outlets shall be properly rip rapped.
5. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f), projects involving alteration of less than 3,000 square feet in swamps or wet meadows.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2014-03487 PETER L GORDON REVOCABLE TRUST
RYE Atlantic Ocean

Requested Action:

Impact a total of 4,794 sq. ft. (3,260 sf permanent & 1,534 sf temporary construction impacts) for work associated with the reconstruction and stabilization of the existing storm damaged stone revetment along 100 linear feet of shoreline frontage on the Atlantic Ocean.

APPROVE PERMIT:

Impact a total of 4,794 sq. ft. (3,260 sf permanent & 1,534 sf temporary construction impacts) for work associated with the reconstruction and stabilization of the existing storm damaged stone revetment along 100 linear feet of shoreline frontage on the Atlantic Ocean.

With Conditions:

1. All work shall be in accordance with plans by Ambit Engineering, Inc. dated October 2014 (issued for approval 11/20/14), as received by the NH Department of Environmental Services (DES) on December 18, 2014.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application or further permitting by the Bureau.
3. NH DES Wetlands Bureau Southeast Region staff and the Rye Conservation Commission shall be notified in writing prior to commencement of work and upon its completion.
4. The repairs shall maintain the size, location and configuration of the pre-existing structure with the exception of a change in height to the top of the revetment to compensate for settling.
5. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.
6. Work on the beach front shall be done during periods of low tide.
7. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands jurisdiction.
8. Faulty equipment shall be repaired prior to entering jurisdictional areas.
9. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
10. All refueling of equipment shall occur outside of surface waters or wetlands jurisdiction.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(b) Projects in previously developed upland areas within 100 feet of the highest observable tide line.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. A waiver of Env-Wt 304.04(a) Setback From Property Lines is granted as the abutter located at 67 Harbor Road, Rye Tax Map 9.2/Lot No.5 was notified by certified mail, but did not respond to the notice.
6. Granting of this waiver request will not result in an adverse effect to the environment or the natural resources of the state, public health or public safety or have an impact on abutting properties that is more significant than that which would result from complying with the rule.
7. This waiver request meets all requirements set forth in Env-Wt 204.02, Env-Wt 204.03 & Env-Wt 204.04.

FORESTRY NOTIFICATION

2015-00073 WEEDER, STEPHEN
JACKSON Unnamed Stream

Requested Action:
Jackson, Tax Map 15 & 16, Lots 1 & 2

2015-00217 BAYROOT LLC
GILMANTON Unnamed Stream

COMPLETE NOTIFICATION:
Gilmanton, Tax Map #1628, Lot No. 2

2015-00324 BEAVER BROOK ASSOCIATION
HOLLIS Unnamed Stream

COMPLETE NOTIFICATION:
Hollis, Tax Map #16, Lot #1, 5; Tax Map #22, Lot #48; Brookline, Tax Map #F, Lot #61, 62

2015-00325 SOUTHEAST LAND TRUST OF NH
FREMONT Unnamed Stream

Requested Action:
Fremont, Tax Map 4, Lot #'s: 90, 91, 92

2015-00333 THE CONSERVATION FUND
SUCCESS Unnamed Stream

COMPLETE NOTIFICATION:
Success, Tax Map#1613, Lot#10

2015-00352 WHITMAN, ELIZABETH
NEW BOSTON Unnamed Stream

2015-00354 CAWLEY, ROGER
BENNINGTON Unnamed Stream

COMPLETE NOTIFICATION:
Bennington, Tax Map #2, Lot #8

2015-00359 SCHNEBEL, KATHLEEN/ROGER
GOFFSTOWN Unnamed Stream

COMPLETE NOTIFICATION:
Goffstown, Tax Map #5, Lot #73

EXPEDITED MINIMUM

2009-02164 TEIKMANIS, MAHRA
FREEDOM Danforth Pond

Requested Action:
Request permit time extension.

Conservation Commission/Staff Comments:
Con Com signed Exp Application

APPROVE TIME EXTENSION:
Repair existing 10 ft x 12 ft stone steps in kind and construct 4 ft x 12 ft landscape steps in the bank on Danforth Pond, Freedom.

- With Conditions:
1. All work shall be in accordance with plans by Mahra Teikmanis dated August 31, 2009, as received by DES on September 22, 2009.
 2. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
 3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
 4. All activities shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland after July 1, 2008.

- With Findings:
1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.
 2. This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

2011-01066 T & J MED PRO LLC
MEREDITH Lake Winnepesaukee

Requested Action:

Request name change to T & J MED Pro, LLC c/o Michael & Ranelle Boothby
Excavate 860 sq ft in the bank to construct a perched beach with less than 10 cubic yards of sand, repair 17 linear feet of retaining wall, on Lake Winnepesaukee, Meredith.

Conservation Commission/Staff Comments:
Con Com signed Exp Application

APPROVE NAME CHANGE:

Change name to: T & J MED Pro, LLC; c/o Michael & Ranelle Boothby; 49 Cummings Cove Rd., Meredith, NH 03253
Excavate 860 sq ft in the bank to construct a perched beach with less than 10 cubic yards of sand, repair 17 linear feet of retaining wall, on Lake Winnepesaukee, Meredith.

With Conditions:

1. All work shall be in accordance with plans by David Dolan Associates dated April 30, 2011, as received by the NH Department of Environmental Services (DES) on May 16, 2011.
2. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
3. Dredged or excavated material shall be placed outside of the DES Wetlands Bureau jurisdiction.
4. Stone placed along the beach front for the purpose of retaining sand shall be placed above and/or landward of those rocks currently located along the normal high water line (Elevation 504.32). Those rocks existing at the normal high water line shall remain otherwise undisturbed such that the natural shoreline remains identifiable.
5. The steps installed for access to the water shall be located completely landward of the normal high water line.
6. No more than 10 cu. yds. of sand may be used and all sand shall be located above the normal high water line.
7. This permit shall be used only once, and does not allow for annual beach replenishment.
8. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
9. Revegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall begin at a distance no greater than 5 feet landward from the beach area.
10. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
11. All activities shall be in accordance with the Comprehensive Shoreland Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This permit transfer is issued in accordance with NH Administrative Rule Env-Wt 502.02 (b).

2014-03062 CASTLEBERRY, WENDY
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Replace 40 linear feet of retaining wall with no change in height or configuration, construct a 325 sq. ft. perched beach with no more than 10 cubic yards of sand, on Lake Winnepesaukee, Moultonborough.

Conservation Commission/Staff Comments:
Con Com signed Wetland application

APPROVE PERMIT:

Replace 40 linear feet of retaining wall with no change in height or configuration, construct a 325 sq. ft. perched beach with no more than 10 cubic yards of sand, on Lake Winnepesaukee, Moultonborough.

With Conditions:

1. All work shall be in accordance with plans by John Stephens revision dated January 13, 2015, as received by the NH Department of Environmental Services (DES) on January 13, 2015.
2. The repairs shall maintain the size, location and configuration of the pre-existing structures.
3. Dredged or excavated material shall be placed outside of the DES Wetlands Bureau jurisdiction.
4. Stone placed along the beach front for the purpose of retaining sand shall be placed above and/or landward of those rocks currently located along the normal high water line (Elevation 504.32). Those rocks existing at the normal high water line shall remain otherwise undisturbed such that the natural shoreline remains identifiable.
5. The steps installed for access to the water shall be located completely landward of the normal high water line.
6. No more than 10 cu. yd. of sand may be used and all sand shall be located above the normal high water line.
7. This permit shall be used only once, and does not allow for annual beach replenishment.
8. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
9. Re-vegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall begin at a distance no greater than 5 ft. landward from the beach area.
10. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain in place until suspended particles have settled and the water at the work site has returned to normal clarity.
11. Appropriate siltation and erosion turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain in place until the area is stabilized.
12. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(d) Construction of a beach provided for a privately owned family residence.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The proposed project is perching an existing sloped beach, therefore eliminating an erosional feature on this frontage.

2015-00010 PHILLIPS EXETER ACADEMY
EXETER Unnamed Wetland

Requested Action:

Dredge and fill 239 sq. ft. of an isolated palustrine scrub-shrub wetland for work associated with the expansion of an existing gravel/paved parking area and provide stormwater improvements where none previously existed, via permeable pavers with underdrain.

Conservation Commission/Staff Comments:

2/04/15 - No potential to cause effects per DHR.

APPROVE PERMIT:

Dredge and fill 239 sq. ft. of an isolated palustrine scrub-shrub wetland for work associated with the expansion of an existing gravel/paved parking area and provide stormwater improvements where none previously existed, via permeable pavers with underdrain.

With Conditions:

1. All work shall be in accordance with plans by Altus Engineering, Inc. dated December 31, 2014, as received by the NH

Department of Environmental Services (DES) on January 05, 2015.

- 2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application or further permitting by the Bureau.
- 3. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

With Findings:

- 1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f).
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

GOLD DREDGE

2015-00340 PERKINS, KENDALL
(ALL TOWNS) Unnamed Wetland

Conservation Commission/Staff Comments:
cc: Bath Con. Com.

LAKES-SEASONAL DOCK NOTIF

2015-00318 STOWELL JR, COLLES
LANCASTER Martin Meadow Pond

Requested Action:
Installation of a seasonal dock.

COMPLETE NOTIFICATION:
Installation of a seasonal dock.

ROADWAY MAINTENANCE NOTIF

2015-00316 LACONIA, CITY OF
LACONIA Unnamed Wetland

COMPLETE NOTIFICATION:

Replace a 12" culvert with a 15" pipe.

**2015-00317 WHITE MOUNTAIN OIL & PROPANE
CONWAY Unnamed Wetland**

COMPLETE NOTIFICATION:

Replace 18" culvert with 24" culvert at two locations.

PERMIT BY NOTIFICATION

**2013-00424 CLEARY, BRUCE/SANDRA
GILFORD Lake Winnepesaukee**

Requested Action:

Request name change to Bruce & Sandra Cleary 71 Broadview Ter., Gilford, NH 03249 to repair of existing docking structures with no change in size, location or configuration.

Conservation Commission/Staff Comments:

Con Com did not sign PBN form

APPROVE NAME CHANGE:

Repair of existing docking structures with no change in size, location or configuration.

With Conditions:

Repair of existing docking structures with no change in size, location or configuration.

With Findings:

1. This permit transfer is issued in accordance with NH Administrative Rule Env-Wt 502.02 (b).

**2015-00164 PORTSMOUTH CONSERVATION COMMISSION
PORTSMOUTH Piscataqua River**

Requested Action:

Temporarily impact 120 sq. ft. in the developed upland tidal buffer zone to install a utility line and pedestal at a public facility.

PBN IS COMPLETE:

Temporarily impact 120 sq. ft. in the developed upland tidal buffer zone to install a utility line and pedestal at a public facility.

2015-00298 SOUTHERN NEW HAMPSHIRE UNIVERSITY
HOOKSETT Unnamed Stream

CSPA PERMIT

2013-02209 POODIACK, JAMES/LIANA
STODDARD Highland Lake

Requested Action:

Amended Description: Relocate the pathway within Grid 3 of the waterfront buffer.

APPROVE AMENDMENT:

Impact 24,408 sq ft in order to construct a single family home, septic system, garage, and a pathway toward the water.

With Conditions:

1. All work shall be in accordance with revised plans by Forest Designs dated February 3, 2015 and received by the NH Department of Environmental Services (DES) on February 4, 2015.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 14% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 6,096 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.

2015-00058 ARNOLD, ARTHUR
LITTLETON Ammonoosuc River

Requested Action:

Impact 27,500 sq ft in order to construct a 4,800 sq ft commercial building with 14,050 sq ft of gravel parking area, and install a stormwater management.

APPROVE PERMIT:

Impact 27,500 sq ft in order to construct a 4,800 sq ft commercial building with 14,050 sq ft of gravel parking area, and install a stormwater management.

With Conditions:

1. All work shall be in accordance with plans by Horizonz Engineering dated January 7, 2015 and received by the NH Department of Environmental Services (DES) on January 12, 2015.

2. No more than 32.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. The proposed stormwater management plan shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
4. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
5. At least 10,065 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
8. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
10. Any fill used shall be clean sand, gravel, rock, or other suitable material.
11. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

2015-00173 DALRYMPLE, DEBORAH/JAY
ALTON Lake Winnepesaukee

Requested Action:

Impact 4,764 sq ft in order to remove existing house, driveway and parking area, fill foundation area and re-grade. Build a new house and driveway located further away from the reference line.

APPROVE PERMIT:

Impact 4,764 sq ft in order to remove existing house, driveway and parking area, fill foundation area and re-grade. Build a new house and driveway located further away from the reference line.

With Conditions:

1. All work shall be in accordance with plans by WM Evans Engineering, LLC dated January 16, 2015 and received by the NH Department of Environmental Services (DES) on January 23, 2015.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 25.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 1,505 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-00174 MACDONALD, NORMAN/ROBIN
WASHINGTON Highland Lake

Requested Action:

Impact 9,110 sq ft in order to raze existing building and build in the same footprint a single family home with garage, deck, septic system, and drainage system.

APPROVE PERMIT:

Impact 9,110 sq ft in order to raze existing building and build in the same footprint a single family home with garage, deck, septic system, and drainage system.

With Conditions:

1. All work shall be in accordance with plans by Riverside Ecological Designs, LLC dated January 8, 2015 and received by the NH Department of Environmental Services (DES) on January 23, 2015.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 14% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 2,941 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-00179 SHEA, MARGARET/WILLIAM
SANBORNTON Winnisquam Lake

Requested Action:

Impact 6,200 sq ft in order to replace existing house, construct a new driveway, and replace the porch with pervious pavers.

APPROVE PERMIT:

Impact 6,200 sq ft in order to replace existing house, construct a new driveway, and replace the porch with pervious pavers.

With Conditions:

1. All work shall be in accordance with plans by CLD Consulting Engineers dated January 2015 and received by the NH Department of Environmental Services (DES) on January 23, 2015.
2. No more than 29.89% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. The proposed stormwater management plan shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
4. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and

remain in place until all disturbed surfaces are stabilized. 6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.

7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.

8. Any fill used shall be clean sand, gravel, rock, or other suitable material.

10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

**2015-00203 WILLIAMS, ALLEN/JANET
DOVER Piscataqua River**

Requested Action:

Impact 1,112 sq ft in to reconfigure garage and add an addition to the existing structure.

APPROVE PERMIT:

Impact 1,112 sq ft in to reconfigure garage and add an addition to the existing structure.

With Conditions:

1. All work shall be in accordance with plans by Atlantic Survey Co., LLC dated January 21, 2015 and received by the NH Department of Environmental Services (DES) on January 26,2015.
2. No more than 20% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 1,050 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

**2015-00215 SWEENEY, ELIZABETH
ALTON Lake Winnepesaukee**

Requested Action:

Impact 2,422 sq ft in order to retain a recently installed stone patio with an attached set of stairs and two tree retaining walls. The applicant proposes to restore 682 sq ft of the patio and install a 351 sq ft walkway and set of stairs where part of the current patio lies.

APPROVE PERMIT:

Impact 2,422 sq ft in order to retain a recently installed stone patio with an attached set of stairs and two tree retaining walls. The applicant proposes to restore 682 sq ft of the patio and install a 351 sq ft walkway and set of stairs where part of the current patio lies.

With Conditions:

1. All work shall be in accordance with plans by Stoney Ridge Environmental LLC dated January 12, 2015 and received by the NH Department of Environmental Services (DES) on January 26, 2015.
2. No more than 21.7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 9,583 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-00221 HARRISON, JAMES
GEORGES MILLS Sunapee Lake

Requested Action:

Impact 10,510 sq ft in order to remove existing house, construct a new house and detached garage, replace existing retaining wall in-kind, new stone retaining walls for grade changes, driveway modifications, landscape plantings and walkways modifications.

APPROVE PERMIT:

Impact 10,510 sq ft in order to remove existing house, construct a new house and detached garage, replace existing retaining wall in-kind, new stone retaining walls for grade changes, driveway modifications, landscape plantings and walkways modifications.

With Conditions:

1. All work shall be in accordance with plans by CLD Consulting Engineers dated January 2015 and received by the NH Department of Environmental Services (DES) on January 8, 2015.
2. No more than 29.2% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. The proposed stormwater management plan shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
4. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
5. At least 2,357 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
8. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
10. Any fill used shall be clean sand, gravel, rock, or other suitable material.
11. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

UTILITY NOTIFICATION

2015-00310 PSNH
MILTON Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Vegetative maintenance for the electric transmission system.

2015-00311 PSNH
NASHUA Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Vegetative maintenance for the electric transmission system.

2015-00312 PSNH
NEW BOSTON Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Vegetative maintenance for the electric transmission system.

2015-00313 PSNH
STEWARTSTOWN Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Vegetative maintenance for the electric transmission system.

2015-00314 PSNH
STRATFORD Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance for the electric transmission system.

2015-00315

PSNH

WAKEFIELD Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:

Vegetative maintenance for the electric transmission system.