

*Review by
WME
3/2/15*

Wetlands Bureau Decision Report

Decisions Taken
02/23/2015 to 03/01/2015

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

Any party aggrieved by a decision may file an appeal within 30 days of the date of this decision as specified in RSA 482-A:10, RSA 21-O:14, and the rules adopted by the Wetlands Council, Env-WtC 100-200.

The appeal must be filed directly with the Council, c/o the Council Appeals Clerk, who may be contacted at (603) 271-6072 or at appeals@des.nh.gov. The notice of appeal must set forth fully every ground upon which it is claimed that the decision complained of is unlawful or unreasonable. Only those grounds set forth in the notice of appeal can be considered by the council.

MAJOR IMPACT PROJECT

**2009-00347 HOMES FOR A LIFETIME LLC
HOOKSETT Unnamed Wetland**

Requested Action:

Request permit time extension.

Dredge and fill 22,657 sq. ft. (includes 858 sq. ft. of previously approved impacts) of wetlands and associated intermittent streams for construction of a subdivision access road to a proposed 43-lot (includes 6 previously approved lots and there will be 2 open-space areas) residential subdivision. Work in wetlands consists of installation of 5 closed bottom box culvert crossings including natural stream bed material and bio-degradable matting and 3 impacts resulting from roadway side-slope/grading and filling. Compensatory mitigation for wetland impacts consists of an approximately 67 acre upland buffer preservation area.

APPROVE TIME EXTENSION:

Dredge and fill 22,657 sq. ft. (includes 858 sq. ft. of previously approved impacts) of wetlands and associated intermittent streams for construction of a subdivision access road to a proposed 43-lot (includes 6 previously approved lots and there will be 2 open-space areas) residential subdivision. Work in wetlands consists of installation of 5 closed bottom box culvert crossings including natural stream bed material and bio-degradable matting and 3 impacts resulting from roadway side-slope/grading and filling. Compensatory mitigation for wetland impacts consists of an approximately 67 acre upland buffer preservation area.

With Conditions:

1. All work shall be in accordance with plans by Eric C. Mitchell & Associates, Inc. plan sheets 1 through 105 revision date of February 1, 2010, as received by DES on February 23, 2010 and plan sheets WL1 through WL10 revision date of February 1, 2010, as received by DES on March 24, 2010.
2. This permit is contingent on approval by the DES Alteration of Terrain Program.
3. This permit is contingent on approval by the DES Subsurface Systems Bureau.
4. This permit is contingent on approval by United States Environmental Protection Agency ("EPA") of the proposed compensatory mitigation.
5. At least 72 hours prior to the start of construction, a pre-construction meeting shall be held with NHDES Land Resources Management Program staff at the project site or at the DES Office in Concord, NH to review the conditions of this wetlands permit and the DES Alteration of Terrain Permit. It shall be the responsibility of the permittee to schedule the pre-construction meeting, and the meeting shall be attended by the permittee, his/her professional engineer(s), wetlands scientist(s), and the contractor(s) responsible for performing the work.
6. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
7. The deed which accompanies the sales transaction for each of the lots in this subdivision shall contain condition #6 of this approval.
8. The approved box culverts shall be embedded with natural stream bed material or rounded stone and shall not include the use of angular rip-rap within the culvert, wetlands, stream channel or stream banks.
9. This permit shall not be effective until it has been recorded with the Merrimack County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
10. Work shall be done during low flow.
11. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
12. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
13. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.

14. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
15. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
16. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
17. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
18. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
19. Unconfined work within the streams, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
20. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
21. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
22. Temporary cofferdams shall be entirely removed immediately following construction.
23. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired immediately.
24. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
25. All refueling of equipment shall occur outside of surface waters or wetlands.
26. The Department has determined that this project is in the vicinity of an impaired waterbody. Therefore, stormwater runoff treatment for this project shall be designed and constructed so that the stormwater pollutant loads from the completed project are no greater than the stormwater pollutant loads that existed prior to the project for all pollutants causing impairment which are likely to be in stormwater discharged from the completed project.

Compensatory Mitigation

Wetland preservation:

27. This permit is contingent on receipt and approval by DES of the final conservation easement language and plan.
28. This permit is contingent upon the execution of a conservation easement on 66.87 acres as depicted on plans received February 23, 2010 (or final plans per condition #26).
29. The conservation easements to be placed on the preservation areas shall be written to run with the land, and both existing and future property owners shall be subject to this easement.
30. The final plan noting the conservation easement with a copy of the final easement language shall be recorded with the Registry of Deeds Office for each appropriate lot. A copy of the recording from the County Registry of Deeds Office shall be submitted to the DES Wetlands Bureau prior to the start of construction.
31. The applicant shall prepare a report summarizing existing conditions within the conservation area. Said report shall contain photographic documentation of the easement area, and shall be submitted to the DES and the grantee prior to construction to serve as a baseline for future monitoring of the easement area.
32. The conservation easement area shall be surveyed by a licensed surveyor, and marked by monuments [stakes] prior to construction.
33. The Wetlands Bureau shall be notified of the placement of the easement monuments to coordinate on-site review of their location prior to construction.
34. There shall be no removal of the existing vegetative undergrowth within the easement area and the placement of fill, construction of structures, and storage of vehicles or hazardous materials is prohibited.
35. Activities in contravention of the conservation easement shall be construed as a violation of RSA 482-A, and those activities shall be subject to the enforcement powers of the Department of Environmental Services (including remediation and fines).

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 482-A:3, XIV-a, and Env-Wt 502.01.
2. This permit has been extended in accordance with RSA 482-A:3, XIV-a and Env-Wt 502.01.

2014-01885 OSSIPÉE REALTY CORP
FREEDOM Ossipee Lake

Requested Action:

Modify an existing major docking system by increasing the width of the dock fingers, Ossipee Lake, Freedom.

Conservation Commission/Staff Comments:

Con Com signed Wet applicaiton

DENY PERMIT-INSUFFICIENT & UNTIMELY RESP:

Modify an existing major docking system by increasing the width of the dock fingers, Ossipee Lake, Freedom.

With Findings:

1. A request for additional information dated September 19, 2014, addressed to the applicant or agent of record, clearly identified the requirement that the applicant to submit additional information to DES within 60 days of the request.
2. Pursuant to RSA 482-A:3, XIV(a)(2), if the requested additional information is not received by DES within 60 days of the request, DES shall deny the application.
3. DES did not receive the requested additional information within the 60 days and therefore the application has been denied.

2014-02048 MARTIN, JOSEPH/ROSELIA
MEREDITH Waukewan Lake

Requested Action:

Install two 6 ft. x 30 ft. seasonal docks connected by a 4 ft. x 10 ft. seasonal walkway in a "U" shaped configuration on a frontage with an existing 4 ft. x 30 ft. seasonal dock, Lake Waukewan, Meredith.

Conservation Commission/Staff Comments:

No comments from Con Com by Sept 25, 2014

DENY PERMIT-INSUFFICIENT & UNTIMELY RESP:

Install two 6 ft. x 30 ft. seasonal docks connected by a 4 ft. x 10 ft. seasonal walkway in a "U" shaped configuration on a frontage with an existing 4 ft. x 30 ft. seasonal dock, Lake Waukewan, Meredith.

With Findings:

1. A request for additional information dated September 25, 2014, addressed to the applicant or agent of record, clearly identified the requirement that the applicant to submit additional information to DES within 60 days of the request.
2. Pursuant to RSA 482-A:3, XIV(a)(2), if the requested additional information is not received by DES within 60 days of the request, DES shall deny the application.
3. DES did not receive the requested additional information within the 60 days and therefore the application has been denied.

2015-00076 PSNH
KEENE Ashuelot River

Requested Action:

Proposal to dredge and fill 2,563 sq. ft. (includes 132 linear feet) of perennial stream bed, bank and associated emergent wetlands for

construction of a new section of a public multi-use trail known as the "Roundhouse-T Phase II project" of the "Downtown Cheshire Branch Trail". Work in jurisdiction consists of the extension (42 linear ft.) of the existing 48 in. diameter RCP culvert (historically culverted section of Mill Brook), extension of a 36 in. diameter stormwater culvert outlet from Emerald Street and associated grading, filling and bank stabilization.

Conservation Commission/Staff Comments:

APPROVE PERMIT:

Dredge and fill 2,563 sq. ft. (includes 132 linear feet) of perennial stream bed, bank and associated emergent wetlands for construction of a new section of a public multi-use trail known as the "Roundhouse-T Phase II project" of the "Downtown Cheshire Branch Trail". Work in jurisdiction consists of the extension (42 linear ft.) of the existing 48 in. diameter RCP culvert (historically culverted section of Mill Brook), extension of a 36 in. diameter stormwater culvert outlet from Emerald Street and associated grading, filling and bank stabilization.

With Conditions:

1. All work shall be in accordance with plans by CHA revision dated 2/15 and plan date 2/19/2015, and "Conceptual Compensatory Storage" plan and narratives, as received by the NH Department of Environmental Services (DES) on February 20, 2015 and "Wetland Impact Plan 2" revision date 2/15 plan date 2/19/2015, as received by DES on February 26, 2015.
2. The City shall obtain temporary construction easements or written agreements from affected landowners with work in jurisdiction on their property. Copies shall be supplied to DES Wetlands Bureau File No. 2015-00076 prior to construction.
3. Work within the stream, inclusive of work associated with installation of a cofferdam, shall be done during periods of low flow. High flows can be caused by seasonal runoff or precipitation; the permittee shall monitor local forecasts to review weather conditions.
4. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain in place until suspended particles have settled and the water at the work site has returned to normal clarity.
6. The Contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
7. The proposed flood storage compensation area shall be constructed and completed by September 1, 2015.
8. The applicant shall be responsible for obtaining any other required State, Federal or Local permits/approvals needed for construction of the flood storage compensation area.
9. Extreme precautions shall be taken within riparian areas to limit unnecessary removal of vegetation for access to the crossing and flood storage compensation area.
10. Areas from which vegetation has been cleared to gain access to the crossing site and flood storage compensation area shall be replanted with like native species.
11. A qualified professional shall monitor the project during construction to assure it is constructed in accordance with the approved plans and narratives and to assure no water quality violations occur. A monitoring report shall be submitted to DES with 30 days of completion of the crossing and flood storage compensation area.
12. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
13. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
14. Faulty equipment shall be repaired prior to entering jurisdictional areas.
15. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
16. All refueling of equipment shall occur outside of surface waters or wetlands.
17. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a

minimum of 20 ft. of undisturbed vegetated buffer.

18. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

19. Wetland soils from areas vegetated with purple loosestrife shall not be used in at the site. The potential for the establishment of invasive species should be considered in other areas where spoils may be spread to limit its further establishment.

20. The permittee shall attempt to control invasive, weedy species such as purple loosestrife (*Lythrum salicaria*) and common reed (*Phragmites australis*) by measures agreed upon by the Wetlands Bureau if the species is found in the mitigation areas during construction and during the early stages of vegetative establishment.

21. Any further alteration of areas on the properties that are within the jurisdiction of the DES Wetlands Bureau will require further permitting by the Bureau.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(p), Any project that includes a new or replacement stream crossing which meets the criteria for a tier 3 stream crossing as specified in Env-Wt 904.04(a).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The proposed trail section and crossing is needed to complete/connect the middle section of the "Downtown Cheshire Branch Trail between School Street and Island Street.
4. The applicant's agent indicated that they investigated three alternative routes, however, the property owners were unwilling to grant the City of Keene the necessary rights and easements.
5. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
6. The applicant investigated building a bridge to span the stream. The bridge was not the chosen alternative due to the dangers associated with construction of a bridge next to the surrounding high voltage power lines and the cost of a bridge at an estimated \$772,000.00 dollars versus a culvert extension at an estimated cost of \$515,000.00 dollars.
7. Due to an existing geo-membrane cap installed in the stream bed for a previous remediation project a shorter culvert and headwall could not be constructed.
8. The watershed for the proposed crossing was determined by the department to be approximately 134 acres which would be considered a Tier One Stream Crossing per Env-Wt 904.02. However, the proposed impacts are within a designated river corridor and the 100-year flood plan which elevates the project to Tier 3 Stream Crossing per Env-Wt 904.04(a)(2) and (4).
9. Due to the site constraints and cost of a spanning structure that would be required to meet the Tier 3 Stream Crossing design requirements per Env-Wt 904.05 the applicant has submitted the project as an Alternative Design per Env-Wt 904.09.
10. The Ashuelot River Local Advisory Committee (for the designated river) commented that local flood concerns are alleviated with creation of the propose flood storage and had no additional comments.
11. The City has addressed the LAC comments and is replicating the lost flood storage.
12. This section of Mill Brook has been historically impacted and more recently impacted as part of a required remediation project.
13. The project will provide for alternative pedestrian traffic and transportation which should provide an environmental benefit.
14. The project engineer has indicated that the "proposed culvert extensions will have no adverse effect on the drainage capacity of the existing system nor will they increase upstream flooding, based on the following: a. The extensions are in-kind and will not create any restrictions; b. There are currently no capacity issues; c. The proposed design does not contribute any additional flows to the system."
15. The alternative design meets the General Design Criteria to the maximum extent practicable per Env-Wt 904.09.
16. Alternative design includes construction of additional floodplain storage (279 cubic yards.) along Mill Creek/Brook within the City of Keene property.
17. The replication and additional flood storage areas were provided for compensatory mitigation for the new permanent stream impacts.
18. Due site constraints, cost, small contributing watershed, altered state of the stream and proposed mitigation the department approved the alternative design proposal.
19. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
20. The New Hampshire Natural Heritage Bureau (NHB) review indicated there is an endangered species and species of special

concern in the vicinity of the project. However, the New Hampshire Fish and Game Department Nongame and Endangered Wildlife Program (NHFGD) commented that they do not expect any impacts to the identified species.

21. The United States Fish and Wildlife Service (USFWS) indicates no federally listed or proposed, threatened or endangered species or critical habitat known to occur in the project area.
22. The Keene Conservation Commission signed the application waiving their right to intervene per RSA-A:11.
23. DES has not received any comments in opposition to the project.
24. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the palustrine and riverine resource, as identified under RSA 482-A:1.

2015-00106 FLYING LOON FARM REALTY TRUST
NELSON Lake Nubanusit

Requested Action:

Dredge 15 cu. yd. from 368 ft. of an existing boat slip, temporarily impact 1,048 sq. ft. of bank along 53 linear ft. of shoreline to add a 13 ft. x 12 ft. section to an existing 39 ft. x 19 ft. dug-in boathouse and construct a concrete wall around an existing dug-in slip and a foundation under the boathouse with no modification to the two existing piers on an average of 353 ft. of frontage along Lake Nubanusit in Nelson.

APPROVE PERMIT:

Dredge 15 cu. yd. from 368 ft. of an existing boat slip, temporarily impact 1,048 sq. ft. of bank along 53 linear ft. of shoreline to add a 13 ft. x 12 ft. section to an existing 39 ft. x 19 ft. dug-in boathouse and construct a concrete wall around an existing dug-in slip and a foundation under the boathouse with no modification to the two existing piers on an average of 353 ft. of frontage along Lake Nubanusit in Nelson.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction dated November 19 2014, as received by the NH Department of Environmental Services (DES) on January 15, 2015.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau prior to construction.
3. The use of the boathouse shall be limited to the storage of boats and boating-related accessories.
4. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
5. The boathouse shall remain a single-story structure; ridgeline not to exceed 16 ft. 6 in. in height above the dock surfaces.
6. Dewatering of work areas and dredged materials shall be discharged to sediment basins located in uplands and lined with hay bales or other acceptable sediment trapping liner.
7. All dredged and excavated material and construction related debris shall be placed outside of the areas under the jurisdiction of the DES Wetlands Bureau.
8. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain in place until the area is stabilized.
9. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area and shall remain in place until suspended particles have settled and water at the work site has returned to normal clarity.
10. Prior to commencing the dredge or any work the substructure to be located within surface waters, a cofferdam shall be constructed to isolate the work area from the surface waters.
11. Temporary cofferdams shall be entirely removed immediately following construction.
12. The existing seasonal pier and boatlift shall be removed for the non-boating season.
13. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This project is classified as a major project per Rule Env-Wt 303.02(d), modification of docking structures providing 5 or more slips.
2. The applicant has an average of 353 feet of frontage along Lake Nubanusit.
3. A maximum of 5 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
4. The docking facilities on the frontage provide, and will continue to provide, 5 slips as defined per RSA 482-A:2, VIII and therefore meet Rule Env-Wt 402.13.
5. Public hearing is waived with the finding that the project impacts will not significantly impair the resources of Lake Winnepesaukee.
6. There is no history of, nor any obvious evidence of, sand migration along this shoreline.

-Send to Governor and Executive Council-

MINOR IMPACT PROJECT

**2013-01001 SIEGEL, CARTER/JOSHUA
WOLFEBORO Lake Winnepesaukee**

Requested Action:

Request permit name change to: Joshua & Carter Siegel

Remove a 4.5 ft. x 32 ft. seasonal pier and install two 6 ft. x 40 ft. seasonal piers connected by a 6 ft. x 12 ft. walkway in a "U" configuration on an average of 249 ft. of frontage along Lake Winnepesaukee, in Wolfeboro.

Conservation Commission/Staff Comments:

Con Com signed Wet application

APPROVE NAME CHANGE:

Request permit name and address change to: Joshua & Carter Siegel, 17 Stephenson Ln, Wolfeboro, NH 03894

Remove a 4.5 ft. x 32 ft. seasonal pier and install two 6 ft. x 40 ft. seasonal piers connected by a 6 ft. x 12 ft. walkway in a "U" configuration on an average of 249 ft. of frontage along Lake Winnepesaukee, in Wolfeboro.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction dated July 27, 2013, as received by the NH Department of Environmental Services (DES) on August 2, 2013.
2. This permit shall not be effective until it has been recorded with the Carroll County Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. The existing 4.5 ft. x 32 ft. pier shall be removed from the frontage prior to the installation of any new docking structure.
4. These shall be the only structures on this water frontage and all portions of the docking structures shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
5. The seasonal piers shall be removed from the lake for the non-boating season.
6. No portion of the piers shall extend more than 40 feet from the shoreline at full lake elevation.
7. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be

avoided.

9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This permit transfer is issued in accordance with NH Administrative Rule Env-Wt 502.02 (b).

2014-00754 JOHNSON, WAYNE
MEREDITH Lake Winnepesaukee

Requested Action:

Remove existing seasonal docking structure, construct a 6 ft. x 55 ft. piling supported docking structure, repair 57 linear feet of retaining wall, Lake Winnepesaukee, Meredith.

Conservation Commission/Staff Comments:

No comments from Con Com by May 06, 2014

DENY PERMIT-INSUFFICIENT & UNTIMELY RESP:

Remove existing seasonal docking structure, construct a 6 ft. x 55 ft. piling supported docking structure, repair 57 linear feet of retaining wall, Lake Winnepesaukee, Meredith.

With Findings:

1. A request for additional information dated May 06, 2014, addressed to the applicant or agent of record, clearly identified the requirement that the applicant to submit additional information to DES within 60 days of the request.
2. Pursuant to RSA 482-A:3, XIV(a)(2), if the requested additional information is not received by DES within 60 days of the request, DES shall deny the application.
3. The agent for the applicant requested, and the Department granted, an extension to respond to the additional information by letter dated July 3, 2014.
4. DES did not receive the requested additional information within the original 60 days or within the time frame as stipulated on the signed extension agreement, therefore the application has been denied.

2014-02093 DEMERS, M ALANA
LACONIA Lake Winnepesaukee

Requested Action:

Correct permit description to indicates correct width of 6 feet.

Conservation Commission/Staff Comments:

no comments from Con Com by Sept 25, 2014

APPROVE PERMIT:

Repair an existing 12 ft. x 6 in. x 18 ft. 8 in. full crib dock, repair and relocate the attached 6 ft. x 31 ft. 4 in. piling pier, and install a permanent boatlift in the southerly slip on an average of 60 feet of shoreline frontage along Lake Winnepesaukee, in Laconia.

With Conditions:

1. All work shall be in accordance with plans by Peter Schauer dated January 6, 2015, as received by the NH Department of Environmental Services (DES) on January 12, 2015.

2. This permit shall not be effective until it has been recorded with the Belknap County Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.
3. The repairs to the full crib dock shall maintain the size, location and configuration of the pre-existing structure.
4. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
5. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain in place until the area is stabilized.
7. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
8. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), modification of a 2 slip permanent pier.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 60 feet of shoreline frontage along Lake Winnepesaukee.
4. A maximum of 2 slips may be permitted on this frontage per Rule Env-Wt 402.12, Frontage With Less Than 75'.
5. The proposed modification of the docking structure will provide the same number of slips and same square feet of impact as previously existed on this frontage.

2014-02906 COLLAZZO, EDWARD/LEANNE
WOLFEBORO Lake Winnepesaukee

Requested Action:

Construct a 300 sq. ft. perched beach, repair an existing 6 ft. x 30 ft. piling pier, permanently remove no more than 18 cubic yards of rock from 245 sq. ft. of an existing rock groin, and install two seasonal personal watercraft lifts and two seasonal boatlifts on an average of 102 feet of shoreline frontage along Lake Winnepesaukee, on Melody Island, in Wolfeboro.

Conservation Commission/Staff Comments:

No comments from Con Com by Dec 08, 2014

APPROVE PERMIT:

Construct a 300 sq. ft. perched beach, repair an existing 6 ft. x 30 ft. piling pier, permanently remove no more than 18 cubic yards of rock from 245 sq. ft. of an existing rock groin, and install two seasonal personal watercraft lifts and two seasonal boatlifts on an average of 102 feet of shoreline frontage along Lake Winnepesaukee, on Melody Island, in Wolfeboro.

With Conditions:

1. All work shall be in accordance with plans by NK Stoneworks LLC dated January 20, 2015, as received by the NH Department of Environmental Services (DES) on January 26, 2015.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau, by certified mail, return receipt requested, prior to construction.

3. The repairs shall maintain the size, location and configuration of the pre-existing structures.
4. This permit to replace or repair existing structures shall not preclude the DES from taking any enforcement action or revocation action if the DES later determines that the structures represented as "existing" were not previously permitted or grandfathered.
5. All construction related debris shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Dredged or excavated material shall be placed outside of the DES Wetlands Bureau jurisdiction.
7. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, maintained during construction, and shall remain in place until the area is stabilized.
8. Work authorized shall be carried out such that discharges in spawning or nursery areas during spawning seasons shall be avoided, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
9. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding areas and spawning areas shall be avoided.
10. All seasonal lifts shall be removed for the non-boating season.
11. Stone placed along the beach front for the purpose of retaining sand shall be placed above and/or landward of those rocks currently located along the normal high water line (Elevation 504.32). Those rocks existing at the normal high water line shall remain otherwise undisturbed such that the natural shoreline remains identifiable.
12. The steps installed for access to the water shall be located completely landward of the normal high water line.
13. No more than 10 cu. yd. of sand may be used and all sand shall be located above the normal high water line.
14. This permit shall be used only once, and does not allow for annual beach replenishment.
15. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
16. Re-vegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall begin at a distance no greater than 5 ft. landward from the beach area.
17. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03 (g) removal of no more than 20 cubic yards of rock, gravel, sand, mud, or other materials from public waters.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

2015-00115 CZARNECKI, JAMES
EAST WAKEFIELD Pine River Pond

Requested Action:

Permanently remove an existing crib supported 4 ft. x 21 ft. pier, install a 6 ft. x 24 ft. seasonal pier attached to an existing retaining wall on an average of 95 feet of shoreline frontage along Pine River Pond, in Wakefield.

Conservation Commission/Staff Comments:

2/04/15 - No historic properties affected per DHR.

APPROVE PERMIT:

Permanently remove an existing crib supported 4 ft. x 21 ft. pier, install a 6 ft. x 24 ft. seasonal pier attached to an existing retaining wall on an average of 95 feet of shoreline frontage along Pine River Pond, in Wakefield.

With Conditions:

1. All work shall be in accordance with plans by Don Carey dated December 27, 2014, as received by the NH Department of Environmental Services (DES) on January 20, 2015.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. This shall be the only structure on this water frontage and all portions of the dock shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
4. The seasonal pier shall be removed from the lake for the non-boating season.
5. No portion of the pier shall extend more than 24 ft. from the shoreline at full lake elevation.
6. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), construction or modification of a docking system that includes permanent structures over public waters.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 95 feet of shoreline frontage along Pine River Pond.
6. A maximum of 2 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
7. The existing docking structure and boathouse provide 3 slips on this frontage.
8. Replacing the permanent dock with a seasonal dock is the least impacting alternative than replacing the existing crib supported docking structure.

MINIMUM IMPACT PROJECT

2014-00919 BASSETT, JUDITH/WILLIAM
NEW DURHAM Merrymeeting Lake

Requested Action:

Remove existing docking structure and install a 6 ft. x 36 ft. seasonal dock, repair existing retaining walls, on Merrymeeting Lake, New Durham.

Conservation Commission/Staff Comments:

Con Com did not sign Wet Application

DENY PERMIT-INSUFFICIENT & UNTIMELY RESP:

Remove existing docking structure and install a 6 ft. x 36 ft. seasonal dock, repair existing retaining walls, on Merrymeeting Lake, New Durham.

With Findings:

1. A request for additional information dated June 12, 2014, addressed to the applicant or agent of record, clearly identified the requirement that the applicant to submit additional information to DES within 60 days of the request.
2. Pursuant to RSA 482-A:3, XIV(a)(2), if the requested additional information is not received by DES within 60 days of the request, DES shall deny the application.

3. The agent for the applicant requested by letter dated August 05, 2014, and the Department granted an extension to respond to the additional information.
4. DES did not receive the requested additional information within the original 60 days or within the time frame as stipulated on the extension request, therefore the application has been denied.

**2014-03515 BALD PEAK LAND COMPANY INC
MOULTONBOROUGH**

Requested Action:

Proposal to dredge and fill 677 sq. ft. (includes 101 sq. ft. temporary impacts) of forested wetlands for construction of a cart path for access to a proposed golf practice facility and construction of a new practice green. Work in wetlands consists of installation of a 30 in. HDPE culvert, with associated outlet protection grading and filling and filling and grading associated with the practice green.

Conservation Commission/Staff Comments:

1. The Conservation Commission indicated they have no objections to the issuance of this permit.

APPROVE PERMIT:

Dredge and fill 677 sq. ft. (includes 101 sq. ft. temporary impacts) of forested wetlands for construction of a cart path for access to a proposed golf practice facility and construction of a new practice green. Work in wetlands consists of installation of a 30 in. HDPE culvert, with associated outlet protection grading and filling and filling and grading associated with the practice green.

With Conditions:

1. All work shall be in accordance with plans by White Mountain Survey & Engineering, Inc., dated December 17, 2014, as received by the NH Department of Environmental Services (DES) on December 18, 2014.
2. This permit is contingent on approval by the DES Alteration of Terrain Bureau.
3. A qualified professional shall monitor the project during construction to assure it is constructed in accordance with the approved plans and narratives and to assure no water quality violations occur.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
6. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
8. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
9. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
10. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a further permitting by the Bureau.
12. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired immediately.
13. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
14. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f) Projects involving alteration of less than 3,000 square feet in swamps or wet meadows that are not in prime wetlands or do not meet the requirements of Env-Wt 303.02(k), provided that no previous department permit has placed restrictions on the property of the applicant
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

FORESTRY NOTIFICATION

2015-00419 PEABODY, JUDITH
OSSIPEE Unnamed Stream

COMPLETE NOTIFICATION:
Ossipee, Tax Map #263, Lot #15

2015-00434 JOHN F MCNULTY TRUST
HENNIKER Unnamed Stream

COMPLETE NOTIFICATION:
Henniker, Tax Map #1, Lot 626

2015-00443 PAOLINI, DAVE
DOVER Unnamed Stream

COMPLETE NOTIFICATION:
Dover, Tax Map #MA0037, Lot # LO

EXPEDITED MINIMUM

2014-03107 MILLER, JAMES
BEDFORD

Requested Action:

Proposal to dredge and fill 427 sq. ft. of forested wetland for access to a single family building lot. Work in wetlands consists of installation of a 15 in. x 20 ft. culvert (with drop inlet) with associated culvert headwalls, dredging, filling and grading.

Conservation Commission/Staff Comments:

1. The Conservation Commission voted to support the application

APPROVE PERMIT:

Dredge and fill 427 sq. ft. of forested wetland for access to a single family building lot. Work in wetlands consists of installation of a 15 in. x 20 ft. culvert with associated culvert headwalls, dredging, filling and grading.

With Conditions:

1. All work shall be in accordance with plans by Bedford Design Consultants, Inc., revision date 1-15-15, as received by the NH Department of Environmental Services (DES) on February 3, 2015.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
5. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
7. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
8. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
9. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
10. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
11. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired immediately.
12. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
13. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f) Projects involving alteration of less than 3,000 square feet in swamps or wet meadows that are not in prime wetlands or do not meet the requirements of Env-Wt 303.02(k), provided that no previous department permit has placed restrictions on the property of the applicant
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. The crossing was previously approved under Wetlands Bureau File #2003-00187 but was not constructed.
6. The applicant/agent has redesigned the crossing and removed the proposed drop-inlet structure.

2014-03533

HENNIKER, TOWN OF

HENNIKER Contoocook River

Requested Action:

Proposal to dredge and fill 60 sq. ft. (temporary impact) of stream bed/bank (man-made canal adjacent to Contoocook River) to

replace the bridge deck (canal bridge on Western Avenue) and repair minor spalling and cracking on the abutments and wing-walls.

Conservation Commission/Staff Comments:

1. The Conservation Commission signed the application waiving their right to intervene.

APPROVE PERMIT:

Dredge and fill 60 sq. ft. (temporary impact) of stream bed/bank (man-made canal adjacent to Contoocook River) to replace the bridge deck (canal bridge on Western Avenue) and repair minor spalling and cracking on the abutments and wing-walls.

With Conditions:

1. All work shall be in accordance with plans by McCourt Engineering Associates, PLLC revision date 1/28/15 and narratives dated January 28, 2015, as received by the NH Department of Environmental Services (DES) on January 28, 2015.
2. The Town shall obtain temporary construction easements or written agreements from affected landowners with work in jurisdiction on their property. Copies shall be supplied to DES Wetlands Bureau File No. 2014-03533 prior to construction.
3. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
5. Work shall be done during low flow.
6. A qualified Professional shall monitor the project during construction to assure it is constructed in accordance with the approved plans and narratives and to assure no water quality violations occur.
7. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
8. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
9. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
10. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.
12. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired immediately.
13. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
14. All refueling of equipment shall occur outside of surface waters or wetlands during construction.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(o) Projects deemed minimum impact by the department based on the degree of environmental impact;
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The bridge deck needs to be replaced and minor damage repairs need to be conducted to the abutments and wing-walls.
4. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
5. All work will be on the existing structure with temporary impacts for erosion and turbidity controls.
6. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
7. The bridge crosses a man-made canal that was constructed for the previous dam (within the Contoocook River) and hydropower

mill in the late 1890s, which has since been removed.

8. There are no permanent impacts to the canal.

9. The project engineer has provided a PE stamped plan, report and indicated that the current bridge has no history of flooding and the repairs will not change the capacity of the current structure.

10. DES has not received any abutter or public comments in objection to the proposed project.

11. The Contoocook & North Branch Rivers Local Advisory Committee has reviewed the project and commented; "Given that the canal does not now carry water (it is normally dry), the risk to the river is very slight if watershed rules for construction are carried out as planned; so we do not have any concerns about the project."

**2015-00042 NH BUSINESS FINANCE AUTHORITY
HOOKSETT**

Requested Action:

Proposal to dredge and fill 2,453 sq. ft. of forested wetlands for access to a proposed building expansion at the existing General Electric Aviation Plant. Work in wetlands consists of dredging, filling and grading for construction of a new cul-de-sac in Industrial Park Drive.

Conservation Commission/Staff Comments:

1. The Conservation Commission signed the application waiving their right to intervene.

APPROVE PERMIT:

Dredge and fill 2,453 sq. ft. of forested wetlands for access to a proposed building expansion at the existing General Electric Aviation Plant. Work in wetlands consists of dredging, filling and grading for construction of a new cul-de-sac in Industrial Park Drive.

With Conditions:

1. All work shall be in accordance with plans by TFM dated December 16, 2014, as received by the NH Department of Environmental Services (DES) on January 9, 2015.
2. This permit is contingent on approval by the DES Alteration of Terrain Bureau.
3. A qualified professional shall monitor the project during construction to assure it is constructed in accordance with the approved plans and narratives and to assure no water quality violations occur.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
6. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
8. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
9. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
10. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a further permitting by the Bureau.
12. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired

immediately.

13. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
14. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f) Projects involving alteration of less than 3,000 square feet in swamps or wet meadows that are not in prime wetlands or do not meet the requirements of Env-Wt 303.02(k), provided that no previous department permit has placed restrictions on the property of the applicant
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. The DES Alteration of Terrain Bureau reviewed for compliance with stormwater treatment and changes in flood storage.
6. DES has not received any comments in opposition to the project.

**2015-00252 NEWMARKET, TOWN OF
NEWMARKET Lamprey River**

Requested Action:

Impact 24,361 square feet of developed upland tidal buffer zone; 197 square feet of freshwater wetland for grading associated with access; and 365 square feet of freshwater wetland for temporary construction impact, for facility upgrades at the Newmarket Wastewater Treatment Plant, including the construction of buildings, tanks, storm water treatment swale, facility access driveway, utilities, fencing and other appurtenances.

APPROVE PERMIT:

Impact 24,361 square feet of developed upland tidal buffer zone; 197 square feet of freshwater wetland for grading associated with access; and 365 square feet of freshwater wetland for temporary construction impact, for facility upgrades at the Newmarket Wastewater Treatment Plant, including the construction of buildings, tanks, storm water treatment swale, facility access driveway, utilities, fencing and other appurtenances.

With Conditions:

1. All work shall be in accordance with revised plans by Wright-Pierce Engineers dated 1/7/15, revised 2/15, as received by the NH Department of Environmental Services (DES) on 2/20/15.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
3. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. 4. This permit is contingent on approval by the DES Alteration of Terrain Bureau.
5. At least 48 hours prior to the start of construction, a pre-construction meeting shall be held with DES Land Resources Management Program staff at the project site or at the DES Office in Concord, N.H. to review the conditions of this wetlands permit and the DES Alteration of Terrain Permit. It shall be the responsibility of the permittee to schedule the pre-construction meeting, and the meeting shall be attended by the permittee, his/her professional engineer(s), wetlands scientist(s), and the contractor(s) responsible for performing the work.
6. Orange construction fencing shall be placed at the limits of construction to prevent accidental encroachment on wetlands.
7. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
8. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

9. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
10. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
11. Silt fencing must be removed once the area is stabilized.
12. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
13. Faulty equipment shall be repaired prior to entering jurisdictional areas.
14. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
15. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(b), projects within previously developed areas 100 feet landward of highest observable tide that are not major or minor pursuant to Env-Wt 303.02 or 303.03 respectively.
 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The project represents necessary upgrades to a public wastewater treatment facility.
 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The majority of the work is confined to the previously developed upland tidal buffer zone and the margin of a freshwater wetland.
 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
- The applicant has coordinated with NH Natural Heritage Bureau relative to the listed plants species in the project vicinity. NHB has determined that no plant survey will be required for this project, as the shoreline at this location is rip rap, not habitat for the species.

**2015-00264 PETER J LOUGHLIN REVOCABLE TRUST
PORTSMOUTH**

Requested Action:

Fill 2,500 sq. ft. of wet meadow wetlands and install an 18" culvert for maintenance and slight upgrade of existing woods trail to gardens, tree farm, and open space area in within urban area of Portsmouth.

APPROVE PERMIT:

Fill 2,500 sq. ft. of wet meadow wetlands and install an 18" culvert for maintenance and slight upgrade of existing woods trail to gardens, tree farm, and open space area in within urban area of Portsmouth.

With Conditions:

1. All work shall be in accordance with plans by Berry Survey & Engineering (attachment K1) and plans by James Verra and Associates (attachments K2 and K3), dated 1/25/2015, as received by the NH Department of Environmental Services (DES) on 2/2/2015.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
3. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(z), installation of a stream crossing and associated fill for access to an agricultural area that meets Env-Wt(z)(1)-(5).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The existing access woods road needs refurbishment to provide continuing and improved access to a 7+ acre tree farm, garden, and open space area.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The work is confined to the pathway of the existing access, and crosses a drainage swale at the narrow point.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
The NH Natural Heritage Bureau reported no species of concern in the project vicinity.
5. The Portsmouth Conservation Commission signed the expedited application.

2015-00265 FRENCH SR, WILLIAM
MEREDITH Lake Winnepesaukee

Requested Action:

Construct a 680 sq. ft. perched beach with no more than 10 cubic yards of sand and 6 ft. wide access stair to the waterbody, on an average of 290 feet of shoreline frontage, Lake Winnepesaukee, Meredith.

APPROVE PERMIT:

Construct a 680 sq. ft. perched beach with no more than 10 cubic yards of sand and 6 ft. wide access stair to the waterbody, on an average of 290 feet of shoreline frontage, Lake Winnepesaukee, Meredith.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated March 03, 2014, as received by the NH Department of Environmental Services (DES) on February 02, 2015.
2. Dredged or excavated material shall be placed outside of the DES Wetlands Bureau jurisdiction.
3. Stone placed along the beach front for the purpose of retaining sand shall be placed above and/or landward of those rocks currently located along the normal high water line (Elevation 504.32). Those rocks existing at the normal high water line shall remain otherwise undisturbed such that the natural shoreline remains identifiable.
4. The steps installed for access to the water shall be located completely landward of the normal high water line.
5. No more than 10 cu. yd. of sand may be used and all sand shall be located above the normal high water line.
6. This permit shall be used only once, and does not allow for annual beach replenishment.
7. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
8. Re-vegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall begin at a distance no greater than 5 ft. landward from the beach area.
9. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain in place until the area is stabilized.
10. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(d), construction of a beach for a single family residence with less than 10 cubic yards of sand.

2015-00338 LORD, WILLIAM
SILVER LAKE

Requested Action:

Restore aquatic habitat for native brook trout along 1,777 linear feet of unnamed intermittent streams by cutting trees/wood into the brook impacting approximately 2,310 square feet of the stream.

APPROVE PERMIT:

Restore aquatic habitat for native brook trout along 1,777 linear feet of unnamed intermittent streams by cutting trees/wood into the brook impacting approximately 2,310 square feet of the stream.

With Conditions:

1. All work shall be in accordance with the plans and narratives as received by DES on February 11, 2015.
2. Work shall be done during low flow and between the months of June through August.
3. Only hand tools shall be used.
4. No trees shall that are stabilizing banks or slopes shall be cut.
5. All in-stream work shall be conducted in a manner to minimize turbidity and sedimentation to surface waters and shall be conducted in a manner so as to minimize the duration of construction in the watercourse.
6. If applicable, appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized.
7. A post-construction report with photographs documenting the status of the completed project shall be submitted to the Wetlands Bureau within 60 days of the completion of construction.
8. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.

With Findings:

1. This is a Minimum Impact Project per NH Administrative Rule Env-Wt 303.04(t) Restoration of altered or degraded wetlands provided the project: (1) Receives financial support and direct supervision of a New Hampshire state agency, the US Environmental Protection Agency, the US Army Corps of Engineers, the US Natural Resources Conservation Service, or the US Fish and Wildlife Service; (2) Shall not be used to perform restoration in cases where the applicant is subject to a removal or restoration order; (3) Is not located in or adjacent to prime wetlands; and (4) Does not meet the criteria of Env-Wt 303.02(k).
2. The project proposes to restore degraded aquatic resources that benefit native brook trout.
3. The need for the proposed impacts has been demonstrated by the applicant per Rule Env-Wt 302.01.
4. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Env-Wt 302.03.
5. The applicant has demonstrated by plan and example that each factor listed in Rule Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
6. In the early 1990s a previous owner heavily timbered the property. The streams have very little in-stream wood compared to unaltered streams.
7. The goal of the project is to provide structural habitat to fish and reduce the export of in-stream nutrients.
8. The Conservation Commission signed the application waiving their right to intervene pursuant to RSA 482-A:11.
9. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program or the Natural Heritage Bureau.

GOLD DREDGE

2015-00403 RAMO, SHELIA
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath Con. Com.

2015-00409 BARTLETT, HENRY
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath ConCom

2015-00410 KEMBLE JR, LESTER
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath Con. Com.

2015-00411 STONE, TRACY
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath Con. Com.

2015-00452 SAMOJILA, JOSEPH
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath Con. Com.

TRAILS NOTIFICATION

2015-00421 SIRACUSA, ELIZABETH/THOMAS
HAVERHILL Mountain Lake

COMPLETE NOTIFICATION:
Haverhill Tax Map 201 Lot 223

LAKES-SEASONAL DOCK NOTIF

**2015-00393 STOCKTON, ROBERT
NEWBURY Sunapee Lake**

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

**2015-00400 GIAMBERARDINO, ANTHONY & DIANA
MEREDITH Winnisquam Lake**

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

PERMIT BY NOTIFICATION

**2014-02688 PORT WEDELN ASSOCIATION
WOLFEBORO Lake Winnepesaukee**

Requested Action:
Repair existing docking structures.

Conservation Commission/Staff Comments:
Con Com did not sign PBN form

PBN DISQUALIFIED:
Repair existing docking structures.

**2014-03168 GODZYK, BRIAN & CYNTHIA
MEREDITH Lake Winnepesaukee**

Requested Action:
Repair/replace existing retaining wall.

Conservation Commission/Staff Comments:
Con Com signed PBN form

PBN DISQUALIFIED:
Repair/replace existing retaining wall.

2015-00296 CIBORSKI, MICHAEL
ALSTEAD Kidders Pond

Requested Action:
PBN proposal to construct a dry hydrant.

Conservation Commission/Staff Comments:
1. Conservation Commission signed the Permit by Notification.

PBN IS COMPLETE:
PBN complete for construction of a dry hydrant.

With Findings:
1. This project meets the criteria of NH Administrative Rule Env-Wt 506.01(a)(6) The excavation of less than 10 linear feet within the bank and bed of a surface water that does not exceed 200 square feet in total jurisdictional impact to the bed, that meets the criteria in Env-Wt 303.04(w);
2. The PBN was previously disqualified, however, the applicant's agent provided additional information documenting that the subdivision was permitted and no other wetland impacts were required for the subdivision.

2015-00298 SOUTHERN NEW HAMPSHIRE UNIVERSITY
HOOKSETT Unnamed Stream

Conservation Commission/Staff Comments:
1. The Conservation Commission voted to approve the application.

PBN IS COMPLETE:
PBN complete for replacement in-kind of an existing 24" culvert beneath foot path with water line utility placement beneath culvert.

With Findings:
1. This project meets the criteria of NH Administrative Rule Env-Wt 506.01(a)(7) The maintenance, repair, or replacement of a nondocking structure that meets the criteria in Env-Wt 303.04(x).

2015-00308 HODGES, ELIZABETH PERRY
SPRINGFIELD Baptist Pond

Requested Action:
Replenish an existing beach with less than 8 cubic yards of sand.

PBN IS COMPLETE:
Replenish an existing beach with less than 8 cubic yards of sand.

2015-00330 LLOYD, THOMAS
TUFTONBORO Lake Winnepesaukee

Requested Action:

Maintenance, repair, and replacement in-kind of an existing 9 ft. 6 in. x 40 ft. docking structure provided no change in location, configuration, construction type, or dimensions is proposed.

Conservation Commission/Staff Comments:

Con Com did not sign PBN form

PBN IS COMPLETE:

Maintenance, repair, and replacement in-kind of an existing 9 ft. 6 in. x 40 ft. docking structure provided no change in location, configuration, construction type, or dimensions is proposed.

2015-00380 CHESANEK, JOHN/CYNTHI
BELMONT Winnisquam Lake

Requested Action:

Repair or replacement of existing retaining walls that is performed "in the dry" during drawdown of waters, and that results in no change in height, length, location, or configuration in accordance with plans dated January 21, 2015.

Conservation Commission/Staff Comments:

Con Com did not sign PBN form

PBN IS COMPLETE:

Repair or replacement of existing retaining walls that is performed "in the dry" during drawdown of waters, and that results in no change in height, length, location, or configuration in accordance with plans dated January 21, 2015.

CSPA PERMIT

2010-00239 CANOBIE LAKE PARK CORP
SALEM Canobie Lake

Requested Action:

REquested time extension in order to complete project.

APPROVE TIME EXTENSION:

Impact 132 sq ft for the installation of CIPP pipe lining requiring the excavation of four trench holes.

With Conditions:

1. All work shall be in accordance with revised plans by SFC Engineering Partnership, Inc. received by the Department of Environmental Services ("DES") on April 22, 2014.

2. No more than 35.43% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. The project as proposed will leave approximately 20,700 sq ft of the Natural Woodland Buffer beyond the primary building setback in an unaltered state. At least 64,012 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement or revocation action if the DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-00262 WATKINS, ANNE/GILBERT
SUNAPEE Perkin's Pond

Requested Action:

Impact 4,156 sq ft in order to demolish existing structure and replace with a new structure with improved parking.

APPROVE PERMIT:

Impact 4,156 sq ft in order to demolish existing structure and replace with a new structure with improved parking.

With Conditions:

1. All work shall be in accordance with plans by Pierre J. Bedard dated January 9, 2015 and received by the NH Department of Environmental Services (DES) on February 2, 2015.
2. No more than 15.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 1,710 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-00263 VAIL, REBECCA/ROBERT
NEWBURY Sunapee Lake

Requested Action:

Impact 14,835 sq ft in order to rebuild existing carriage road and retaining wall along the carriage road. Rebuild steps with proper

tread dimensions. Install engineered drainage for stormwater management. Rebuild existing upper retaining wall near house.
Re-grade upper lawn by house. Install new stone walkway and patio.

APPROVE PERMIT:

Impact 14,835 sq ft in order to rebuild existing carriage road and retaining wall along the carriage road. Rebuild steps with proper tread dimensions. Install engineered drainage for stormwater management. Rebuild existing upper retaining wall near house.
Re-grade upper lawn by house. Install new stone walkway and patio.

With Conditions:

1. All work shall be in accordance with plans by dp Landscape Design and Construction dated January 21, 2015 and received by the NH Department of Environmental Services (DES) on February 2, 2015.
2. This permit does not allow for impact to the bank or waterbody which require a permit from DES Wetlands Bureau. The Owner shall obtain any permit as may be required pursuant to RSA 482-A prior to impacting areas within the surface water or its banks.
3. No more than 13.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 6,078 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

**2015-00266 BURKE, FRANCIS/JOANNE
NOTTINGHAM North River Lake**

Requested Action:

Impact 3,044 sq ft in order to retain expanded work from a previous permit 2009-02145 for the reconstruction of the second floor and exterior deck with stairs.

APPROVE PERMIT:

Impact 3,044 sq ft in order to retain expanded work from a previous permit 2009-02145 for the reconstruction of the second floor and exterior deck with stairs.

With Conditions:

1. All work shall be in accordance with plans by Landry Surveying, LLC dated January 2015 and received by the NH Department of Environmental Services (DES) on February 2, 2015.
2. No more than 22.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 3,155 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.

- 5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-00306 ALLEN, KATHLEEN/PETER
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Impact 4,675 sq ft add an addition to the existing residence, reconfigure steps of the existing deck, modify and expand driveway, dig trenches for stormwater, replace septic system if the existing system fails.

APPROVE PERMIT:

Impact 4,675 sq ft add an addition to the existing residence, reconfigure steps of the existing deck, modify and expand driveway, dig trenches for stormwater, replace septic system if the existing system fails.

With Conditions:

- 1. All work shall be in accordance with plans by Ames Associates dated February 3, 2015 and received by the NH Department of Environmental Services (DES) on February 6, 2015.
- 2. No more than 21% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 3. The proposed stormwater management plan shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
- 4. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
- 5. At least 5,418 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 11. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-00319 LABRIE, BRIAN/KERRY ANN
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Impact 17,420 sq ft in order to remove existing trailer and sheds; remove gravel parking area and brick walks; construct new dwelling; reconfigure driveway; install new Individual Sewage Disposal System; install underground LP tank and underground utility lines; install stepping stone walks.

APPROVE PERMIT:

Impact 17,420 sq ft in order to remove existing trailer and sheds; remove gravel parking area and brick walks; construct new dwelling; reconfigure driveway; install new Individual Sewage Disposal System; install underground LP tank and underground utility lines; install stepping stone walks.

With Conditions:

1. All work shall be in accordance with plans by David M. Dolan dated January 26, 2015 and received by the NH Department of Environmental Services (DES) on February 9, 2015.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 23.6% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 3,095 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

**2015-00320 CAMP SENTINEL
TUFTONBORO Dan Hole Pond**

Requested Action:

Impact 2,918 sq ft in order to construct a house with a septic system.

APPROVE PERMIT:

Impact 2,918 sq ft in order to construct a house with a septic system.

With Conditions:

1. All work shall be in accordance with plans by Jones & Beach Engineers, Inc. dated January 23, 2015 and received by the NH Department of Environmental Services (DES) on February 9, 2015.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than .01% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 157,243 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-00321 MIRRA, JOANNE/NORINO
HAMPTON Atlantic Ocean

Requested Action:

Impact 10,608 sq ft in order to replace existing structure, repair and replace existing revetment, and landscape.

APPROVE PERMIT:

Impact 10,608 sq ft in order to replace existing structure, repair and replace existing revetment, and landscape.

With Conditions:

1. All work shall be in accordance with plans by Ambit Engineering, Inc. dated February 3, 2015 and received by the NH Department of Environmental Services (DES) on February 9, 2015.
2. No more than 45.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. The proposed stormwater management plan shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
4. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

UTILITY NOTIFICATION

2015-00422 EVERSOURCE ENERGY
MADBURY Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2015-0053 for fee amount.

COMPLETE NOTIFICATION:

Maintenance on the 307 line.

2015-00423 PSNH
LEE Unnamed Wetland

Conservation Commission/Staff Comments:

See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:

Replace existing anchor with a buried concrete block for attachment to the guy wire. a 5'x5' hole will be excavated in a marsh to a depth of 6'.

