

Review
5/18/15

Wetlands Bureau Decision Report

Decisions Taken
05/11/2015 to 05/17/2015

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

Any party aggrieved by a decision may file an appeal within 30 days of the date of this decision as specified in RSA 482-A:10, RSA 21-O:14, and the rules adopted by the Wetlands Council, Env-WtC 100-200.

The appeal must be filed directly with the Council, c/o the Council Appeals Clerk, who may be contacted at (603) 271-6072 or at appeals@des.nh.gov. The notice of appeal must set forth fully every ground upon which it is claimed that the decision complained of is unlawful or unreasonable. Only those grounds set forth in the notice of appeal can be considered by the council.

MAJOR IMPACT PROJECT

2014-01645 BLAESER, JOHN/MICHELLE
ALTON Lake Winnepesaukee

Requested Action:

Repair and extend an existing breakwater, modify an existing "U" shaped docking structure to provide 3 slips, install a seasonal boatlift, on an average of 100 feet of shoreline frontage, Sleepers Island, Lake Winnepesaukee, Alton.

Conservation Commission/Staff Comments:

Con Com has concerns proposed dock will create 3 slips on frontage without sufficient frontage

DENY PERMIT-INSUFFICIENT & UNTIMELY RESP:

Repair and extend an existing breakwater, modify an existing "U" shaped docking structure to provide 3 slips, install a seasonal boatlift, on an average of 100 feet of shoreline frontage, Sleepers Island, Lake Winnepesaukee, Alton.

With Findings:

1. A request for additional information dated December 15, 2014, addressed to the applicant or agent of record, clearly identified the requirement that the applicant to submit additional information to DES within 60 days of the request.
2. Pursuant to RSA 482-A:3, XIV(a)(2), if the requested additional information is not received by DES within 60 days of the request, DES shall deny the application.
3. DES did not receive the requested additional information within the 60 days and therefore the application has been denied.

2015-00331 SANTULLO, COSMO
NEWBURY Sunapee Lake

Requested Action:

Permanently remove a 6 ft. x 40 ft. seasonal pier and install two 6 ft. x 40 ft. seasonal piers connected by a 6 ft. x 20 ft. walkway, a 12 ft. x 30 ft. seasonal canopy, 4 seasonal boatlifts, and 2 personal watercraft lifts on an average of 348 ft. of frontage along Lake Sunapee in Newbury.

Conservation Commission/Staff Comments:

No comments from Con Com by March 25, 2015

APPROVE PERMIT:

Permanently remove a 6 ft. x 40 ft. seasonal pier and install two 6 ft. x 40 ft. seasonal piers connected by a 6 ft. x 20 ft. walkway, a 12 ft. x 30 ft. seasonal canopy, 4 seasonal boatlifts, and 2 personal watercraft lifts on an average of 348 ft. of frontage along Lake Sunapee in Newbury.

With Conditions:

1. All work shall be in accordance with revised plans by Watermark Marine Construction dated April 27, 2015, as received by the NH Department of Environmental Services (DES) on April 29, 2015.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. Not structures shall be installed until the department receives a statement from the Natural Heritage Bureau verifying that the installation of structures will not adversely impact American water-awlwort along this frontage.
4. These shall be the only structures on this water frontage and all portions of the docking structures shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.

5. All seasonal structures, including the lifts and canopy shall be removed from the lake for the non-boating season.
6. No portion of the docking structures shall extend more than 40 ft. from the shoreline at full lake elevation.
7. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(k), installation of a 4 slip docking structure that may have an adverse impact on a state-listed endangered species.
2. The need for the proposed impacts has been demonstrated by the Applicant per Env-Wt 302.01.
3. The Applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the Department's jurisdiction per Env-Wt 302.03.
4. The Applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. The Applicant has an average of 348 feet of shoreline frontage along Lake Sunapee.
6. A maximum 5 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
7. The proposed docking facility will provide 4 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.
8. The Natural Heritage Bureau has notified the Applicant of the presence of American water-awwort in the vicinity of the proposed docking facility.
9. The Applicant has not provided evidence that the proposed project will not adversely impact the endangered species and agreed to accept a conditional approval requiring that such evidence be submitted to the Department prior to the installation of structures.

-Send to Governor and Executive Council-

2015-00420 NH DEPARTMENT OF SAFETY MARINE PATROL
GILFORD Lake Winnepesaukee

Requested Action:

For the purpose of replacing and upgrading NH Department of Safety, Marine Patrol facilities on Lake Winnepesaukee in Gilford:

- 1) Temporarily impact 170 sq. ft. of lakebed to install a 226 linear ft. cofferdam;
- 2) Dredge 68 cu. yd. from and otherwise alter 4,212 sq. ft. of lakebed;
- 3) Alter 246 linear ft. of shoreline; and
- 4) Reconfigure a major docking system.

Conservation Commission/Staff Comments:

2/25/15 Con Com requests a "hold" until they can meet to discuss the application and there may also be an on-site inspection.

2/6/15 Per DHR, Additional information is needed in order to complete review.

03/27/15 Commission voted to recommend approval with siltation controls to be in place and BMP's in place for the boat wash separator. See letter in file for other comments.

APPROVE PERMIT:

For the purpose of replacing and upgrading NH Department of Safety, Marine Patrol facilities on Lake Winnepesaukee in Gilford:

- 1) Temporarily impact 170 sq. ft. of lakebed to install a 226 linear ft. cofferdam;
- 2) Dredge 68 cu. yd. from and otherwise alter 4,212 sq. ft. of lakebed;
- 3) Alter 246 linear ft. of shoreline; and
- 4) Reconfigure a major docking system.

With Conditions:

1. All work shall be in accordance with revised plans submitted by Vanasse Hangen Brustlin, Inc. dated May 12, 2015, and received by the NH Department of Environmental Services (DES) on May 13, 2015.
2. The DES Biology Bureau's Limnologist/Exotic Species Program Coordinator shall be notified in writing of the date on which dredging will begin 14 days prior to the beginning of the project.
3. If, at any time during the dredging, DES determines that rising water levels pose significant risk to the containment of the site, DES may request that the work cease until water levels recede to an acceptable level. Work shall cease immediately upon notification of the applicant, or any agent of the applicant, that water levels have risen to an unacceptable level, and shall not resume until authorized by DES.
4. All procedures outlined in the Construction Sequence on Sheet W3 of the approved plans shall be followed with particular care in order to prevent the spread of invasive milfoil species.
5. All dredged material ("spoil material") shall be completely removed from surface waters, shall be deposited outside of the DES Wetlands Bureau jurisdiction and at least 250 ft. from any surface water or wetland in order to prevent the spread of invasive milfoil species.
6. All construction related debris shall be completely removed from surface waters and deposited outside of the DES Wetlands Bureau jurisdiction.
7. Equipment initially entering surface waters shall be completely free of any imported aquatic plants and animals.
8. Equipment washing/rinsing shall not take place in areas in Wetlands Bureau jurisdictional areas. 9. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain in place until the area is stabilized.
10. The ramp approach shall be crowned so that drainage is directed away from the slope of the ramp.
11. The cofferdam shall be constructed prior to commencing work on structures located within surface waters.
12. The temporary cofferdam shall be entirely removed immediately following construction.
13. The work authorized is also contingent on approval by the DES Alteration of Terrain Bureau.
14. This permit shall not be effective until it has been recorded with the Belknap County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
15. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
16. Work shall be conducted in a manner that avoids discharges of sediments to fish spawning areas.
17. Rip-rap shall be located landward of the shoreline at the normal high water, where practical, and shall not extend more than 2 ft. lakeward of that line at any point.
18. Culvert outlets shall be properly rip rapped.
19. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(g), dredge of more than 20 cu. yd. of material from public waters and Rule Env-Wt 303.02(d), modification of a major docking system.
2. The need for the proposed impacts has been demonstrated by the Applicant per Env-Wt 302.01.
3. The Applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the Department's jurisdiction per Env-Wt 302.03.
4. The Applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.
5. The Applicant conducted public listening sessions to obtain public input and concerns relative to the proposed project.
6. The proposed docking facility will provide no additional slips as defined per RSA 482-A:2, VIII along this frontage.
7. The project as proposed is necessary to allow continued Marine patrol presence on Lake Winnepesaukee and will further allow improved presence and response to incidents occurring in dangerous cold water conditions during late fall and early spring.

-Send to Governor and Executive Council-

Requested Action:

Proposal to dredge and fill 2,202 sq. ft. of altered scrub-shrub wetlands and 202 linear ft. of altered perennial stream (606 linear ft. total banks and bed) for redevelopment of the 11.23-acre "Middleton Lumber" site. Work in wetlands consists of removal of the existing combined stormwater and culvert stream system, filling the 4 remaining sections of open stream channel and associated wetlands, installation of a new 36 in. diameter culvert (and section of 48 in. diameter culvert) to carry stream flows through the site and receive sections of flow from the new stormwater treatment system and construction of 203 linear ft. of new open stream channel. The project also includes removal of several site buildings, a new stormwater treatment system for the entire property, construction of new buildings to enhance efficiency and upgrades to parking and vehicle circulation.

APPROVE PERMIT:

Dredge and fill 2,202 sq. ft. of altered scrub-shrub wetlands and 202 linear ft. of altered perennial stream (606 linear ft. total banks and bed) for redevelopment of the 11.23-acre "Middleton Lumber" site. Work in wetlands consists of removal of the existing combined stormwater and culvert stream system, filling the 4 remaining sections of open stream channel and associated wetlands, installation of a new 36 in. diameter culvert (and section of 48 in. diameter culvert) to carry stream flows through the site and receive sections of flow from the new stormwater treatment system and construction of 203 linear ft. of new open stream channel. The project also includes removal of several site buildings, a new stormwater treatment system for the entire property, construction of new buildings to enhance efficiency and upgrades to parking and vehicle circulation.

With Conditions:

1. All work shall be in accordance with plans by Steven J. Smith & Associates, Inc., dated December 1, 2014 with revision dates through 2-11-15, as received by the NH Department of Environmental Services (DES) on February 26, 2015 and revised plan sheet 3 dated 5-12-2015, as received by DES on May 12, 2015.
2. This permit is contingent on approval by the DES Alteration of Terrain Bureau.
3. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.
4. This permit is contingent on submittal of water quality monitoring plan (narrative and locations) and approval by the department (Wetlands Bureau Mitigation Coordinator) before the start of construction.
5. This permit is contingent on review and approval, by the DES Wetlands Bureau, of final stream diversion/erosion control plans. Those plans shall detail the timing and method of stream flow diversion during construction, and show temporary siltation/erosion/turbidity control measures to be implemented.
6. Work shall be done during low flow.
7. A qualified professional shall monitor the project during construction to assure it is constructed in accordance with the approved plans and narratives and to assure no water quality violations occur.
8. All seeding and plantings shall have at least 75% successful establishment after two (2) growing seasons, or it shall be replanted and re-established in a manner satisfactory to the DES Wetlands Bureau.
9. Wetland soils from areas vegetated with purple loosestrife shall not be used in at the site. The potential for the establishment of invasive species should be considered in other areas where spoils may be spread to limit its further establishment.
10. The permittee shall attempt to control invasive, weedy species such as purple loosestrife (*Lythrum salicaria*) and common reed (*Phragmites australis*) by measures agreed upon by the Wetlands Bureau if the species is found in the mitigation areas during construction and during the early stages of vegetative establishment.
11. A follow-up report shall be submitted to the Wetlands Bureau within 60 days of the completion of construction and after two full growing seasons.
12. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
13. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
14. Work shall be conducted in a manner so as to minimize turbidity and sedimentation.
15. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or

other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters.

16. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.

17. Within three days of final grading, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

18. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.

19. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.

20. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

21. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired immediately.

22. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.

23. All refueling of equipment shall occur outside of surface waters or wetlands during construction.

24. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require further approval by the Bureau.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(i) Projects that alter the course of or disturb 200 or more linear feet of an intermittent or perennial nontidal stream or river channel or its banks.

2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.

3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.

4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.

5. The 11.23 acre parcel is highly altered commercial property and has minimal stormwater management.

6. The applicant's agent indicated that the proposed impact areas have been altered at various times in the "100-plus-year history of the developed site".

7. The proposed wetland impact area consists of remnant sections of open stream channel, various culvert sizes and culvert locations and associated wetland areas.

8. The agents has indicated that the watershed is 70 acres.

9. The site redevelopment includes a complete stormwater management system that will treat stormwater runoff before it discharges to the stream.

10. The stream impacts total 606 linear feet (total bed and banks).

11. The compensatory mitigation for the project consists of 609 linear feet (total bed and banks) of open stream channel creation and the improvement of water quality.

12. The project engineer indicated that the proposed culvert and channel system can accommodate the 50-year storm event.

13. The proposed channel depth is 6 feet.

14. The project engineer indicated that overtopping of the channel would not be a concern and the open channel will provide for a considerable amount of added storage capacity than the previously closed culvert system previously proposed.

15. The created stream channel banks will be planted with native shrub species.

16. The department has determined that the proposed compensatory mitigation complies with Administrative Rules Part Env-Wt 803.

13. The project has received a permit from the DES Alteration of Terrain Bureau, File #20150114-006, Permit #AOT-0869.

14. The approved plans are stamped by a NH Licensed Professional Engineer.

15. The department has received correspondence from the United States Environmental Protection Agency ("EPA") indicating the project is eligible for the New Hampshire State Programmatic General Permit ("SPGP").

16. The department has not received any comments in opposition to the project.

17. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the riverine resource, as identified under RSA 482-A:1.

MINOR IMPACT PROJECT

2014-03064 FWM INVESTMENT TRUST
SALEM

Requested Action:

Applicant requests name change to F&B Salem Realty LLC and notes a lot consolidation for tax map 180, lot 836.

Conservation Commission/Staff Comments:

09/25/14 Per DHR no historic properties affected.

11/7/14 Con. Com. wishes to intervene until a site investigation can be conducted. and, thereafter, findings and recommendations will be reported to DES.

12/08/14 Con. Com. voted to recommend to disapprove the project. The majority felt that this was not the right project for this parcel, that a smaller project could be built with less wetland impacts, that snow storage in the proposed wetland mitigation area was not a good idea and that flooding problems might be worsened by the project.

Applicant has responded to the concerns of the Salem Conservation Commission ~ See Findings

APPROVE NAME CHANGE:

Approve name change for permit to read: Dredge and fill a total of 11,750 sq. ft. in palustrine forested/scrub-shrub wetlands, mostly occurring in isolated pockets, for work associated with the construction of an automobile dealership consisting of a 22,000 sq. ft. building, 73,200 sq. ft. of paved surface with 40,830 of porous pavement, and stormwater management/treatment facilities. Compensatory mitigation includes flood storage creation, restricting development on the remaining 10.46 acres of land through a conservation easement, and a one-time payment of \$25,962.10 into the NHDES Aquatic Resource Mitigation Fund.

With Conditions:

1. All work shall be in accordance with plans by SFC Engineering Partnership, Inc. dated 10/2/2014, as received by the NH Department of Environmental Services (DES) on October 29, 2014.
2. This approval is contingent on approval by the DES Alteration of Terrain Program.
3. This approval is contingent on receipt by DES of a one-time payment of \$25,962.10 to the DES Aquatic Resource Mitigation (ARM) Fund. The payment shall be received by DES within 120 days of the date of the approval letter or the application will be denied.
4. DES Wetlands Bureau Southeast Region staff and the Salem Conservation Commission shall be notified in writing prior to commencement of work and upon its completion.
5. There shall be no further alteration of wetlands for additional lot development or other construction activities.
6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
7. This permit is contingent upon the execution of a conservation easement on approximately 10.4 acres as depicted on plans received by DES on January 22, 2015.
8. The conservation easement to be placed on the preservation area shall be written to run with the land, and both existing and future property owners shall be subject to the easement.
9. The final plan noting the conservation easement area with a copy of the final deed language shall be recorded with the Registry of Deeds Office for each appropriate lot. A copy of the recording from the County Registry of Deeds Office shall be submitted to the DES Wetlands Bureau prior to the start of construction.
10. The conservation easement area shall be marked by monuments [stakes] prior to construction.
11. The Wetlands Bureau shall be notified of the placement of the easement monuments to coordinate on-site review of their

location prior to construction.

12. There shall be no removal of the existing vegetative undergrowth within the conservation easement area and the placement of fill, construction of structures, and storage of vehicles or hazardous materials is prohibited.

13. Activities in contravention of the conservation easement shall be construed as a violation of RSA 482-A, and those activities shall be subject to the enforcement powers of DES (including remediation and fines).

**2014-03366 STATE OF NH DRED
NORTHWOOD Meadow Lake**

Requested Action:

Retain 1,500 sq. ft. (1,200 sq. ft. permanent and 300 sq. ft. temporary) of wetland and surface water impact for the 3 ft. to 5 ft. drawdown of Meadow Lake including a channel with rip-rap within the existing spillway, installation of a 24 in. HDPE culvert, and Agri-Drain inlet level control device to address the DES Dam Bureau letter dated November 17, 2014 and deficiencies of the Meadow Lake Dam (Dam #183.16).

Emergency authorization issued December 5, 2014.

Conservation Commission/Staff Comments:

Meadow Lake Dam, #183.16, Northwood

APPROVE AFTER THE FACT:

Retain 1,500 sq. ft. (1,200 sq. ft. permanent and 300 sq. ft. temporary) of wetland and surface water impact for the 3 ft. to 5 ft. drawdown of Meadow Lake including a channel with rip-rap within the existing spillway, installation of a 24 in. HDPE culvert, and Agri-Drain inlet level control device to address the DES Dam Bureau letter dated November 17, 2014 and deficiencies of the Meadow Lake Dam (Dam #183.16).

Emergency authorization issued December 5, 2014.

With Conditions:

1. All work shall be in accordance with plans by Seth Prescott, NH Department of Resources and Economic Development, dated March 3, 2015, as received by the NH Department of Environmental Services (DES) on March 5, 2015.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.

With Findings:

1. This project is a minor impact project per Administrative Rule Env-Wt 303.03(l), projects that alter the course of or disturb less than 200 linear feet of an intermittent or perennial nontidal stream or river channel or its banks and do not meet the criteria for minimum impact under Env-Wt 303.04(n).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. On November 17, 2014 the DES Dam Bureau inspected Dam #183.16 at the Northwood Meadows State Park and observed a large void near the outlet riser and requested that DRED, the dam owner, take immediate action to mitigate the hazard of failure.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The applicant has demonstrated the proposed action of lowering the lake level by 3 ft. to 5 ft. reduced the potential for enlargement of the void and possible dam failure. The utilization of the Agri-Drain stop log box allowed excavation while stopping and or controlling the flow of water to provide settling of silt and debris.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project. 5. The NH Natural Heritage Bureau (NHB) has several records of sensitive species within the project vicinity, but not within the immediate work area. The applicant coordinated with NH Fish and Game Department (NHF&G) prior to work in the area. NHF&G had concerns with lowering the lake level and its effect on fish and with the soil freezing during lake level lowering. DRED monitored the lake level and agreed to contact NHF&G if the lake level

dropped below 5 ft. and timed the lowering to minimize the soil freezing. 6. The Northwood Conservation Commission did not submit comments to DES on the application.

7. The Lamprey River Advisory Committee (LRAC) provided comments in a letter received by DES on May 7, 2015. LRAC concerns included the lowered lake level resulted in a recession of the shoreline by approximately 10 ft. and degradation of access from ADA-accessible fishing platforms. Further, LRAC expressed concern over the negative effect on fish habitat due to the reduced depth of the lake. LRAC requested that the owner take steps to restore the lake to its normal level at the soonest possible opportunity.

2015-00417 KRISTA D BROWN 2013 REVOCABLE TRUST
NOTTINGHAM Pawtuckaway Pond

Requested Action:

Permanently remove the existing docking structure and install two 6 ft. x 30 ft. seasonal piers connected by a 6 ft. x 18 ft. seasonal walkway in a "U" configuration, relocate 23 rocks on the lake bed, and replenish two beaches on an average of 433 feet of shoreline frontage along Pawtuckaway Lake, in Nottingham.

APPROVE PERMIT:

Permanently remove the existing docking structure and install two 6 ft. x 30 ft. seasonal piers connected by a 6 ft. x 18 ft. seasonal walkway in a "U" configuration, relocate 23 rocks on the lake bed, and replenish two beaches on an average of 433 feet of shoreline frontage along Pawtuckaway Lake, in Nottingham.

With Conditions:

1. All work shall be in accordance with plans as received by the NH Department of Environmental Services (DES) on March 20, 2015.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. These shall be the only structures on this water frontage and all portions of the docking structures shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
4. The seasonal pier shall be removed from the lake for the non-boating season.
5. No portion of the piers shall extend more than 30 ft. from the shoreline at full lake elevation.
6. No more than 20 cu. yd. of sand may be used on the combined area of the two beaches and all sand shall be located above the normal high water line.
7. This permit shall be used only once, and does not allow for annual beach replenishment.
8. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
9. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain in place until the area is stabilized.
10. Rocks shall be relocated to the areas indicated on the approved plan. This permit does not allow any rock removal from the waterbody.
11. This permit does not allow for any machinery to operate on the lakebed.
12. This permit does not allow for any impacts to the shoreline for construction purposes or to relocate the rocks.
13. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(d), construction of a 3 slip docking system.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application

Evaluation, has been considered in the design of the project.

- 5. The applicant has an average of 433 feet of shoreline frontage along Lake Pawtuckaway.
- 6. A maximum of 6 slips may be permitted on this frontage per Rule Env-Wt 402.13, Frontage Over 75'.
- 7. The proposed docking facility will provide 4 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.13.

2015-00604 SQUAM BOAT LIVERY
HOLDERNESS Little Squam Lake

Requested Action:

Amend permit to remove 6 ft. rip rap toe and extend boat ramp 6 ft. lakeward and dredge 19 cubic yards from the existing slips.

APPROVE AMENDMENT:

Extend the existing boat ramp 6 feet lakeward of an existing boat launch and dredge no more than 19 cubic yards from 700 sq. ft. of lake bed on an average of 218 ft. of frontage along Squam Lake in Holderness.

With Conditions:

- 1. All work shall be in accordance with revised plans by NH Environmental Consultants, LLC dated April 29, 2015, as received by the NH Department of Environmental Services (DES) on May 05, 2015.
- 2. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
- 3. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
- 4. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain in place until suspended particles have settled and the water at the work site has returned to normal clarity.
- 5. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
- 6. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

- 1. This is a minor impact project per Administrative Rule Env-Wt 303.03(g) Removal of no more than 20 cubic yards of rock, gravel, sand, mud, or other materials from public waters.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.

MINIMUM IMPACT PROJECT

2014-02511 MINZNER, ELLEN
DERRY Island Pond

Requested Action:

Retain 64 linear feet of "in kind" retaining wall repair and re-align an existing 3 ft. x 26 ft. seasonal dock on approximately 64 feet of shoreline frontage along Island Pond, in Derry.

Conservation Commission/Staff Comments:
No comments from Con Com by Nov 10, 2014

APPROVE AFTER THE FACT:

Retain 64 linear feet of "in kind" retaining wall repair and re-align an existing 3 ft. x 26 ft. seasonal dock on approximately 64 feet of shoreline frontage along Island Pond, in Derry.

With Conditions:

1. The structures shall remain in accordance with revised plans by Civil Construction Management dated March 2015, as received by the NH Department of Environmental Services (DES) on March 10, 2015.
2. This permit shall not be effective until it has been recorded with the County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. The seasonal piers shall be removed for the non-boating season.
4. No portion of the pier shall extend more than 26 ft. from the shoreline at full lake elevation.
5. All future activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(a) construction or modification of a seasonal pier or wharf providing no more than 2 slips.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant submitted sufficient information supporting the claim of a pre-existing wall on this frontage.

2014-02517 MINZNER CONLEY, ANN
DERRY Island Pond

Requested Action:

Retain 62 linear ft. of "in kind" retaining wall repair and replace an existing 4 ft. x 10 ft. seasonal dock with a 4 ft. x 24 ft. seasonal dock on approximately 58 feet of shoreline frontage along Island Pond, in Derry.

Conservation Commission/Staff Comments:
No comments from Con Com by Nov 10, 2014

APPROVE PERMIT:

Retain 62 linear ft. of "in kind" retaining wall repair and replace an existing 4 ft. x 10 ft. seasonal dock with a 4 ft. x 24 ft. seasonal dock on approximately 58 feet of shoreline frontage along Island Pond, in Derry.

With Conditions:

1. All work shall be in accordance with plans by Civil Construction Management revision dated March 2015, as received by the NH Department of Environmental Services (DES) on March 10, 2015.
2. This permit shall not be effective until it has been recorded with the County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. Future retaining wall repair shall require additional permitting by the DES Wetlands Bureau.

4. The seasonal piers shall be removed for the non-boating season.
5. This shall be the only structure on this water frontage and all portions of the dock shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
6. No portion of the pier shall extend more than 24 ft. from the shoreline at full lake elevation.
7. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(a) construction or modification of a seasonal pier or wharf if no more than 2 slips, including previously existing slips, are proposed, and all criteria of Env-Wt 402 are met.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant submitted sufficient information supporting the claim of a pre-existing wall on this frontage.

2014-03561 BAY REACH REALTY GROUP LLC
LACONIA Lake Winnepesaukee

Requested Action:

Construct 37 linear ft. of stone retaining wall and 6 ft. wide stone steps to perch an existing beach and replenish 900 sq. ft. of beach with sand on an average of 427 ft. of frontage along Lake Winnepesaukee in Laconia.

Conservation Commission/Staff Comments:

1/9/15 Con Com has comments and recommendations. See letter in file.

APPROVE PERMIT:

Construct 37 linear ft. of stone retaining wall and 6 ft. wide stone steps to perch an existing beach and replenish 900 sq. ft. of beach with sand on an average of 427 ft. of frontage along Lake Winnepesaukee in Laconia.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction dated November 30, 2014, as received by the NH Department of Environmental Services (DES) on December 29, 2014.
2. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
3. Stone placed along the beach front for the purpose of retaining sand shall be placed above and/or landward of those rocks currently located along the normal high water line (Elevation 504.32). Those rocks existing at the normal high water line shall remain otherwise undisturbed such that the natural shoreline remains identifiable.
4. The steps installed for access to the water shall be located completely landward of the normal high water line.
5. No more than 10 cu. yd. of sand may be used and all sand shall be located above the normal high water line.
6. This permit shall be used only once, and does not allow for annual beach replenishment.
7. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.
9. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This project is deemed to be a minimum impact project per Administrative Rule Env-Wt 303.04(o).

2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2015-00157 BRIERE, JOSEPH
LANCASTER Unnamed Wetland

Requested Action:

Retain 2,550 square feet of impacts to forested wetlands and an intermittent stream (40 linear feet) for the construction of a residential driveway. A 12" culvert will be installed and a 24" culvert will be retained.

Conservation Commission/Staff Comments:

2/04/15 - No historic properties affected per DHR.

APPROVE PERMIT:

Retain 2,550 square feet of impacts to forested wetlands and an intermittent stream (40 linear feet) for the construction of a residential driveway. A 12" culvert will be installed and a 24" culvert will be retained.

With Conditions:

1. All work shall be done in accordance with plans by R. Lobdell entitled Joseph Briere Residential Driveway After-The-Fact Wetlands Application as received by DES on April 28, 2015.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
5. The culvert shall be laid at original grade.
6. Proper headwalls shall be constructed within seven days of culvert installation.
7. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired prior to entering jurisdictional areas.
8. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
9. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
10. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
11. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
12. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
13. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
14. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

1. This is a Minimum Impact Project per Env-Wt 303.04 (z) Installation of a stream crossing and associated fill to permit vehicular access to a piece of property for a single family building lot, for noncommercial recreational uses including conservation projects, or for normal agricultural operations,
2. The need for the proposed impacts has been demonstrated by the applicant per Rule Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Rule Env-Wt 302.04 Requirements for Application Evaluation, has been considered in the design of the project.
5. The driveway was constructed without a permit. 6. Work still to be completed includes installing a 12" culvert.
7. The applicant provided a letter from the owner of property located at Town of Lancaster tax map R12 lot 67 waiving the NH Wetlands Bureau requirement of maintaining a 20 foot setback.
8. A Certified Wetland Scientist stated that no vernal pools areas were identified within the area of disturbance and within a 200 foot radius around the area of disturbance.
9. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program or the Natural Heritage Bureau.

2015-00690

BELANGER, BRUCE

NEWINGTON

Requested Action:

Proposal to dredge and fill 1,389 square feet of wetland including installation of a 12 in. x 18 ft. HDPE culvert to construct a driveway to access one lot in the subdivision of 6.7 acres for a two lot single-family subdivision.

APPROVE PERMIT:

Dredge and fill 1,389 square feet of wetland including installation of a 12 in. x 18 ft. HDPE culvert to construct a driveway to access one lot in the subdivision of 6.7 acres for a two lot single-family subdivision.

With Conditions:

1. All work shall be in accordance with plans by Tritech Engineering Corporation dated March 12, 2015, as received by the NH Department of Environmental Services (DES) on March 27, 2015.
2. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
3. The deed which accompanies the sales transaction for each of the lots in this subdivision shall contain condition #2 of this approval.
4. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require further approval by the Bureau.
5. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
6. Any dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
8. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
9. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
10. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.

11. Faulty equipment shall be repaired prior to entering jurisdictional areas.
12. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
13. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f), alteration of less than 3,000 square feet in swamps and wet meadows.
2. The applicant submitted an application previously for this property under DES Wetlands File #2014-1035 to fill a total of 2,950 square feet of wetland in two locations to construct two driveways for a three lot residential subdivision. DES requested more information from the applicant in a letter dated July 8, 2014. On February 13, 2015, DES denied the application because the requested information was not received within the specified timeframe.
3. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. The applicant has demonstrated that wetland impact is necessary to access buildable uplands.
4. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The applicant has reduced the number of lots from the previous submittal and limited the impact to one wetland crossing. Further, the applicant has demonstrated that the crossing is located at the most narrow portion of the wetland and fill slopes are minimized at 2:1.
5. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
6. NH Natural Heritage Bureau has no record of sensitive species within the project vicinity.
7. The Newington Conservation Commission did not submit comments to DES on the application.

2015-00787 DIXON, JESSE/REGINA
HARRISVILLE Skatutakee Lake

Requested Action:

Install a 6 ft. x 30 ft. seasonal dock, construct a 360 sq. ft. perched beach with no more than 10 cubic yards of sand on approximately 900 linear feet of shoreline, Lake Scatutakee, Harrisville.

APPROVE PERMIT:

Install a 6 ft. x 30 ft. seasonal dock, construct a 360 sq. ft. perched beach with no more than 10 cubic yards of sand on approximately 900 linear feet of shoreline, Lake Scatutakee, Harrisville.

With Conditions:

1. All work shall be in accordance with plans by Landesign dated March 2015, as received by the NH Department of Environmental Services (DES).
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. This shall be the only structure on this water frontage and all portions of the dock shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
4. Seasonal pier shall be removed from the lake for the non-boating season.
5. No portion of the pier shall extend more than 30 ft. from the shoreline at full lake elevation.
6. Dredged or excavated material shall be placed outside of the DES Wetlands Bureau jurisdiction.
7. Stone placed along the beach front for the purpose of retaining sand shall be placed above and/or landward of those rocks currently located along the normal high water line (Elevation 1202). Those rocks existing at the normal high water line shall remain otherwise undisturbed such that the natural shoreline remains identifiable.
8. The steps installed for access to the water shall be located completely landward of the normal high water line.
9. No more than 10 cu. yd. of sand may be used and all sand shall be located above the normal high water line.

- 10. This permit shall be used only once, and does not allow for annual beach replenishment.
- 11. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
- 12. Re-vegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall begin at a distance no greater than 5 ft. landward from the beach area.
- 13. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain in place until the area is stabilized.
- 14. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

- 1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(a), installation of a seasonal dock.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

FORESTRY NOTIFICATION

2015-01078 JOHNSON, WARREN
WINCHESTER Unnamed Stream

Requested Action:
Winchester, Tax Map 2, Lot 49

2015-01079 GAGNON, CHRISTOPHER
DEERFIELD Unnamed Stream

Requested Action:
Deerfield, Tax Map 413, Lot 021

2015-01099 MORRISON, BOAKE
ALEXANDRIA Unnamed Wetland

COMPLETE NOTIFICATION:
Alexandria, Tax Map #418, Lot #59

2015-01134 FIRST RT LAVOIE FAMILY REVOCABLE TRUST
MASON Unnamed Stream

COMPLETE NOTIFICATION:

Mason, Tax Map# L, Lot#s 23, 25-1

**2015-01135 LAKEVILLE SHORES INC
TROY Unnamed Stream**

COMPLETE NOTIFICATION:
Troy, Tax Map #35 & #36, Lot #1 & #6

EXPEDITED MINIMUM

**2013-01921 MCCAFFREY, MATTHEW
FRANKLIN Webster Lake**

Requested Action:
Amend permit to relocate the boat lift to the south side of the dock.

Conservation Commission/Staff Comments:
Con Com did not sign Wet application

APPROVE AMENDMENT:
Install a seasonal boatlift in the southerly slip provided by the existing 4 ft. x 26 ft. seasonal dock on an average of 49 feet of shoreline frontage along Webster Lake, in Franklin.

- With Conditions:
1. All work shall be in accordance with plans as received by the NH Department of Environmental Services (DES) on May 13, 2013.
 2. This permit shall not be effective until it has been recorded with the County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
 3. The seasonal lift shall only be installed on the south side of the existing pier.
 4. The seasonal boatlift and seasonal dock shall be removed from the lake for the non-boating season.
 5. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

- With Findings:
1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(ac) Installation of a seasonal boatlift in an existing grandfathered or legally-existing permitted boat slip.

Requested Action:
Request name change to Matthew J. McCaffrey
Install a seasonal boatlift in the southerly slip provided by the existing 4 ft. x 26 ft. seasonal dock on an average of 49 feet of shoreline frontage along Webster Lake, in Franklin.

APPROVE NAME CHANGE:
Request name and address change to : Matthew J. McCaffrey; 16 Dover Cir.; Franklin, NH 02038

Install a seasonal boatlift in the southerly slip provided by the existing 4 ft. x 26 ft. seasonal dock on an average of 49 feet of shoreline frontage along Webster Lake, in Franklin.

With Conditions:

1. All work shall be in accordance with plans as received by the NH Department of Environmental Services (DES) on May 13, 2013.
2. This permit shall not be effective until it has been recorded with the County Registry of Deeds office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to construction.
3. The seasonal lift shall only be installed on the south side of the existing pier.
4. The seasonal boatlift and seasonal dock shall be removed from the lake for the non-boating season.
5. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This permit transfer is issued in accordance with NH Administrative Rule Env-Wt 502.02 (b).

2015-00784 HODEN, JONATHAN
SWANZEY Swanzey Lake

Requested Action:

Remove and replace an existing deck and dock with no modifications, stabilize an existing 45 linear feet of shoreline with rock on Swanzey Lake, Swanzey.

Conservation Commission/Staff Comments:

4/16/15 - No historic properties affected per DHR.

APPROVE PERMIT:

Remove and replace an existing deck and dock with no modifications, stabilize an existing 45 linear feet of shoreline with rock on Swanzey Lake, Swanzey.

With Conditions:

1. All work shall be in accordance with plans by Fieldstone Land Consultants PLLC revision dated May 11, 2015, as received by the NH Department of Environmental Services (DES) on May 14, 2015.
2. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain in place until the area is stabilized.
3. Work shall be done during low flow.
4. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
5. Work shall be conducted in a manner that avoids discharges of sediments to fish spawning areas.
6. Rock shall be located landward of the shoreline at the normal high water, where practical, and shall not extend more than 2 ft. lakeward of that line at any point.
7. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04 (m) Projects that disturb less than 50 linear feet, measured along the shoreline, of a lake or pond.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.

- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

2015-00949 SQUAM LAKES ASSOCIATION
HOLDERNESS Squam Lake

Requested Action:

Stabilize approximately 1200 sq. ft. of heavily used eroded shoreline by adding native vegetation and constructing a 8 ft. x 38 ft. grass paver access ramp, on Squam Lake, Holderness.

Conservation Commission/Staff Comments:

4/29/15 Per DHR, no historic properties affected.

APPROVE PERMIT:

Stabilize approximately 1200 sq. ft. of heavily used eroded shoreline by adding native vegetation and constructing a 8 ft. x 38 ft. grass paver access ramp, on Squam Lake, Holderness.

With Conditions:

- 1. All work shall be in accordance with plans as received by the NH Department of Environmental Services (DES) on April 29, 2015.
- 2. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
- 3. Work shall be conducted in a manner that avoids discharges of sediments to fish spawning areas.
- 4. All work shall be located landward of the shoreline at the normal high water, where practical, and shall not extend lakeward of that line at any point.
- 5. The permit does not allow for any dredge of lakebed sediments.
- 6. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
- 7. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

- 1. This is a minimum impact project per Administrative Rule Env-Wt 303.04 (m) Projects that disturb less than 50 linear feet, measured along the shoreline, of a lake or pond or its bank.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. The proposed project will stabilize an area of heavy use by car top launched boats.

GOLD DREDGE

2015-01022 BLANCHARD, DARYL
(ALL TOWNS) Unnamed Stream

2015-01114 PHELPS, TENA
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath Con. Com.

2015-01118 BENNETT SR, MATTHEW
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath Con Com

2015-01120 PRINN, CARLA
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath Con Com

LAKES-SEASONAL DOCK NOTIF

2015-00956 RAMSAY, HEIDI
SPRINGFIELD Kolelemook Lake

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

2015-01050 CLARK, ELIZABETH
WEBSTER Pillsbury Lake

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:

Installation of a seasonal docking structure.

**2015-01061 FARNHAM, JAMES
BARRINGTON Mendums Pond**

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

**2015-01062 SENDAK, PAUL
BARRINGTON Mendums Pond**

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

**2015-01063 COSTA, GILBERT
LACONIA Winnisquam Lake**

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

**2015-01064 CONWAY, JUSTIN
WAKEFIELD Great East Lake**

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

**2015-01075 DELULCIA, ROCCI/JOANN
SALEM Captain's Pond**

Requested Action:

Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

**2015-01076 DEMARCO, STEVEN
MEREDITH Winnisquam Lake**

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

**2015-01101 QUIMBY, GEORGE FORREST
HILLSBOROUGH Franklin Pierce Lake**

Requested Action:
Disqualify seasonal dock notification for a seasonal docking structure.

DISQUALIFY TRAIL/FORESTRY/DOCK NOTIFICTN:
Disqualify seasonal dock notification for a seasonal docking structure.

ROADWAY MAINTENANCE NOTIF

**2015-01077 NH DEPT OF TRANSPORTATION
NEW LONDON Unnamed Stream**

COMPLETE NOTIFICATION:
Replace 40 feet of 15" CMP.

**2015-01100 NH DEPT OF TRANSPORTATION
LEBANON Unnamed Stream**

COMPLETE NOTIFICATION:
Construct a headwall for an existing 15" pipe.

PERMIT BY NOTIFICATION

2013-03099 CROATTI, DEBORAH
GILFORD Lake Winnepesaukee

Requested Action:

Request name change to Deborah Croatti to re-set rocks along an existing 77 linear ft, "dogleg," breakwater with a 6 ft gap at the shoreline, and a 4 ft x 30 ft cantilevered pier accessed by a 4 ft x 33 ft walkway connected to a 2 ft x 30 ft center piling pier, with an wharf along the shoreline of varying width, in an "E" shape, on an average of 188 ft of frontage on Lake Winnepesaukee in accordance with plans dated November 12, 2013.

Conservation Commission/Staff Comments:

Con Com did not sign PBN form

With Findings:

- 1. This permit transfer is issued in accordance with NH Administrative Rule Env-Wt 502.02 (b).

2015-00999 SOLOMON, PETER
LONDONDERRY Watts Brook

Requested Action:

Dredge & maintenance of 5,000 sq ft within an existing detention pond.

PBN IS COMPLETE:

Dredge & maintenance of 5,000 sq ft within an existing detention pond.

2015-01090 CHOE, MICHAEL
WOLFEBORO Lake Winnepesaukee

Requested Action:

Maintenance, repair, and replacement in-kind of existing docking structures or other docking facilities, provided no change in location, configuration, construction type, or dimensions is proposed in accordance with plans received May 11, 2015.

Conservation Commission/Staff Comments:

Con Com signed PBN form

PBN IS COMPLETE:

Maintenance, repair, and replacement in-kind of existing docking structures or other docking facilities, provided no change in location, configuration, construction type, or dimensions is proposed in accordance with plans received May 11, 2015.

CSPA PERMIT

2012-03129 KENT ISLAND TRUST
MOULTONBOROUGH Squam Lake

Requested Action:

Amended Permit Description: Owner proposes to construct a 100 sq ft deck around an existing garage.

APPROVE AMENDMENT:

Impact 2,240 sq ft in order to construct two additions to the north and south side of existing residence, install a landing and walkway at the entry of residence, add a deck with a ramp to an existing garage, and install a septic system if required.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated November 16, 2012 with revised plans by Charles Barnaby received by the NH Department of Environmental Services (DES) on May 15, 2015.
2. No more than 15.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 2,683 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.
8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-00489 HJORTH, N PETER
SANBORNTON Winnisquam Lake

Requested Action:

Impact 7,125 sq. ft. to complete additional proposed construction on property including installation of walkways and stone walls, driveway improvements, and a pervious paver patio and raingardens to manage stormwater runoff.

APPROVE PERMIT:

Impact 7,125 sq. ft. to complete additional proposed construction on property including installation of walkways and stone walls, driveway improvements, and a pervious paver patio and raingardens to manage stormwater runoff.

With Conditions:

1. All work shall be in accordance with plans by Stoney Ridge Environmental, LLC dated April 30, 2015 and received by the NH Department of Environmental Services (DES) on May 5, 2015.
2. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9,V(a)(2)(D)(iv).
3. No more than 22% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 3,137 sq. ft. of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in

order to comply with RSA 483-B:9,V(b)(2).

5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.
12. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

**2015-00687 COW BELL CORNER REALTY LLC
DERRY Spicket River**

Requested Action:

Impact 51,009 sq ft in order to construct a mixed use commercial development with proposed gas station/convenience store, restaurant, and 2 retail buildings.

APPROVE PERMIT:

Impact 51,009 sq ft in order to construct a mixed use commercial development with proposed gas station/convenience store, restaurant, and 2 retail buildings.

With Conditions:

1. All work shall be in accordance with plans by Steven E. Cummings, P.E. dated December 16, 2014 and received by the NH Department of Environmental Services (DES) on March 26, 2015.
2. This permit is contingent on approval by the DES Alteration of Terrain Bureau.
3. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
4. No more than 10.15% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
5. At least 16,756 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
8. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
10. Any fill used shall be clean sand, gravel, rock, or other suitable material.
11. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater

Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

12. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.

13. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

**2015-00782 WILLIAM H BLAINE REVOCABLE TRUST
GILFORD Lake Winnepesaukee**

Requested Action:

Amendment Description: Add a sewer line between the bunkhouse addition and the existing septic tank near the existing residence.

APPROVE AMENDMENT:

Impact 3,535 sq ft in order to construct an addition to the NE corner of existing residence, construct a 12'x16' shed, construct an addition to the bunk house, run a sewer line, install 480 sq ft patio, and extend a rockwall by 58' along NW proper line.

With Conditions:

1. All work shall be in accordance with revised plans by Ames Associates dated May 13, 2015 and received by the NH Department of Environmental Services (DES) on May 13, 2015.
2. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
3. No more than 8.4% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 8,205 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.
12. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

**2015-00894 ST METHODIOS FAITH & HERITAGE CENTER LLC
CONTOOCOOK Clement Pond & Grassy Pond**

Requested Action:

Located at Clement and Grassy Pond. Impact 45,859 sq ft in order to remove 4 dated cabins, construct 3 new buildings, relocate volley ball court, modify driveway, install drainage, and construct 2 disposal fields Located at Clement Pond. For Grassy Pond, construct a new storage building, install drainage, and adjust driveway location.

APPROVE PERMIT:

Located at Clement and Grassy Pond. Impact 45,859 sq ft in order to remove 4 dated cabins, construct 3 new buildings, relocate volley ball court, modify driveway, install drainage, and construct 2 disposal fields Located at Clement Pond. For Grassy Pond, construct a new storage building, install drainage, and adjust driveway location.

With Conditions:

1. All work shall be in accordance with plans by Moser Engineering dated February 2015 and received by the NH Department of Environmental Services (DES) on April 20, 2015.
2. This permit is contingent on approval by the DES Alteration of Terrain Bureau.
3. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
4. No more than 9.85% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
5. At least 30,000 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
8. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
10. Any fill used shall be clean sand, gravel, rock, or other suitable material.
11. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
12. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.
13. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-00899 MCKAY JR, JAMES
BELMONT Winnisquam Lake

Requested Action:

Impact 8,357 sq ft in order to remove existing building on the lot and replace it with a new structure set back 50 feet from the reference line.

APPROVE PERMIT:

Impact 8,357 sq ft in order to remove existing building on the lot and replace it with a new structure set back 50 feet from the reference line.

With Conditions:

1. All work shall be in accordance with plans by Norway Plains Associates, Inc. dated April 2015 and received by the NH Department of Environmental Services (DES) on April 22, 2015.
2. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
3. No more than 19.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 2,556 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

**2015-00901 HYLEN, STACEY
MOULTONBOROUGH Lake Winnepesaukee**

Requested Action:

Impact 13,960 sq ft in order to construct a dwelling, a new driveway, install a well and sewage pump lines to an offsite leach field.

APPROVE PERMIT:

Impact 13,960 sq ft in order to construct a dwelling, a new driveway, install a well and sewage pump lines to an offsite leach field.

With Conditions:

1. All work shall be in accordance with plans by David M. Dolan Associates, P.c. dated March 30, 2015 and received by the NH Department of Environmental Services (DES) on April 23, 2015.
2. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
3. No more than 13.08% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 7,385 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater

Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

11. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.

12. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-00914 SCHIMBERG, DANIEL
NEW LONDON Sunapee Lake

With Conditions:

1. All work shall be in accordance with plans by Hogg Hill Design, LLC dated April 20, 2015 and received by the NH Department of Environmental Services (DES) on April 24, 2015.
2. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
3. No more than 7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 16,347 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-00921 ROSENBERG, JUDITH/KENNETH
WOLFEBORO Wentworth Lake

Requested Action:

Impact 1,398 sq ft in order to construct a 4' walkway, provide upper terrace with rock wall, utilize permeable paver technology for a new driveway, and landscape.

APPROVE PERMIT:

Impact 1,398 sq ft in order to construct a 4' walkway, provide upper terrace with rock wall, utilize permeable paver technology for a new driveway, and landscape.

With Conditions:

1. All work shall be in accordance with plans by Advantage NH Lakes dated March 27, 2015 and received by the NH Department of Environmental Services (DES) on April 24, 2015.
2. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling

point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).

3. No more than 19.4% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 589 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.
12. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-00929 PRIEST, CATHERINE
SUNAPEE Perkins Pond

Requested Action:

Impact 7,650 sq ft in order to remove existing dwelling in the waterfront buffer and rebuild a new structure within the same footprint with expansion located outside the waterfront buffer.

APPROVE PERMIT:

Impact 7,650 sq ft in order to remove existing dwelling in the waterfront buffer and rebuild a new structure within the same footprint with expansion located outside the waterfront buffer.

With Conditions:

1. All work shall be in accordance with plans by CLD Consulting Engineers dated April 2015 and received by the NH Department of Environmental Services (DES) on April 27, 2015.
2. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
3. No more than 23.2% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
5. At least 1,725 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
8. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.

9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
10. Any fill used shall be clean sand, gravel, rock, or other suitable material.
11. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
12. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

CSPA PERMIT W/WAIVER

2008-01896 PLONSKI, JOSEPH
SANBORNTON Winnisquam Lake

Requested Action:
Amendment Description: Correct time extension.
