

Reviewed
6/22/15

Wetlands Bureau Decision Report

Decisions Taken
06/15/2015 to 06/21/2015

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

Any party aggrieved by a decision may file an appeal within 30 days of the date of this decision as specified in RSA 482-A:10, RSA 21-O:14, and the rules adopted by the Wetlands Council, Env-WtC 100-200.

The appeal must be filed directly with the Council, c/o the Council Appeals Clerk, who may be contacted at (603) 271-6072 or at appeals@des.nh.gov. The notice of appeal must set forth fully every ground upon which it is claimed that the decision complained of is unlawful or unreasonable. Only those grounds set forth in the notice of appeal can be considered by the council.

MAJOR IMPACT PROJECT

2015-00210 CONCORD, CITY OF
CONCORD Upper Merrimack River

Requested Action:

Maintenance dredge no than 400 cubic yards of material from the footprint of an existing public boat ramp on the Merrimack River, Concord.

Conservation Commission/Staff Comments:

2/05/15 - Additional information requested per DHR.

2/19/15 Upper Merrimack River LAC letter submitted with comments, questions and recommendations. Letter to file.

APPROVE PERMIT:

Maintenance dredge no than 400 cubic yards of material from the footprint of an existing public boat ramp on the Merrimack River, Concord.

With Conditions:

1. All work shall be in accordance with plans by CMA Engineers revision dated May 20, 2015, as received by the NH Department of Environmental Services (DES) on May 22, 2015.
2. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
3. Dewatering of work areas and dredged materials shall be discharged to sediment basins located in uplands and lined with hay bales or other acceptable sediment trapping liner as indicated on the approved plans.
4. All dredged and excavated material and construction related debris shall be placed outside of the areas under the jurisdiction of the DES Wetlands Bureau.
5. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain in place until suspended particles have settled and the water at the work site has returned to normal clarity.
7. Work shall be done during low flow.
8. This permit does not allow for modifications to the existing boat ramp. Only removal of deposited material on the existing ramp footprint shall be removed.
9. This permit does not allow for an annual dredge. Any future proposed dredge will require a new application and permit from the Department.
10. Future maintenance dredging, if needed, shall not be permitted more frequently than once every 6 years, and that a new permit shall be required for each dredge activity.
11. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
12. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
13. Faulty equipment shall be repaired prior to entering jurisdictional areas.
14. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
15. All refueling of equipment shall occur outside of surface waters or wetlands.
16. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02 (g) removal of more than 20 cubic yards of rock, gravel,

sand, mud, or other material from public waters.

2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
5. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the riverine resource, as identified under RSA 482-A:1.
6. The proposed project is maintenance dredge of an existing public boat ramp on the Merrimack River.
7. The applicant addressed the comments submit by the Upper Merrimack River Local Advisory Committee.

-Send to Governor and Executive Council-

MINOR IMPACT PROJECT

2012-02408 QUINT, JONATHAN/JUDITH
ALTON BAY Lake Winnepesaukee

Requested Action:

Request permit name change to: Jonathan B. & Judith R. Quint

Impact 750 sq. ft. of bank to construct a 30 ft. x 25 ft. perched beach on an average of 442 ft. of frontage along Lake Winnepesaukee, in Alton.

Conservation Commission/Staff Comments:

Con Com has no concerns with proposed project

APPROVE NAME CHANGE:

Name and address change to: Jonathan B. & Judith R. Quint; 37 Meadowbrook Cir.; Sudbury, MA 01776

Impact 750 sq. ft. of bank to construct a 30 ft. x 25 ft. perched beach on an average of 442 ft. of frontage along Lake Winnepesaukee, in Alton.

With Conditions:

1. All work shall be in accordance with plans by Watermark Marine Construction dated August 15, 2012, as received by the NH Department of Environmental Services (DES) on September 5, 2012.
2. All dredged or excavated material shall be placed outside of the DES Wetlands Bureau jurisdiction.
3. Stone placed along the beach front for the purpose of retaining sand shall be placed above and/or landward of those rocks currently located along the normal high water line (Elevation 504.32). Those rocks existing at the normal high water line shall remain otherwise undisturbed such that the natural shoreline remains identifiable.
4. The steps installed for access to the water shall be located completely landward of the normal high water line.
5. No more than 10 cu. yd. of sand may be used and all sand shall be located above the normal high water line.
6. This permit shall be used only once, and does not allow for annual beach replenishment.
7. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
8. Revegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall begin at a distance no greater than 5 feet landward from the beach area.
9. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.

10. This permit does not allow removal of any trees on the frontage within the waterfront buffer to construct the beach.
11. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This permit transfer is issued in accordance with NH Administrative Rule Env-Wt 502.02 (b).

**2015-00428 PATTERSON LANE LLC
NEWINGTON**

Requested Action:

Proposal to fill a total of 6,484 square feet of isolated wetlands in two locations for commercial lot development.

Conservation Commission/Staff Comments:

3-6-15 - Additional information needed to complete review per DHR.

APPROVE PERMIT:

Fill a total of 6,484 square feet of isolated wetlands in two locations for commercial lot development.

With Conditions:

1. All work shall be in accordance with plans by Haight Engineering, PLLC dated January 22, 2015, as received by the NH Department of Environmental Services (DES) on February 25, 2015 and Detention-Wetland Planting Detail by Haight Engineering, PLLC and Gove Environmental Services, Inc. dated March 17, 2015, as received by DES on June 15, 2015
2. A certified wetland scientist shall supervise and be on-site for the construction of the Detention/Wetland area to insure that the area is properly constructed and planted, including those outlined in the plans and documents supporting this permit application and the conditions of this authorization.
3. A post-construction monitoring report documenting the status of the completed Detention/Wetland area with photographs shall be submitted to the DES Wetlands Bureau and the Newington Conservation Commission within 60 days of the completion of construction.
4. All work shall be in accordance with the DES Alteration of Terrain Permit #AoT-0891.
5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
7. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
8. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
9. Faulty equipment shall be repaired prior to entering jurisdictional areas.
10. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
11. All refueling of equipment shall occur outside of surface waters or wetlands.
12. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03(h), projects involving less than 20,000 square feet of alteration in the aggregate of non-tidal wetlands.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant's agent prepared a functions and values assessment of the wetlands on the property and determined that the impacted wetland areas, Wetland 3 and Wetland 4, are located within a low spots on the topography. Wetland 3 is a small isolated wetland which primarily functions to temporarily hold runoff from the surrounding hills. Wetland 4, located adjacent to the roadway and existing parking lot, is isolated on the property but drains into a catch basin in the roadway. The catch basin has not been continuously cleaned and is likely the reason for the ponding water in this area. The applicant's agent has determined that both wetland areas have minimal function and value.
5. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
6. NH Natural Heritage Bureau (NHB) has no record of sensitive species within the vicinity of the project.
7. The Newington Portsmouth Conservation Commission did not submit comments on the application.

2015-00679 KEENE, CITY OF
KEENE Unnamed Wetland

Requested Action:

Dredge and fill 2,500 sq. ft. of scrub/shrub wetland (including 50 l.f. of perennial stream bank) for installation of a 2' H x 6' W x 123' L concrete box-culvert and 48" diameter x 237' L HDPE with associated drainage structures and headwall for the City of Keene municipal stormwater drainage system.

APPROVE PERMIT:

Dredge and fill 2,500 sq. ft. of scrub/shrub wetland (including 50 l.f. of perennial stream bank) for installation of a 2' H x 6' W x 123' L concrete box-culvert and 48" diameter x 237' L HDPE with associated drainage structures and headwall for the City of Keene municipal stormwater drainage system.

With Conditions:

1. All work shall be in accordance with plans by SVE Associates entitled Rule Street Drainage Improvements dated January 21, 2015, with revisions dated May 5, 2015 as received by the Department on May 18, 2015.
2. The Town shall obtain temporary construction easements or written agreements from all affected landowners with work in jurisdiction on their property or within 20 feet of their property. Copies shall be supplied to DES Wetlands Bureau File No. 2015-00679 prior to construction.
3. All work shall be done in the dry conditions.
4. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
5. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate work area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
7. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
8. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to wetlands and surface waters.
9. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
10. Proper headwalls shall be constructed within seven days of culvert installation. Per Env-Wt 304.07, Embankments adjacent to culverts and other stream crossings shall have appropriate slope protection, such as vegetated stabilization, rip-rap, or concrete or stone headwalls, where flowing water conditions exist.

11. Culverts shall be laid at original grade.
12. Extreme precautions shall be taken within riparian areas to limit unnecessary removal of vegetation during construction.
13. Excavated soil materials containing Invasive Plant Species shall be managed according to the NHDOT Best Management Practices for Invasive Plant Species.
14. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 ft. of undisturbed vegetated buffer.
15. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

With Findings:

1. This is a minor impact project per Administrative Rule Env-Wt 303.03 (l) Projects that alter the course of or disturb less than 200 linear feet of an intermittent or perennial nontidal stream or river channel or its banks and do not meet the criteria for minimum impact under Env-Wt 303.04(n). For intermittent streams, this distance shall be measured along the thread of the channel. For perennial streams or rivers, the total disturbance shall be calculated by summing the lengths of disturbances to the channel and the banks.
2. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
3. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
4. The project is necessary to control repeated flooding of roadways, yards, and basements along Sullivan and Lower Knight Streets.
5. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
6. The Conservation Commission signed the application waiving their right to intervene in the proposed project.
7. The applicant has addressed comments from the NH Fish & Game Department requesting that any new pipe is not perched and accommodations are made to decrease potential erosion impacts to the brook trout habitat. The pipe outlet is designed to have two inches of separation above the 100 year flood elevation with Class B stone installed for energy dissipation and a temporary turbidity curtain.
8. The project is a redesign of the existing storm drainage system.
9. The applicant's agent indicated there is no increase in drainage area or impervious surface.
10. The proposed drainage improvements have been sized to accommodate the 100-year storm event.

2015-00774 NHDAS BUREAU OF GENERAL SERVICES
CLAREMONT Sugar River

Requested Action:

Fill 102 sq. ft. (51 lin. ft.) of the Sugar River (with 275 sq. ft. of temporary impact) for construction of a concrete training wall to reinforce the existing retaining wall.

Conservation Commission/Staff Comments:

4/16/15 - Additional information needed in order to complete review per DHR.

APPROVE PERMIT:

Fill 102 sq. ft. (51 lin. ft.) of the Sugar River (with 275 sq. ft. of temporary impact) for construction of a concrete training wall to reinforce the existing retaining wall.

With Conditions:

1. All work shall be in accordance with plans by VHB entitled Retaining Wall Rehabilitation; Water Street, Claremont, NH dated

March 30, 2015 as received by the Department on April 7, 2015.

2. Work shall be done during periods of low flow.
3. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
4. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
5. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
6. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of twenty (20) feet of undisturbed vegetated buffer.
7. There shall be no excavation or operation of construction equipment in flowing water.
8. Temporary cofferdams shall be entirely removed immediately following construction.

With Findings:

1. This is a Minor Impact project per Administrative Rule Env-Wt 303.03(l), Projects that alter the course of or disturb less than 200 linear feet of an intermittent or perennial nontidal stream or river channel or its banks and do not meet the criteria for minimum impact under Env-Wt 303.04(n). For intermittent streams, this distance shall be measured along the thread of the channel. For perennial streams or rivers, the total disturbance shall be calculated by summing the lengths of disturbances to the channel and the banks.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. Portions of the existing retaining wall are in serious disrepair.
3. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) Requirements for Application Evaluation, has been considered in the design of the project.
4. The wetlands to be impacted include 102 sq. ft. of the bed of the Sugar River.
5. The concrete for the walls will be placed by pumping from a remote truck which will limit the potential for spillage into the river.
6. The City of Claremont Historic District Commission has approved the project and has conditioned that the upper portion of the wall be faced with red brick.
7. The Owner of the abutting lot 120-18 (Hewes & Sons Trucking, Inc.) has provided written agreement to the impacts to the property dated April 2, 2015 per Env-Wt 304.04.
8. The Natural Heritage Bureau review indicated the presence of a rare wildlife, plant, and/or natural community in the vicinity of the project area, although it is not expected to be impacted by the proposed project (letter dated 3/20/15).

MINIMUM IMPACT PROJECT

2014-03531 KING, CLIFFORD
SANBORNTON Winnisquam Lake

Requested Action:

Install a 3 ft. 4 in. x 10 ft. dock extension to an existing 3 ft. 4 in. x 40 ft. seasonal dock to create a 3 ft. 4 in. x 50 ft. long seasonal dock on an average of 84 ft. of shoreline frontage, Lake Winnisquam, Sanbornton.

Conservation Commission/Staff Comments:

Con Com did not submit comments by Jan 13, 2015

APPROVE PERMIT:

Install a 3 ft. 4 in. x 10 ft. dock extension to an existing 3 ft. 4 in. x 40 ft. seasonal dock to create a 3 ft. 4 in. x 50 ft. long seasonal dock on an average of 84 ft. of shoreline frontage, Lake Winnisquam, Sanbornton.

With Conditions:

1. All work shall be in accordance with plans by Clifford King dated May 06, 2015, as received by the NH Department of Environmental Services (DES) on May 20, 2015.
2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.
3. This shall be the only structure on this water frontage and all portions of the dock shall be at least 20 ft. from abutting property lines or the imaginary extension of those lines into the water.
4. Seasonal pier shall be removed from the lake for the non-boating season.
5. No portion of the pier shall extend more than 50 ft. from the shoreline at full lake elevation.
6. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(a), installation of a seasonal dock.

2015-00156 POWERS, JAYNE/JOSEPH
CONWAY Conway Lake

Requested Action:

Impact 2,759 square feet of a wetland for an access to a proposed single family residence. Work in jurisdiction includes retaining 1,641 square feet of fill, including a 24" diameter culvert, and restoring 1,118 square feet of wetland.

APPROVE PERMIT:

Impact 2,759 square feet of a wetland for an access to a proposed single family residence. Work in jurisdiction includes retaining 1,641 square feet of fill, including a 24" diameter culvert, and restoring 1,118 square feet of wetland.

With Conditions:

1. All work shall be in accordance with the plans by Fernstone Associates for the Natural Resources entitled After-the-Fact Wetlands Impact Plan for Joseph and Jayne Powers dated December 30, 2014 as revised June 01, 2015 and as received by DES June 05, 2015.
2. This permit is contingent upon the restoration of 1,118 square feet of wetlands in accordance with the restoration narrative as received by the Department on June 05, 2015.
3. The 1,118 square feet of wetlands shall be restored by September 30, 2015.
4. The permittee shall designate a qualified professional who will be responsible for monitoring the restoration.
5. A follow-up report shall be submitted to the Wetlands Bureau within 60 days of the completion of the restoration and in this case no later than November 30, 2015.
6. The restoration area shall have at least 75% successful establishment of wetland vegetation after two (2) growing seasons, or it shall be planted and re-established in a manner satisfactory to the DES Wetlands Bureau.
7. Work shall be done in the dry.
8. This permit is contingent on approval by the DES Subsurface Systems Bureau.
9. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
10. There shall be no further alteration of wetlands for lot development, driveways, culverts, or for septic setback.
11. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
12. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired prior to entering jurisdictional areas.

- 13. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
- 14. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 15. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 16. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
- 17. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
- 18. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
- 19. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

- 1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f) Projects involving alteration of less than 3,000 square feet in swamps or wet meadows.
- 2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
- 3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
- 4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
- 5. The crossing was installed by a previous landowner during a forestry operation that occurred in the 1990's. No records of a forestry notification have been found.
- 6. The plans were revised to narrow the driveway to a 12 foot travel way with bordering stone retaining walls.
- 7. A NH certified wetland scientist documented a vernal pool area.
- 8. The applicant has provided a 50-100 foot buffer to the vernal pool area located on the site.
- 9. The plans were revised to add grass sediment treatment swales to minimize impacts to the vernal pool.
- 10. No comments were submitted from the NHEM Nongame and Endangered Wildlife Program, the Natural Heritage Bureau, or the Conservation Commission.

2015-00436 REGAN ERICKSON FAMILY REVOCABLE TRUST
SUNAPEE Sunapee Lake

Requested Action:

Install a seasonal boatlift in the northerly slip adjacent to an existing 10 ft. x 30 ft. permanent dock on Lake Sunapee, Sunapee.

Conservation Commission/Staff Comments:

1/28/15 Per DHR, no historic properties affected.

APPROVE PERMIT:

Install a seasonal boatlift in the northerly slip adjacent to an existing 10 ft. x 30 ft. permanent dock on Lake Sunapee, Sunapee.

With Conditions:

- 1. All work shall be in accordance with plans as received by the NH Department of Environmental Services (DES) on May 20, 2015.
- 2. This permit shall not be effective until it has been recorded with the county Registry of Deeds Office by the Permittee. A copy of

the recorded permit shall be submitted to the DES Wetlands Bureau by certified mail, return receipt requested, prior to installation.

3. The seasonal boat lift shall be removed from the lake for the non-boating season.
4. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(ac), installation of a seasonal boatlift in an existing slip.

2015-00516 RYE CAPITAL PARTNERS LLC
RYE Atlantic Ocean

Requested Action:

Impact 2,316 sq. ft. (487 sf permanent & 1,829 sf temporary construction impacts) in the previously developed upland tidal buffer zone for drainage improvement work associated with the redevelopment of 2575 Ocean Boulevard including a storm water discharge outfall located above the highest observable tide line below the existing seawall on the east side of US Rte. 1A.

Conservation Commission/Staff Comments:

3-18-15 - No historic properties affected per DHR.

Rye Conservation Commission comments addressed in findings.

Inspection Date: 06/19/2015 by Frank D Richardson

Inspection Date: 04/21/2015 by Frank D Richardson

Inspection Date: 04/17/2015 by Frank D Richardson

APPROVE PERMIT:

Impact 2,316 sq. ft. (487 sf permanent & 1,829 sf temporary construction impacts) in the previously developed upland tidal buffer zone for drainage improvement work associated with the redevelopment of 2575 Ocean Boulevard including a storm water discharge outfall located above the highest observable tide line below the existing seawall on the east side of US Rte. 1A.

With Conditions:

1. All work shall be in accordance with plans by Ambit Engineering, Inc. dated February 2015 (last revised 4/23/15), as received by the NH Department of Environmental Services (DES) on April 30, 2015.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
3. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.
4. DES Wetlands Bureau Southeast Region staff and the Rye Conservation Commission shall be notified in writing prior to commencement of work and upon its completion.
5. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Installation of the culvert under US Rte. 1A is contingent upon obtaining an excavation permit consistent with current policies to perform work within the NH DOT ROW.
7. Culvert outlet/outfall shall be protected in accordance with the DES Best Management Practices for Urban Stormwater Runoff Manual (January 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August 1992).
8. Proper headwalls shall be constructed within seven days of culvert installation.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(b), projects in previously developed upland areas within 100 feet of the highest observable tide line.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. The reasonableness of constructing a storm water drainage outfall to the Atlantic Ocean to abate flooding conditions associated with 2575 Ocean Boulevard was discussed with staff from the DES Watershed Management Bureau who found that this residential storm water discharge from a relatively small collection area would result in no negative water quality issue at the proposed location.
6. The alternative of an on-site detention pond as suggested by the Rye Conservation Commission to deal with site drainage issues was investigated and found not to be feasible or practicable at this location.

2015-00614 UGO ENTERPRISES INC
FRANCONIA

Requested Action:

Dredge and fill 2,466 square feet of wetlands for the construction of a pond for fire protection, recreation and aesthetics. Work in jurisdiction includes 445 square feet of temporary impacts.

APPROVE PERMIT:

Dredge and fill 2,466 square feet of wetlands for the construction of a pond for fire protection, recreation and aesthetics. Work in jurisdiction includes 445 square feet of temporary impacts.

With Conditions:

1. All work shall be in accordance with revised plans by Presby Construction, Inc. entitled Proposed Pond Wetland Permit Layout and Wetland Permit Pond Cross Sections dated February 16, 2015, as received by the Department on March 17, 2015.
2. The edges of the pond shall be allowed to revert to native wetland vegetation and shall not be mowed or otherwise manicured.
3. Appropriate erosion/siltation controls shall be installed prior to construction, shall be maintained during construction, and shall remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
4. Work shall be conducted in a manner so as to minimize turbidity and sedimentation to wetlands and surface waters.
5. Precautions shall be taken to limit unnecessary removal of vegetation adjacent to the pond.
6. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
7. Machinery shall be staged and refueled in upland areas.
8. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands
9. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of twenty (20) feet of undisturbed vegetated buffer.
10. Work shall not cause violations (sedimentation and turbidity) of surface water quality standards, in accordance with Env-Ws 1700.
11. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
12. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
13. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
14. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized

within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.

15. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

1. This is a minimum impact project per Env-Wt 303.04 (p) Construction of a pond with less than 20,000 sq. ft. of wetlands impact, provided: (1) None of the wetlands have very poorly drained soil as defined in Env-Ws 1002.84;(2) There are no streams into or out of the proposed pond site; (3) The project is not located in prime wetlands; and(4) The project does not meet the requirements of Env-Wt 303.02(k).
2. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04 Requirements for Application Evaluation, has been considered in the design of the project.
3. Two-thirds of the pond will be constructed in upland areas.
4. The edges of the pond will be allowed to revert to native wetland vegetation and will not be mowed or otherwise manicured.
5. The pond will be constructed in an area of existing logging road.
6. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program, the Natural Heritage Bureau, or the Conservation Commission.

2015-00743 HICKS FAMILY TRUST
BRIDGEWATER Newfound Lake

Requested Action:

Construct a 306 sq. ft. perched beach and install a 7 ft. x 4 ft. concrete anchor pad for the existing seasonal dock, on Newfound Lake, Bridgewater.

Conservation Commission/Staff Comments:

No comments from Con Com by 06/04/2015

APPROVE PERMIT:

Construct a 306 sq. ft. perched beach and install a 7 ft. x 4 ft. concrete anchor pad for the existing seasonal dock, on Newfound Lake, Bridgewater.

With Conditions:

1. All work shall be in accordance with plans by French Land Services Inc., as received by the NH Department of Environmental Services (DES) on June 11, 2015.
2. Dredged or excavated material shall be placed outside of the DES Wetlands Bureau jurisdiction.
3. Stone placed along the beach front for the purpose of retaining sand shall be placed above and/or landward of those rocks currently located along the normal high water line (Elevation 589.12). Those rocks existing at the normal high water line shall remain otherwise undisturbed such that the natural shoreline remains identifiable.
4. The steps installed for access to the water shall be located completely landward of the normal high water line.
5. No more than 10 cu. yd. of sand may be used and all sand shall be located above the normal high water line.
6. This permit shall be used only once, and does not allow for annual beach replenishment.
7. The permittee shall provide appropriate diversion of surface water runoff to prevent erosion of beach area.
8. Re-vegetation of trees, shrubs and ground covers representing the density and species diversity of the existing stand of vegetation removed for this project shall begin at a distance no greater than 5 ft. landward from the beach area.
9. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and shall remain in place until the area is stabilized.
10. The concrete anchor pad shall be located behind and above full lake elevation.
11. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for

obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(d), construction of a beach.

2015-00903 EVERSOURCE ENERGY
BERLIN Unnamed Wetland

Requested Action:

Dredge and fill 775 square feet of a scrub-shrub wetland to improve an access road as part of the expansion of an existing electrical substation facility.

Conservation Commission/Staff Comments:

4/23/15 Per DHR, no historic properties affected.

APPROVE PERMIT:

Dredge and fill 775 square feet of a scrub-shrub wetland to improve an access road as part of the expansion of an existing electrical substation facility.

With Conditions:

1. All work shall be in accordance with plans by Horizons Engineering Inc. entitled Brookfield Renewable Energy Group: Goebel Street Substation dated March 2015 as received by the Department on April 23, 2015.
2. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
3. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
4. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid. Faulty equipment shall be repaired immediately.
5. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
6. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
7. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
8. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
9. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
10. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.

With Findings:

1. This is Minimum Impact per Env-Wt 303.04 (f) Projects involving alteration of less than 3,000 square feet in swamps or wet meadows that are not in prime wetlands or do not meet the requirements of Env-Wt 303.02(k), provided that no previous department permit has placed restrictions on the property of the applicant.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to

areas and environments under the department's jurisdiction per Env-Wt 302.03.

4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04 Requirements for Application Evaluation, has been considered in the design of the project.
5. The proposed project will improve the ability to efficiently convey power and will facilitate safer access and more timely response to servicing overhead utility lines in the right-of-way. The improved access road will allow equipment to more safely negotiate the slope to perform repair work on electrical lines.
6. The agent stated that there are no vernal pools located within and adjacent to the limits of earth disturbance.
7. Brookfield Renewable Energy Group is proposing to expand a substation on land conveyed by easement from Eversource Energy. Eversource Energy signed the application.
8. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program, the Natural Heritage Bureau, or the Conservation Commission.

FORESTRY NOTIFICATION

2015-01383 ROBINSON, BRUCE
TAMWORTH Unnamed Stream

Requested Action:
Tamworth, Tax Map 201, Lot# 39

2015-01394 SMA REALTY TRUST
THORNTON Unnamed Stream

COMPLETE NOTIFICATION:
Thornton, Tax Map #17, Block 5, Lot #s 21 & 21-1

2015-01471 BAYROOT LLC
ATK GIL GRANT Unnamed Stream

COMPLETE NOTIFICATION:
Atkinson & Gilmanton Academy Grant, Tax Map #1628, Lot #2

2015-01474 BAYROOT LLC
MILLSFIELD Unnamed Stream

COMPLETE NOTIFICATION:
Millsfield, Tax Map #1623, Lot #28

2015-01475 JAGODYNSKI, RICHARD
WAKEFIELD Unnamed Stream

COMPLETE NOTIFICATION:

Wakefield; Tax Map #49; Lot #006000

2015-01485 HALL, LORRAINE/ROBERT
GOFFSTOWN Unnamed Stream

COMPLETE NOTIFICATION:
Goffstown, Tax Map #1, Lot #19

2015-01489 SNOW, FRANK
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath Con. Com.

2015-01499 REAGLE MEYERS, AMY
JAFFREY Unnamed Stream

APPROVE PERMIT:
Jaffrey, Tax Map #212, Lot #23

2015-01520 BASCOM MAPLE FARMS INC
LANGDON Unnamed Stream

COMPLETE NOTIFICATION:
Langdon, Tax Map #8801

2015-01521 BASCOM, DEAN
LANGDON Unnamed Stream

Requested Action:
Langdon, Tax Map 7802, no lot listed

2015-01523 MEADOWSEND SAWMILL INC
HOPKINTON Unnamed Stream

COMPLETE NOTIFICATION:
Hopkinton, Tax Map #214, Lot #s 2.1, 2.2, 2.3 & 3

2015-01525 YOUNG, CLAYTON
WENTWORTH Unnamed Stream

COMPLETE NOTIFICATION:
Wentworth, Tax Map #12, Lot #4-3

2015-01531 INGRAM, JAMES
THORNTON Unnamed Stream

COMPLETE NOTIFICATION:
Thornton; Tax Map# 7; Lot # 2

2015-01534 DILLON, SCOTT/THOMAS
SUCCESS Unnamed Stream

COMPLETE NOTIFICATION:
Success; Tax Map #1612; Lot #7; Block #1

2015-01535 REED, WADE
THORNTON Unnamed Stream

COMPLETE NOTIFICATION:
Thornton; Tax Map #11; Lot #4-2

EXPEDITED MINIMUM

2015-01085 PUBLIC SERVICE COMPANY OF NH
GORHAM Androscoggin River

Requested Action:

Dredge and fill 7,000 square feet of the Androscoggin River for in-kind repairs to an existing dam (4,000 square feet; replacing timber cribbing and downstream apron boards) and the temporary installation of cofferdams (3,000 square feet).

APPROVE PERMIT:

Dredge and fill 7,000 square feet of the Androscoggin River for in-kind repairs to an existing dam (4,000 square feet; replacing timber cribbing and downstream apron boards) and the temporary installation of cofferdams (3,000 square feet).

With Conditions:

1. All work shall be in accordance with plans by Kleinschmidt as received by the NH Department of Environmental Services (DES) on June 10, 2015.
2. A qualified professional shall monitor the project during to assure it is constructed in accordance with the approved plans and narratives and to assure no water quality violations occur.
3. Work shall be done during low flow.
4. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site

has returned to normal clarity.

5. All repairs shall be in-kind and within the permanent impact area shown on the plans.
6. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
7. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
8. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
9. Work within the river, inclusive of work associated with installation of a cofferdam, shall be done during periods of low flow. High flows can be caused by seasonal runoff or precipitation; the permittee shall monitor local forecasts to review weather conditions.
10. No work within the confined area shall proceed until the cofferdam is fully effective, and water flow is controlled.
11. Temporary cofferdams shall be entirely removed immediately following construction.
12. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
13. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired prior to entering jurisdictional areas.
14. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
15. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
16. All activities shall be in accordance with the Shoreland Water Quality Protection Act, RSA 483-B. The owner is responsible for obtaining any Shoreland Permit that may be required per RSA 483-B, for construction, excavation or fill that will occur within the Protected Shoreland.
17. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

1. This is a Minimum Impact Project per NH Administrative Rule Env-Wt 303.04 (x) Maintenance, repair, or replacement of a nondocking structure such as a culvert, headwall, bridge, dam, residential utility line, or rip-rap slope of less than 50 linear feet.
2. The need for the proposed impacts has been demonstrated by the applicant per Rule Env-Wt 302.01.
3. The work is needed as recent inspections by engineers have identified excessive leakage into the dam interior due to broken and rotted timber cribs and boards as well as void space created by the loss of ballast overtime.
4. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Env-Wt 302.03.
5. The applicant has demonstrated by plan and example that each factor listed in Rule Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
6. No changes to the configuration or dimensions of the dam are proposed.
7. The Conservation Commission signed the application waiving their right to intervene.
8. The NH Natural Heritage Bureau commented that although there was a NHB record present in the vicinity, they do not expect that it will be impacted by the proposed project.

2015-01156
LEBANON

GOODWIN, RON

Requested Action:

Dredge and fill 375 square feet of an intermittent stream for the construction of a driveway to a proposed single family residence. Work in jurisdiction includes the installation of an 18" diameter culvert.

APPROVE PERMIT:

Dredge and fill 375 square feet of an intermittent stream for the construction of a driveway to a proposed single family residence. Work in jurisdiction includes the installation of an 18" diameter culvert.

With Conditions:

1. All work shall be done in accordance with plans and narrative as received by DES on May 27, 2015.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. Work shall be done during periods of non- flow.
4. Appropriate siltation/erosion controls shall be in place prior to construction, shall be maintained during construction, and remain until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
5. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.
6. The culvert shall be laid at original grade.
7. Proper headwalls shall be constructed within seven days of culvert installation.
8. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands. Faulty equipment shall be repaired prior to entering jurisdictional areas.
9. All refueling of equipment shall occur outside of surface waters or wetlands during construction.
10. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
11. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
12. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
13. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Slopes steeper than 3:1 shall be stabilized by matting and pinning.
14. The contractor responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
15. Any future work on this property that is within the jurisdiction of the DES Wetlands Bureau as specified in RSA 482-A will require a new application and approval by the Bureau.

With Findings:

1. This is a Minimum Impact Project per NH Administrative Rule Env-Wt 303.04 (z) Installation of a stream crossing and associated fill to permit vehicular access to a piece of property for a single family building lot, for noncommercial recreational uses including conservation projects, or for normal agricultural operations.
2. The need for the proposed impacts has been demonstrated by the applicant per Rule Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Rule Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Rule Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. The Conservation Commission signed the application waiving their right to intervene pursuant to RSA 482-A:11.
6. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program or the Natural Heritage Bureau.

2015-01173

LITTLE NELL TRUST

MILFORD Unnamed Wetland

Requested Action:

The project proposes a multi-family development consisting of 2 apartment buildings totaling 60 units in uplands. Extension of the municipal utilities to the development site requires a temporary 265 sq. ft. crossing of a palustrine forested/scrub-shrub wetland,

which will be restored and reestablished following construction.

APPROVE PERMIT:

The project proposes a multi-family development consisting of 2 apartment buildings totaling 60 units in uplands. Extension of the municipal utilities to the development site requires a temporary 265 sq. ft. crossing of a palustrine forested/scrub-shrub wetland, which will be restored and reestablished following construction.

With Conditions:

1. All work shall be in accordance with plans by Keach-Nordstrom Assoc., Inc. dated March 26, 2015 (last revised 4/9/2015), as received by the NH Department of Environmental Services (DES) on May 19, 2015.
2. Any further alteration of areas on this property that are within the jurisdiction of the DES Wetlands Bureau will require a new application and further permitting by the Bureau.
3. Area shall be regraded to original contours and planted to reestablish the native vegetation following completion of work.
4. This permit is contingent on approval by the DES Alteration of Terrain Bureau.
5. Appropriate siltation, erosion, and turbidity controls shall be in place prior to construction, shall be maintained during construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(f).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

**2015-01181 PSNH
BOW Merrimack River**

Requested Action:

Maintenance dredge 20,000 sq. ft. of accumulated sediment (sand and silt) in front of the cooling water intake structures at "Merrimack Station".

Conservation Commission/Staff Comments:

1. The Conservation Commission signed the application waiving their right to intervene.

APPROVE PERMIT:

Maintenance dredge 20,000 sq. ft. of accumulated sediment (sand and silt) in front of the cooling water intake structures at "Merrimack Station".

With Conditions:

1. All work shall be in accordance with plans and narratives by Public Service Company of New Hampshire, dba Eversource, plan revision date of 5/2013 and narrative dated May 18, 2015, as received by the NH Department of Environmental Services (DES) on May 19, 2015.
2. A qualified professional shall monitor the project during to assure it is constructed in accordance with the approved plans and narratives and to assure no water quality violations occur.
3. Work shall be done during low flow.
4. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.

5. Work shall be conducted in a manner so as to minimize turbidity and sedimentation.
6. Dredged material shall be placed outside of the jurisdiction of the DES Wetlands Bureau.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(o) Projects deemed minimum impact by the department based on the degree of environmental impact.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. Sediment accumulates in front of the water cooling intake structures and must be removed to maintain proper operation of the associated equipment.
4. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
5. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
6. Work will involve dredging accumulated sediment to a floating barge and smaller dredging activities will use diver operated pumps.
7. The conservation commission signed the application waiving their right to intervene.
8. DES has not received any comments in opposition to the project.

GOLD DREDGE

2015-01466 STEBBINS, CRAIG
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath Con Com

2015-01486 PARKINGTON, JASCHA
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath Con. Com.

2015-01530 ROY, CHADWICK
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath Con Com

2015-01532 ROY, KRISTINA
(ALL TOWNS) Unnamed Stream

Conservation Commission/Staff Comments:
cc: Bath Con Com

LAKES-SEASONAL DOCK NOTIF

**2015-01441 COLAMETA, CAROL/DENNIS
MOULTONBOROUGH Lake Winnepesaukee**

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

**2015-01442 LAVIGNE, PIERRE
MILAN Cedar Pond**

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

**2015-01476 GRANWICK, JENNIFER
NEW DURHAM Club Pond**

Requested Action:
Installation of a seasonal dock.

COMPLETE NOTIFICATION:
Installation of a seasonal dock.

**2015-01477 HARRINGTON, SEAN
FITZWILLIAM Sportsmen Pond**

Requested Action:
Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:
Installation of a seasonal docking structure.

**2015-01493 SCHIMBERG, DANIEL
NEW LONDON Sunapee Lake**

Requested Action:

Installation of a seasonal docking structure.

COMPLETE NOTIFICATION:

Installation of a seasonal docking structure.

ROADWAY MAINTENANCE NOTIF

**2015-01507 HIDDEN LAKE CIVIC ASSOC.
STODDARD Unnamed Stream**

COMPLETE NOTIFICATION:

Replace 30 inch culvert.

**2015-01515 NH DEPT OF TRANSPORTATION
LANDAFF Unnamed Stream**

COMPLETE NOTIFICATION:

Replace 3'h x4'w box culvert with 48" culvert with 4' extension at inlet & 10' at outlet.

**2015-01517 NH DEPT OF TRANSPORTATION
STODDARD Unnamed Wetland**

COMPLETE NOTIFICATION:

Replace 48" pipe.

**2015-01518 NH DEPT OF TRANSPORTATION
FITZWILLIAM Unnamed Wetland**

COMPLETE NOTIFICATION:

Replace a 15" pipe, replace a 36" pipe, and dredge 130' of ditch.

PERMIT BY NOTIFICATION

**2015-00645 WITHAM, THOMAS & SUSAN
MEREDITH Lake Winnepesaukee**

Requested Action:

Maintenance, repair and/or replacement in-kind of existing docking structures provided no change in location, configuration, construction type, or dimensions.

PBN IS COMPLETE:

Maintenance, repair and/or replacement in-kind of existing docking structures provided no change in location, configuration, construction type, or dimensions.

**2015-01261 PERKINS, KENDALL
BRIDGEWATER Pemigewasset River**

Requested Action:

Construction of a seasonal pier or wharf if no more than 2 slips, including previously existing slips, are proposed.

PBN IS COMPLETE:

Construction of a seasonal pier or wharf if no more than 2 slips, including previously existing slips, are proposed.

**2015-01286 MERCER, ABIGAIL
MEREDITH Lake Winnepesaukee**

Requested Action:

Maintenance, repair and/or replacement in-kind of existing docking structures provided no change in location, configuration, construction type, or dimensions.

PBN IS COMPLETE:

Maintenance, repair and/or replacement in-kind of existing docking structures provided no change in location, configuration, construction type, or dimensions.

**2015-01424 SPRATT, STEVE
LACONIA Lake Winnepesaukee**

Requested Action:

Maintenance, repair, and replacement in-kind of existing boat house retaining wall, provided no change in location, configuration, construction type, or dimensions is proposed.

PBN IS COMPLETE:

Maintenance, repair, and replacement in-kind of existing boat house retaining wall, provided no change in location, configuration, construction type, or dimensions is proposed.

CSPA PERMIT

**2010-01421 BELANGER, SUSAN
GILFORD Lake Winnepesaukee**

Requested Action:

Request permit time extension.

Impact 11,467 sq.ft. for the removal of existing cottage and construction of new home with underground utilities.

APPROVE TIME EXTENSION:

Impact 11,467 sq.ft. for the removal of existing cottage and construction of new home with underground utilities.

With Conditions:

1. All work shall be in accordance with plans by MSC Civil Engineers & Land Surveyors, Inc. dated March 24, 2010 and received by the Department of Environmental Services ("DES") on June 4, 2010.
2. All actions associated with the installation of the proposed septic system are contingent on approval by the DES Subsurface Systems Bureau."
3. No more than 16.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. The project as proposed will leave approximately N/A sq ft of the Natural Woodland Buffer beyond the primary building setback in an unaltered state. At least 3,298 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude the Department of Environmental Services (DES) from taking any enforcement or revocation action if the DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 483-B:5-b, VI and Env-Wq 1406.19.
2. This permit has been extended in accordance with RSA 483-B:5-b, VI and Env-Wq 1406.19.

**2010-01763 RENT, MILDRED
BRISTOL Newfound Lake**

Requested Action:

Request permit time extension.

APPROVE TIME EXTENSION:

Impact 4,430 sq ft for the construction of a turnaround and driveway.

With Conditions:

1. All work shall be in accordance with plans by Northpoint Engineering, LLC dated June 30, 2010 and received by the NH Department of Environmental Services (DES) on July 7, 2010.

2. No more than 14.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
6. Any fill used shall be clean sand, gravel, rock, or other suitable material.
7. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 483-B:5-b, VI and Env-Wq 1406.19.
2. This permit has been extended in accordance with RSA 483-B:5-b, VI and Env-Wq 1406.19.

2015-00902

KIMBERLY BRIGGS BERRY REVOCABLE TRUST

RYE Berrys Brook

Requested Action:

Request permit name change: Robinson S. Berry Revocable Trust, Robinson S. Berry, TTEE and Kimberly Briggs Berry Revocable Trust, Kimberly Briggs Berry, TTEE

Impact 6,147 in order to construct a 4 bedroom home with approved septic system.

APPROVE NAME CHANGE:

Change permit name and address to: Robinson S. Berry Revocable Trust, Robinson S. Berry, TTEE and Kimberly Briggs Berry Revocable Trust, Kimberly Briggs Berry, TTEE; 52 Spring St.; East Greenwich, RI 02818

Impact 6,147 in order to construct a 4 bedroom home with approved septic system.

With Conditions:

1. All work shall be in accordance with plans by Beals Associates, PLLC dated March 2015 and received by the NH Department of Environmental Services (DES) on April 23, 2015.
2. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
3. No more than 16% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 4,678 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

- 11. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.
- 12. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

With Findings:

- 1. This permit transfer is issued in accordance with NH Administrative Rule Env-Wt 502.02 (b).

2015-01026 GRANTHAM, TOWN OF
GRANTHAM North Branch Of The Sugar River

Requested Action:

Impact 4,036 sq ft in order to raze an existing structure, make improvements to the parking and driveway and add a 1,409 sq ft addition to the existing Library. The project will include a stormwater management plan.

APPROVE PERMIT:

Impact 4,036 sq ft in order to raze an existing structure, make improvements to the parking and driveway and add a 1,409 sq ft addition to the existing Library. The project will include a stormwater management plan.

With Conditions:

- 1. All work shall be in accordance with plans by TFM Civil Engineers dated June 15, 2015 and received by the NH Department of Environmental Services (DES) on May 5, 2015.
- 2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
- 3. No more than 51.02% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
- 4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
- 5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
- 6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
- 9. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
- 10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-01137 HAHN, TIMOTHY
DEERFIELD Pleasant Lake

Requested Action:

Impact 200 sq ft in order to redesign a stormwater receptor to go around existing foundation.

APPROVE PERMIT:

Impact 200 sq ft in order to redesign a stormwater receptor to go around existing foundation.

With Conditions:

1. All work shall be in accordance with plans by Hogg Hill Design, LLC dated May 9, 2015 and received by the NH Department of Environmental Services (DES) on May 18, 2015.
2. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
3. No more than 42% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 1,164 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.
2. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-01141 KETZLER, ERIC/FAYE
ALTON Lake Winnepesaukee

Requested Action:

Impact 10,545 sq. ft. to construct a 900 sq. ft. covered gazebo with a 450 sq. ft. deck, a 260 sq. ft. bunk house, infiltration steps and a gravel access path within the protected shoreland.

APPROVE PERMIT:

Impact 10,545 sq. ft. to construct a 900 sq. ft. covered gazebo with a 450 sq. ft. deck, a 260 sq. ft. bunk house, infiltration steps and a gravel access path within the protected shoreland.

With Conditions:

1. All work shall be in accordance with plans by Norway Plains Associates, Inc. dated May 2015 and received by the NH Department of Environmental Services (DES) on May 18, 2015.
2. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V(a)(2)(D)(iv).
3. No more than 10% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 6,186 sq. ft. of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9,V(b)(2).

5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-01142 J SCOTT CURVEY 2005 REVOCABLE TRUST
MOULTONBOROUGH Lake Winnepesaukee

Requested Action:

Impact 1,718 sq. ft. to construct a new 1,130 sq. ft. detached garage/carriage house, reconfigure the existing paved parking area, install a new permeable walkway and paver area.

APPROVE PERMIT:

Impact 1,718 sq. ft. to construct a new 1,130 sq. ft. detached garage/carriage house, reconfigure the existing paved parking area, install a new permeable walkway and paver area.

With Conditions:

1. All work shall be in accordance with plans by Advantage NH Lakes dated April 28, 2015, as revised June 15, 2015, and received by the NH Department of Environmental Services (DES) on June 16, 2015.
2. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V(a)(2)(D)(iv).
3. No more than 20% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 5,133 sq. ft. of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V(b)(2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-01170 PREVO, DIANNE/JAMES
SUNAPEE Sunapee Lake

Requested Action:

Impact 27,770 sq ft in order to raze a nonconforming camp and rebuild a new conforming single family home. The project includes a 4ft wide walkway to an existing dock and restoring the waterfront buffer with vegetation.

APPROVE PERMIT:

Impact 27,770 sq ft in order to raze a nonconforming camp and rebuild a new conforming single family home. The project includes a 4ft wide walkway to an existing dock and restoring the waterfront buffer with vegetation.

With Conditions:

1. All work shall be in accordance with plans by Pellettieri Associates, Inc. dated May 12, 2015 and received by the NH Department of Environmental Services (DES) on May 19, 2015.
2. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
3. No more than 22.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 4,865 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.
10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-01171 BABIN, DAVID/JANET
ALTON Lake Winnepesaukee

Requested Action:

Impact 6,485 sq. ft. to demolish existing house, re-build in the same footprint and add a deck; dig a trench from the propane tank to connect to west end of house; remove existing asphalt and walkway and install pervious paver system.

APPROVE PERMIT:

Impact 6,485 sq. ft. to demolish existing house, re-build in the same footprint and add a deck; dig a trench from the propane tank to connect to west end of house; remove existing asphalt and walkway and install pervious paver system.

With Conditions:

1. All work shall be in accordance with plans by Prospect Mountain Survey dated May 5, 2015 and received by the NH Department of Environmental Services (DES) on May 19, 2015.
2. No more than 22% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.

3. At least 3,377 sq. ft. of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9,V(b)(2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-01172 COTTOM, JOHN
NEW CASTLE Atlantic Ocean

Requested Action:

Impact 9,044 sq ft in order to re-develop the property including the construction of a new residential structure and landscape features.

APPROVE PERMIT:

Impact 9,044 sq ft in order to re-develop the property including the construction of a new residential structure and landscape features.

With Conditions:

1. All work shall be in accordance with plans by Ambit Engineering, Inc. dated May 5, 2015 and received by the NH Department of Environmental Services (DES) on May 19, 2015.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
4. No more than 19.4% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.

12. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-01193 KING, CLIFFORD
SANBORNTON Winnisquam Lake

Requested Action:

Impact 660 sq ft in order to construct a 6ft walkway from the house to the dock stairs using permeable pavers.

APPROVE PERMIT:

Impact 660 sq ft in order to construct a 6ft walkway from the house to the dock stairs using permeable pavers.

With Conditions:

1. All work shall be in accordance with plans by Clifford J. King dated May 6, 2015 and received by the NH Department of Environmental Services (DES) on May 27, 2015.
2. No more than 38% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. All pervious technologies used shall be designed, installed and maintained to effectively absorb and infiltrate stormwater.
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
10. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.
11. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-01200 EDGERLY, J SUSAN/MORGAN
CENTER OSSIPEE Conner Pond

Requested Action:

Impact 3,205 sq ft in order to raze an existing single family home located partially within the Waterfront Buffer, rebuild a new more nearly conforming dwelling using a portion of existing footprint, and remove existing set of wood and gravel steps.

APPROVE PERMIT:

Impact 3,205 sq ft in order to raze an existing single family home located partially within the Waterfront Buffer, rebuild a new more nearly conforming dwelling using a portion of existing footprint, and remove existing set of wood and gravel steps.

With Conditions:

1. All work shall be in accordance with plans by White Mountain Survey & Engineering, Inc. dated May 18, 2015 and received by the NH Department of Environmental Services (DES) on May 21, 2015.
2. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
3. No more than 19.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 2,039 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.
12. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-01205 SCHWAB, JOSEPH
HOLDERNESS Squam Lake

Requested Action:

Impact Impact 8,346 sq ft in order to construct a deck and garage to an existing house, and remove existing sheds located at the north side of the home.

APPROVE PERMIT:

Impact Impact 8,346 sq ft in order to construct a deck and garage to an existing house, and remove existing sheds located at the north side of the home.

With Conditions:

1. All work shall be in accordance with plans submitted by Wendy Decato dated May 7, 2015 and received by the NH Department of Environmental Services (DES) on May 21, 2015.
2. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
3. No more than 11% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 18,759 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.

7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.
12. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-01229 RIVERWASH LLC
CONCORD Contoocook River

Requested Action:

Impact 7,950 sq. ft. to construct a new 1,955 sq. ft. house with attached garage and deck, install a new walkway and driveway, and remove the existing asphalt.

APPROVE PERMIT:

Impact 7,950 sq. ft. to construct a new 1,955 sq. ft. house with attached garage and deck, install a new walkway and driveway, and remove the existing asphalt.

With Conditions:

1. All work shall be in accordance with plans by T.F. Bernier, Inc. dated May 2015 and received by the NH Department of Environmental Services (DES) on May 26, 2015.
2. No more than 16% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. At least 2,801 sq. ft. of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9,V(b)(2).
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-01236 MAGNIFICO, KAREN/MARK
WAKEFIELD Belleau Lake

Requested Action:

Impact 8,203 sq ft in order to expand the existing driveway by 880 sq ft, construct a 2,400 sq ft dwelling, install a 756 sq ft patio and 274 sq ft retaining wall, install a septic system.

APPROVE PERMIT:

Impact 8,203 sq ft in order to expand the existing driveway by 880 sq ft, construct a 2,400 sq ft dwelling, install a 756 sq ft patio and 274 sq ft retaining wall, install a septic system.

With Conditions:

1. All work shall be in accordance with plans by Mark E. McConkey dated May 20, 2015 and received by the NH Department of Environmental Services (DES) on May 26, 2015.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
4. No more than 17.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
5. At least 4,198 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
8. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
10. Any fill used shall be clean sand, gravel, rock, or other suitable material.
11. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
12. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.
13. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-01240

HATFIELD, CHRISTINE/RICHARD

MERRIMACK Baboosic Lake

Requested Action:

Impact 5,613 sq ft in order to construct a 1,320 sq ft garage and a 224 sq ft breezeway to connect to the existing single family home and conduct landscape improvements.

APPROVE PERMIT:

Impact 5,613 sq ft in order to construct a 1,320 sq ft garage and a 224 sq ft breezeway to connect to the existing single family home and conduct landscape improvements.

With Conditions:

1. All work shall be in accordance with plans by Keach-Nordstrom Associates, Inc. dated May 2015 and received by the NH

Department of Environmental Services (DES) on May 26, 2015.

2. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
3. No more than 29.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 2,629 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.
12. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2015-01388 BARTON JR, JACK
GRANTHAM Sugar River

Requested Action:

Impact 10,000 sq ft in order to replace a 12ft x 56ft mobile home with a 14ft x 70ft, replace a deck and screen porch, add a 30.5ft x 32.5ft slab for a green house, and fill a 80ft x 80ft trench.

APPROVE PERMIT:

Impact 10,000 sq ft in order to replace a 12ft x 56ft mobile home with a 14ft x 70ft, replace a deck and screen porch, add a 30.5ft x 32.5ft slab for a green house, and fill a 80ft x 80ft trench.

With Conditions:

1. All work shall be in accordance with plans by Jack O. Barton Jr. dated June 3, 2015 and received by the NH Department of Environmental Services (DES) on June 12, 2015.
2. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
3. No more than 6.7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
7. Any fill used shall be clean sand, gravel, rock, or other suitable material.

8. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

UTILITY NOTIFICATION

2015-01472 EVERSOURCE ENERGY
CLAREMONT Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Replacing pole #9/13 .

2015-01519 EVERSOURCE ENERGY
BROOKLINE Unnamed Wetland

Conservation Commission/Staff Comments:
See file 2015-00053 for fee amount.

COMPLETE NOTIFICATION:
Maintenance on the 367 transmission line.