

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
ALSTEAD	PAPERMILL VILLAGE	BEDROCK WELL	8/8/2016	<2	<4
ALTON	PROSPECT MOUNTAIN HIGH SCHOOL	BEDROCK WELLS	9/21/2016	<2	<4
AMHERST	AMHERST MEDICAL CENTER	BEDROCK WELL	10/3/2016	<2	<4
AMHERST	BON TERRAIN	GRAVEL WELL	5/19/2016	<2/ND	<4
AMHERST	GOWING WOODS	DISTRIBUTION SYSTEM	6/29/2016	3	<4
AMHERST	MC SQUARE	BEDROCK WELL	4/15/2016	5	<4.5
AMHERST	RIDGEWOOD ESTATES	BEDROCK WELLS	8/2/2016	<2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	3/16/2016	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	4/6/2016	4.9	<5
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	4/13/2016	5.7	5.9
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	4/20/2016	4.8	<4.6
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	4/26/2016	2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	5/3/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	5/11/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	5/16/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	5/25/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	6/2/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	6/15/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	6/21/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	6/28/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	7/12/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	7/26/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	8/2/2016	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	8/9/2016	2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	8/16/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	8/23/2016	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	8/31/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	9/6/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	9/6/2016	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	9/13/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	9/20/2016	<2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	9/27/2016	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	10/4/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	10/12/2016	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	10/19/2016	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	10/25/2016	3	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	11/1/2016	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	11/9/2016	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	11/15/2016	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	11/22/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	11/29/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	12/6/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	12/13/2016	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	12/17/2016	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	1/3/2017	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	1/10/2017	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	1/17/2017	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	1/24/2017	2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	1/31/2017	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	2/7/2017	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	2/15/2017	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	2/21/2017	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	2/23/2017	2	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	3/7/2017	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	3/21/2017	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	3/28/2017	4	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	4/4/2017	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	4/11/2017	3	<4
AMHERST	SOUHEGAN WOODS	BEDROCK WELLS	4/17/2017	3	<4
AMHERST	VIBRAC CORPORATION	BEDROCK WELL	6/15/2016	<2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
ANDOVER	ANDOVER VILLAGE DIST	SURFACE WATER TREATE	8/17/2016	<4	<1
ANTRIM	ANTRIM SEWER AND WATER DEPT	GRAVEL WELL 1	8/9/2016	<2	<4
ANTRIM	STEELE POND DEV	BEDROCK WELL	8/5/2016	<4	<1
ASHLAND	ROPEWALK SERVICES	BEDROCK WELLS	8/17/2016	<1	<4
ATKINSON	ATKINSON ACADEMY SCH	BEDROCK WELLS	10/20/2016	7	13
ATKINSON	PEU/PIONEER COMMERCE PARK	BEDROCK WELL	5/25/2016	2	<4
BARNSTEAD	PEU/LOCKE LAKE	BEDROCK WELLS	5/26/2016	<2	<4
BARTLETT	COW HILL WELL HOUSE	BEDROCK WELL 2	11/9/2016	<2	<4
BARTLETT	CRAWFORD POND	DUG WELL	8/23/2016	<2	<4
BARTLETT	GOODRICH PROPERTY	BEDROCK WELLS	8/23/2016	<2	<4
BARTLETT	LOWER BARTLETT PCT	GRAVEL WELL 1	5/6/2014	<20	<40
BARTLETT	LOWER BARTLETT PCT	GRAVEL WELL 1	10/11/2016	<2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
BARTLETT	LOWER BARTLETT PCT	GRAVEL WELL 2	5/6/2014	<20	<40
BARTLETT	LOWER BARTLETT PCT	GRAVEL WELL 2	10/11/2016	<2	<4
BEDFORD	288 ROUTE 101	BEDROCK WELL	8/5/2016	2	<4
BEDFORD	292 ROUTE 101	BEDROCK WELL	8/5/2016	<2	<4
BEDFORD	BEDFORD WATER	BEDROCK & GRAVEL WEL	4/6/2016	8.1	<5
BEDFORD	BEDFORD WATER	BEDROCK & GRAVEL WEL	5/26/2016	2	<4
BEDFORD	BETHANY COVENANT CHURCH	BEDROCK WELL	7/27/2016	3	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	3/16/2016	36	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	4/6/2016	6.2	<5
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	4/13/2016	52	8.1
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	4/26/2016	38	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	5/3/2016	14	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	5/11/2016	11	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	5/16/2016	11	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	5/25/2016	12	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	6/2/2016	12	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	6/15/2016	9	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	6/21/2016	12	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	6/28/2016	11	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	7/5/2016	10	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	7/12/2016	13	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	7/26/2016	14	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	8/2/2016	16	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	8/9/2016	15	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	8/16/2016	15	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	8/23/2016	17	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	8/30/2016	13	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	9/6/2016	17	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	9/13/2016	14	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	9/20/2016	15	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	9/27/2016	19	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	10/4/2016	16	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	10/12/2016	18	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	10/19/2016	21	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	10/25/2016	19	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	11/1/2016	21	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	11/9/2016	20	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	11/15/2016	24	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	11/22/2016	16	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	11/29/2016	16	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	12/6/2016	15	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	12/13/2016	18	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	12/20/2016	3	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	12/27/2016	19	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	1/3/2017	18	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	1/10/2017	16	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	1/17/2017	16	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	1/24/2017	16	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	1/31/2017	16	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	2/7/2017	15	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	2/16/2017	12	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	2/21/2017	11	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	2/28/2017	12	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	3/7/2017	11	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	3/21/2017	12	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	3/28/2017	12	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	4/4/2017	11	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	4/11/2017	13	<4
BEDFORD	CABOT PRESERVE	GRAVEL WELLS FROM MERRIMACK VILLAGE DISTRICT	4/17/2017	14	<4
BEDFORD	ENGLISH WOODS	BEDROCK WELLS	4/6/2016	3	<4.7

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
BEDFORD	FRENCH ATWOOD MARKET PLACE	BEDROCK WELL	8/2/2016	<2	<4
BEDFORD	POWDER HILL	MANCHESTER WATER WORKS	4/20/2016	4.7	4.4
BELMONT	BELMONT WATER DEPT	GRAVEL WELL 1	8/2/2016	<4	<1
BELMONT	BELMONT WATER DEPT	GRAVEL WELL 2	8/2/2016	<4	<1
BELMONT	CATES MOBILE HOME PARK	BEDROCK WELL	9/6/2016	<1	<4
BENNINGTON	BENNINGTON WATER DEPT	GRAVEL WELLS	8/9/2016	<2	<4
BRENTWOOD	ROCKINGHAM COUNTY COMPLEX	GRAVEL PACK WELL 1	12/27/2016	2.2	2.1
BRENTWOOD	ROCKINGHAM COUNTY COMPLEX	GRAVEL PACK WELL 2	12/27/2016	1.7	2.8
BOW	501 SOUTH MAIN STREET	BEDROCK WELL	8/2/2016	<2	<4
BOW	BOW MUNICIPAL WATER SYSTEM	GRAVEL WELL	8/1/2016	5	6
BOW	BOW YOUTH CENTER	BEDROCK WELL	10/3/2016	<2	<4
BOW	NH AUTO DEALERS ASSN	BEDROCK WELL	8/22/2016	<2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
BOW	PEU/STONE SLED FARM	BEDROCK WELL	5/26/2016	<2	<4
BOW	PEU/WHITE ROCK SENIOR LIVING	BEDROCK WELL	5/26/2016	2	<4
BOW	PITCO FRIALATOR	BEDROCK WELL (WITH CARBON TREATMENT)	8/22/2016	<2	<4
BOW	PSNH/MERRIMACK STATION	GRAVEL WELL	7/28/2016	<4	<1
BRADFORD	FISHERFIELD TOWNHOUSES	BEDROCK WELL	10/3/2016	2	<4
BRENTWOOD	SWASEY CENTRAL SCH	BEDROCK WELL	11/4/2016	<2	<4
BRISTOL	BRISTOL WATER WORKS	GRAVEL WELL 1	11/17/2016	<1	<4
BRISTOL	BRISTOL WATER WORKS	GRAVEL WELL 2	11/17/2016	<1	<4
BRISTOL	BRISTOL WATER WORKS	GRAVEL WELL 3	11/17/2016	<1	<4
BROOKLINE	CAPT SAMUEL DOUGLASS ACADEMY	BEDROCK WELL	8/2/2016	<2	<4
BROOKLINE	RICHARD MAGHAKIAN MEMORIAL SCH	BEDROCK WELL	8/18/2016	<2	<4
CANAAN	COUNTRY VILLAGE MOBIL HOME PARK	BEDROCK WELL 1	11/23/2016	1	<0.5

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
CANAAN	COUNTRY VILLAGE MOBIL HOME PARK	BEDROCK WELL 2	11/23/2016	0.5	<0.5
CANAAN	INDIAN RIVER SCH	BEDROCK WELL	11/21/2016	3	7
CANDIA	HENRY W MOORE SCHOOL	BEDROCK WELL	1/10/2017	<2	<4
CANAAN	MASCOMA VALLEY REG HIGH SCHOOL	BEDROCK WELL	11/21/2016	12	15
CANTERBURY	CANTERBURY ELEMENTARY SCH	BEDROCK WELLS	10/4/2016	<2	<4
CANTERBURY	CANTERBURY SPRUCES HOUSING	BEDROCK WELL	9/12/2016	<2	<4
CARROLL	ROSEBROOK WATER	GRAVEL WELL	8/9/2016	<1	<4
CARROLL	ROSEBROOK WATER	GRAVEL WELL	8/9/2016	<1	<4
CHESTER	PEU/SHAKER HEIGHTS	BEDROCK WELL	5/25/2016	<2	<4
CHESTERFIELD	CHESTERFIELD CENTRAL SCHOOL	BEDROCK WELL	1/22/2013	<20	<40
CHESTERFIELD	CHESTERFIELD CENTRAL SCHOOL	BEDROCK WELL	7/30/2013	<20	<40
CHESTERFIELD	CHESTERFIELD CENTRAL SCHOOL	BEDROCK WELL	9/12/2016	<2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
CHESTERFIELD	UNITED NATURAL FOODS	BEDROCK WELL	7/27/2016	<2	<4
CLAREMONT	CLAREMONT WATER DEPT	FINISHED SAMPLE FROM PLANT/ BLEND 4/6/7/8	10/14/2016	2	<4
CONCORD	CONCORD WATER DEPARTMENT	SURFACE WATER	3/18/2013	<20	<40
CONCORD	CONCORD WATER DEPARTMENT	SURFACE WATER	6/10/2013	<20	<40
CONCORD	CONCORD WATER DEPARTMENT	SURFACE WATER	9/9/2013	<20	<40
CONCORD	CONCORD WATER DEPARTMENT	SURFACE WATER	12/10/2013	<20	<40
CONWAY	CONWAY COMMUNITY BUILDING	BEDROCK WELL	9/20/2016	<2	<4
CONWAY	CONWAY MUNICIPAL CENTER	BEDROCK WELL	9/20/2016	<2	<4
CONWAY	CONWAY TOWN HALL	BEDROCK WELL	9/20/2016	<2	<4
CONWAY	LONGVIEW SCH	BEDROCK WELL	8/29/2016	<2	<4
CONWAY	LUPINE	BEDROCK WELL	8/23/2016	<2	<4
CONWAY	PEU/BIRCH HILL EAST	NORTH CONWAY WATER PRECINCT	5/26/2016	<2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
DANVILLE	DANVILLE ELEMENTARY	BEDROCK WELL	10/20/2016	<2	<4
DEERFIELD	DEERFIELD COMMUNITY SCH	BEDROCK WELLS	11/22/2016	<2	<4
DEERFIELD	LONGVIEW SCH	BEDROCK WELL	8/29/2016	<2	<4
DEERFIELD	LONGVIEW SCH	BEDROCK WELL	11/22/2016	<2	<4
DEERFIELD	SHERBURN WOODS	BEDROCK WELL	11/29/2016	0.7	<0.7
DERRY	AUTUMN WOODS	BEDROCK WELLS	7/27/2016	2	<4
DERRY	DREW WOODS	BEDROCK WELLS AND MANCHESTER WATER WORKS	5/25/2016	3	<4
DERRY	E DERRY MEMORIAL ELEM SCH	BEDROCK WELL	10/7/2016	2	7
DERRY	GLEN RIDGE DEV	BEDROCK WELLS	5/25/2016	3	<4
DERRY	HI AND LO ESTATES	BEDROCK WELLS FROM DREW WOODS	5/25/2016	4	<4
DERRY	HI AND LO ESTATES	BEDROCK WELLS FROM DREW WOODS	6/2/2016	2	<4
DERRY	MAPLE HAVEN	BEDROCK WELLS	5/25/2016	<2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
DERRY	OLD COACH VILLAGE	BEDROCK WELLS	1/11/2017	4	<4
DERRY	PEU/FARMSTEAD ACRES	BEDROCK WELL	5/25/2016	<2	<4
DERRY	RAND SHEPARD HILL	BEDROCK WELLS	7/27/2016	6	<4
DERRY	REDFIELD ESTATES	DREW WOODS	5/25/2016	4	<4
DERRY	WILLOW BEND	BEDROCK WELL	7/27/2016	<2	<4
DERRY	WOODLAND AT DERRY	BEDROCK WELL	7/27/2016	<2	<4
DOVER	DOVER WATER DEPARTMENT	CALDERWOOD/HOPPER S GRAVEL WELLS	2/24/2014	<20	<40
DOVER	DOVER WATER DEPARTMENT	FRENCH CROSS GRAVEL WELL	2/24/2014	<20	<40
DOVER	DOVER WATER DEPARTMENT	GRIFFIN WELL	3/24/2014	<20	<40
DOVER	DOVER WATER DEPARTMENT	HUGHES WELL	2/25/2014	<20	<40
DOVER	DOVER WATER DEPARTMENT	LOWELL TREATMENT PLANT GRAVEL WELLS	2/24/2014	<20	<40
DOVER	DOVER WATER DEPARTMENT	CALDERWOOD/HOPPER S GRAVEL WELLS	10/3/2016	5.3	3.3

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
DOVER	DOVER WATER DEPARTMENT	CAMPBELL/HOPPERS GRAVEL WELLS	10/3/2016	7	11
DOVER	DOVER WATER DEPARTMENT	FRENCH CROSS GRAVEL WELL	10/3/2016	5.3	3.3
DOVER	DOVER WATER DEPARTMENT	IRELAND - GRAVEL WELL	10/3/2016	6.7	20
DOVER	DOVER WATER DEPARTMENT	LOWELL TREATMENT PLANT GRAVEL WELLS	10/3/2016	5.3	3.3
DOVER	DOVER WATER DEPT	FINISHED SAMPLE FROM PLANT/GRIFFIN W/005 (OFF-LINE)	10/13/2016	82	160
DOVER	DOVER WATER DEPT	GPW HUGHES /OLD STAGE RD /TREAT PLANT/006	10/13/2016	5.3	6.5
DUBLIN	DUBLIN SCHOOL	FINISHED WATER TAP/WELL HOUSE 001	10/28/2016	<2	<4
DURHAM	UNH/DURHAM WATER SYS	GRAVEL WELL	8/17/2016	<1	<4
DURHAM	UNH/DURHAM WATER SYS	LEE WELL	1/8/2013	<20	<40
DURHAM	UNH/DURHAM WATER SYS	LEE WELL	7/9/2013	<20	<40
DURHAM	UNH/DURHAM WATER SYS	SURFACE WATER	1/8/2013	<20	<40
DURHAM	UNH/DURHAM WATER SYS	SURFACE WATER	7/9/2013	<20	<40

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
DURHAM	UNH/DURHAM WATER SYS	SURFACE WATER - LAMPREY	8/18/2016	3	<4
DURHAM	UNH/DURHAM WATER SYS	SURFACE WATER - OYSTER - RAW	8/17/2016	3	<4
DURHAM	UNH/DURHAM WATER SYS	SURFACE WATER - OYSTER - TREATED	8/17/2016	<1	<4
EAST KINGSTON	E KINGSTON ELEMENTARY SCH	BEDROCK WELL	11/3/2016	11	<4
EFFINGHAM	EFFINGHAM ELEMENTARY SCH	BEDROCK WELL	10/3/2016	<2	<4
EPPING	WOODLANDS	BEDROCK WELLS	5/26/2016	<2	<4
EPSOM	MEADOW BROOK	BEDROCK WELLS	11/16/2016	<20	<40
EXETER	EXETER HIGH SCH	BEDROCK WELL	11/3/2016	<2	<4
EXETER	EXETER HIGHLANDS	BEDROCK WELL	11/2/2016	2	<4
EXETER	EXETER HOSPITAL	BEDROCK WELL	8/3/2016	4	8
EXETER	EXETER HOSPITAL/SLEEP MED	BEDROCK WELL	8/3/2016	4	15
EXETER	EXETER RIVER LANDING	BEDROCK WELL	7/28/2016	2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
EXETER	EXETER WATER DEPT	GRAVEL WELL	6/3/2013	<20	<40
EXETER	EXETER WATER DEPT	GRAVEL WELL	9/9/2013	<20	<40
EXETER	EXETER WATER DEPT	GRAVEL WELL	12/3/2013	<20	<40
EXETER	EXETER WATER DEPT	GRAVEL WELL	3/4/2014	<20	<40
EXETER	EXETER WATER DEPT	SURFACE WATER	6/3/2013	<20	<40
EXETER	EXETER WATER DEPT	SURFACE WATER	9/9/2013	<20	<40
EXETER	EXETER WATER DEPT	SURFACE WATER	12/3/2013	<20	<40
EXETER	EXETER WATER DEPT	SURFACE WATER	3/4/2014	<20	<40
EXETER	PEU/FOREST RIDGE	BEDROCK WELL	5/26/2016	<2	<4
FARMINGTON	FARMINGTON WATER DEPT.	GRAVEL WELL 006	1/20/2017	3.2	1.3
FARMINGTON	FARMINGTON WATER DEPT.	GRAVEL WELLS 004/005	1/20/2017	0.6	<5
FREEMONT	ELLIS SCHOOL	BEDROCK WELL	11/21/2016	14	9

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
GRANTHAM	GRAY LEDGES	BEDROCK WELLS	1/13/2017	<2	<4
HILLSBOROUGH	ROSEWALD FARM	BEDROCK WELL	1/4/2017	<2	<4
FITZWILLIAM	GEORGE S EMERSON ELEMENTARY SCHOOL	BEDROCK WELLS	9/14/2016	3	5
FITZWILLIAM	MEADOWOOD ASSEMBLY HALL	BEDROCK WELL	7/5/2016	<2	15
FRANKLIN	FRANKLIN WATER WORKS	FINISH WATER TAP/RET LINE TO WTF/001 GPW 1	10/13/2016	<1	<4
FRANKLIN	FRANKLIN WATER WORKS	FINISH WATER TAP/RET LINE TO WTF/002 GPW 2	10/13/2016	<1	<4
FRANKLIN	FRANKLIN WATER WORKS	FINISH WATER TAP/RET LINE TO WTF/004 GPW 3	10/13/2016	2	<4
FRANKLIN	FRANKLIN WATER WORKS	SANBORNTON WELL FIELD PUMP STATION/PTW/003	10/13/2016	<1	<4
FREMONT	ELLIS SCHOOL	BEDROCK WELL	11/21/2016	14	9
GILFORD	BROOKSIDE CROSSING	BEDROCK WELL	9/26/2016	<2	<2
GILFORD	GILFORD ELEMENTARY SCH	BEDROCK WELL	11/16/2016	<4.5	<4.5
GILFORD	GILFORD MIDDLE AND HIGH SCH	BEDROCK WELL	10/20/2016	<2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
GILFORD	GILFORD MUNICIPAL BLDG COMPLEX	BEDROCK WELL	10/25/2016	7	60
GILFORD	GILFORD VILLAGE DISTRICT	BEDROCK WELL 1	11/16/2016	<4.5	<4.5
GILFORD	GILFORD VILLAGE DISTRICT	BEDROCK WELL 2	11/16/2016	<4.5	<4.5
GILFORD	GILFORD VILLAGE DISTRICT	BEDROCK WELL 3	11/16/2016	<4.5	<4.5
GILFORD	VILLAGE WEST I	BEDROCK WELL	9/22/2016	<2	<4
GILFORD	VILLAGE WEST II	BEDROCK WELL	9/22/2016	<2	<4
GILMANTON	GILMANTON ELEMENTARY SCH	DEP TAP/AFTER AS TREATMENT/002	10/18/2016	<2	<4
GILSUM	GILSUM ELEMENTARY SCHOOL	BEDROCK WELL	9/12/2016	<2	<4
GOFFSTOWN	GOFFSTOWN VILLAGE PCT	GRAVEL WELL	9/7/2016	<2	<4
GOFFSTWON	MT LAUREL ESTATES	BEDROCK WELL	9/7/2016	3	<4
GORHAM	GORHAM WATER AND SEWER DEPT	SURFACE WATER	8/16/2016	<4	<1
GRANTHAM	GRANTHAM VILLAGE SCH	BEDROCK WELL	8/15/2016	<2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
GREENLAND	BREAKFAST HILL GOLF CLUB	BEDROCK WELL	7/11/2016	25	<8
HAMPSTEAD	AGES AND STAGES HAMPSTEAD	BEDROCK WELLS	9/9/2016	4	<4
HAMPSTEAD	COACH RUN CONDOS	BEDROCK WELL	8/8/2016	3	21
HAMPSTEAD	HAMPSTEAD MIDDLE SCH	BEDROCK WELLS	8/17/2016	21	18
HAMPSTEAD	THUNDERLINE Z	BEDROCK WELL 2	8/8/2016	8	2
HAMPTON	AQUARION WATER - NH	DALTON TREATMENT PLANT	9/15/2014	<20	<40
HAMPTON	AQUARION WATER - NH	DALTON TREATMENT PLANT	3/11/2015	<20	<40
HAMPTON	AQUARION WATER - NH	JENNESS GPW 5A TREATMENT PLANT	9/15/2014	<20	<40
HAMPTON	AQUARION WATER - NH	JENNESS GPW 5A TREATMENT PLANT	3/10/2015	<20	<40
HAMPTON	AQUARION WATER - NH	MILL ROAD TREATMENT PLAN	9/16/2014	<20	<40
HAMPTON	AQUARION WATER - NH	MILL ROAD TREATMENT PLAN	4/7/2015	<20	<40
HAMPTON	AQUARION WATER - NH	RYDER TREATMENT PLANT	9/15/2014	<20	<40

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
HAMPTON	AQUARION WATER - NH	RYDER TREATMENT PLANT	3/11/2015	<20	<40
HAMPTON	AQUARION WATER - NH	SCAMMON TREATMENT PLANT	9/16/2014	<20	<40
HAMPTON	AQUARION WATER - NH	SCAMMON TREATMENT PLANT	3/10/2015	<20	<40
HAMPTON	AQUARION WATER - NH	SICARD TREATMENT PLANT	9/16/2014	<20	<40
HAMPTON	AQUARION WATER - NH	SICARD TREATMENT PLANT	3/10/2015	<20	<40
HAMPTON	AQUARION WATER - NH	WHITES FIELD TREATMENT PLANT	9/16/2014	<20	<40
HAMPTON	AQUARION WATER - NH	WINNICUT RD TREATMENT PLANT SITE 531	9/15/2014	<20	<40
HAMPTON	AQUARION WATER - NH	WINNICUT RD TREATMENT PLANT SITE 531	3/11/2015	<20	<40
HAMPTON FALLS	HERONFIELD ACADEMY	DEP TAP/SCHOOL PUMPROOM/AF TRTMT/001	10/20/2016	<2	<4
HAMPTON FALLS	LINCOLN AKERMAN SCH	DEP TAP IN PUMPROOM/AFTER AS TRTMT/001	10/13/2016	<2	<4
HANOVER	HANOVER WATER DEPT	SURFACE WATER	9/7/2016	2	<4
HARRISVILLE	WELLS MEMORIAL SCHOOL	BEDROCK WELL	9/19/2016	<2	<5

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
HERON	STONEGATE ACRES	BEDROCK WELL	11/11/2016	<2	<4
HILL	HILL WATER WORKS	GRAVEL WELL	9/15/2016	<1	<4
HILL	HILL WATER WORKS	GRAVEL WELL	9/15/2016	<1	<4
HINSDALE	HINSDALE WATER DEPT/DOWNTOWN	GLEN ST PS/AFTER TREATMENT BLEND 001 002	10/26/2016	<2	<4
HINSDALE	NORTH HINSDALE WATER DEPT	PUMPSTATION TAP /003	10/26/2016	<2	<4
HINSDALE	NORTH HINSDALE WATER DEPT	PUMPSTATION TAP /005	10/26/2016	<2	<4
HOLDERNESS	HOLDERNESS CENTRAL SCH	DEP TAP /PUMPHOUSE /WELL 001	10/24/2016	<2	<4
HOLLIS	FARM DESIGN	BEDROCK WELL	9/15/2016	<2	<4
HOLLIS	HOLLIS BROOKLINE HS	BEDROCK WELL	8/2/2016	4	<4
HOLLIS	HOLLIS SCH DIST	DUG WELL	8/18/2016	<2	<4
HOLLIS	PITARY'S MOBILE HOME PARK	DUG WELL	3/22/2017	9	4
HOLLIS	PURITAN PRESS	BEDROCK WELL	7/27/2016	5	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
HOLLIS	ULTRASOURCE	BEDROCK WELL	8/2/2016	<2	<4
HOOKSETT	PEU/WESCO UTILITIES	HOOKSETT VILLAGE PRECINCT	5/26/2016	<2	<4
HOPKINTON	HOPKINTON VILLAGE PRECINCT	GRAVEL WELL 2	2/19/2017	1	<5
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	1/21/2014	<20	<40
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	7/15/2014	<20	<40
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	3/16/2016	9	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	4/13/2016	12	<4.5
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	5/16/2016	8	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	6/15/2016	6	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	7/12/2016	7	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	8/16/2016	7	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	9/20/2016	7	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	10/12/2016	9	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	11/15/2016	8	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	12/14/2016	8	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	1/24/2017	9	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	2/27/2017	7	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	3/15/2017	10	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	4/17/2017	9	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	11/15/2016	8	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - DAME	11/15/2016	8	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - WEINSTEIN	1/21/2014	<20	<40
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - WEINSTEIN	7/15/2014	<20	<40
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - WEINSTEIN	3/16/2016	7	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - WEINSTEIN	5/16/2016	8	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - WEINSTEIN	6/15/2016	4	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - WEINSTEIN	7/12/2016	5	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - WEINSTEIN	8/16/2016	6	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - WEINSTEIN	9/20/2016	5	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - WEINSTEIN	10/12/2016	6	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - WEINSTEIN	11/15/2016	6	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - WEINSTEIN	12/14/2016	<2	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - WEINSTEIN	1/24/2017	6	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - WEINSTEIN	2/27/2017	6	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - WEINSTEIN	3/15/2017	7	<4
HUDSON	HUDSON WATER DEPT	GRAVEL WELL - WEINSTEIN	4/17/2017	7	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
JACKSON	EAGLE BROOK	DES TAP/PUMPHOUSE	10/27/2016	<2	<4
JACKSON	ELLIS RIVER VILLAGE	BEDROCK WELL	8/23/2016	<2	<4
JAFFREY	JAFFREY WATER WORKS	GRAVEL WELL - CONTOOCOOK	4/12/2016	<2	<2
JAFFREY	JAFFREY WATER WORKS	GRAVEL WELL - SQUANTUM	4/12/2016	<2	<2
JAFFREY	JAFFREY WATER WORKS	GRAVEL WELL - TURNPIKE	4/12/2016	3	10
KEENE	KEENE WATER DEPT	COURT ST. CORROSION CONTROL BLDG. GPW #1N	5/14/2014	<20	<40
KEENE	KEENE WATER DEPT	COURT ST. CORROSION CONTROL BLDG. GPW #1N	11/12/2014	<20	<40
KEENE	KEENE WATER DEPT	GRAVEL WELL	7/27/2016	<2	<4
KEENE	KEENE WATER DEPT	GRAVEL WELL 2M & 3	7/27/2016	<2	<4
KEENE	KEENE WATER DEPT	SURFACE WATER	7/27/2016	<2	<4
KEENE	KEENE WATER DEPT	SURFACE WATER	5/1/2014	<20	<40
KEENE	KEENE WATER DEPT	SURFACE WATER	8/26/2014	<20	<40

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
KEENE	KEENE WATER DEPT	SURFACE WATER	11/12/2014	<20	<40
KEENE	KEENE WATER DEPT	WEST ST. PUMP STATION	5/1/2014	<20	<40
KENSINGTON	KENSINGTON ELEMENTARY SCH	BEDROCK WELL	11/3/2016	<2	<4
KINGSTON	DANIEL J BAKIE SCH	BEDROCK WELL	8/4/2016	<2	<4
KINGSTON	KINGSTON PINES ELDERLY HOUSING	BEDROCK WELL	8/18/2016	<1	<4
KINGSTON	ROWELL ESTATES	BEDROCK WELLS	11/9/2016	1.86	0.893
KINGSTON	SANBORN REGIONAL HIGH SCH	BEDROCK WELL	8/18/2016	<2	<4
LACONIA	LACONIA WATER WORKS	SURFACE WATER	8/13/2013	<20	<40
LACONIA	LACONIA WATER WORKS	SURFACE WATER	10/8/2013	<20	<40
LACONIA	LACONIA WATER WORKS	SURFACE WATER	1/8/2014	<20	<40
LACONIA	LACONIA WATER WORKS	SURFACE WATER	4/10/2014	<20	<40
LACONIA	LACONIA WATER WORKS	SURFACE WATER	5/18/2016	2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
LANCASTER	LANCASTER WATER DEPT	SURFACE WATER	8/8/2016	<4	<1
LANDAFF	LANDAFF BLUE SCH	BEDROCK WELL	9/9/2016	<2	<4
LEBANON	LEBANON WATER DEPARTMENT	TREATMENT PLANT	9/24/2014	<20	<40
LEBANON	LEBANON WATER DEPARTMENT	TREATMENT PLANT	12/10/2014	<20	<40
LEE	CEDAR WOODS ESTATES	BEDROCK WELL	8/4/2016	<2	<4
LEE	OYSTER RIVER CONDOS	BEDROCK WELL	11/16/2016	<1	<4
LEE	PEU/THURSTON WOODS	BEDROCK WELL	5/26/2016	<2	<4
LITCHFIELD	LITCHFIELD APARTMENTS	BEDROCK WELL	3/9/2016	87	<4.8
LITCHFIELD	LITCHFIELD PLAZA	BEDROCK WELL	4/15/2016	92	<4.5
LITCHFIELD	LITCHFIELD TECHNOLOGY PARK	BEDROCK WELL	3/9/2016	34	<4.6
LITTLETON	LITTLETON WATER & LIGHT DEPT.	INTAKE #1	2/18/2014	<20	<40
LITTLETON	LITTLETON WATER & LIGHT DEPT.	INTAKE #1	5/22/2014	<20	<40

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
LITTLETON	LITTLETON WATER & LIGHT DEPT.	INTAKE #1	8/20/2014	<20	<40
LITTLETON	LITTLETON WATER & LIGHT DEPT.	WELL #1	2/18/2014	<20	<40
LITTLETON	LITTLETON WATER & LIGHT DEPT.	WELL #1	8/20/2014	<20	<40
LONDONDERRY	CENTURY VILLAGE CONDOS	BEDROCK WELL	7/27/2016	16	9
LONDONDERRY	OLDE COUNTRY VILLAGE	BEDROCK WELLS	10/10/2016	13	4
LONDONDERRY	PEU/HARVEST VILLAGE	BEDROCK WELLS	4/13/2016	6	<4
LONDONDERRY	PEU/MINISTERIAL HILLS	BEDROCK WELLS	4/13/2016	4	<4
LONDONDERRY	PEU/PINEHAVEN WATER TRUST	POINT WELLS	5/25/2016	7	4
LONDONDERRY	STONEHENGE APARTMENTS	BEDROCK WELLS	7/28/2016	3	<4
LOUDON	LOUDON ELEMENTARY SCH	BEDROCK WELL	12/5/2016	<2	<4
LOUDON	NH MOTOR SPEEDWAY	BEDROCK WELL	10/5/2016	2	<4
LOUDON	VILLAGES AT LOUDON	BEDROCK WELLS	10/5/2016	<2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
MADISON	SILVER LAKE LANDING SR HOUSING	DUG WELL	10/17/2016	<2	<4
MANCHESTER	MANCHESTER WATER WORKS	LAKE MASSABESIC /RAW	4/12/2016	2.6	<2.5
MANCHESTER	MANCHESTER WATER WORKS	MERRIMACK RIVER /RAW	4/12/2016	<2.5	<2.5
MANCHESTER	MANCHESTER WATER WORKS	SURFACE WATER - TREATED	3/26/2014	<20	<40
MANCHESTER	MANCHESTER WATER WORKS	SURFACE WATER - TREATED	3/26/2014	<20	<40
MANCHESTER	MANCHESTER WATER WORKS	SURFACE WATER - TREATED	6/18/2014	<20	<40
MANCHESTER	MANCHESTER WATER WORKS	SURFACE WATER - TREATED	6/18/2014	<20	<40
MANCHESTER	MANCHESTER WATER WORKS	SURFACE WATER - TREATED	9/9/2014	<20	<40
MANCHESTER	MANCHESTER WATER WORKS	SURFACE WATER - TREATED	9/9/2014	<20	<40
MANCHESTER	MANCHESTER WATER WORKS	SURFACE WATER - TREATED	12/16/2014	<20	<40
MANCHESTER	MANCHESTER WATER WORKS	SURFACE WATER - TREATED	12/16/2014	<20	<40
MANCHESTER	MANCHESTER WATER WORKS	SURFACE WATER - TREATED	4/12/2016	3	<2.5

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
MARLBOROUGH	MARLBOROUGH ESTATES	BEDROCK WELLS	8/17/2016	<2	<4
MARLOW	JOHN D PERKINS SR ELEM SCH	BEDROCK WELL	9/12/2016	69	<40
MASON	MASON PUBLIC SCH	BEDROCKWELL	9/15/2016	<2	<4
MEREDITH	INTER LAKES ELEMENTARY SCH	BEDROCK WELL	8/8/2016	<2	<4
MEREDITH	INTER LAKES HIGH SCH	BEDROCK WELL	8/8/2016	<2	<4
MIDDLETON	PEU/SUNRISE ESTATES	BEDROCK WELLS	5/26/2016	<2	<4
MILFORD	ASHLEY COMMONS	MILFORD WATER WORKS	5/26/2016	2	<4
MILFORD	BADGER HILL	BEDROCK WELLS	5/26/2016	<2	<4
MILFORD	MILFORD WATER UTILITIES DEPT	GRAVEL WELL	4/20/2016	<2	<4
MOULTONBOROUGH	CROSSWINDS	UNIT 16/BLEND WELLS 001 002	10/5/2016	<2	<4
NASHUA	PENNICHUCK WATER WORKS	HARRIS POND	3/16/2016	9	<4
NASHUA	PENNICHUCK WATER WORKS	MERRIMACK RIVER	3/17/2016	2.1	<4.4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
NASHUA	PENNICHUCK WATER WORKS	SURFACE WATER - TREATED	7/16/2014	<20	<40
NASHUA	PENNICHUCK WATER WORKS	SURFACE WATER - TREATED	7/16/2014	<20	<40
NASHUA	PENNICHUCK WATER WORKS	SURFACE WATER - TREATED	10/15/2014	<20	<40
NASHUA	PENNICHUCK WATER WORKS	SURFACE WATER - TREATED	10/15/2014	<20	<40
NASHUA	PENNICHUCK WATER WORKS	SURFACE WATER - TREATED	1/12/2015	<20	<40
NASHUA	PENNICHUCK WATER WORKS	SURFACE WATER - TREATED	1/12/2015	<20	<40
NASHUA	PENNICHUCK WATER WORKS	SURFACE WATER - TREATED	4/16/2015	<20	<40
NASHUA	PENNICHUCK WATER WORKS	SURFACE WATER - TREATED	3/16/2016	3	<4
NASHUA	PENNICHUCK WATER WORKS	SURFACE WATER - TREATED	4/13/2016	5.8	8.4
NASHUA	PENNICHUCK WATER WORKS	SURFACE WATER - TREATED	5/16/2016	4	<4
NASHUA	PENNICHUCK WATER WORKS	SURFACE WATER - TREATED	6/15/2016	2	<4
NASHUA	PENNICHUCK WATER WORKS	SURFACE WATER - TREATED	7/12/2016	3	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
NASHUA	PENNICHUCK WATER WORKS	SURFACE WATER - TREATED	1/17/2017	7	<4
NASHUA	PENNICHUCK WATER WORKS	SURFACE WATER - TREATED	4/11/2017	6	<4
NASHUA	PWW/FARLEY RD ESTATES	BEDROCK WELLS	5/26/2016	<2	<4
NASHUA	SECOND NATURE ACADEMY	BEDROCK WELL	10/18/2016	<2	<4
NEWBURY	NEWBURY ELDERLY HOUSING	BEDROCK WELL	11/23/2016	0.4	<0.7
NELSON	NELSON ELEMENTARY SCH	BEDROCK WELL	9/19/2016	<2	<4
NEW DURHAM	NEW DURHAM ELEMENTARY SCH	BEDROCK WELL	10/3/2016	<2	<4
NEW IPSWICH	APPLETON BUSINESS CENTER	GRAVEL WELL	11/1/2016	<2	<4
NEW IPSWICH	BOYNTON MIDDLE SCHOOL	BEDROCK WELL	12/21/2016	<2	<4
NEW IPSWICH	MASCENIC REGIONAL HIGH SCHOOL	BEDROCK WELL	12/21/2016	6	6
NEW IPSWICH	HIGH BRIDGE ELEMENTARY SCHOOL	BEDROCK WELL	12/21/2016	2	<4
NEW IPSWICH	FREEDOM POND	GRAVEL PACK WELL	10/19/2016	7	9

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
NEW IPSWICH	WARWICK MILLS	BEDROCK WELL	11/16/2016	2	<4
NEW IPSWICH	WILDER VILLAGE CLUSTER	BEDROCK WELL	8/9/2016	<2	<4
NEW LONDON	SEASONS AT LAKE SUNAPEE	BEDROCK WELL	9/12/2016	<2	<4
NEWFIELDS	NEWFIELDS VLG WATER AND SEWER	GRAVEL WELLS	8/31/2016	4	<4
NEWMARKET	GREAT BAY WATER SYSTEM	BEDROCK WELLS	5/26/2016	4	<4
NEWMARKET	MOODY POINT	BEDROCK WELLS	8/10/2016	<2	<4
NEWMARKET	NEWMARKET WATER WORKS	GRAVEL WELL/BENNETT	10/18/2016	5.3	3.3
NEWMARKET	NEWMARKET WATER WORKS	GRAVEL WELL/SEWALL	10/18/2016	5.3	3.3
NEWTON	PACKER MEADOWS	BEDROCK WELLS	8/18/2016	<1	<4
NEWTON	SANBORN REGIONAL MIDDLE SCH	BEDROCK WELL	8/4/2016	<2	<4
NORTH HAMPTON	SHEL AL MOBILE ESTATES	BEDROCK WELL 1	9/26/2016	1.9	<4.5
NORTH HAMPTON	SHEL AL MOBILE ESTATES	BEDROCK WELL 2	9/26/2016	2.6	<4.3

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
NORTH WALPOLE	N. Walpole Village District/Low	GRAVEL WELLS	1/19/2015	<20	<40
NORTHFIELD	SPAULDING YOUTH CENTER	BEDROCK WELLS	10/4/2016	7	11
NORTHFIELD	TILTON NORTHFIELD WATER DIST	GRAVEL WELL 1	9/15/2016	<1	<4
NORTHFIELD	TILTON NORTHFIELD WATER DIST	PUMP STATION/GPW 2/WESTERLY /004	9/15/2016	<1	<4
NORTHWOOD	LOON ESTATES	BEDROCK WELL	9/6/2016	<.56	<.58
NORTHWOOD	HANNAFORD - NORTHWOOD	BEDROCK WELL	3/6/2017	<2	<4
NORTHWOOD	NORTHWOOD MOUNTAIN VIEW MHP	BEDROCK WELLS	9/6/2016	8	<4
NORTHWOOD	THE MEADOW AT NORTHWOOD	BEDROCK WELL	11/16/2016	<1	<4
NORTHWOOD	VILLAGE AT MEAD FIELD	BEDROCK WELL	11/17/2016	<2	<4
OSSIPEE	OSSIPEE WATER DEPT	DEP TAP/PH/AFTER TREATMENT/BLEND 002 003	8/9/2016	<4	<1
OSSIPEE	HANNAFORD - OSSIPEE	BEDROCK WELL	3/7/2017	<2	<4
PELHAM	PELHAM INDUSTRIAL PARK	BEDROCK WELL	10/10/2016	13	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
PELHAM	PEU/GAGE HILL	DEP TAP/PUMPHOUSE/AFTER TREATMENT/001	5/26/2016	4	<4
PELHAM	PEU/SKY VIEW ESTATES	DEP TAP IN PH/BLEND 001 002	5/26/2016	<2	<4
PELHAM	PEU/WILLIAMSBURG	DEP TAP/PUMPHOUSE/BLEND 001 002	5/26/2016	3	<4
PELHAM	HANNAFORD - PELHAM	BEDROCK WELL	2/23/2017	<2	<4
PETERBOROUGH	PETERBOROUGH WATER WORKS	GPW /SUMMER ST	4/14/2016	<0.67	<1.3
PETERBOROUGH	PETERBOROUGH WATER WORKS	GPW NORTH /TARBELL RD /W OF MEADOW SCH	4/14/2016	<0.67	<1.3
PETERBOROUGH	PETERBOROUGH WATER WORKS	GPW TARBELL /TARBELL RD	4/14/2016	<0.67	<1.3
PINKHAMS GRANT	AMC PINKHAM NOTCH CAMP	BEDROCK WELL	8/15/2016	<2	<4
PITTSFIELD	PITTSFIELD AQUEDUCT	SURFACE WATER	5/26/2016	<2	<4
PLAISTOW	BARONS CONDOS	BEDROCK WELL	9/14/2016	4	<4
PLAISTOW	GOLDEN HILL	BEDROCK WELL	7/27/2016	<2	<4
PLAISTOW	POLLARD ELEMENTARY SCH	BEDROCK WELL	10/20/2016	6	6

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
PLAISTOW	SWEET HILL ESTATES	BEDROCK WELL	5/26/2016	<2	<4
PLAISTOW	TIMBERLANE MIDDLE SCH	BEDROCK WELL	10/20/2016	<2	<4
PLAISTOW	TIMBERLANE REGIONAL HS	BEDROCK WELL	10/20/2016	<2	<4
PLAISTOW	TWIN RIDGE CONDOS	BEDROCK WELLS	5/26/2016	2	<4
PLAISTOW	VALLEY FIELD APTS NORTHLAND	BEDROCK WELLS	5/26/2016	<2	<4
PLYMOUTH	PLYMOUTH VLG WATER AND SEWER	GRAVEL WELL	9/20/2016	<20	<40
PLYMOUTH	PLYMOUTH VLG WATER AND SEWER	GRAVEL WELL	9/20/2016	<20	<40
PORTSMOUTH	PEASE TRADEPORT, PORTSMOUTH & COLLINS WELLS	SEE http://www.cityofportsmouth.com/publicworks/phwn.html FOR ALL RESULTS			
PORTSMOUTH	PORTSMOUTH WATER WORKS	BELLAMY RESERVIOR	6/9/2016	<5.3	<3.3
PORTSMOUTH	PORTSMOUTH WATER WORKS	Collins Well	7/21/2014	<20	<40
PORTSMOUTH	PORTSMOUTH WATER WORKS	Collins Well	2/10/2015	<20	<40
PORTSMOUTH	PORTSMOUTH WATER WORKS	GREENLAND WELL	7/21/2014	<20	<40

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
PORTSMOUTH	PORTSMOUTH WATER WORKS	GREENLAND WELL	2/10/2015	<20	<40
PORTSMOUTH	PORTSMOUTH WATER WORKS	GREENLAND WELL	8/1/2016	<5.3	<3.3/7
PORTSMOUTH	PORTSMOUTH WATER WORKS	MADBURY 3	6/9/2016	<5.3	<3.3
PORTSMOUTH	PORTSMOUTH WATER WORKS	MADBURY BLEND (WELLS AND TREATED SURFACE WATER)	7/21/2014	<20	<40
PORTSMOUTH	PORTSMOUTH WATER WORKS	MADBURY BLEND (WELLS AND TREATED SURFACE WATER)	10/27/2014	<20	<40
PORTSMOUTH	PORTSMOUTH WATER WORKS	MADBURY BLEND (WELLS AND TREATED SURFACE WATER)	2/10/2015	<20	<40
PORTSMOUTH	PORTSMOUTH WATER WORKS	MADBURY BLEND (WELLS AND TREATED SURFACE WATER)	4/7/2015	<20	<40
PORTSMOUTH	PORTSMOUTH WATER WORKS	MADBURY BLEND (WELLS AND TREATED SURFACE WATER)	6/7/2016	<5.3	<3.3
PORTSMOUTH	PORTSMOUTH WATER WORKS	PORTSMOUTH WELL	7/21/2014	<20	<40
PORTSMOUTH	PORTSMOUTH WATER WORKS	PORTSMOUTH WELL	2/10/2015	<20	<40
RAYMOND	HILL TOP	BEDROCK WELL	11/21/2016	4	<\$
RAYMOND	PEU/CLEARWATER ESTATES	BEDROCK WELLS	5/26/2016	<2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
RAYMOND	PEU/GREEN HILLS ESTS	POINT/GRAVEL WELLS	6/15/2016	<2	<4
RAYMOND	PEU/LIBERTY TREE ACRES	BEDROCK WELLS	5/26/2016	<2	<4
RAYMOND	RAYMOND WATER DEPT	GRAVEL WELL 2	6/20/2016	2	6
RAYMOND	RAYMOND WATER DEPT	GRAVEL WELL 1	6/20/2016	<1	7
RAYMOND	RAYMOND WATER DEPT	GRAVEL WELL 3	6/20/2016	2	5
RINDGE	CARRIAGE APTS	BEDROCK WELL	11/1/2016	<2	<4
RINDGE	RINDGE MEMORIAL SCHOOL	BEDROCK WELL	9/14/2016	3	<4
RINDGE	WAL MART STORE 2057	BEDROCK WELL	8/1/2016	3	<4
ROCHESTER	Rochester Water Department	SURFACE WATER	9/25/2013	<20	<40
ROCHESTER	Rochester Water Department	SURFACE WATER	12/10/2013	<20	<40
ROCHESTER	Rochester Water Department	SURFACE WATER	3/12/2014	<20	<40
ROCHESTER	Rochester Water Department	SURFACE WATER	6/18/2014	<20	<40

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
ROCHESTER	ROCHESTER WATER DEPARTMENT	SURFACE WATER	9/13/2016	<4.5	<4.5
ROCHESTER	ROCHESTER WATER DEPARTMENT	GRAVEL WELL	9/13/2016	12	9.6
RUMNEY	RUSSELL ELEMENTARY SCH	TAP AFTER TRTMT BOILER ROOM/001	10/24/2016	<2	<4
RYE	RYE WATER DIST	BEDROCK WELL - BAILEY BROOK	4/6/2016	<2	<4
RYE	RYE WATER DIST	BEDROCK WELL - CEDAR RUN	4/6/2016	2	<4
RYE	RYE WATER DIST	GRAVEL WELL - GARLAND	4/6/2016	6	6
SALEM	AUTUMN WOODS	BEDROCK WELLS	5/25/2016	<2	<4
SALEM	MERRIMACK VALLEY MONTESSOR SCH	BEDROCK WELL	6/14/2016	<2	<4
SALEM	NORTH SALEM VILLAGE	BEDROCK WELL	12/13/2016	2	<4
SALEM	PORCUPINE PARK	BEDROCK WELL	6/17/2016	4	6
SALEM	SALEM WATER DEPARTMENT	CANOBIE LAKE WATER TREATMENT PLANT	2/12/2013	<20	<40
SALEM	SALEM WATER DEPARTMENT	CANOBIE LAKE WATER TREATMENT PLANT	5/10/2013	<20	<40

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
SALEM	SALEM WATER DEPARTMENT	CANOBIE LAKE WATER TREATMENT PLANT	8/12/2013	<20	<40
SALEM	SALEM WATER DEPARTMENT	CANOBIE LAKE WATER TREATMENT PLANT	11/6/2013	<20	<40
SALEM	SCOTTISH HIGHLAND GOLF COURSE	BEDROCK WELL	6/14/2016	<2	<4
SALISBURY	SALISBURY ELEMENTARY SCHOOL	BEDROCK WELL	12/14/2016	<2	<4
SANDOWN	PEU/BEAVER HOLLOW	BEDROCK WELL	5/25/2016	4	<4
SANDOWN	SANDOWN CENTRAL SCH	BEDROCK WELL	10/20/2016	<2	<4
SANDOWN	SANDOWN NORTH ELEMENTARY SCH	BEDROCK WELL	10/20/2016	<2	<4
SANDWICH	SANDWICH CENTRAL SCH	BEDROCK WELL	8/23/2016	<2	<4
SEABROOK	SEABROOK WATER DEPT	BEDROCK WELLS	5/20/2013	<40	<20
SEABROOK	SEABROOK WATER DEPT	BEDROCK WELLS	11/20/2013	<40	<20
SEABROOK	SEABROOK WATER DEPT	GRAVEL WELL - RILEY	5/20/2013	<40	<20
SEABROOK	SEABROOK WATER DEPT	GRAVEL WELL - RILEY	11/20/2013	<40	<20

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
SEABROOK	SEABROOK WATER DEPT	GRAVEL WELL - TRUE	5/20/2013	<40	<20
SEABROOK	SEABROOK WATER DEPT	GRAVEL WELL - TRUE	11/20/2013	<40	<20
SEABROOK	SEABROOK WATER DEPT	GRAVEL WELL 7	5/20/2013	<40	<20
SEABROOK	SEABROOK WATER DEPT	GRAVEL WELL 7	11/20/2013	<40	<20
SOMERSWORTH	SOMERSWORTH WATERWORKS	SURFACE WATER	10/23/2013	<20	<40
SOMERSWORTH	SOMERSWORTH WATERWORKS	SURFACE WATER	1/22/2014	<20	<40
SOMERSWORTH	SOMERSWORTH WATERWORKS	SURFACE WATER	4/7/2014	<20	<40
SOMERSWORTH	SOMERSWORTH WATERWORKS	SURFACE WATER	8/12/2014	<20	<40
SOUTH HAMPTON	BANARD SCHOOL	BEDROCK WELL	12/8/2016	<2	<4
STARK	STARK VILLAGE SCH	BEDROCK WELL	10/17/2016	<1	<4
STRATHAM	ACORN SCHOOL	BEDROCK WELL	12/19/2016	<2	<4
STRATHAM	ABERDEEN/WEST	BEDROCK WELL	10/12/2016	<2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
STRATHAM	PENNISULA AT WINDING BROOK	BEDROCK WELLS	12/14/2016	<2	<4
STRATHAM	STRATHAM MEMORIAL SCH	BEDROCK WELLS	11/3/2016	5	<4
STRATHAM	VINEYARDS	BEDROCK WELLS	5/4/2016	<2	<4
SUNAPEE	GEORGES MILLS WATER WORKS	BEDROCK WELL	9/1/2016	<1	<4
SUNAPEE	SUNAPEE WATER WORKS	SURFACE WATER	9/1/2016	<1	<4
SWANZEY	ASHUELOT RIVER APTS	BEDROCK WELL	9/16/2016	<2	<4
SWANZEY	FOREST VIEW ESTATES	BEDROCK WELL	8/18/2016	<2	<4
SWANZEY	MONADNOCK REGIONAL HIGH SCHOOL	BEDROCK WELL	8/8/2016	<2	<4
SWANZEY	PINE GROVE MOBILE HOME PARK	BEDROCK WELL	8/18/2016	<2	<4
SWANZEY	VIEW POINT COOP	BEDROCK WELL	8/18/2016	<2	<4
TAMWORK	TAMWORK PRESCHOOL	BEDROCK WELL	12/13/2016	<2	<4
THORNTON	THORNTON CENTRAL SCH	BEDROCK WELL	10/24/2016	<2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
TILTON	3M	BEDROCK WELL	11/2/2016	2	<4
TILTON	AUTOSERV TILTON	BEDROCK WELL	9/12/2016	<2	<4
TILTON	BJS WHOLESALE CLUB	WELL #1	9/30/2016	<1	<4
TILTON	LOCHMERE VILLAGE DIST	GRAVEL WELLS	8/22/2016	2	8
TILTON	PEU/NORTHERN SHORES	BEDROCK WELLS	5/26/2016	<2	<4
TILTON	TANGER OUTLET CENTER	BEDROCK WELL	8/11/2016	<2	<4
TILTON	WINNISQUAM VILLAGE CONDOS	BEDROCK WELLS	5/26/2016	<2	<4
TUFTONBORO	PAK 2000 OFFICE	BEDROCK WELL	8/29/2016	<2	<4
TUFTONBORO	TUFTONBORO CENTRAL SCH	BEDROCK WELL	10/3/2016	<2	<4
UNITY	SULLIVAN COUNTY COMPLEX	BEDROCK WELL	9/22/2016	<2	<4
WALPOLE	BENSON WOODWORKING	BEDROCK WELL	8/9/2016	<4	<1
WEARE	GRANITE STATE TELEPHONE	BEDROCK WELL	8/5/2016	<2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
WEARE	JOHN STARK HIGH SCHOOL	BEDROCK WELL	12/6/2016	3.7	1
WEARE	LANCTOTS CENTER	BEDROCK WELL	12/9/2016	<2	<4
WEARE	PEU/DANIELS LAKE	GRAVEL WELL	5/26/2016	2	<4
WEARE	SOUTH WEARE WATER	BEDROCK WELL	8/14/2016	<2	<4
WEBSTER	WEBSTER ELEMENTARY SCH	NURSES OFFICE	10/20/2016	<2	<4
WENTWORTH	WENTWORTH ELEMENTARY SCH	BEDROCK WELL	10/24/2016	<2	<4
WESTMORELAND	WESTMORELAND ELEMENTARY SCHOOL	BEDROCK WELL	9/12/2016	<2	<4
WILTON	WILTON WATER WORKS	GRAVEL WELL - EVERETT	8/3/2016	<2	<4
WILTON	WILTON WATER WORKS	GRAVEL WELL - EVERETT	8/3/2016	<2	<4
WINCHESTER	WINCHESTER WATER DEPARTMENT	GRAVEL WELL 1	8/17/2016	<2	<4
WINCHESTER	WINCHESTER WATER DEPARTMENT	GRAVEL WELL 2	8/17/2016	<2	<4
WINCHESTER	WINCHESTER WATER DEPARTMENT	GRAVEL WELL 3	8/17/2016	<2	<4

PFOA/PFOS Sampling Results for Public Water Systems in New Hampshire (Updated 5/3/2017)

All Units are in Nanograms-Per-Liter (parts-per-trillion)

Note: Analytical detection limits vary substantially in the results below. When a concentration is not detected, the minimum concentration that the lab was able to test for is preceded by the "<" sign

This table provides a summary of water quality data reported to NHDES. All water quality data can be found online at NHDES One Stop (des.nh.gov) as soon as it is reported to NHDES.

TOWN	WATER SYSTEM NAME	SOURCE	DATE SAMPLED	PERFLUOROOCCTANOIC ACID PFOA	PERFLUOROOCCTANE SULFONATE PFOS
WINCHESTER	WINCHESTER WATER DEPARTMENT	GRAVEL WELL 3-5	8/17/2016	<2	<4
WINDHAM	PEU/CASTLE REACH	BEDROCK WELLS	5/25/2016	10	<4
WINDHAM	PEU/FLETCHER CORNER ESTATES	BEDROCK WELLS	5/26/2016	<2	<4
WINDHAM	PEU/GOLDEN BROOK	BEDROCK WELLS	5/26/2016	2	<4
WINDHAM	PEU/HARDWOOD HTS BIRCH HILL	BEDROCK WELLS	5/25/2016	7	<4
WINDHAM	PEU/LAMPLIGHTER VILLAGE	BEDROCK WELLS	5/25/2016	3	<4
WINDHAM	PEU/SPRUCE POND ESTS	BEDROCK WELLS	5/25/2016	6	<4
WINDHAM	PEU/W AND E	BEDROCK WELLS	5/25/2016	3	<4
WINDHAM	VILLAGES OF WINDHAM	BEDROCK WELLS	7/25/2016	3	<4
WOLFEBORO	WOLFEBORO WATER AND SEWER	SURFACE WATER	8/16/2016	<1	<4