

Appendix A.

New Hampshire Rainfall Tables

TOWN	24-hour SCS Rainfall*					
	1 yr	2 yr	10 yr	25 yr	50 yr	100 yr
ACWORTH	2.3	2.7	4.1	4.8	5.4	6.1
ALBANY	2.7	3.2	4.8	5.5	6.1	6.4
ALEXANDRIA	2.4	2.7	4.1	4.9	5.3	6.0
ALLENSTOWN	2.5	2.9	4.3	5.1	5.6	6.3
ALSTEAD	2.3	2.7	4.1	4.9	5.4	6.1
ALTON	2.4	2.9	4.2	5.1	5.5	6.2
AMHERST	2.5	2.9	4.3	5.1	5.7	6.4
ANDOVER	2.3	2.8	4.1	4.9	5.4	6.0
ANTRIM	2.4	2.8	4.2	5.0	5.6	6.2
ASHLAND	2.4	2.8	4.2	5.0	5.4	6.0
ATKINSON	2.5	3.0	4.4	5.2	5.8	6.5
ATKINSON & GILMANTON						
ACADEMY GRANT	2.3	2.5	3.8	4.6	4.9	5.4
AUBURN	2.5	3.0	4.3	5.1	5.7	6.4
BARNSTEAD	2.4	2.9	4.2	5.1	5.6	6.2
BARRINGTON	2.5	3.0	4.3	5.1	5.7	6.3
BARTLETT	3.0	3.5	5.1	5.9	6.4	7.0
BATH	2.3	2.5	3.9	4.7	5.0	5.7
BEAN'S GRANT	2.80	3.6	4.5	5.9	6.4	7.2
BEAN'S PURCHASE	3.0	3.7	5.2	6.1	6.6	7.2
BEDFORD	2.5	2.9	4.3	5.1	5.7	6.4
BELMONT	2.4	2.8	4.2	5.0	5.5	6.1
BENNINGTON	2.4	2.8	4.2	5.0	5.6	6.3
BENTON	2.3	2.6	4.0	4.8	5.1	5.8
BERLIN	2.5	3.2	4.4	5.0	5.6	6.2
BETHLEHEM EAST	2.4	3.3	4.5	5.2	6.0	6.6
BETHLEHEM WEST	2.4	2.8	4.0	4.9	5.2	5.9
BOSCAWEN	2.4	2.8	4.2	5.0	5.5	6.1
BOW	2.4	2.9	4.2	5.0	5.6	6.3
BRADFORD	2.3	2.8	4.1	4.9	5.5	6.1
BRENTWOOD	2.6	3.0	4.3	5.2	5.7	6.4
BRIDGEWATER	2.4	2.7	4.1	4.9	5.4	6.0
BRISTOL	2.4	2.7	4.1	4.9	5.4	6.0
BROOKFIELD	2.4	2.9	4.2	5.2	5.5	6.2
BROOKLINE	2.5	2.9	4.3	5.1	5.7	6.4
CAMBRIDGE	2.5	2.8	4.0	4.9	5.2	6.0
CAMPTON	2.4	2.8	4.2	4.9	5.3	6.0
CANAAN	2.3	2.6	4.0	4.8	5.3	5.9
CANDIA	2.5	3.0	4.3	5.1	5.7	6.3
CANTERBURY	2.4	2.8	4.2	5.0	5.5	6.2
CARROLL	2.5	3.2	4.5	5.1	6.0	6.4
CENTER HARBOR	2.4	2.8	4.2	5.0	5.4	6.0
CHANDLER'S PURCHASE	2.8	3.6	5.0	5.8	6.4	7.1

*Rainfall data is interpolated from *Technical Paper No. 40 (TP40) Rainfall Frequency Atlas of the Eastern United States*. Other data may be used (e.g., *Atlas of Precipitation Extremes for the Northeastern United States and Southeastern Canada* by Cornell University, Northeast Regional Climate Center, September, 1993.)

TOWN	24-hour SCS Rainfall*					
	1 yr	2 yr	10 yr	25 yr	50 yr	100 yr
CHARLESTOWN	2.3	2.7	4.1	4.8	5.4	6.0
CHATHAM	3.0	3.6	5.2	6.2	6.6	7.2
CHESTER	2.5	3.0	4.3	5.1	5.7	6.4
CHESTERFIELD	2.3	2.8	4.2	4.9	5.5	6.2
CHICHESTER	2.4	2.9	4.2	5.1	5.6	6.2
CLAREMONT	2.3	2.6	4.1	4.8	5.3	6.0
CLARKSVILLE	2.3	2.5	3.7	4.5	4.9	5.3
COLEBROOK	2.3	2.5	3.8	4.6	4.9	5.4
COLUMBIA	2.3	2.5	3.8	4.6	4.9	5.5
CONCORD	2.4	2.9	4.2	5.0	5.6	6.2
CONWAY	3.0	3.3	5.0	5.7	6.2	6.6
CORNISH	2.3	2.6	4.0	4.8	5.3	5.9
CRAWFORD'S PURCHASE	2.5	3.5	4.8	5.5	6.2	7.1
CROYDON	2.3	2.7	4.0	4.8	5.3	6.0
CUTT'S GRANT	2.9	3.7	5.2	6.0	6.6	7.2
DALTON	2.4	2.6	4.0	4.9	5.1	5.8
DANBURY	2.3	2.7	4.1	4.9	5.4	6.0
DANVILLE	2.5	3.0	4.3	5.2	5.8	6.4
DEERFIELD	2.5	2.9	4.3	5.1	5.7	6.3
DEERING	2.4	2.8	4.2	5.0	5.6	6.2
DERRY	2.5	3.0	4.3	5.2	5.8	6.4
DIX'S GRANT	2.3	2.5	3.8	4.6	4.9	5.5
DIXVILLE	2.3	2.5	3.8	4.7	4.9	5.5
DORCHESTER	2.3	2.6	4.0	4.8	5.2	5.8
DOVER	2.5	3.0	4.3	5.2	5.7	6.4
DUBLIN	2.4	2.8	4.2	5.0	5.6	6.3
DUMMER	2.4	2.6	4.0	4.9	5.1	5.9
DUNBARTON	2.4	2.9	4.2	5.0	5.6	6.3
DURHAM	2.5	3.0	4.3	5.2	5.7	6.4
EAST KINGSTON	2.6	3.1	4.4	5.2	5.8	6.5
EASTON	2.4	2.6	4.0	4.8	5.2	5.8
EATON	2.7	3.1	4.8	5.2	6.1	6.2
EFFINGHAM	2.5	3.0	4.5	5.2	5.6	6.2
ELLSWORTH	2.4	2.7	4.2	4.9	5.2	5.9
ENFIELD	2.3	2.6	4.0	4.8	5.3	5.9
EPPING	2.5	3.0	4.3	5.2	5.7	6.4
EPSOM	2.5	2.9	4.3	5.1	5.6	6.2
ERROL	2.4	2.6	3.9	4.8	5.1	5.8
ERVING'S LOCATION	2.3	2.5	3.8	4.7	5.0	5.6
EXETER	2.6	3.0	4.4	5.2	5.8	6.4
FARMINGTON	2.5	2.9	4.3	5.1	5.6	6.2
FITZWILLIAM	2.4	2.9	4.2	5.0	5.6	6.3
FRANCESTOWN	2.4	2.9	4.2	5.0	5.6	6.3
FRANCONIA	2.4	2.8	4.2	5.0	5.4	6.0

*Rainfall data is interpolated from *Technical Paper No. 40 (TP40) Rainfall Frequency Atlas of the Eastern United States*. Other data may be used (e.g., *Atlas of Precipitation Extremes for the Northeastern United States and Southeastern Canada* by Cornell University, Northeast Regional Climate Center, September, 1993.)

TOWN	24-hour SCS Rainfall*					
	1 yr	2 yr	10 yr	25 yr	50 yr	100 yr
FRANKLIN	2.4	2.8	4.1	5.0	5.4	6.1
FREEDOM	2.5	3.0	4.6	5.2	5.9	6.2
FREMONT	2.5	3.0	4.3	5.2	5.7	6.4
GILFORD	2.4	2.8	4.1	5.0	5.5	6.1
GILMANTON	2.4	2.9	4.2	5.0	5.5	6.2
GILSUM	2.3	2.8	4.1	4.9	5.5	6.2
GOFFSTOWN	2.5	2.9	4.2	5.1	5.7	6.3
GORHAM	2.7	3.4	4.9	5.4	6.2	6.7
GOSHEN	2.3	2.7	4.1	4.8	5.4	6.1
GRAFTON	2.3	2.7	4.0	4.8	5.3	5.9
GRANTHAM	2.3	2.6	4.0	4.8	5.3	5.9
GREENFIELD	2.4	2.9	4.2	5.0	5.6	6.3
GREENLAND	2.6	3.1	4.4	5.2	5.8	6.4
GREEN'S GRANT	3.0	3.7	5.2	6.1	6.6	7.2
GREENVILLE	2.5	2.9	4.3	5.1	5.7	6.4
GROTON	2.3	2.6	4.1	4.8	5.3	5.9
HADLEY'S PURCHASE	2.9	3.6	5.1	5.9	6.4	7.1
HALE'S LOCATION	3.0	3.4	5.0	5.8	6.3	6.7
HAMPSTEAD	2.5	3.0	4.3	5.2	5.8	6.4
HAMPTON	2.6	3.1	4.4	5.2	5.8	6.5
HAMPTON FALLS	2.6	3.1	4.4	5.2	5.8	6.5
HANCOCK	2.4	2.8	4.2	5.0	5.6	6.3
HANOVER	2.3	2.6	4.0	4.7	5.2	5.8
HARRISVILLE	2.4	2.8	4.2	5.0	5.6	6.3
HART'S LOCATION	2.9	3.6	5.0	5.8	6.3	7.1
HAVERHILL	2.3	2.5	3.9	4.7	5.1	5.7
HEBRON	2.4	2.7	4.1	4.9	5.3	5.9
HENNIKER	2.4	2.8	4.2	5.0	5.5	6.2
HILL	2.3	2.7	4.1	4.9	5.4	6.0
HILLSBOROUGH	2.4	2.8	4.2	4.9	5.5	6.2
HINSDALE	2.3	2.8	4.2	5.0	5.6	6.3
HOLDERNESS	2.4	2.8	4.2	5.0	5.4	6.0
HOLLIS	2.5	3.0	4.3	5.1	5.8	6.4
HOOKSETT	2.5	2.9	4.3	5.1	5.7	6.3
HOPKINTON	2.4	2.8	4.2	5.0	5.6	6.2
HUDSON	2.6	3.0	4.3	5.2	5.8	6.4
JACKSON	3.0	3.7	5.2	6.2	6.6	7.2
JAFFREY	2.4	2.9	4.2	5.0	5.6	6.3
JEFFERSON	2.5	3.1	4.3	5.0	5.6	6.1
KEENE	2.3	2.8	4.2	4.9	5.5	6.2
KENSINGTON	2.6	3.1	4.4	5.2	5.8	6.5
KILKENNY	2.4	2.8	4.1	4.9	5.3	6.1
KINGSTON	2.6	3.0	4.4	5.2	5.8	6.5
LACONIA	2.4	2.8	4.1	5.0	5.4	6.1

*Rainfall data is interpolated from *Technical Paper No. 40 (TP40) Rainfall Frequency Atlas of the Eastern United States*. Other data may be used (e.g., *Atlas of Precipitation Extremes for the Northeastern United States and Southeastern Canada* by Cornell University, Northeast Regional Climate Center, September, 1993.)

TOWN	24-hour SCS Rainfall*					
	1 yr	2 yr	10 yr	25 yr	50 yr	100 yr
LANCASTER	2.4	2.6	4.0	4.9	5.2	5.9
LANDAFF	2.4	2.5	3.9	4.8	5.1	5.8
LANGDON	2.3	2.7	4.1	4.8	5.4	6.1
LEBANON	2.3	2.6	4.0	4.7	5.2	5.8
LEE	2.5	3.0	4.3	5.2	5.7	6.4
LEMPSTER	2.3	2.7	4.1	4.9	5.4	6.1
LINCOLN	2.5	3.0	4.5	5.1	5.6	6.2
LISBON	2.4	2.5	3.9	4.8	5.1	5.7
LITCHFIELD	2.5	3.0	4.3	5.1	5.7	6.4
LITTLETON	2.4	2.5	3.9	4.8	5.1	5.8
LIVERMORE	2.6	3.3	4.7	5.4	6.1	6.5
LONDONDERRY	2.5	3.0	4.3	5.1	5.7	6.4
LOUDON	2.4	2.9	4.2	5.0	5.6	6.2
LOW & BURBANK'S GRANT	3.0	3.5	4.8	5.6	6.2	6.8
LYMAN	2.4	2.5	3.8	4.7	5.0	5.7
LYME	2.3	2.5	4.0	4.7	5.2	5.8
LYNDEBOROUGH	2.4	2.9	4.2	5.0	5.7	6.3
MADBURY	2.5	3.0	4.3	5.2	5.7	6.4
MADISON	2.7	3.1	4.7	5.2	6.1	6.2
MANCHESTER	2.5	2.9	4.3	5.1	5.7	6.4
MARLBOROUGH	2.4	2.8	4.2	5.0	5.6	6.3
MARLOW	2.3	2.7	4.1	4.9	5.5	6.1
MARTIN'S LOCATION	3.0	3.6	5.1	5.9	6.4	7.1
MASON	2.5	2.9	4.3	5.1	5.7	6.4
MEREDITH	2.4	2.8	4.1	5.0	5.4	6.0
MERRIMACK	2.5	3.0	4.3	5.1	5.7	6.4
MIDDLETON	2.5	2.9	4.2	5.1	5.5	6.2
MILAN	2.4	3.0	4.2	4.9	5.3	6.1
MILFORD	2.5	2.9	4.3	5.1	5.7	6.4
MILLSFIELD	2.4	2.5	3.9	4.8	5.0	5.7
MILTON	2.5	2.9	4.3	5.1	5.6	6.2
MONROE	2.4	2.5	3.8	4.6	5.0	5.6
MONT VERNON	2.5	2.9	4.3	5.1	5.7	6.3
MOULTONBOROUGH	2.5	2.9	4.3	5.1	5.5	6.2
NASHUA	2.6	3.0	4.3	5.2	5.8	6.4
NELSON	2.4	2.8	4.2	4.9	5.6	6.3
NEW BOSTON	2.5	2.9	4.2	5.0	5.7	6.3
NEW CASTLE	2.6	3.1	4.4	5.2	5.8	6.5
NEW DURHAM	2.5	2.9	4.2	5.1	5.5	6.2
NEW HAMPTON	2.4	2.8	4.1	4.9	5.4	6.0
NEW IPSWICH	2.5	2.9	4.3	5.1	5.7	6.4
NEW LONDON	2.3	2.7	4.1	4.8	5.4	6.0
NEWBURY	2.3	2.7	4.1	4.9	5.4	6.1

*Rainfall data is interpolated from *Technical Paper No. 40 (TP40) Rainfall Frequency Atlas of the Eastern United States*. Other data may be used (e.g., *Atlas of Precipitation Extremes for the Northeastern United States and Southeastern Canada* by Cornell University, Northeast Regional Climate Center, September, 1993.)

TOWN	24-hour SCS Rainfall*					
	1 yr	2 yr	10 yr	25 yr	50 yr	100 yr
NEWFIELDS	2.6	3.0	4.4	5.2	5.7	6.4
NEWINGTON	2.6	3.0	4.4	5.2	5.7	6.4
NEWMARKET	2.6	3.0	4.3	5.2	5.7	6.4
NEWPORT	2.3	2.7	4.1	4.8	5.3	6.0
NEWTON	2.6	3.1	4.4	5.2	5.8	6.5
NORTH HAMPTON	2.6	3.1	4.4	5.2	5.8	6.5
NORTHFIELD	2.4	2.8	4.2	5.0	5.5	6.1
NORTHUMBERLAND	2.4	2.5	4.0	4.9	5.1	5.9
NORTHWOOD	2.5	2.9	4.3	5.1	5.6	6.3
NOTTINGHAM	2.5	3.0	4.3	5.1	5.7	6.4
ODELL	2.4	2.5	3.9	4.7	5.0	5.7
ORANGE	2.3	2.6	4.0	4.8	5.3	5.9
ORFORD	2.3	2.6	4.0	4.7	5.1	5.8
OSSIPEE	2.5	2.9	4.3	5.2	5.5	6.2
PELHAM	2.6	3.0	4.4	5.2	5.8	6.5
PEMBROKE	2.4	2.9	4.2	5.0	5.6	6.2
PETERBOROUGH	2.4	2.9	4.2	5.0	5.6	6.3
PIERMONT	2.3	2.5	3.9	4.7	5.1	5.8
PINKHAM'S GRANT	3.0	3.8	5.2	6.2	6.6	7.2
PITTSBURG	2.3	2.4	3.7	4.4	4.9	5.2
PITTSFIELD	2.5	2.9	4.2	5.1	5.6	6.2
PLAINFIELD	2.3	2.6	4.0	4.8	5.2	5.9
PLAISTOW	2.6	3.1	4.4	5.2	5.8	6.5
PLYMOUTH	2.4	2.7	4.2	4.9	5.3	5.9
PORTSMOUTH	2.6	3.1	4.4	5.2	5.8	6.5
RANDOLPH	2.7	3.3	4.6	5.2	6.1	6.4
RAYMOND	2.5	3.0	4.3	5.1	5.7	6.4
RICHMOND	2.4	2.8	4.2	5.0	5.6	6.3
RINDGE	2.4	2.9	4.2	5.0	5.7	6.4
ROCHESTER	2.5	3.0	4.3	5.1	5.6	6.3
ROLLINSFORD	2.5	3.0	4.3	5.2	5.7	6.4
ROXBURY	2.4	2.8	4.2	4.9	5.6	6.3
RUMNEY	2.4	2.6	4.1	4.9	5.3	5.9
RYE	2.6	3.1	4.4	5.2	5.8	6.5
SALEM	2.5	3.0	4.4	5.2	5.8	6.5
SALISBURY	2.4	2.8	4.1	4.9	5.5	6.1
SANBORNTON	2.4	2.8	4.1	5.0	5.4	6.1
SANDOWN	2.5	3.0	4.3	5.2	5.7	6.4
SANDWICH	2.5	3.0	4.4	5.1	5.5	6.2
SARGENT'S PURCHASE	2.9	3.8	5.2	6.1	6.6	7.2
SEABROOK	2.6	3.1	4.4	5.2	5.8	6.5
SECOND COLLEGE GRANT	2.3	2.5	3.8	4.7	5.0	5.5
SHARON	2.4	2.9	4.2	5.0	5.7	6.4

*Rainfall data is interpolated from *Technical Paper No. 40 (TP40) Rainfall Frequency Atlas of the Eastern United States*. Other data may be used (e.g., *Atlas of Precipitation Extremes for the Northeastern United States and Southeastern Canada* by Cornell University, Northeast Regional Climate Center, September, 1993.)

TOWN	24-hour SCS Rainfall*					
	1 yr	2 yr	10 yr	25 yr	50 yr	100 yr
SHELBURNE	2.7	3.5	5.1	5.4	6.2	6.8
SOMERSWORTH	2.5	3.0	4.3	5.2	5.7	6.3
SOUTH HAMPTON	2.6	3.1	4.4	5.2	5.8	6.5
SPRINGFIELD	2.3	2.7	4.1	4.8	5.3	6.0
STARK	2.4	2.6	4.0	4.9	5.1	5.9
STEWARTSTOWN	2.3	2.4	3.7	4.5	4.9	5.3
STODDARD	2.4	2.8	4.1	4.9	5.5	6.2
STRAFFORD	2.5	2.9	4.3	5.1	5.6	6.3
STRATFORD	2.4	2.5	3.8	4.7	5.0	5.6
STRATHAM	2.6	3.1	4.4	5.2	5.8	6.4
SUCCESS	2.5	3.2	4.5	5.1	5.6	6.2
SUGAR HILL	2.4	2.6	3.9	4.8	5.1	5.8
SULLIVAN	2.3	2.8	4.2	4.9	5.5	6.2
SUNAPEE	2.3	2.7	4.1	4.8	5.4	6.0
SURRY	2.3	2.8	4.1	4.9	5.5	6.2
SUTTON	2.3	2.7	4.1	4.9	5.4	6.1
SWANZEY	2.4	2.8	4.2	5.0	5.6	6.3
TAMWORTH	2.5	3.1	4.6	5.2	6.0	6.2
TEMPLE	2.4	2.9	4.2	5.0	5.7	6.4
THOMPSON & MESERVE'S PURCHASE	3.0	3.6	5.0	5.9	6.5	7.1
THORNTON	2.5	2.9	4.3	5.0	5.3	6.0
TILTON	2.4	2.8	4.2	5.0	5.5	6.1
TROY	2.4	2.8	4.2	5.0	5.6	6.3
TUFTONBORO	2.5	2.9	4.2	5.2	5.5	6.2
UNITY	2.3	2.7	4.1	4.8	5.4	6.0
WAKEFIELD	2.4	2.9	4.2	5.2	5.5	6.2
WALPOLE	2.3	2.7	4.1	4.9	5.4	6.1
WARNER	2.4	2.8	4.2	4.9	5.5	6.1
WARREN	2.4	2.6	4.0	4.8	5.2	5.8
WASHINGTON	2.3	2.7	4.1	4.9	5.5	6.1
WATERVILLE VALLEY	2.5	3.1	4.5	5.1	5.7	6.2
WEARE	2.4	2.9	4.2	5.0	5.6	6.3
WENTWORTH	2.4	2.6	4.0	4.8	5.2	5.8
WENTWORTH'S LOCATION	2.3	2.5	3.9	4.7	5.0	5.7
WESTMORELAND	2.3	2.8	4.1	4.9	5.5	6.2
WHITEFIELD	2.4	2.9	4.1	4.9	5.3	6.0
WILMOT	2.3	2.7	4.1	4.9	5.4	6.0
WILTON	2.5	2.9	4.3	5.1	5.7	6.4
WINCHESTER	2.4	2.8	4.2	5.0	5.6	6.3
WINDHAM	2.5	3.0	4.3	5.2	5.8	6.5
WINDSOR	2.4	2.8	4.2	4.9	5.5	6.2
WOLFEBORO	2.4	2.9	4.2	5.2	5.5	6.2
WOODSTOCK	2.4	2.7	4.2	4.9	5.3	5.9

*Rainfall data is interpolated from *Technical Paper No. 40 (TP40) Rainfall Frequency Atlas of the Eastern United States*. Other data may be used (e.g., *Atlas of Precipitation Extremes for the Northeastern United States and Southeastern Canada* by Cornell University, Northeast Regional Climate Center, September, 1993.)