

Wetlands Applications Decision Report

Decisions Taken
05/29/2017 to 06/04/2017

CDR - ~~6/5/17~~ ✓
6/5/17

DISCLAIMER:

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

APPEAL:

Any party aggrieved by a decision may file an appeal within 30 days of the date of this decision as specified in RSA 482-A:10, RSA 21-O:14, and the rules adopted by the Wetlands Council, Env-WtC 100-200.

The appeal must be filed directly with the Council, c/o the Council Appeals Clerk, who may be contacted at (603) 271-6072 or atappeals@des.nh.gov. The notice of appeal must set forth fully every ground upon which it is claimed that the decision complained of is unlawful or unreasonable. Only those grounds set forth in the notice of appeal can be considered by the council.

05/29/2017 to 06/04/2017

MAJOR IMPACT PROJECT

2016-02247

GREEN ACRE WOODLANDS INC

GROTON GROTON HOLLOW/CLARK BROOK

Requested Action:

Dredge and fill 1,330 square feet within the bed and banks of Clark Brook (tier 3, impacting approximately 126 linear feet) to replace an existing forest access bridge and abutments with a 12 foot wide by 40 foot long span bridge.

APPROVE PERMIT

Dredge and fill 1,330 square feet within the bed and banks of Clark Brook (tier 3, impacting approximately 126 linear feet) to replace an existing forest access bridge and abutments with a 12 foot wide by 40 foot long span bridge.

With Conditions:

1. All work shall be in accordance with revised plans by Brown Engineering & Surveying dated July 8, 2016, as received by the NH Department of Environmental Services (DES) on May 22, 2017.
2. Not less than 5 state business days prior to starting work authorized by this permit, the permittee shall notify the DES Wetlands Program and the local conservation commission in writing of the date on which work under this permit is expected to start.
3. No person undertaking any activity shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards in RSA 485-A and New Hampshire Administrative Rule Env-Wq 1700.
4. Stream work shall be done during low flow conditions.
5. Work authorized shall be carried out such that there are no discharges in or to spawning or nursery areas during spawning seasons. Impacts to such areas shall be avoided or minimized to the maximum extent practicable during all other times of the year.
6. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.
7. All dredged and excavated material and construction-related debris shall be placed outside of the areas subject to RSA 482-A.
8. The contractor responsible for completion of the work shall use techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
9. Erosion control products shall be installed per manufacturers recommended specifications.
10. Extreme precautions shall be taken within riparian areas to prevent unnecessary removal of vegetation during construction. Areas cleared of vegetation must be revegetated with like native species within three days of the completion of the disturbance.
11. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, with a preferred undisturbed vegetated buffer of at least 50 feet and a minimum undisturbed vegetative buffer of 20 feet.
12. No construction equipment shall be operated in flowing water.
13. Construction equipment shall be inspected daily for leaking fuel, oil, and hydraulic fluid prior to entering surface waters or wetlands or operating in an area where such fluids could reach groundwater, surface waters, or wetlands.
14. The permittee's contractor shall maintain appropriate oil/diesel fuel spill kits on site that are readily accessible at all times during construction, and shall train each operator in the use of the kits.
15. All refueling of equipment shall occur outside of surface waters or wetlands during construction. Machinery shall be staged and refueled in upland areas only.
16. Faulty equipment shall be repaired immediately prior to entering areas that are subject to RSA 482-A jurisdiction.
17. A certified wetlands scientist or qualified professional, as applicable, shall monitor the project during construction to verify that all work is done in accordance with the approved plans and narratives, adequate siltation and erosion controls are properly implemented, and no water quality violations occur. A follow-up report including photographs of all stages of construction shall be submitted to the DES Wetlands Program within 60 days of final site stabilization.
18. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface

05/29/2017 to 06/04/2017

waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tackifiers on slopes less than 3:1 or netting and pinning on slopes steeper than 3:1.

With Findings:

1. This project is classified as a Major Project per NH Administrative Rule Env-Wt 903.01(g), as impacts are for replacing a tier 3 stream crossing.
2. The need for the proposed impacts has been demonstrated by the applicant per NH Administrative Rule Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per NH Administrative Rule Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in NH Administrative Rule Env-Wt 302.04(a), Requirements for Application Evaluation, has been considered in the design of the project.
5. The project proposes to replace an existing bridge over Clark Brook (tier 3) with a 12 foot wide by 40 foot long span bridge that will serve for forest management access and utility line maintenance access.
6. The applicant has addressed the stream crossing rules of Chapter Env-Wt 900.
7. Mitigation is not required as the project per NH Administrative Rule Env-Wt 904.04(f), as the project is considered self-mitigating given that the new span bridge fully accommodates the 100-year storm event.
8. DES has not received any abutter or public comments in objection to the proposed project.
9. In accordance with RSA 482-A:8, DES finds that the requirements for a public hearing do not apply as the permitted project is not of substantial public interest, and will not have a significant impact on or adversely affect the values of the riverine resource, as identified under RSA 482-A:1.

MINOR IMPACT PROJECT

2017-01380

CLAUS, GUNHILD

WASHINGTON ASHUELOT POND

Requested Action:

Replacement in-kind of an existing 4 ft. X 16 ft. walkway and non-conforming 66 sq. ft. deck constructed over the bank and public waters, installation of a 5 ft. X 30 ft. seasonal pier extending from the existing deck, installation of a seasonal boat lift in the westerly slip adjacent to the proposed dock, on an average of 136 ft. of shoreline frontage, Ashuelot Pond, Washington.

APPROVE PERMIT

Replacement in-kind of an existing 4 ft. X 16 ft. walkway and non-conforming 66 sq. ft. deck constructed over the bank and public waters, installation of a 5 ft. X 30 ft. seasonal pier extending from the existing deck, installation of a seasonal boat lift in the westerly slip adjacent to the proposed dock, on an average of 136 ft. of shoreline frontage, Ashuelot Pond, Washington.

With Conditions:

1. All work shall be in accordance with plans as received by DES on May 16, 2017.
2. This permit is not valid and effective until it has been recorded with the appropriate county Registry of Deeds by the applicant. Prior to starting work under this permit, the permittee shall submit a copy of the recorded permit to the DES Wetlands Program by certified mail, return receipt requested.
3. All development activities associated with this project shall be conducted in compliance with applicable requirements of RSA 483-B and N.H. Code of Administrative Rules Env-Wq 1400 during and after construction.
4. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a)(2)(D)(iv).
5. Work authorized shall be carried out such that there are no discharges in or to spawning or nursery areas during spawning seasons. Impacts to such areas shall be avoided or minimized to the maximum extent practicable during all other times of the year.
6. Work shall be carried out in a time and manner to avoid disturbances to migratory waterfowl breeding and nesting areas.
7. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction,

05/29/2017 to 06/04/2017

and shall remain until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.

8. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area and shall remain until suspended particles have settled and water at the work site has returned to normal clarity.

9. All dredged and excavated material and construction-related debris shall be placed outside of the areas subject to RSA 482-A . Any spoil material deposited within 250 feet of any surface water shall comply with RSA-483-B.

10. The contractor responsible for completion of the work shall use techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

11. Any subdivision of the property that results in the structure being located on a lot having less than 75 ft. of frontage will require removal of a sufficient portion of the docking structures to comply with the dock size and density requirements in effect at the time of the subdivision.

12. Only those structures shown on the approved plans shall be installed or constructed along this frontage. All portions of the structures shall be at least 20 ft. from the abutting property lines or the imaginary extension of those lines into the water.

13. No portion of the pier shall extend more than 30 feet from the shoreline at full lake elevation (Elev. 1445).

14. All seasonal structures, including watercraft lifts, shall be removed for the non-boating season.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(a) Construction or modification of a seasonal pier or wharf if no more than 2 slips, including previously existing slips, are proposed, and all criteria of Env-Wt 402 are met.

2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.

3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.

4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.

5. The Department approves the requested waiver of Env-Wt 402.21 Modification of Existing Structures as the proposed seasonal dock design will best protect the public water and environment as opposed to alternative designs considered and described in the application and whereas this design minimizes additional disturbance of the shoreline or pond bed.

MINIMUM IMPACT PROJECT

2010-02981

KINGSTON, TOWN OF

KINGSTON Unnamed Wetland

Requested Action:

Request to amend permit.

APPROVE AMENDMENT

Dredge and fill 3,250 square feet of forested wetland for the replacement of an existing 30-inch CMP culvert beneath North Road with a 5 ft x10 ft x50 ft box culvert to improve flow and provide safe vehicular passage.

With Conditions:

1. All work shall be in accordance with plans by CMA Engineers, Inc. dated May 2016 and revised through 5/30/17, as received by the NH Department of Environmental Services (DES) on May 31, 2017.

2. This permit is contingent upon the receipt of the 'Drainage Easement' for Kingston Tax Map 32 Lot 3 and Tax Map 31 Lot 22-K.

3. DES Southeast Region staff shall be notified in writing prior to commencement of work and upon its completion.

4. Additional expedited minimum impact applications shall be accepted for the subject property for a period of 12 months only if the applicant demonstrates by plan that the additional project(s) are wholly unrelated or separate from the original application and when considered with the original application are not classified as minor or major.

5. Appropriate siltation/erosion/turbidity controls shall be in place prior to construction, shall be maintained during

- construction, and remain in place until the area is stabilized. Silt fence(s) must be removed once the area is stabilized.
6. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
 7. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
 8. Unconfined work exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
 9. Temporary cofferdams shall be entirely removed immediately following construction.
 10. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
 11. Work authorized shall be carried out such that discharges shall be avoided in spawning or nursery areas during spawning seasons, and impacts to such areas shall be avoided or minimized to the maximum extent practicable during all times of the year.
 12. Work shall be carried out in a time and manner such that disturbance to migratory waterfowl breeding and nesting areas shall be avoided.
 13. No fill shall be done for lot development.
 14. No fill shall take place in Atlantic white cedar swamps.
 15. Within three days of final grading or temporary suspension of work, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
 16. Construction equipment shall be inspected daily for leaking fuel, oil and hydraulic fluid prior to entering surface waters or wetlands.
 17. Faulty equipment shall be repaired prior to entering jurisdictional areas.
 18. The contractor shall have appropriate oil spill kits on site and readily accessible at all times during construction and each operator shall be trained in its use.
 19. All refueling of equipment shall occur outside of surface waters or wetlands.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(x) Maintenance, repair, or replacement of a nondocking structure such as a culvert, headwall, bridge, dam, residential utility line, or rip-rap slope of less than 50 linear feet.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. A memo dated 8/30/2010 from the NH Natural Heritage Bureau (the "Memo") identified one (1) vertebrate species within the vicinity of the project: Spotted Turtle (*Clemmys guttata*).
6. In response to the Memo, NH Fish and Game, Nongame and Endangered Species Program "finds the design for the North Rd., Kingston culvert acceptable as it will provide aquatic species passage opportunities for a variety of wildlife, including amphibians and the State threatened spotted turtle."

2017-01256

MOORE, KEITH

TUFTONBORO LAKE WINNIPESAUKEE

Requested Action:

The installation of a 4 ft. x 40 ft. seasonal pier on an average of 63 feet of shoreline frontage, Lake Winnepesaukee, Tuftonboro.

Conservation Commission/Staff Comments:

4/20/17 Con. Com. has no objections to issuance of the permit. Site visit was made.

05/29/2017 to 06/04/2017

APPROVE PERMIT

The installation of a 4 ft. x 40 ft. seasonal pier on an average of 63 feet of shoreline frontage, Lake Winnepesaukee, Tuftonboro.

With Conditions:

1. All work shall be in accordance with plans by the Folsom Design Group dated January 18, 2016, and revised with hand drawn details of the dock dimensions and location as received by the NH Department of Environmental Services (DES) on May 4, 2017.
2. This permit is not valid and effective until it has been recorded with the appropriate county Registry of Deeds by the applicant. Prior to starting work under this permit, the permittee shall submit a copy of the recorded permit to the DES Wetlands Program by certified mail, return receipt requested.
3. All development activities associated with this project shall be conducted in compliance with applicable requirements of RSA 483-B and N.H. Code of Administrative Rules Env-Wq 1400 during and after construction.
4. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a)(2)(D)(iv).
5. Work authorized shall be carried out such that there are no discharges in or to spawning or nursery areas during spawning seasons. Impacts to such areas shall be avoided or minimized to the maximum extent practicable during all other times of the year.
6. Work shall be carried out in a time and manner to avoid disturbances to migratory waterfowl breeding and nesting areas.
7. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.
8. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area and shall remain until suspended particles have settled and water at the work site has returned to normal clarity.
9. All dredged and excavated material and construction-related debris shall be placed outside of the areas subject to RSA 482-A. Any spoil material deposited within 250 feet of any surface water shall comply with RSA-483-B.
10. The contractor responsible for completion of the work shall use techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. Any subdivision of the property that results in the structure being located on a lot having less than 63 ft. of frontage will require removal of a sufficient portion of the docking structures to comply with the dock size and density requirements in effect at the time of the subdivision.
12. Only those structures shown on the approved plans shall be installed or constructed along this frontage. All portions of the structures shall be at least 20 ft. from the abutting property lines or the imaginary extension of those lines into the water.
13. No portion of the pier shall extend more than 40 feet from the shoreline at full lake elevation (Elev. 504.32).
14. All seasonal structures shall be removed for the non-boating season.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(a), installation of a seasonal docking structure.
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. The applicant has an average of 63 feet of shoreline frontage along Lake Winnepesaukee.
6. The applicant submitted information demonstrating the need for a dock longer than 24 feet by submitting dated water depths.
7. A maximum of 2 slips may be permitted on this frontage per Rule Env-Wt 402.12, Frontage Less than 75'.
8. The proposed docking facility will provide 2 slips as defined per RSA 482-A:2, VIII and therefore meets Rule Env-Wt 402.12.

EXPEDITED MINIMUM

2017-00991

FRANKLIN DERRY ASSOCIATES LP

DERRY Unnamed Stream

Requested Action:

Impact a total of 628 square feet (sq. ft.) within the banks of an unnamed intermittent stream to include 200 sq. ft. of permanent impact and 428 sq. ft. of temporary impact along 48 linear feet to remove the existing foot bridge and replace with a new foot bridge.

APPROVE PERMIT

Impact a total of 628 square feet (sq. ft.) within the banks of an unnamed intermittent stream to include 200 sq. ft. of permanent impact and 428 sq. ft. of temporary impact along 48 linear feet to remove the existing foot bridge and replace with a new foot bridge.

With Conditions:

1. All work shall be in accordance with plans by Scott Freman as received by the NH Department of Environmental Services (NHDES) on May 3, 2017.
2. Any further alteration of areas on this property that are subject to RSA 482-A jurisdiction will require further permitting.
3. No person undertaking any activity shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards in RSA 485-A and Env-Wq 1700.
4. Work shall be done during low flow and in the dry only.
5. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.
6. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area and shall remain until suspended particles have settled and water at the work site has returned to normal clarity.
7. The contractor responsible for completion of the work shall use techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
8. Extreme precautions shall be taken within riparian areas to prevent unnecessary removal of vegetation during construction. Areas cleared of vegetation must be revegetated with like native species within three days of the completion of the disturbance.
9. Dredged materials, whether to be stockpiled or disposed of, shall be dewatered in sedimentation basins lined with siltation and erosion controls, and located outside of areas subject to RSA 482-A jurisdiction.
10. Construction equipment shall be inspected daily for leaking fuel, oil, and hydraulic fluid prior to entering surface waters or wetlands or operating in an area where such fluids could reach groundwater, surface waters, or wetlands.
11. The permittee's contractor shall maintain appropriate oil/diesel fuel spill kits on site that are readily accessible at all times during construction, and shall train each operator in the use of the kits.
12. All refueling of equipment shall occur outside of surface waters or wetlands during construction. Machinery shall be staged and refueled in upland areas only.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(x) Maintenance, repair, or replacement of a nondocking structure such as a culvert, headwall, bridge, dam, residential utility line, or rip-rap slope of less than 50 linear feet,
2. The existing bridge is in disrepair; therefore, the need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) Requirements for Application Evaluation, has been considered in the design of the project.
5. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program or the Natural Heritage Bureau.
6. The Derry Conservation Commission signed the application waiving their right to intervene pursuant to RSA 482-A:11.

05/29/2017 to 06/04/2017

Requested Action:

Remove and regrade 1,552 square feet of accumulated beach sand along 43 linear feet of seawall to provide better exposure of the seawall to protect the property from ocean waves.

APPROVE PERMIT

Remove and regrade 1,552 square feet of accumulated beach sand along 43 linear feet of seawall to provide better exposure of the seawall to protect the property from ocean waves.

With Conditions:

1. All work shall be in accordance with plans by Ambit Engineering, Inc. dated April 2017 and revised 4/7/17 as received by the NH Department of Environmental Services (NHDES) on May 1, 2017.
2. The contractor shall supply NHDES with a plan depicting how the work site will be accessed prior to the start of work.
3. Not less than 5 state business days prior to starting work authorized by this permit, the permitted shall notify the NHDES and the Rye Conservation Commission in writing of the date on which work under this permit is expected to start.
4. Any further alteration of areas on this property that are subject to RSA 482-A jurisdiction will require further permitting.
5. All development activities associated with this project shall be conducted in compliance with applicable requirements of RSA 483-B and N.H. Code Admin. Rules Env-Wq 1400 during and after construction.
6. No person undertaking any activity shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards in RSA 485-A and Env-Wq 1700.
7. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.
8. All work shall occur landward of the highest observable tide line.
9. No machinery shall enter the ocean.
10. The permittee's contractor shall maintain appropriate oil/diesel fuel spill kits on site that are readily accessible at all times during construction, and shall train each operator in the use of the kits.
11. All refueling of equipment shall occur outside of surface waters or wetlands during construction. Machinery shall be staged and refueled in upland areas only.
12. Faulty equipment shall be repaired immediately prior to entering areas that are subject to RSA 482-A jurisdiction.

With Findings:

1. This is a minimum impact project per Administrative Rule Env-Wt 303.04(b) Projects in previously-developed upland areas within 100 feet of the highest observable tide line unless they are major or minor as defined in Env-Wt 303.02 or Env-Wt 303.03, respectively;
2. The removal of the accumulated sand is necessary to provide more wall exposure for tidal wave action; therefore, the need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01.
3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(b) and (c) Requirements for Application Evaluation, has been considered in the design of the project.
5. No comments were submitted from the NHFG Nongame and Endangered Wildlife Program or the Natural Heritage Bureau.
6. The Rye Conservation Commission signed the application waiving their right to intervene pursuant to RSA 482-A:11.
7. Pursuant to Env-Wt 304.04(a), the applicant received written concurrence from those abutters whose properties are within 20-feet of the proposed impacts.

PERMIT BY NOTIFICATION

2017-01419

US ARMY CORPS OF ENGINEERS

WEARE EVERETT LAKE

FORESTRY NOTIFICATION

2017-01528 **NH DRED**
 NH DIVISION OF FORESTS AND LANDS
GILFORD Unnamed Stream

COMPLETE NOTIFICATION
Gilford Tax Map #256, Lot #1

2017-01533 **CHRISENTON, THOMAS/VIRGINIA**

GREENFIELD Unnamed Stream

COMPLETE NOTIFICATION
Greenfield Tax Map #R-10, Lot # 13 & 13-1

2017-01537 **BAYROOT LLC**

MILLSFIELD Unnamed Stream

COMPLETE NOTIFICATION
Millsfield Tax Map #1623, Lot #14

2017-01541 **WEBSTER LAND CORPORATION**

SANDWICH Unnamed Stream

COMPLETE NOTIFICATION
Sandwich Tax Map #22, Lot #15

05/29/2017 to 06/04/2017

2017-01553 **MONTGOMERY TIMBER COMPANY**

PIERMONT Unnamed Stream

COMPLETE NOTIFICATION
Piermont Tax Map #R8, Lot #9

2017-01560 **RUSSELL, MARIANNE**

BROOKLINE Unnamed Stream

COMPLETE NOTIFICATION
Brookline Tax Map #47, Lot #1

2017-01567 **NH DIVISION OF FORESTS AND LANDS**

GROTON Unnamed Stream

COMPLETE NOTIFICATION
Groton Tax Map #5, Lot #28

GOLD DREDGE

2017-01504 **GREEN, DONALD**

(ALL TOWNS) Unnamed Stream

APPROVE PERMIT
Gold Dredge

2017-01551 **TASSINARI, ALEXANDER**

(ALL TOWNS) Unnamed Stream

05/29/2017 to 06/04/2017

APPROVE PERMIT
Gold Dredge

LAKES-SEASONAL DOCK NOTIFICATION

2017-01435

COURCY, LEO

DERRY BEAVER LAKE

Requested Action:

Installation of a seasonal pier not to exceed 6 ft X 30 ft along frontage on Beaver Lake in Derry.

Conservation Commission/Staff Comments:

Applicant sent in a copy of his Deed and an appraisal to show there was at least 75 ft of water frontage.

COMPLETE NOTIFICATION

Installation of a seasonal pier not to exceed 6 ft X 30 ft along frontage on Beaver Lake in Derry.

2017-01501

MADEN, PATRICIA/ROBERT

STODDARD GRANITE LAKE

Requested Action:

Installation of a seasonal pier not to exceed 6 ft X 30 ft on frontage along Granite Lake in Stoddard.

COMPLETE NOTIFICATION

Installation of a seasonal pier not to exceed 6 ft X 30 ft on frontage along Granite Lake in Stoddard.

2017-01502

TOMBARELLO, GEORGE

LOUDON CROOKED POND

05/29/2017 to 06/04/2017

Requested Action:

Installation of a seasonal pier not to exceed 6 ft X 30 ft on frontage along Crooked Pond in Loudon.

COMPLETE NOTIFICATION

Installation of a seasonal pier not to exceed 6 ft X 30 ft on frontage along Crooked Pond in Loudon.

2017-01531

ESTABROOK FAMILY TRUST

BARRINGTON SWAINS LAKE

Requested Action:

Installation of a seasonal pier not to exceed 6 ft. X 30 ft. on frontage along Swains Lake in Barrington.

COMPLETE NOTIFICATION

Installation of a seasonal pier not to exceed 6 ft. X 30 ft. on frontage along Swains Lake in Barrington.

ROADWAY MAINTENANCE NOTIFICATION

2017-01570

NH DEPT OF TRANSPORTATION

LONDONDERRY Unnamed Wetland

SHORELAND PERMIT

2012-01414

SMITH, MARION/PAUL

WOLFEBORO LAKE WINNIPESAUKEE

Requested Action:

Request permit time extension. Impact 4,530 sq ft in order to expand the bump- out on the W side of residence, add a second floor to the residence using the existing foundation, rebuild the existing deck and convert 10ft x 24.4ft of the deck to screen porch. Rebuild the detached garage in the same location as a 24ft x 40ft garage.

05/29/2017 to 06/04/2017

Conservation Commission/Staff Comments:

5/31/17 Change of owner address submitted with the permit time extension request.

APPROVE TIME EXTENSION

Impact 4,530 sq ft in order to expand the bump- out on the W side of residence, add a second floor to the residence using the existing foundation, rebuild the existing deck and convert 10ft x 24.4ft of the deck to screen porch. Rebuild the detached garage in the same location as a 24ft x 40ft garage.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated May 30, 2012 and received by the NH Department of Environmental Services (DES) on June 4, 2012.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 25.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 5,221 sq ft of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
6. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

With Findings:

1. The owner, authorized agent or applicant certifies that this permit qualifies for a permit extension in accordance with RSA 483-B:5-b, VI and Env-Wq 1406.19.
2. This permit has been extended in accordance with RSA 483-B:5-b, VI and Env-Wq 1406.19.

2014-00348

RHEAUME, STEVEN

NOTTINGHAM PAWTUCKAWAY LAKE

Requested Action:

Impact 10,654 square feet (SF) of the protected shoreland in order to construct a new dwelling and associated improvements.

#1 Amendment: Modify the footprint of the approved structure with a reduction in the footprint.

#2 Amendment: Modify the footprint of the approved structure with an increase in the footprint.

APPROVE AMENDMENT

Impact 10,654 square feet (SF) of the protected shoreland in order to construct a new dwelling and associated improvements.

#1 Amendment: Modify the footprint of the approved structure with a reduction in the footprint.

#2 Amendment: Modify the footprint of the approved structure with an increase in the footprint.

With Conditions:

1. All work shall be in accordance with revised plans by Landry Surveying, LLC dated April 2017 and received by the NH Department of Environmental Services (DES) on May 2, 2017.

05/29/2017 to 06/04/2017

2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. No more than 28.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. At least 1,080 SF of the Natural Woodland Buffer beyond the primary building setback must remain in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. All activities conducted in association with the completion of this project shall be conducted in a manner that complies with applicable criteria of Administrative Rules Chapter Env-Wq 1400 and RSA 483-B during and after construction.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Ws 1700 or successor rules in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. The proposed (stormwater management structures) shall be installed and maintained to effectively absorb and infiltrate stormwater.
10. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2017-00538

PORTER, CLIFFORD/PEGGY ANN

SWANZEY SWANZEY LAKE

Requested Action:

Impact 3,867 square feet of protected shoreland in order to remove existing residential structure, deck, and concrete walkway.

APPROVE PERMIT

Impact 3,867 square feet of protected shoreland in order to remove existing residential structure, deck, and concrete walkway.

With Conditions:

All work shall be in accordance with plans by Forest Designs dated December 29, 2017 and received by the NH Department of Environmental Services (NHDES) on May 19, 2017.

Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved.

No more than 9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from NHDES.

Native vegetation within an area of at least 966 sq. ft. within the Natural Woodland Buffer located between 50 and 150 ft. landward of the reference line shall be retained in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).

No native vegetation shall be removed from within the Natural Woodland Buffer located between 50 and 150 ft. landward of the reference line in order to comply with RSA 483-B:9, V, (b), (2).

Within 90 days of the structure being removed, the Permittee shall provide documentation, including photos, to the NHDES Wetlands Bureau showing that all impacted areas outside the footprint of the existing structure have been restored with plantings as noted on the approved plan.

Following planting, all restored areas within the Waterfront Buffer areas shall be allowed to revert back to a natural state. The regeneration of ground cover shall not be suppressed by the use of bark mulch or other materials.

Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.

Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.

No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700.

Any fill used shall be clean sand, gravel, rock, or other suitable material.

Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface

05/29/2017 to 06/04/2017

waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.

This permit shall not preclude NHDES from taking any enforcement or revocation action if NHDES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2017-00654

MCCUTCHEON, WAYNE

CLAREMONT SUGAR RIVER

Requested Action:

Impact 12,180 square feet of protected shoreland in order to construct a portion of roadway to access a proposed development.

APPROVE PERMIT

Impact 12,180 square feet of protected shoreland in order to construct a portion of roadway to access a proposed development.

With Conditions:

1. All work shall be in accordance with plans by Waysville Engineering dated September 27, 2016 and received by the NH Department of Environmental Services (DES) on March 9, 2017.
2. Neither the new primary structure nor the proposed septic system may be constructed until the system is approved by the DES Subsurface Systems Bureau.
3. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved.
4. No more than 9.2% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
5. No native vegetation shall be removed from within the Natural Woodland Buffer located between 50 and 150 ft. landward of the reference line in order to comply with RSA 483-B:9, V, (b), (2).
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
11. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
12. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.

05/29/2017 to 06/04/2017

13. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2017-00683

ROBERT D SHILO REV TRUST OF 2004

ALTON LAKE WINNIPESAUKEE

Requested Action:

Impact 32,200 square feet of protected shoreland in order to remove an existing residential structure and patio area and construct a new residential structure, patios, walkways, bioswales, a portion of the driveway, a portion of the proposed garage, and grading.

APPROVE PERMIT

Impact 32,200 square feet of protected shoreland in order to remove an existing residential structure and patio area and construct a new residential structure, patios, walkways, bioswales, a portion of the driveway, a portion of the proposed garage, and grading.

With Conditions:

1. All work shall be in accordance with plans by Terrain Planning and Design, LLC dated May 11, 2017 and received by the NH Department of Environmental Services (DES) on May 11, 2017.
2. Neither the new primary structure nor the proposed septic system may be constructed until the system is approved by the DES Subsurface Systems Bureau.
3. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved.
4. No more than 18.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
5. Native vegetation within an area of at least 4,640 sq. ft. within the Natural Woodland Buffer located between 50 and 150 ft. landward of the reference line shall be retained in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The proposed (stormwater management structures) shall be installed and maintained to effectively absorb and infiltrate stormwater.
11. Photographs documenting the construction of the proposed bio-retention area shall be submitted to the Department prior to any party taking up occupancy of the new residential primary structure.
12. All pervious technologies used shall be installed and maintained to effectively absorb and infiltrate stormwater.
13. All restoration planting as shown on the approved plans shall be completed prior to the occupancy of the residential structure.
14. Following planting, all planting areas within the waterfront buffer shall be allowed to revert back to a natural state. The regeneration of ground cover shall not be suppressed by the use of bark mulch or other materials.
15. The plantings shall be inspected at the beginning and end of the growing season for a period of 3 years after initial plantings have been completed during which time any failed plantings shall immediately be replaced by the owner of the property.
16. At the completion of the 3 year monitoring period the Owner of the property shall submit a report including photographs of the planted buffer to the Department.
17. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
18. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater

05/29/2017 to 06/04/2017

Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

19. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.

20. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2017-00948

WATTS, GREGORY

MOULTONBOROUGH LAKE WINNIPESAUKEE

Requested Action:

Impact 6,550 square feet of protected shoreland in order to construct a deck, garage, walkways, section of gravel drive and parking, septic system, and well.

APPROVE PERMIT

Impact 6,550 square feet of protected shoreland in order to construct a deck, garage, walkways, section of gravel drive and parking, septic system, and well.

With Conditions:

All work shall be in accordance with plans by David M. Dolan Associates dated May 8, 2017 and received by the NH Department of Environmental Services (NHDES) on May 10, 2017.

The proposed septic system may not be constructed until the system is approved by the NHDES Subsurface Systems Bureau.

Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved.

No more than 16.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from NHDES.

Native vegetation within an area of at least 2,530 sq. ft. within the Natural Woodland Buffer located between 50 and 150 ft. landward of the reference line shall be retained in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).

All disturbed areas within the waterfront buffer shall be allowed to revert to a natural state with the exception of cleared areas legally developed prior to July 1, 2008, which may be maintained but not enlarged.

Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.

Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.

No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700.

Any fill used shall be clean sand, gravel, rock, or other suitable material.

Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).

This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes.

The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.

This permit shall not preclude NHDES from taking any enforcement or revocation action if NHDES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or

grandfathered.

2017-00971

HAMLIN, DAVID

JAFFREY GILMORE POND

Requested Action:

Impact 198 square feet (SF) of protected shoreland in order to construct a tree house supported among 3 mature trees, approximately 25' from pond reference line; 10' to 15' above various grades; no trees were or will be removed; no plumbing.

APPROVE PERMIT

Impact 198 square feet (SF) of protected shoreland in order to construct a tree house supported among 3 mature trees, approximately 25' from pond reference line; 10' to 15' above various grades; no trees were or will be removed; no plumbing.

With Conditions:

1. All work shall be in accordance with plans by David Hamlin and received by the NH Department of Environmental Services (DES) on April 27, 2017.
2. No more than 12.4% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
3. Native vegetation within an area of at least 7,513 SF within the Natural Woodland Buffer located between 50 and 150 feet landward of the reference line shall be retained in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700.
6. Any fill used shall be clean sand, gravel, rock, or other suitable material.
7. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2017-01202

ALLISON ABOODY REVOCABLE TRUST

NORTH HAMPTON LITTLE RIVER SWAMP

Requested Action:

Impact 3,900 square feet of protected shoreland in order to complete an after-the-fact to fill within the shoreland buffer to create more gradual slope at grade of leach field.

APPROVE PERMIT

Impact 3,900 square feet of protected shoreland in order to complete an after-the-fact to fill within the shoreland buffer to create more gradual slope at grade of leach field.

With Conditions:

1. All work shall be in accordance with plans Jones and Beach Engineers, Inc. by dated April 25, 2017 and received by the NH Department of Environmental Services (DES) on May 1, 2017.
2. Neither the new primary structure nor the proposed septic system may be constructed until the system is approved by the DES Subsurface Systems Bureau.
3. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans

05/29/2017 to 06/04/2017

prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved.

3. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
4. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
5. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700.
6. Any fill used shall be clean sand, gravel, rock, or other suitable material.
7. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
8. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.
9. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2017-01224

WALSH, CONSTANCE/JEFFREY

ALTON BAY LAKE WINNIPESAUKEE

Requested Action:

Impact 6,39 square feet (SF) of protected shoreland in order to Install of a sewage pump tank, septic tanks, combination tanks and an effluent pump tank for a new sewage disposal system.

APPROVE PERMIT

Impact 6,39 square feet (SF) of protected shoreland in order to Install of a sewage pump tank, septic tanks, combination tanks and an effluent pump tank for a new sewage disposal system.

With Conditions:

1. All work shall be in accordance with plans by White Mountain Survey and Engineering, Inc. dated April 28, 2017 and received by the NH Department of Environmental Services (DES) on May 2, 2017.
2. This permit is contingent on approval by the DES Subsurface Systems Bureau.
3. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved.
4. This permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a), (2), (D), (iv).
5. No more than 33.4% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
6. Native vegetation within an area of at least 6,315 SF within the Natural Woodland Buffer located between 50 and 150 feet landward of the reference line shall be retained in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
7. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
8. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
9. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700.
10. Any fill used shall be clean sand, gravel, rock, or other suitable material.
11. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
12. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of

05/29/2017 to 06/04/2017

the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2017-01229

C & A EXQUISITE HOME BUILDERS

MEREDITH LAKE WINNIPESAUKEE

Requested Action:

Impact 13,400 square feet or protected shoreland in order to replace the existing residential structure, remove an existing shed, construct a driveway, walkways, and patio, install a new septic tank, leachfield, sewer lines, drip line, and infiltration trenches.

APPROVE PERMIT

Impact 13,400 square feet or protected shoreland in order to replace the existing residential structure, remove an existing shed, construct a driveway, walkways, and patio, install a new septic tank, leachfield, sewer lines, drip line, and infiltration trenches.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates dated April 24, 2017 and received by the NH Department of Environmental Services (DES) on May 2, 2017.
2. Neither the new primary structure nor the proposed septic system may be constructed until the system is approved by the DES Subsurface Systems Bureau.
3. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved.
4. No more than 30% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
5. Native vegetation within an area of at least 4,140 sq. ft. within the Natural Woodland Buffer located between 50 and 150 ft. landward of the reference line shall be retained in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The proposed stormwater management structures shall be installed and maintained to effectively absorb and infiltrate stormwater.
11. Photographs documenting the construction of the proposed stormwater management structures shall be submitted to the Department prior to any party taking up occupancy of the new residential primary structure.
12. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
13. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
14. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction.
15. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2017-01264

PATTERSON, JOHN

05/29/2017 to 06/04/2017

PELHAM LITTLE ISLAND POND

Requested Action:

Impact 6,500 square feet of protected shoreland in order to cover impacts exceeding the approved Shoreland PBN 2017-00504 for construction of a garage and boulder retaining wall.

APPROVE PERMIT

Impact 6,500 square feet of protected shoreland in order to cover impacts exceeding the approved Shoreland PBN 2017-00504 for construction of a garage and boulder retaining wall.

With Conditions:

1. All work shall be in accordance with plans by SFC Engineering dated May 3, 2017 and received by the NH Department of Environmental Services (DES) on May 4, 2017.
2. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved.
3. No more than 29% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. Native vegetation within an area of at least 675 SF within the Natural Woodland Buffer located between 50 and 150 feet landward of the reference line shall be retained in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. The proposed (stormwater management structures) shall be installed and maintained to effectively absorb and infiltrate stormwater.
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

2017-01279

WILLIAMS, PENNY

NEW DURHAM JONES POND

Requested Action:

Impact 16,670 square feet (SF) of protected shoreland in order to construct a driveway in the protected shoreline of Jones Dam and stabilize an excavated area used to obtain materials for the construction of the driveway. A rain garden is proposed to help mitigate the impacts from stormwater runoff.

APPROVE PERMIT

Impact 16,670 square feet (SF) of protected shoreland in order to construct a driveway in the protected shoreline of Jones Dam and stabilize an excavated area used to obtain materials for the construction of the driveway. A rain garden is proposed to help mitigate the impacts from stormwater runoff.

05/29/2017 to 06/04/2017

With Conditions:

1. All work shall be in accordance with plans by Right Angle Engineering, PLLC dated February 7, 2017 and received by the NH Department of Environmental Services (DES) on May 5, 2017.
2. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved.
3. No more than 1.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
4. Native vegetation within an area of at least 37,037 (SF) within the Natural Woodland Buffer located between 50 and 150 feet landward of the reference line shall be retained in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700.
8. Any fill used shall be clean sand, gravel, rock, or other suitable material.
9. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
11. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.