

# Wetlands Applications Decision Report

Decisions Taken  
07/20/2020 to 07/26/2020

## **DISCLAIMER:**

This document is published for information purposes only and does not constitute an authorization to conduct work. Work in jurisdiction may not commence until the applicant has received a posting permit.

Decisions are subject to appeal, and are reviewed by the federal agencies for compliance with Section 404 of the Federal Clean Water Act.

## **APPEAL:**

Any party aggrieved by a decision may file an appeal within 30 days of the date of this decision as specified in RSA 482-A:10, RSA 21-O:14, and the rules adopted by the Wetlands Council, Env-WtC 100-200.

The appeal must be filed directly with the Council, c/o the Council Appeals Clerk, who may be contacted at (603) 271-6072 or [atappeals@des.nh.gov](mailto:atappeals@des.nh.gov). The notice of appeal must set forth fully every ground upon which it is claimed that the decision complained of is unlawful or unreasonable. Only those grounds set forth in the notice of appeal can be considered by the council.

07/20/2020 to 07/26/2020

## PERMIT CATEGORY: MINOR IMPACT PROJECT

\*\*\*\*\*  
2020-00833    OWNER: TOWN OF HOPKINTON

**CITY: HOPKINTON    WATERBODY: BROWNS BROOK**

**Requested Action:**

Dredge and fill 583 square feet (SF) within palustrine scrub-shrub wetland and the bed and banks of Browns Brook (tier 2, impacting 81 linear feet) to replace a 4.5 foot diameter by 49 foot long culvert with a 6 foot diameter by 50 foot long culvert. Temporarily impact 1,546 SF within palustrine scrub shrub/emergent wetlands and the bed and banks of Browns Brook for access, installation, and erosion, sediment, and turbidity controls.

\*\*\*\*\*

**APPROVE PERMIT**

Dredge and fill 583 square feet (SF) within palustrine scrub-shrub wetland and the bed and banks of Browns Brook (tier 2, impacting 81 linear feet) to replace a 4.5 foot diameter by 49 foot long culvert with a 6 foot diameter by 50 foot long culvert. Temporarily impact 1,546 SF within palustrine scrub shrub/emergent wetlands and the bed and banks of Browns Brook for access, installation, and erosion, sediment, and turbidity controls.

**With Conditions:**

1. All work shall be done in accordance with the revised plans dated June 2020, and plan sheet 7 revised July 21, 2020, by Hoyle Tanner & Associates, Inc., as received by the NH Department of Environmental Services (NHDES) on June 29, 2020 and July 21, 2020, per Rule Env-Wt 307.16.
2. In accordance with Env-Wt 307.10(g), no dredging shall occur between October 1 and March 31 for any fish migration or larval settling area of cold water fish in non-tidal waters.
3. In accordance with Env-Wt 307.05(e), to prevent the use of soil or seed stock containing nuisance or invasive species, the contractor responsible for work shall follow Best Management Practices for the Control of Invasive and Noxious Plant Species (Invasive Plant BMPs).
4. In accordance with Env-Wt 307.03(b), all work, including management of soil stockpiles, shall be conducted so as to minimize erosion, minimize sediment transfer to surface waters or wetlands, and minimize turbidity in surface waters and wetlands using the techniques described in Env-Wq 1505.02, Env-Wq 1505.04, Env-Wq 1506, and Env-Wq 1508; the applicable BMP manual; or a combination thereof, if the BMP manual provides less protection to jurisdictional areas than the provisions of Env-Wq 1500.
5. In accordance with Env-Wt 904.02(a)(1), in-stream work shall be done only during low flow or dry conditions.
6. In accordance with Env-Wt 904.02(b), work on stream crossings that requires any work in areas that are subject to flowing water shall maintain normal flows and prevent water quality degradation during the work by using best management practices, such as temporary by-pass pipes, culverts, or cofferdams.
7. In accordance with Env-Wt 307.03(c)(1), water quality control measures shall be selected and implemented based on the size and nature of the project and the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to jurisdictional areas.
8. In accordance with Env-Wt 307.03(c)(3), water quality control measures shall be installed prior to start of work and in accordance with the manufacturer's recommended specifications or, if none, the applicable requirements of Env-Wq 1506 or Env-Wq 1508.
9. In accordance with Env-Wt 307.03(d), any sediment collected by water quality control measures shall be removed with sufficient frequency to prevent the discharge of sediment; and placed in an upland location in a manner that prevents its erosion into a surface water or wetland.
10. In accordance with Env-Wt 307.03(c)(6), water quality control measures shall remain in place until all disturbed surfaces are stabilized to a condition in which soils on the site will not experience accelerated or unnatural erosion by achieving and maintaining a minimum of 85% vegetative cover using an erosion control seed mix, whether applied in a blanket or otherwise, that is certified by its manufacturer as not containing any invasive species.
11. In accordance with Env-Wt 307.03(f)(1), a cofferdam or other turbidity control shall be used to enclose a dredging project conducted in or along the shoreline of a bog, marsh, lake, pond, stream, river, creek, or any other surface water, provided that a coffer dam shall not be installed during periods of high flow.
12. In accordance with Env-Wt 307.03(f)(2), a coffer dam or other turbidity control shall be removed after work within the

07/20/2020 to 07/26/2020

coffer dam or other turbidity control is completed, the contained water has returned to background clarity, and when removing the structure will not cause or contribute to a violation of Env-Wt 307.03(c)(6).

13. In accordance with Env-Wt 307.03(h), equipment shall be staged and refueled outside of jurisdictional areas.

14. In accordance with Env-Wt 307.03(g)(1), the person in charge of construction equipment shall inspect such equipment for leaking fuel, oil, and hydraulic fluid each day prior to operating in an area where such fluids could reach groundwater, surface waters, or wetlands.

15. In accordance with Env-Wt 307.03(g)(3) and (4), the person in charge of construction equipment shall maintain oil spill kits and diesel fuel spill kits, as applicable to the type(s) and amount(s) of oil and diesel fuel used, on site so as to be readily accessible at all times during construction; and train each equipment operator in the use of the spill kits.

16. In accordance with Env-Wt 307.03(g)(2), the person in charge of construction equipment shall repair any leaks prior to using the equipment in an area where such fluids could reach groundwater, surface waters, or wetlands.

17. In accordance with Env-Wt 307.10(f), dredged materials to be stockpiled in uplands shall be dewatered in sedimentation basins that are contained within turbidity controls that prevent turbid water from leaving the basins; and located outside of any jurisdictional area.

18. In accordance with Env-Wt 307.10(d), dredged materials shall be disposed of out of jurisdictional areas.

19. In accordance with Env-Wt 307.11(a), fill shall be clean sand, gravel, rock, or other material that meets the project's specifications for its use; and does not contain any material that could contaminate surface or groundwater or otherwise adversely affect the ecosystem in which it is used.

20. In accordance with Env-Wt 307.12(i), wetland areas where permanent impacts are not authorized shall be restored to their pre-impact conditions and elevation by replacing the removed soil and vegetation in their pre-construction location and elevation such that post-construction soil layering and vegetation schemes are as close as practicable to pre-construction conditions.

21. In accordance with Env-Wt 307.12(b), upon completion of construction, all disturbed wetland areas shall be stabilized with wetland seed mix containing non-invasive plant species only.

22. In accordance with Env-Wt 307.12(e), wetland soils from areas vegetated with purple loosestrife or other invasive plant species shall not be used in the area being restored.

23. In accordance with Env-Wt 307.12(a), within 3 days of final grading or temporary suspension of work in an area that is in or adjacent to surface waters, all exposed soil areas shall be stabilized by seeding and mulching, if during the growing season; or mulching with tackifiers on slopes less than 3:1 or netting and pinning on slopes steeper than 3:1 if not within the growing season.

#### With Findings:

1. This project is classified as a minor impact project per Rule Env-Wt 903.01(f)(1)(e), as Env-Wt 903.01(g) does not apply, only one stream crossing is included in the project, and it is a replacement tier 2 stream crossing that meets the criteria of Env-Wt 904.08.

2. Per Rule Env-Wt 313.01(a)(5) and pursuant to RSA 482-A:11, II, the applicant obtained written consent from abutting landowner(s) as a portion of the proposed project will extend onto another property, to ensure that the project does not infringe on the property rights or unreasonably affect the value or enjoyment of the property of abutting owners.

3. Per Rule Env-Wt 306.05, the applicant has addressed all of the required planning items that are used to determine the appropriate impact classification of a project and the type of approval required.

4. Per Rule Env-Wt 313.01(a)(2), all applicable conditions specified in Env-Wt 307 have been met.

5. Per Rule Env-Wt 313.03(a), the applicant has demonstrated that potential impacts to jurisdictional areas have been avoided to the maximum extent practicable and that any unavoidable impacts have been minimized.

6. The applicant has demonstrated specifically that each factor listed in Env-Wt 313.03(b) has been considered in the design of the proposed minor project.

7. Per Rule Env-Wt 313.01(a)(1)(a), the applicant has met the requirements of Env-Wt 311.10 regarding functional assessments.

8. Per Rule Env-Wt 313.01(a)(4), all project-specific criteria established in Env-Wt 900 have been met.

9. Per Rule Env-Wt 313.01(a)(3), all resource-specific criteria established in Env-Wt 900 have been met.

10. This stream crossing is a tier 2 per Env-Wt 904.04(a), as the contributing watershed is greater than 200 acres but less than 640 acres.

11. The tier 2 stream crossing project meets the criteria established in Rule Env-Wt 904.04.

12. The project to replace the tier 2 stream crossing meets the criteria specified in Rule Env-Wt 904.08.

13. The project to replace the tier 2 stream crossing qualifies under Rule Env-Wt 904.08(b), as a professional engineer has certified that the project meets the criteria listed in Env-Wt 904.08(b)(1) and (2).

14. Per Rule Env-Wt 311.06(h), the municipal conservation commission did not provide comments on the proposed project.

15. Per Rule Env-Wt 311.06(j), as of the date of this permit, the applicant has not received comments from any federal agency.

**PERMIT CATEGORY: MINIMUM IMPACT PROJECT**

\*\*\*\*\*

**2020-01249 OWNER: HARRISON FAMILY LIVING TRUST**

**CITY: WAKEFIELD WATERBODY: PINE RIVER POND**

**Requested Action:**

Temporarily impact 343 square feet of bank to replace 94 linear feet of existing retaining wall and remove an existing concrete ramp along frontage on Pine River Pond in Wakefield.

\*\*\*\*\*

**Conservation Commission/Staff Comments:**

6-10-20- No historic properties affected per DHR.

**APPROVE PERMIT**

Temporarily impact 343 square feet of bank to replace 94 linear feet of existing retaining wall and remove an existing concrete ramp along frontage on Pine River Pond in Wakefield.

**With Conditions:**

1. In accordance with Env-Wt 307.16, all work shall be done in accordance with the approved plans dated June 1, 2020 by White Mountain Survey and Engineering, INC., as received by the NH Department of Environmental Services (NHDES) on June 4, 2020.
2. Pursuant to RSA 483-B:9,V, (a)(2)(d)(v), this permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a)(2)(D)(iv).
3. Water quality control measures shall be installed prior to start of work and in accordance with the manufacturer's recommended specifications or, if none, the applicable requirements of Env-Wq 1506 or Env-Wq 1508, shall be maintained so as to ensure continued effectiveness in minimizing erosion and retaining sediment on-site during and after construction, and removed upon completion of work and the effective stabilization of disturbed surfaces as required pursuant to Env-Wt 307.03(c).
4. All dredged and excavated material and construction-related debris shall be placed outside of those areas subject to RSA 482-A or RSA-483-B unless a permit for for the deposition of materials within those areas has been obtained as required per RSA 482-A:3 or RSA 483-B:5-b respectively.
5. Pursuant to RSA 482-A:14, RSA 482-A:14-b, and RSA 482-A:14-c, NHDES is authorized to take appropriate compliance actions should it be determined that, based upon additional information which becomes available, any of the structures depicted as "existing" on the plans submitted by or on behalf of the permittee were not previously permitted or grandfathered.

**With Findings:**

1. This is a minimum impact project per Administrative Rule Env-Wt 514.07(a)(3), Repair of an existing retaining wall that is done in the dry and results in no change in height, length, location, or configuration.
2. The Department finds that the project as proposed and conditioned meets the requirements of RSA 482-A and the Wetlands Program Code of Administrative Rules Chapters Env-Wt 100 - 900. No waivers of RSA 482-A or the Wetlands Program Code of Administrative Rules Chapters Env-Wt 100 - 900 were requested or approved under this permit action.

\*\*\*\*\*

**2020-01452 OWNER: TREMBLAY, MICHAEL**

**CITY: SEABROOK WATERBODY:**

Requested Action:

Impact 345 square feet within the developed upland dune slack area to construct a 22-foot long by 12-wide deck and excavate a 9-foot by 9-foot paver pad to support a hot tub.

\*\*\*\*\*

APPROVE PERMIT

Impact 345 square feet within the developed upland dune slack area to construct a 22-foot long by 12-wide deck and excavate a 9-foot by 9-foot paver pad to support a hot tub.

With Conditions:

1. In accordance with Env-Wt 307.16, all work shall be done in accordance with the plans received by the NH Department of Environmental Services (NHDES) on June 25, 2020.
2. In accordance with Env-Wt 611.05(f), appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain until the area is stabilized.
3. In accordance with Env-Wt 307.11(a), fill shall be clean sand, gravel, rock, or other material that meets the project's specifications for its use; and does not contain any material that could contaminate surface or groundwater or otherwise adversely affect the ecosystem in which it is used.
4. In accordance with Env-Wt 611.05(g), temporary siltation and erosion controls shall be removed once the area has been stabilized.
5. In accordance with Env-Wt 611.05(k), the project shall not disturb any sand dune vegetation growing on adjacent properties.
6. In accordance with Env-Wt 611.05(e), work shall be done in a time and manner so as to not disturb migratory waterfowl breeding and nesting areas.
7. In accordance with Env-Wt 611.05(i), only indigenous native plant species shall be planted on the property.

With Findings:

1. This is classified as a minimum impact project per Rule Env-Wt 611.07(b), for structure construction or other landscape alteration of previously-developed in-fill lots located in the dune slack area on which there are no threatened or endangered species.
2. Per Rule Env-Wt 311.01(b), the applicant coordinated with the NH Fish and Game Department (NHF&G) and the Natural Heritage Bureau (NHB) to determine how to avoid and minimize project-related impacts on rare or protected animal species and habitat, and on protected plants or exemplary natural communities.
3. Per Rule Env-Wt 310.01(d)(4), the applicant provided a signed statement certifying that the proposal is the alternative with the least adverse impact to jurisdictional areas, as required by Env-Wt 313.03.
4. Per Rule Env-Wt 310.01(h), the application for this expedited permit (EXP) included a signed statement from the Seabrook Conservation Commission certifying that the conservation commission waives its right to intervene on the project.
5. Per Rule Env-Wt 311.01(b), the applicant coordinated with the NH Fish and Game Department (NHF&G) and the Natural Heritage Bureau (NHB) to determine how to avoid and minimize project-related impacts on rare or protected animal species and habitat, and on protected plants or exemplary natural communities.
6. Per Rule Env-Wt 605.01, for projects in coastal areas, the applicant has demonstrated that the avoidance and minimization requirements in Env-Wt 307, Env-Wt 311.07, Env-Wt 313, and Env-Wt 603.04 have been met, and has demonstrated that all of the requirements listed in Env-Wt 605.01(a) through (c) have been met.

**PERMIT CATEGORY: SHORELAND STANDARD**

\*\*\*\*\*

**2019-03766 OWNER: RICHARDS, GAIL/TODD**

**CITY: WAKEFIELD WATERBODY: GREAT EAST LAKE**

Requested Action:

The applicant request that the permit be amended to include a 24 foot x 28 foot attached garage to the existing primary structure.

\*\*\*\*\*

APPROVE AMENDMENT

Impact 12,500 square feet of protected shoreland in order to remove existing primary structure and construct a new 40 foot x 28 foot 4 bedroom house further from the reference line, install an Advanced Enviro-Septic System, improve driveway, conduct other activities associated with new home construction and construct a 24 foot x 28 foot attached garage to the existing primary structure.

With Conditions:

1. All work shall be in accordance with plans by Land Tech dated October 7, 2019 and received by the NH Department of Environmental Services (DES) on December 6, 2019 and revised plans by Todd Richards dated June 30, 2020 and received by the NH Department of Environmental Services (DES) on July 7, 2020.
2. Neither the new primary structure nor the proposed septic system may be constructed until the system is approved by the DES Subsurface Systems Bureau.
3. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved.
4. No more than 26.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from DES.
5. Native vegetation within an area of at least 741 square feet within the Natural Woodland Buffer located between 50 and 150 feet landward of the reference line shall be retained in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized.
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters.
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700.
9. Any fill used shall be clean sand, gravel, rock, or other suitable material.
10. The proposed (stormwater management structures) shall be installed and maintained to effectively absorb and infiltrate stormwater.
11. Photographs documenting the construction of the proposed (stormwater management structures) shall be submitted to the Department prior to any party taking up occupancy of the new residential primary structure.
12. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
13. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008).
14. This permit shall not preclude DES from taking any enforcement or revocation action if DES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

\*\*\*\*\*

**2020-01201    OWNER:  
OWNER: GAETA, GERALDINE  
OWNER: PAINE, JONATHAN**  
  
**CITY: ALTON    WATERBODY: HILLS POND**

07/20/2020 to 07/26/2020

Requested Action:

Impact 3,578 square feet of protected shoreland in order to add a second story onto an existing structure, construct stormwater management for the nonconforming primary structure, convert a deck to open porch with a raised deck above, construct rear raised open porch, steps, a guard rail, retaining walls, a dry well, and a parking area, replace 2 walkways with porous materials, and upgrade the septic system.

\*\*\*\*\*

APPROVE PERMIT

Impact 3,578 square feet of protected shoreland in order to add a second story onto an existing structure, construct stormwater management for the nonconforming primary structure, convert a deck to open porch with a raised deck above, construct rear raised open porch, steps, a guard rail, retaining walls, a dry well, and a parking area, replace 2 walkways with porous materials, and upgrade the septic system.

With Conditions:

1. All work shall be in accordance with plans by Varney Engineering, LLC dated May 1, 2020 and revised on July 10, 2020 as received by the NH Department of Environmental Services (NHDES) on July 15, 2020 pursuant to 483-B:5-b Permit Required; Exemption, I, (a).
2. The proposed septic system shall not be constructed until the system is approved by the NHDES Subsurface Systems Bureau as may be required pursuant to RSA 483-B:6, I, (c).
3. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved as required per Rule Env-Wq 1406.20, (e).
4. No more than 22.2% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from NHDES in order to ensure compliance with RSA 483-B:9, V, (g).
5. Native vegetation within an area of at least 2,413 square feet within the Woodland Buffer located between 50 and 150 feet landward of the reference line shall be retained as natural woodlands in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized as required per Rule Env-Wq 1406.20, (a).
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters as required per Rule Env-Wq 1406.20, (b).
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700 as required per Rule Env-Wq 1406.20, (c).
9. Any fill used shall be clean sand, gravel, rock, or other suitable material as required per Rule Env-Wq 1406.20, (d).
10. The proposed drip edge and infiltration trench shall be installed and maintained to effectively absorb and infiltrate stormwater in order to ensure compliance with RSA 483-B:9, V, (g).
11. Photographs documenting the construction of the proposed drip edge and infiltration trench shall be submitted to the Department prior to any party taking up occupancy of the new residential primary structure as required per RSA 483-B:6, II and Rule Env-Wq 1406.15, (c) in order to ensure compliance with RSA 483-B:9, V, (g).
12. All pervious technologies used shall be installed and maintained to effectively absorb and infiltrate stormwater as required per RSA 483-B:6, II and Rule Env-Wq 1406.15, (c) in order to ensure compliance with RSA 483-B:9, V, (g).
13. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1 as required pursuant to RSA 483-B:9, V, (d) Erosion and Siltation, (1).
14. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction as required pursuant to RSA 483-B:6, I, (c).
15. This permit shall not preclude NHDES from taking any enforcement or revocation action as authorized pursuant to 483-B:5, I, if NHDES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

\*\*\*\*\*  
**2020-01435    OWNER: FRENCH SR, WILLIAM**

**CITY: MEREDITH    WATERBODY: LAKE WINNIPESAUKEE**

Requested Action:

Impact 17,000 square feet of protected shoreland in order to replace the existing residence located 50 feet from the shoreline with a new, larger residence located 65 feet from the shoreline. Expand the driveway, install walkways and two patios. Install a new septic system.

\*\*\*\*\*

APPROVE PERMIT

Impact 17,000 square feet of protected shoreland in order to replace the existing residence located 50 feet from the shoreline with a new, larger residence located 65 feet from the shoreline. Expand the driveway, install walkways and two patios. Install a new septic system.

With Conditions:

1. All work shall be in accordance with plans by Ames Associates LLC dated May 28, 2020 and received by the NH Department of Environmental Services (NHDES) on June 23, 2020 pursuant to 483-B:5-b Permit Required; Exemption, I, (a).
2. Neither the new primary structure nor the proposed septic system may be constructed until the system is approved by the NHDES Subsurface Systems Bureau as required pursuant to RSA 483-B:6, I, (c).
3. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved as required per Rule Env-Wq 1406.20, (e).
4. No more than 17.9% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from NHDES in order to ensure compliance with RSA 483-B:9, V, (g).
5. Native vegetation within an area of at least 6,938 square feet within the Woodland Buffer located between 50 and 150 feet landward of the reference line shall be retained as natural woodlands in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized as required per Rule Env-Wq 1406.20, (a).
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters as required per Rule Env-Wq 1406.20, (b).
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700 as required per Rule Env-Wq 1406.20, (c).
9. Any fill used shall be clean sand, gravel, rock, or other suitable material as required per Rule Env-Wq 1406.20, (d).
10. All pervious technologies used shall be installed and maintained to effectively absorb and infiltrate stormwater as required per RSA 483-B:6, II and Rule Env-Wq 1406.15, (c) in order to ensure compliance with RSA 483-B:9, V, (g).
11. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1 as required pursuant to RSA 483-B:9, V, (d) Erosion and Siltation, (1).
12. This permit shall not preclude NHDES from taking any enforcement or revocation action as authorized pursuant to 483-B:5, I, if NHDES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

\*\*\*\*\*  
**2020-01436    OWNER: CR LIVING LLC**

07/20/2020 to 07/26/2020

**CITY: ORFORD WATERBODY: CONNECTICUT RIVER**

Requested Action:

Impact 4,150 square feet of protected shoreland in order to construct a deck to be attached to an existing house and install a septic system.

\*\*\*\*\*

APPROVE PERMIT

Impact 4,150 square feet of protected shoreland in order to construct a deck to be attached to an existing house and install a septic system.

With Conditions:

1. All work shall be in accordance with plans by Pioneer Land Surveying, LLC dated May 2020 and received by the NH Department of Environmental Services (NHDES) on June 23, 2020 pursuant to 483-B:5-b Permit Required; Exemption, I, (a).
2. The proposed septic system shall not be constructed until the system is approved by the NHDES Subsurface Systems Bureau as required pursuant to RSA 483-B:6, I, (c).
3. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved as required per Rule Env-Wq 1406.20, (e).
4. No more than 0.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from NHDES in order to ensure compliance with RSA 483-B:9, V, (g).
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized as required per Rule Env-Wq 1406.20, (a).
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters as required per Rule Env-Wq 1406.20, (b).
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700 as required per Rule Env-Wq 1406.20, (c).
8. Any fill used shall be clean sand, gravel, rock, or other suitable material as required per Rule Env-Wq 1406.20, (d).
9. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1 as required pursuant to RSA 483-B:9, V, (d) Erosion and Siltation, (1).
10. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction as required pursuant to RSA 483-B:6, I, (c).
11. This permit shall not preclude NHDES from taking any enforcement or revocation action as authorized pursuant to 483-B:5, I, if NHDES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

\*\*\*\*\*

**2020-01440 OWNER: BARTON, CHRIS**

**CITY: LACONIA WATERBODY: LAKE WINNIPESAUKEE**

Requested Action:

Impact 85,143 square feet of protected shoreland in order to redevelop an existing lot with an existing motel and construct a new condominium units, detached garages, and new parking area.

07/20/2020 to 07/26/2020

\*\*\*\*\*

**APPROVE PERMIT**

Impact 85,143 square feet of protected shoreland in order to redevelop an existing lot with an existing motel and construct a new condominium units, detached garages, and new parking area.

**With Conditions:**

1. All work shall be in accordance with revised plans by Rokeh Consulting, LLC dated April 16, 2020 and received by the NH Department of Environmental Services (NHDES) on June 23, 2020 pursuant to 483-B:5-b Permit Required; Exemption, I, (a).
2. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved as required per Rule Env-Wq 1406.20, (e).
3. No more than 42.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from NHDES in order to ensure compliance with RSA 483-B:9, V, (g).
4. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized as required per Rule Env-Wq 1406.20, (a).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters as required per Rule Env-Wq 1406.20, (b).
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700 as required per Rule Env-Wq 1406.20, (c).  
Any fill used shall be clean sand, gravel, rock, or other suitable material as required per Rule Env-Wq 1406.20, (d).
7. The proposed (stormwater management structure description) shall be installed and maintained to effectively absorb and infiltrate stormwater in order to ensure compliance with RSA 483-B:9, V, (g).
8. Photographs documenting the construction of the proposed (stormwater management) shall be submitted to the Department prior to any party taking up occupancy of the new residential primary structure as required per RSA 483-B:6, II and Rule Env-Wq 1406.15, (c) in order to ensure compliance with RSA 483-B:9, V, (g).
9. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1 as required pursuant to RSA 483-B:9, V, (d) Erosion and Siltation, (1).
10. The individual responsible for completion of the work shall utilize techniques described in the New Hampshire Stormwater Manual, Volume 3, Erosion and Sediment Controls During Construction (December 2008) as required pursuant to RSA 483-B:9, V, (d) Erosion and Siltation, (1).
11. This permit shall not preclude NHDES from taking any enforcement or revocation action as authorized pursuant to 483-B:5, I, if NHDES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

\*\*\*\*\*

**2020-01442    OWNER: SULLIVAN, MICHAEL**

**CITY: SALEM    WATERBODY: ARLINGTON MILL RESERVOIR**

**Requested Action:**

Impact 7,600 square feet of protected shoreland to raze the existing 2-bedroom dwelling and build a new 2-bedroom dwelling with detached garage and remove the existing septic system and replace with a modern septic system.

\*\*\*\*\*

07/20/2020 to 07/26/2020

With Conditions:

1. All work shall be in accordance with plans by SFC Engineering dated June 16, 2020 as received by the NH Department of Environmental Services (NHDES) on June 23, 2020.
2. Pursuant to 483-B:5-b Permit Required; Exemption, I, (a). The proposed septic system shall not be constructed until the system is approved by the NHDES Subsurface Systems Bureau as required pursuant to RSA 483-B:6, I, (c).
3. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved as required per Rule Env-Wq 1406.20, (e).
4. No additional square footage of the area of the lot within the protected shoreland than currently shown on the proposed plans shall be covered by impervious surfaces unless additional approval is obtained from NHDES in order to ensure compliance with RSA 483-B:9, V, (g).
5. Pursuant to RSA 483-B:9, V, (b), (2), no native vegetation shall be removed from within the Natural Woodland Buffer located between 50 and 150 feet landward of the reference line.
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized as required per Rule Env-Wq 1406.20, (a).
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters as required per Rule Env-Wq 1406.20, (b).
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700 as required per Rule Env-Wq 1406.20, (c).
9. Any fill used shall be clean sand, gravel, rock, or other suitable material as required per Rule Env-Wq 1406.20, (d).
10. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1 as required pursuant to RSA 483-B:9, V, (d) Erosion and Siltation, (1).
11. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction as required pursuant to RSA 483-B:6, I, (c).
12. This permit shall not preclude NHDES from taking any enforcement or revocation action as authorized pursuant to 483-B:5, I, if NHDES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

\*\*\*\*\*  
**2020-01444    OWNER: PLANTE, ROGER**

**CITY: WOLFEBORO    WATERBODY: CRESCENT LAKE**

Requested Action:

Impact 7,646 square feet of protected shoreland in order to construct a pervious patio, retaining walls, planting beds with natural vegetation, install lawn and seed some areas, construct a pea stone pathway, install drip edges and a stormwater basin.

\*\*\*\*\*

APPROVE PERMIT

Impact 7,646 square feet of protected shoreland in order to construct a pervious patio, retaining walls, planting beds with natural vegetation, install lawn and seed some areas, construct a pea stone pathway, install drip edges and a stormwater basin.

07/20/2020 to 07/26/2020

With Conditions:

1. All work shall be in accordance with plans by Belknap Landscape Co. Inc dated April 15, 2020 and received by the NH Department of Environmental Services (NHDES) on June 23, 2020 pursuant to 483-B:5-b Permit Required; Exemption, I, (a).
2. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved as required per Rule Env-Wq 1406.20, (e).
3. No more than 23.7% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from NHDES in order to ensure compliance with RSA 483-B:9, V, (g).
4. Native vegetation within an area of at least 4,234 square feet within the Woodland Buffer located between 50 and 150 feet landward of the reference line shall be retained as natural woodlands in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized as required per Rule Env-Wq 1406.20, (a).
6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters as required per Rule Env-Wq 1406.20, (b).
7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700 as required per Rule Env-Wq 1406.20, (c).
8. Any fill used shall be clean sand, gravel, rock, or other suitable material as required per Rule Env-Wq 1406.20, (d).
9. The proposed (stormwater management structure description) shall be installed and maintained to effectively absorb and infiltrate stormwater in order to ensure compliance with RSA 483-B:9, V, (g).
10. Photographs documenting the construction of the proposed (stormwater management) shall be submitted to the Department prior to any party taking up occupancy of the new residential primary structure as required per RSA 483-B:6, II and Rule Env-Wq 1406.15, (c) in order to ensure compliance with RSA 483-B:9, V, (g).
11. All pervious technologies used shall be installed and maintained to effectively absorb and infiltrate stormwater as required per RSA 483-B:6, II and Rule Env-Wq 1406.15, (c) in order to ensure compliance with RSA 483-B:9, V, (g).
12. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1 as required pursuant to RSA 483-B:9, V, (d) Erosion and Siltation, (1).
13. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction as required pursuant to RSA 483-B:6, I, (c).
14. This permit shall not preclude NHDES from taking any enforcement or revocation action as authorized pursuant to 483-B:5, I, if NHDES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

\*\*\*\*\*

**2020-01464    OWNER: DKC REALTY LLC**

**CITY: BELMONT    WATERBODY: WINNISQUAM LAKE**

Requested Action:

Impact 29,800 square feet of protected shoreland in order to repave the existing driveway, replace rear deck with a ground patio, conduct improvements to the existing walkways, and improve stormwater management.

\*\*\*\*\*

APPROVE PERMIT

Impact 29,800 square feet of protected shoreland in order to repave the existing driveway, replace rear deck with a ground patio, conduct improvements to the existing walkways, and improve stormwater management.

07/20/2020 to 07/26/2020

With Conditions:

1. All work shall be in accordance with plans by Fuss & O'Neill dated June 2020 and received by the NH Department of Environmental Services (NHDES) on June 23, 2020 pursuant to 483-B:5-b Permit Required; Exemption, I, (a).
2. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved as required per Rule Env-Wq 1406.20, (e).
3. No more than 39.3% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from NHDES in order to ensure compliance with RSA 483-B:9, V, (g).
4. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized as required per Rule Env-Wq 1406.20, (a).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters as required per Rule Env-Wq 1406.20, (b).
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700 as required per Rule Env-Wq 1406.20, (c).
7. Any fill used shall be clean sand, gravel, rock, or other suitable material as required per Rule Env-Wq 1406.20, (d).
8. The proposed stormwater management structures shall be installed and maintained to effectively absorb and infiltrate stormwater in order to ensure compliance with RSA 483-B:9, V, (g).
9. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1 as required pursuant to RSA 483-B:9, V, (d) Erosion and Siltation, (1).
10. This permit shall not preclude NHDES from taking any enforcement or revocation action as authorized pursuant to 483-B:5, I, if NHDES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

\*\*\*\*\*  
**2020-01474    OWNER: KILPATRICK, GARY/JANE**

**CITY: BARRINGTON    WATERBODY: MENDUMS PONDS**

Requested Action:

Impact 3,641 square feet of protected shoreland in order to remove existing single family residence and construct a new residence and septic system.

\*\*\*\*\*

APPROVE PERMIT

Impact 3,641 square feet of protected shoreland in order to remove existing single family residence and construct a new residence and septic system.

With Conditions:

1. All work shall be in accordance with plans by Farwell Engineering Services, LLC dated June 17, 2020 and received by the NH Department of Environmental Services (NHDES) on June 26, 2020 pursuant to 483-B:5-b Permit Required; Exemption, I, (a).
2. Neither the new primary structure nor the proposed septic system may be constructed until the system is approved by the NHDES Subsurface Systems Bureau as required pursuant to RSA 483-B:6, I, (c).
3. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved as required per Rule Env-Wq 1406.20, (e).
4. No more than 28.5% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from NHDES in order to ensure compliance with RSA 483-B:9, V, (g).

07/20/2020 to 07/26/2020

5. Native vegetation within an area of at least 648 square feet within the Woodland Buffer located between 50 and 150 feet landward of the reference line shall be retained as natural woodlands in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized as required per Rule Env-Wq 1406.20, (a).
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters as required per Rule Env-Wq 1406.20, (b).
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700 as required per Rule Env-Wq 1406.20, (c).
9. Any fill used shall be clean sand, gravel, rock, or other suitable material as required per Rule Env-Wq 1406.20, (d).
10. The proposed stormwater management structures shall be installed and maintained to effectively absorb and infiltrate stormwater in order to ensure compliance with RSA 483-B:9, V, (g).
11. Photographs documenting the construction of the proposed stormwater management shall be submitted to the Department prior to any party taking up occupancy of the new residential primary structure as required per RSA 483-B:6, II and Rule Env-Wq 1406.15, (c) in order to ensure compliance with RSA 483-B:9, V, (g).
12. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1 as required pursuant to RSA 483-B:9, V, (d) Erosion and Siltation, (1).
13. This permit shall not preclude NHDES from taking any enforcement or revocation action as authorized pursuant to 483-B:5, I, if NHDES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

\*\*\*\*\*

**2020-01475 OWNER: BELANGER, PAULA/SHANE**

**CITY: TUFTONBORO WATERBODY: MIRROR LAKE**

**Requested Action:**

Impact 3,643 square feet of protected shoreland in order to remove the detached garage to construct a detached garage, modify the driveway configuration, and install a septic system.

\*\*\*\*\*

**APPROVE PERMIT**

Impact 3,643 square feet of protected shoreland in order to remove the detached garage to construct a detached garage, modify the driveway configuration, and install a septic system.

**With Conditions:**

1. All work shall be in accordance with plans by Folsom Design Group dated May 20, 2020 and received by the NH Department of Environmental Services (NHDES) on June 29, 2020 pursuant to 483-B:5-b Permit Required; Exemption, I, (a).
2. The proposed septic system shall not be constructed until the system is approved by the NHDES Subsurface Systems Bureau as required pursuant to RSA 483-B:6, I, (c).
3. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved as required per Rule Env-Wq 1406.20, (e).
4. No more than 18.1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from NHDES in order to ensure compliance with RSA 483-B:9, V, (g).
5. Native vegetation within an area of at least 3,420 square feet within the Woodland Buffer located between 50 and 150 feet landward of the reference line shall be retained as natural woodlands in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized as required per Rule Env-Wq 1406.20, (a).

07/20/2020 to 07/26/2020

- 7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters as required per Rule Env-Wq 1406.20, (b).
- 8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700 as required per Rule Env-Wq 1406.20, (c).
- 9. Any fill used shall be clean sand, gravel, rock, or other suitable material as required per Rule Env-Wq 1406.20, (d).
- 10. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1 as required pursuant to RSA 483-B:9, V, (d) Erosion and Siltation, (1).
- 11. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction as required pursuant to RSA 483-B:6, I, (c).
- 12. This permit shall not preclude NHDES from taking any enforcement or revocation action as authorized pursuant to 483-B:5, I, if NHDES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

\*\*\*\*\*

**2020-01477    OWNER: DONOVAN, WALTER**

**CITY: PIERMONT    WATERBODY: ARMINGTON LAKE**

Requested Action:

Impact 2,062 square feet of protected shoreland in order to expand patio area on the lake-side of the existing residence.

\*\*\*\*\*

APPROVE PERMIT

Impact 2,062 square feet of protected shoreland in order to expand patio area on the lake-side of the existing residence.

With Conditions:

- 1. All work shall be in accordance with plans by Horizons Engineering dated June 2020 and received by the NH Department of Environmental Services (NHDES) on June 26, 2020 pursuant to 483-B:5-b Permit Required; Exemption, I, (a).
- 2. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved as required per Rule Env-Wq 1406.20, (e).
- 3. No more than 23.1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from NHDES in order to ensure compliance with RSA 483-B:9, V, (g).
- 4. Native vegetation within an area of at least 6,676 square feet within the Woodland Buffer located between 50 and 150 feet landward of the reference line shall be retained as natural woodlands in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
- 5. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized as required per Rule Env-Wq 1406.20, (a).
- 6. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters as required per Rule Env-Wq 1406.20, (b).
- 7. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700 as required per Rule Env-Wq 1406.20, (c).
- 8. Any fill used shall be clean sand, gravel, rock, or other suitable material as required per Rule Env-Wq 1406.20, (d).

07/20/2020 to 07/26/2020

The proposed (stormwater management structure description) shall be installed and maintained to effectively absorb and infiltrate stormwater in order to ensure compliance with RSA 483-B:9, V, (g).

9. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1 as required pursuant to RSA 483-B:9, V, (d) Erosion and Siltation, (1).

10. This permit shall not preclude NHDES from taking any enforcement or revocation action as authorized pursuant to 483-B:5, I, if NHDES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

\*\*\*\*\*

**2020-01479 OWNER: MERRIMACK COUNTY TELEPHONE COMPANY**

**CITY: HOPKINTON WATERBODY: CONTOOCOOK RIVER**

Requested Action:

Impact 12,573 square feet of protected shoreland in order to remove a portion of a parking area, a wall, and curbing to construct a parking area with a sidewalk and landscaping. Stormwater management will be located beyond the Shoreland jurisdiction.

\*\*\*\*\*

APPROVE PERMIT

Impact 12,573 square feet of protected shoreland in order to remove a portion of a parking area, a wall, and curbing to construct a parking area with a sidewalk and landscaping. Stormwater management will be located beyond the Shoreland jurisdiction.

With Conditions:

1. All work shall be in accordance with plans by Granite Engineering dated June 19, 2020 and received by the NH Department of Environmental Services (NHDES) on June 26, 2020 pursuant to 483-B:5-b Permit Required; Exemption, I, (a).
2. Orange construction fencing shall be installed at the limits of the temporary impact area prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved as required per Rule Env-Wq 1406.20, (e).
3. No more than 51.8% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from NHDES in order to ensure compliance with RSA 483-B:9, V, (g).
4. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized as required per Rule Env-Wq 1406.20, (a).
5. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters as required per Rule Env-Wq 1406.20, (b).
6. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700 as required per Rule Env-Wq 1406.20, (c).
7. Any fill used shall be clean sand, gravel, rock, or other suitable material as required per Rule Env-Wq 1406.20, (d).
8. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1 as required pursuant to RSA 483-B:9, V, (d) Erosion and Siltation, (1).
9. This permit shall not be interpreted as acceptance or approval of any impact that will occur within wetlands jurisdiction regulated under RSA 482-A including all wetlands, surface waters and their banks, the tidal-buffer zone, and sand dunes. The owner is responsible for maintaining compliance with RSA 482-A and Administrative Rules Env-Wt 100 - 900 and obtaining any Wetland Impact Permit that may be required prior to construction, excavation or fill that will occur within Wetlands jurisdiction as required pursuant to RSA 483-B:6, I, (c).
10. This permit shall not preclude NHDES from taking any enforcement or revocation action as authorized pursuant to 483-B:5, I, if NHDES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant

07/20/2020 to 07/26/2020

were not previously permitted or grandfathered.

\*\*\*\*\*  
**2020-01527 OWNER: KELLEY, ANN W/RICK F**

**CITY: PITTSBURG WATERBODY: FIRST CONNECTICUT LAKE**

Requested Action:

Impact 6,985 square feet (SF) of protected shoreland in order to construct 12 foot x 48.5 foot addition to an existing home. Expand the existing deck and stairs by 519 SF. Construct a 36 foot x 34 foot garage with 2 foot overhangs connected to the house with a 11.6 foot x 12.6 foot breezeway.

\*\*\*\*\*

APPROVE PERMIT

Impact 6,985 square feet (SF) of protected shoreland in order to construct 12 foot x 48.5 foot addition to an existing home. Expand the existing deck and stairs by 519 SF. Construct a 36 foot x 34 foot garage with 2 foot overhangs connected to the house with a 11.6 foot x 12.6 foot breezeway.

With Conditions:

1. All work shall be in accordance with plans by New Hampshire Environmental Consultants LLC dated June 11, 2020 and received by the NH Department of Environmental Services (NHDES) on June 30, 2020 pursuant to 483-B:5-b Permit Required; Exemption, I, (a).
2. The proposed septic system shall not be constructed until the system is approved by the NHDES Subsurface Systems Bureau as required pursuant to RSA 483-B:6, I, (c).
3. Orange construction fencing shall be installed at the limits of the temporary impact area as shown on the approved plans prior to the start of work and shall be maintained throughout the project in order to prevent accidental encroachment into areas in which impacts have not been approved as required per Rule Env-Wq 1406.20, (e).
4. No more than 27.1% of the area of the lot within the protected shoreland shall be covered by impervious surfaces unless additional approval is obtained from NHDES in order to ensure compliance with RSA 483-B:9, V, (g).
5. Native vegetation within an area of at least 2,151 square feet within the Woodland Buffer located between 50 and 150 feet landward of the reference line shall be retained as natural woodlands in an unaltered state in order to comply with RSA 483-B:9, V, (b), (2).
6. Erosion and siltation control measures shall be installed prior to the start of work, be maintained throughout the project, and remain in place until all disturbed surfaces are stabilized as required per Rule Env-Wq 1406.20, (a).
7. Erosion and siltation controls shall be appropriate to the size and nature of the project and to the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to wetlands or surface waters as required per Rule Env-Wq 1406.20, (b).
8. No person undertaking any activity in the protected shoreland shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards established in Env-Wq 1700 as required per Rule Env-Wq 1406.20, (c).
9. Any fill used shall be clean sand, gravel, rock, or other suitable material as required per Rule Env-Wq 1406.20, (d).
10. The proposed (stormwater management structure description) shall be installed and maintained to effectively absorb and infiltrate stormwater in order to ensure compliance with RSA 483-B:9, V, (g).
11. Photographs documenting the construction of the proposed (stormwater management) shall be submitted to the Department prior to any party taking up occupancy of the new residential primary structure as required per RSA 483-B:6, II and Rule Env-Wq 1406.15, (c) in order to ensure compliance with RSA 483-B:9, V, (g).
12. Within three days of final grading or temporary suspension of work in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1 as required pursuant to RSA 483-B:9, V, (d) Erosion and Siltation, (1).
13. This permit shall not preclude NHDES from taking any enforcement or revocation action as authorized pursuant to 483-B:5, I, if NHDES later determines that any of the structures depicted as "existing" on the plans submitted by the applicant were not previously permitted or grandfathered.

07/20/2020 to 07/26/2020

**PERMIT CATEGORY: SEASONAL DOCK SPN**

\*\*\*\*\*

**2020-01683    OWNER: POODIACK, JAMES**

**CITY: STODDARD    WATERBODY: HIGHLAND LAKE**

Requested Action:

Install a 6 foot x 30 foot seasonal pier along Highland Lake in Stoddard.

\*\*\*\*\*

COMPLETE NOTIFICATION

Install a 6 foot x 30 foot seasonal pier along Highland Lake in Stoddard.

\*\*\*\*\*

**2020-01713    OWNER: DAVID W & BARBARA & SOMERO IRREV TRUST**

**CITY: RINDGE    WATERBODY: MONOMONAC LAKE**

Requested Action:

Install a 6 foot x 30 foot seasonal pier along Monomonac Lake in Rindge.

\*\*\*\*\*

COMPLETE NOTIFICATION

Install a 6 foot x 30 foot seasonal pier along Monomonac Lake in Rindge.

**PERMIT CATEGORY: FORESTRY SPN**

\*\*\*\*\*

**2020-01688    OWNER: CT LAKES REALTY TRUST**

**CITY: PITTSBURG    WATERBODY: Unnamed Stream**

\*\*\*\*\*

COMPLETE NOTIFICATION

Pittsburg, Tax Map #E5, Lot #26

07/20/2020 to 07/26/2020

\*\*\*\*\*  
2020-01690    OWNER: POLHEMUS, PHILIP/RITA

CITY: MEREDITH    WATERBODY: Unnamed Stream

\*\*\*\*\*

COMPLETE NOTIFICATION  
Meredith Tax Map #R22, Lot #14

\*\*\*\*\*  
2020-01705    OWNER: MACIVER, MARK

CITY: STRAFFORD    WATERBODY: Unnamed Stream

\*\*\*\*\*

COMPLETE NOTIFICATION  
Strafford Tax Map #12, Lot #7

**PERMIT CATEGORY: TRAILS SPN**

\*\*\*\*\*  
2020-01749    OWNER: TOWN OF LEE

CITY: LEE    WATERBODY: Unnamed Stream

\*\*\*\*\*

DISQUALIFY TRAIL/FORESTRY/DOCK NOTIFICTN  
Installation of a new 12-foot-long by 3-foot-wide footbridge over an intermittent stream.

\*\*\*\*\*  
2020-01773    OWNER: SPENCER BROOK FOREST LLC

CITY: CAMPTON    WATERBODY: Unnamed Stream

\*\*\*\*\*

07/20/2020 to 07/26/2020

**DISQUALIFY TRAIL/FORESTRY/DOCK NOTIFICTN**

Upgrade and expand existing trail system, maintenance and repair of existing trails including culvert replacements and trail resurfacing, and installation of new trails including two new stream crossings including a 40-foot-long by 15-foot-wide bridge across Spencer Brook and a 2-foot diameter culvert in an intermittent stream with a 1-foot-wide scoured channel, and multiple new wetland crossings.

**PERMIT CATEGORY: UTILITY SPN**

\*\*\*\*\*

**2020-01747 OWNER: EVERSOURCE ENERGY**

**CITY: PITTSFIELD WATERBODY: Unnamed Stream**

\*\*\*\*\*

**COMPLETE NOTIFICATION**

1) Replace two utility structures near Ingalls Rd. on existing 319 line in Pittsfield.

**PERMIT CATEGORY: EXP - STANDARD TIMELINE**

\*\*\*\*\*

**2020-01213 OWNER: KENNEDY, DEBORAH/JAMES**

**CITY: HANOVER WATERBODY: HEWES BROOK**

**Requested Action:**

Impact approximately 1,355 square feet within the bed and banks of Hewes Brook (impacting approximately 325 linear feet) to incorporate trees/wood into the stream to increase habitat complexity and sediment/nutrient retention.

\*\*\*\*\*

**Conservation Commission/Staff Comments:**

6/12/2020 The Con. Com. reviewed this application at its meeting on June 10, 2020. The Con. Com. is concerned about the impacts to the water resource buffer and Hewes Brook water quality.

The Commission was unanimous in its support of the restoration work proposed in this application so do not wish to intervene in the review of this application.

**APPROVE PERMIT**

Impact approximately 1,355 square feet within the bed and banks of Hewes Brook (impacting approximately 325 linear feet) to incorporate trees/wood into the stream to increase habitat complexity and sediment/nutrient retention.

**With Conditions:**

1. In accordance with Env-Wt 307.16, all work shall be done in accordance with the revised plans dated July 11, 2020 by James S. Kennedy, as received by the NH Department of Environmental Services (NHDES) on July 16, 2020.
2. All work shall be conducted and maintained in such a way as to protect water quality as required by Rule Env-Wt 307.03(a) through (h).
3. In accordance with Env-Wt 307.03(a), no activity shall be conducted in such a way as to cause or contribute to any

07/20/2020 to 07/26/2020

violation of surface water quality standards specified in RSA 485-A:8 or Env-Wq 1700; ambient groundwater quality standards established under RSA 485-C; limitations on activities in a sanitary protective area established under Env-Dw 302.10 or Env-Dw 305.10; or any provision of RSA 485-A, Env-Wq 1000, RSA 483-B, or Env-Wq 1400 that protects water quality.

4. In accordance with Env-Wt 307.03(b), all work, including management of soil stockpiles, shall be conducted so as to minimize erosion, minimize sediment transfer to surface waters or wetlands, and minimize turbidity in surface waters and wetlands using the techniques described in Env-Wq 1505.02, Env-Wq 1505.04, Env-Wq 1506, and Env-Wq 1508; the applicable BMP manual; or a combination thereof, if the BMP manual provides less protection to jurisdictional areas than the provisions of Env-Wq 1500.
5. In accordance with Env-Wt 307.03(g)(1), the person in charge of construction equipment shall inspect such equipment for leaking fuel, oil, and hydraulic fluid each day prior to entering surface waters or wetlands or operating in an area where such fluids could reach groundwater, surface waters, or wetlands.
6. In accordance with Env-Wt 307.03(g)(2), the person in charge of construction equipment shall repair any leaks prior to using the equipment in an area where such fluids could reach groundwater, surface waters, or wetlands.
7. In accordance with Env-Wt 307.03(g)(3) and (4), the person in charge of construction equipment shall maintain oil spill kits and diesel fuel spill kits, as applicable to the type(s) and amount(s) of oil and diesel fuel used, on site so as to be readily accessible at all times during construction; and train each equipment operator in the use of the spill kits.
8. In accordance with Env-Wt 307.03(h), equipment shall be staged and refueled outside of jurisdictional areas (unless allowed) and in accordance with Env-Wt 307.15.
9. In accordance with Env-Wt 307.04(a), activities that produce suspended sediment in jurisdictional areas that provide value as bird migratory areas or fish and shellfish spawning or nursery areas, shall be done so as to avoid and minimize discharges of dredged material or placement of fill material during spawning or breeding seasons by using water quality protection techniques as specified in Env-Wt 307 and timing of project as specified in Env-Wt 307.10(g) or (h), as applicable.
10. In accordance with Env-Wt 307.04(c), activities that produce suspended sediment in jurisdictional areas that provide value as bird migratory areas or fish and shellfish spawning or nursery areas shall be done so as to protect high quality waters as specified in Env-Wq 1708.06.
11. In accordance with Env-Wt 307.14(a), no rocks shall be blasted or otherwise removed unless doing so is necessary to provide public access or to abate an immediate navigable hazard.
12. In accordance with Env-Wt 307.14(b), no rocks shall be removed during fish spawning.
13. In accordance with Env-Wt 307.14(c) and subject to Env-Wt 307.14(e), rocks removed from the bed of a surface water shall be relocated within 10 feet to 20 feet of their current location and at a similar depth.
14. In accordance with Env-Wt 307.14(e), rocks that are necessary to protect fish spawning areas or critical wildlife habitat in shallow streams or lakes shall not be relocated.
15. In accordance with Env-Wt 307.05(b), equipment to be used in surface waters shall be completely free of all aquatic and terrestrial invasive plants and all exotic aquatic species of wildlife as defined in RSA 487:16, I-a.
16. In accordance with Env-Wt 307.07, all development activities associated with any project shall be conducted in compliance with applicable requirements of RSA 483-B and Env-Wq 1400 during and after construction.
17. All dredging activities shall meet all of the conditions listed in Rule Env-Wt 307.10(a) through (n).
18. In accordance with Env-Wt 307.10(b), work shall be done during low flow or in the dry unless a dredge dewatering, diversion, or cofferdam plan has been approved as part of the project.
19. In accordance with Env-Wt 307.10(g), subject to Env-Wt 307.10(h), in non-tidal waters, no dredging shall occur between October 1 and March 31 for any fish migration or larval settling area of cold water fish; or in March or April for any area that is habitat for rainbow smelt.
20. In accordance with Env-Wt 307.10(k), dredging shall not impede fish migrations or interfere with spawning areas for fish.
21. All temporary and permanent filling activities shall meet all of the conditions listed in Rule Env-Wt 307.11(a) through (l).
22. In accordance with Env-Wt 307.11(e), fill shall be not placed so as to direct flows onto adjacent or down-current property.
23. In accordance with Env-Wt 307.15(b), mobile heavy equipment working in wetlands shall not be stored, maintained, or repaired in wetlands, except that repairing or refueling in a wetland is allowed if equipment cannot practicably be removed and secondary containment is provided.
24. In accordance with Env-Wt 525.04(e), wood addition projects shall comply with the "Practical Guide to Adding Wood to Streams in NH".
25. In accordance with Env-Wt 307.18(d), a report that describes the stability of and status of stream or wetland systems, including a description of any necessary adjustments, shall be submitted to the department.

With Findings:

1. This is classified as a minimum impact project per Rule Env-Wt 525.05(a), as the project meets all of the criteria for a restoration/enhancement project.
2. Per Rule Env-Wt 407.04(b), classification based on resource type impacted does not apply to a restoration/enhancement project under Env-Wt 525, as the project is funded in whole or in part with public funds from a federal, state, or local agency; is conducted under the supervision of the Natural Resources Conservation Service of the U.S. Department of Agriculture (NRCS); and is not done to restore any area that is subject to a removal or restoration order.

07/20/2020 to 07/26/2020

3. Per Rule Env-Wt 306.05, the applicant has addressed all of the required planning items that are used to determine the appropriate impact classification of a project and the type of approval required.
4. Per Rule Env-Wt 311.06(h), the municipal conservation commission provided comments in support of the proposed project on 6/12/2020.
5. Per Rule Env-Wt 313.01(a)(2), all applicable conditions specified in Env-Wt 307 have been met.
6. Per Rule Env-Wt 313.01(a)(3), all resource-specific criteria established in Env-Wt 400 and Env-Wt 500 have been met.
7. Per Rule Env-Wt 313.01(a)(4), all project-specific criteria established in Env-Wt 500 have been met.
8. Per Rule Env-Wt 313.01(a)(5), and as required by RSA 482-A:11, II, this permit for work to dredge or fill will not 'infringe on the property rights or unreasonably affect the value or enjoyment of property of abutting owners' based on documentation that the proposed dredge and fill activity will be located entirely within the boundary of the applicant's property interest and will not result in any observable change in off-site surface water levels or flows.
9. Per Rule Env-Wt 313.03(a), the applicant has demonstrated that potential impacts to jurisdictional areas have been avoided to the maximum extent practicable and that any unavoidable impacts have been minimized.
10. Per Rule Env-Wt 525.02, the restoration/enhancement project meets the design and construction requirements of Env-Wt 525.04 and does not include unnatural stream channelization or conversion of wetlands to uplands.
11. The restoration/enhancement project meets all of the design and construction requirements listed in Env-Wt 525.04, and has been designed to restore or increase wetland functions, stream function, water quality, or other functions of resources within jurisdictional areas.

**PERMIT CATEGORY: EXP - EXPEDITED TIMELINE**

\*\*\*\*\*

**2020-01252      OWNER: THOMPSON, MARGOT**

**CITY: PORTSMOUTH    WATERBODY: PISCATAQUA RIVER**

Requested Action:

Impact approximately 1,830 square feet within the previously developed upland tidal buffer zone in order to reconfigure an existing parking area, converting existing impervious to pervious surface, and relocate an existing storage shed.

\*\*\*\*\*

Conservation Commission/Staff Comments:

7-6-20 - No adverse effect per DHR.

APPROVE PERMIT

Impact approximately 1,830 square feet within the previously developed upland tidal buffer zone in order to reconfigure an existing parking area, converting existing impervious to pervious surface, and relocate an existing storage shed.

With Conditions:

1. All work shall be done in accordance with the plans by Ambit Engineering dated March 2020, revised through July 14, 2020, last received by the NH Department of Environmental Services (NHDES) on July 17, 2020, per Rule Env-Wt 307.16.
2. No other work shall be done on the subject property pursuant to another expedited permit (EXP) or a statutory permit-by-notification (SPN) for a period of 12 months from the date the EXP was issued unless the property owner submits information, including a plan, to demonstrate that the proposed work is wholly unrelated to and separate from the work already done under the EXP or SPN; and the proposed work and the work already done under the EXP or SPN do not, when combined, constitute a project for which a standard permit is required, per Rule Env-Wt 310.03(a)
3. All pervious technologies used shall be installed and maintained to effectively absorb and infiltrate stormwater as required per RSA 483-B:6, II and Rule Env-Wq 1406.15, (c) in order to ensure compliance with RSA 483-B:9, V, (g).
4. All development activities associated with any project shall be conducted in compliance with applicable requirements of RSA 483-B and Env-Wq 1400 during and after construction, per Rule Env-Wt 307.07.
5. All work, including management of soil stockpiles, shall be conducted so as to minimize erosion, minimize sediment transfer to surface waters or wetlands, and minimize turbidity in surface waters and wetlands using the techniques described in Env-Wq 1505.02, Env-Wq 1505.04, Env-Wq 1506, and Env-Wq 1508; the applicable BMP manual; or a combination

07/20/2020 to 07/26/2020

thereof, if the BMP manual provides less protection to jurisdictional areas than the provisions of Env-Wq 1500, per Rule Env-Wt 307.03(b).

6. Water quality control measures shall be selected and implemented based on the size and nature of the project and the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to jurisdictional areas, per Rule Env-Wt 307.03(c)(1).

7. The person in charge of construction equipment shall inspect such equipment for leaking fuel, oil, and hydraulic fluid each day prior to entering surface waters or wetlands or operating in an area where such fluids could reach groundwater, surface waters, or wetlands, per Rule Env-Wt 307.03(g)(1).

8. Equipment shall be staged and refueled outside of jurisdictional areas (unless allowed) per Rule Env-Wt 307.15 and Env-Wt 307.03(h).

With Findings:

1. This is classified as a minimum impact project per Rule Env-Wt 610.17(c)(1) for any dredging, filling, or construction activity, or any combination thereof that is in a previously developed upland area, is within 100 feet of the Highest Observable Tide Line (HOTL), and will disturb less than 3,000 square feet.

2. The applicant has addressed all of the required planning items that are used to determine the appropriate impact classification of a project and the type of approval required, per Rule Env-Wt 306.05.

3. The applicant has demonstrated that the avoidance and minimization requirements in Env-Wt 307, Env-Wt 311.07, Env-Wt 313, and Env-Wt 603.04 have been met, and has demonstrated that all of the requirements listed in Env-Wt 605.01(a) through (c) have been met, for projects in coastal areas, per Rule Env-Wt 605.01.

4. The project meets the approval criteria established in Rule Env-Wt 313.01.

5. The applicant for a permit for work in or adjacent to tidal waters/wetlands or the tidal buffer zone has demonstrated that adverse impacts listed in (a) through (d) have been avoided or minimized as required by Env-Wt 313.04, per Rule Env-Wt 605.02.

6. The project will result in a net reduction in impervious surfaces within the protected shoreland.

7. The project in or on a tidal buffer zone preserves the self-sustaining ability of the buffer area to provide habitat values, protect tidal environments from potential sources of pollution, provide stability of the coastal shoreline, and maintain existing buffers intact where the lot has disturbed area defined under RSA 483- B:4, VI, per Rule Env-Wt 604.02(c).

8. All resource-specific criteria established in Env-Wt 600 have been met, per Rule Env-Wt 313.01(a)(3).

9. All project-specific criteria established in Env-Wt 600 have been met, per Rule Env-Wt 313.01(a)(4).

10. All applicable conditions specified in Env-Wt 307 have been met, per Rule Env-Wt 313.01(a)(2).

11. The application for this expedited permit (EXP) included a signed statement from the municipal conservation commission certifying that the conservation commission waives its right to intervene on the project, per Rule Env-Wt 310.01(h).

**PERMIT CATEGORY: SMALL MOTOR MINERAL DREDGE**

\*\*\*\*\*

**2020-01731 OWNER: YANNES, WILLIAM**

**CITY: (ALL TOWNS) WATERBODY: Unnamed Stream**

\*\*\*\*\*

APPROVE PERMIT  
4 Twin River Lane, Bath, Wild Ammonoosuc River

\*\*\*\*\*

**2020-01746 OWNER: WANISKI, DAVE**

**CITY: (ALL TOWNS) WATERBODY: Unnamed Stream**

\*\*\*\*\*

APPROVE PERMIT  
Twin River Campground, Bath, Swift River

**PERMIT CATEGORY: WETLAND PBN**

\*\*\*\*\*

**2020-00914    OWNER: WINNISQUAM DEVELOPMENT ASSOCIATES**

**CITY: SANBORNTON    WATERBODY: WINNISQUAM LAKE**

Requested Action:

Replenish an existing 200 foot x 100 foot beach with 10 cubic yards of sand on 103 foot frontage on Lake Winnisquam, Maple Circle, Sanbornton, NH.

\*\*\*\*\*

PBN IS COMPLETE

Replenish an existing 200 foot x 100 foot beach with 10 cubic yards of sand on 103 foot frontage on Lake Winnisquam, Maple Circle, Sanbornton, NH.

With Conditions:

1. All work shall be in accordance with plans received by the NH Department of Environmental Services (NHDES) on May 4, 2020 as required pursuant to Env-Wt 307.16.
2. No more than 10 cubic yards of sand shall be used and all sand shall be located above the normal high water line in accordance with Env-Wt 511.07(a).
3. No activity shall be conducted in such a way as to cause or contribute to any violation of surface water quality standards specified in RSA 485-A:8 or Env-Wq 1700; ambient groundwater quality standards established under RSA 485-C; limitations on activities in a sanitary protective area established under Env-Dw 302.10 or Env-Dw 305.10; or any provision of RSA 485-A, Env-Wq 1000, RSA 483-B, or Env-Wq 1400 that protects water quality as required pursuant to Env-Wt 307.03(a).
4. Pursuant to RSA 482-A:14, RSA 482-A:14-b, and RSA 482-A:14-c, NHDES is authorized to take appropriate compliance actions should it be determined that, based upon additional information which becomes available, any of the structures depicted as "existing" on the plans submitted by or on behalf of the permittee were not previously permitted or grandfathered.

With Findings:

1. This project is classified as a minimum impact project per Rule Env-Wt 511.07(a), replenishment of no more than 10 cubic yards of clean sand on an existing beach.

\*\*\*\*\*

**2020-01358    OWNER: THACHER FAMILY REVOCABLE TRUST**

**CITY: SANBORNVILLE    WATERBODY: LOVELL LAKE**

Requested Action:

Install anchoring pad attached to an existing 5 foot x 30 foot seasonal pier, install a seasonal boatlift and two personal watercraft lifts on an average of 114 feet of frontage along Lovell Lake in Sanbornville.

07/20/2020 to 07/26/2020

\*\*\*\*\*

**PBN IS COMPLETE**

Install anchoring pad attached to an existing 5 foot x 30 foot seasonal pier, install a seasonal boatlift and two personal watercraft lifts on an average of 114 feet of frontage along Lovell Lake in Sanbornville.

**With Conditions:**

1. In accordance with Env-Wt 307.16, all work shall be done in accordance with the revised plans dated June 29, 2020 by Walker Magrauth, as received by the NH Department of Environmental Services (NHDES) on July 23, 2020.
2. This permit shall not be effective until it has been recorded in the Carroll County Registry of Deeds and a copy of the recorded permit has been provided to the department as required pursuant to RSA 482-A:3, and Env-Wt 314.02.
3. The seasonal boatlift and personal watercraft lifts shall be installed in an existing legal boat slip to maintain compliance with Env-Wt 513.21(a).
4. Any subdivision of the property frontage will require removal of a sufficient portion of the docking structures to comply with the dock size and density requirements in effect at the time of the subdivision as required to maintain compliance with Env-Wt 314.02 and Env-Wt 513.12.
5. Only those structures shown on the approved plans shall be installed or constructed along this frontage as required per Env-Wt 513.22, (a).
6. All portions of the docking structure shall be located at least 20 feet from the abutting property lines and no watercraft shall be secured to the docking facility such that it crosses over the imaginary extension of the property lines over the surface water as required by RSA 482-A:3, XIII.
7. All seasonal structures, including watercraft lifts, shall be removed for the non-boating season as required per Env-Wt 513.22.
8. The concrete pad shall be constructed landward of the normal high water line (Elev. 572.12) as required per Env-Wt 513.13, (d).
9. Water quality control measures shall be installed prior to start of work and in accordance with the manufacturer's recommended specifications or, if none, the applicable requirements of Env-Wq 1506 or Env-Wq 1508, shall be maintained so as to ensure continued effectiveness in minimizing erosion and retaining sediment on-site during and after construction, and removed upon completion of work and the effective stabilization of disturbed surfaces as required pursuant to Env-Wt 307.03(c).
10. All dredged and excavated material and construction-related debris shall be placed outside of those areas subject to RSA 482-A or RSA-483-B unless a permit for for the deposition of materials within those areas has been obtained as required per RSA 482-A:3 or RSA 483-B:5-b respectively.
11. No activity shall be conducted in such a way as to cause or contribute to any violation of surface water quality standards specified in RSA 485-A:8 or Env-Wq 1700; ambient groundwater quality standards established under RSA 485-C; limitations on activities in a sanitary protective area established under Env-Dw 302.10 or Env-Dw 305.10; or any provision of RSA 485-A, Env-Wq 1000, RSA 483-B, or Env-Wq 1400 that protects water quality as required pursuant to Env-Wt 307.03(a).
12. Pursuant to RSA 482-A:14, RSA 482-A:14-b, and RSA 482-A:14-c, NHDES is authorized to take appropriate compliance actions should it be determined that, based upon additional information which becomes available, any of the structures depicted as "existing" on the plans submitted by or on behalf of the permittee were not previously permitted or grandfathered.

**With Findings:**

1. The project is classified as a minimum impact per Administrative Rule Env-Wt 513.26(a)(1), the project meets all of the criteria for approval of the application as stated in Env-Wt 513.05.

\*\*\*\*\*

**2020-01534 OWNER: O'ROUKE, KARA/MICHAEL**

**CITY: KINGSTON WATERBODY: GREAT POND**

07/20/2020 to 07/26/2020

Requested Action:

Temporarily impact 328 square feet along 90 linear feet of bank in order to repair an existing retaining wall on frontage along Great Pond in Kingston.

\*\*\*\*\*

PBN IS COMPLETE

Temporarily impact 328 square feet along 90 linear feet of bank in order to repair an existing retaining wall on frontage along Great Pond in Kingston.

With Conditions:

1. All work shall be in accordance with plans by Stoney Ridge Environmental dated June 5, 2020, as received by the NH Department of Environmental Services (NHDES) on July 9, 2020 as required pursuant to Env-Wt 307.16.
2. Repair of the existing retaining wall shall be conducted in the dry and shall result in no change in height, length, location, or configuration in accordance with 514.07(a).
3. Pursuant to RSA 483-B:9.V, (a)(2)(d)(v), this permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a)(2)(D)(iv).
4. All development activities associated with any project shall be conducted in compliance with applicable requirements of RSA 483-B and Env-Wq 1400 during and after construction as required pursuant to RSA 483-B:3.
5. Water quality control measures capable of minimizing erosion; collecting sediment and suspended and floating materials; and filtering fine sediment shall be selected and implemented as appropriate based on the size and nature of the project and the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to jurisdictional areas as required pursuant to Env-Wt 307.03(c).
6. Water quality control measures shall be installed prior to start of work and in accordance with the manufacturer's recommended specifications or, if none, the applicable requirements of Env-Wq 1506 or Env-Wq 1508, shall be maintained so as to ensure continued effectiveness in minimizing erosion and retaining sediment on-site during and after construction, and removed upon completion of work and the effective stabilization of disturbed surfaces as required pursuant to Env-Wt 307.03(c).
7. All dredged and excavated material and construction-related debris shall be placed outside of those areas subject to RSA 482-A or RSA-483-B unless a permit for for the deposition of materials within those areas has been obtained as required per RSA 482-A:3 or RSA 483-B:5-b respectively.
8. No activity shall be conducted in such a way as to cause or contribute to any violation of surface water quality standards specified in RSA 485-A:8 or Env-Wq 1700; ambient groundwater quality standards established under RSA 485-C; limitations on activities in a sanitary protective area established under Env-Dw 302.10 or Env-Dw 305.10; or any provision of RSA 485-A, Env-Wq 1000, RSA 483-B, or Env-Wq 1400 that protects water quality as required pursuant to Env-Wt 307.03(a).
9. Pursuant to RSA 482-A:14, RSA 482-A:14-b, and RSA 482-A:14-c, NHDES is authorized to take appropriate compliance actions should it be determined that, based upon additional information which becomes available, any of the structures depicted as "existing" on the plans submitted by or on behalf of the permittee were not previously permitted or grandfathered.

With Findings:

1. The project is classified as a minimum impact per Administrative Rule Env-Wt 514.07(a)(3), repair of the existing retaining wall conducted in the dry and results in no change in height, length, location, or configuration. wall.

\*\*\*\*\*

**2020-01572 OWNER: RANNIGER, RENATE**

**CITY: MEREDITH WATERBODY: LAKE WINNIPESAUKEE**

Requested Action:

Install a seasonal boatlift adjacent to an existing 4 foot x 38 foot seasonal pier on 101 feet of frontage along Lake Winnepesaukee in Meredith.

07/20/2020 to 07/26/2020

\*\*\*\*\*

**PBN IS COMPLETE**

Install a seasonal boatlift adjacent to an existing 4 foot x 38 foot seasonal pier on 101 feet of frontage along Lake Winnepesaukee in Meredith.

**With Conditions:**

1. All work shall be in accordance with plans by Ranniger as received by the NH Department of Environmental Services (NHDES) on July 6, 2020 as required pursuant to Env-Wt 307.16.
2. Only those structures shown on the approved plans shall be installed or constructed along this frontage as required per Env-Wt 513.22, (a).
3. All seasonal structures, including watercraft lifts, shall be removed for the non-boating season as required per Env-Wt 513.22.
4. All development activities associated with any project shall be conducted in compliance with applicable requirements of RSA 483-B and Env-Wq 1400 during and after construction as required pursuant to RSA 483-B:3.
5. No activity shall be conducted in such a way as to cause or contribute to any violation of surface water quality standards specified in RSA 485-A:8 or Env-Wq 1700; ambient groundwater quality standards established under RSA 485-C; limitations on activities in a sanitary protective area established under Env-Dw 302.10 or Env-Dw 305.10; or any provision of RSA 485-A, Env-Wq 1000, RSA 483-B, or Env-Wq 1400 that protects water quality as required pursuant to Env-Wt 307.03(a).
6. The use of this structure shall be limited to the docking and securing of watercraft as required to comply with Env-Wt 307.09.
7. Pursuant to RSA 482-A:14, RSA 482-A:14-b, and RSA 482-A:14-c, NHDES is authorized to take appropriate compliance actions should it be determined that, based upon additional information which becomes available, any of the structures depicted as "existing" on the plans submitted by or on behalf of the permittee were not previously permitted or grandfathered.

**With Findings:**

1. This project is classified as a minimum impact per Administrative Rule Env-Wt 513.24(a)(1)(d), installation of any watercraft lift.

\*\*\*\*\*

**2020-01656 OWNER: HINES, MICHAEL**

**CITY: MEREDITH WATERBODY: LAKE WINNIPESAUKEE**

**Requested Action:**

Temporarily impact 118 square feet along 43 linear feet of bank in order to repair an existing retaining wall on frontage along Lake Winnepesaukee in Meredith.

\*\*\*\*\*

**PBN IS COMPLETE**

Temporarily impact 118 square feet along 43 linear feet of bank in order to repair an existing retaining wall on frontage along Lake Winnepesaukee in Meredith.

**With Conditions:**

1. All work shall be in accordance with plans by TFM dated May 20, 2020, as received by the NH Department of Environmental Services (NHDES) on July 14, 2020 as required pursuant to Env-Wt 307.16.
2. Repair of the existing retaining wall shall be conducted in the dry and shall result in no change in height, length, location, or configuration in accordance with 514.07(a).
3. Pursuant to RSA 483-B:9,V, (a)(2)(d)(v), this permit does not authorize the removal of trees or saplings within the

07/20/2020 to 07/26/2020

waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a)(2)(D)(iv).

4. All development activities associated with any project shall be conducted in compliance with applicable requirements of RSA 483-B and Env-Wq 1400 during and after construction as required pursuant to RSA 483-B:3.

5. Work shall be carried out in a time and manner such that there are no discharges in or to fish or shellfish spawning or nursery areas during spawning seasons as required pursuant to Env-Wt 307.04. Impacts to such areas shall be avoided or minimized to the maximum extent practicable during all other times of the year.

6. Water quality control measures capable of minimizing erosion; collecting sediment and suspended and floating materials; and filtering fine sediment shall be selected and implemented as appropriate based on the size and nature of the project and the physical characteristics of the site, including slope, soil type, vegetative cover, and proximity to jurisdictional areas as required pursuant to Env-Wt 307.03(c).

7. Water quality control measures shall be installed prior to start of work and in accordance with the manufacturer's recommended specifications or, if none, the applicable requirements of Env-Wq 1506 or Env-Wq 1508, shall be maintained so as to ensure continued effectiveness in minimizing erosion and retaining sediment on-site during and after construction, and removed upon completion of work and the effective stabilization of disturbed surfaces as required pursuant to Env-Wt 307.03(c).

8. All dredged and excavated material and construction-related debris shall be placed outside of those areas subject to RSA 482-A or RSA-483-B unless a permit for the deposition of materials within those areas has been obtained as required per RSA 482-A:3 or RSA 483-B:5-b respectively.

9. No activity shall be conducted in such a way as to cause or contribute to any violation of surface water quality standards specified in RSA 485-A:8 or Env-Wq 1700; ambient groundwater quality standards established under RSA 485-C; limitations on activities in a sanitary protective area established under Env-Dw 302.10 or Env-Dw 305.10; or any provision of RSA 485-A, Env-Wq 1000, RSA 483-B, or Env-Wq 1400 that protects water quality as required pursuant to Env-Wt 307.03(a).

10. Pursuant to RSA 482-A:14, RSA 482-A:14-b, and RSA 482-A:14-c, NHDES is authorized to take appropriate compliance actions should it be determined that, based upon additional information which becomes available, any of the structures depicted as "existing" on the plans submitted by or on behalf of the permittee were not previously permitted or grandfathered.

With Findings:

1. The project is classified as a minimum impact per Administrative Rule Env-Wt 514.07(a)(3), repair of the existing retaining wall conducted in the dry and results in no change in height, length, location, or configuration.

\*\*\*\*\*

**2020-01659 OWNER: HIRSCHLER, RUSSELL**

**CITY: LYME WATERBODY: CONNECTICUT RIVER**

Requested Action:

Install a 4 foot x 6 foot platform, 4 foot x 18 foot seasonal ramp attached to a 6 foot x 10 foot seasonal pier on frontage along the Connecticut River in Lyme.

\*\*\*\*\*

PBN IS COMPLETE

Install a 4 foot x 6 foot platform, 4 foot x 18 foot seasonal ramp attached to a 6 foot x 10 foot seasonal pier on frontage along the Connecticut River in Lyme.

With Conditions:

1. In accordance with Env-Wt 307.16, all work shall be done in accordance with the approved plans dated July 2, 2020 as received by the NH Department of Environmental Services (NHDES) on July 23, 2020.

2. This permit shall not be effective until it has been recorded in the Grafton County Registry of Deeds and a copy of the recorded permit has been provided to the department as required pursuant to RSA 482-A:3, and Env-Wt 314.02.

3. Any subdivision of the property frontage will require removal of a sufficient portion of the docking structures to comply with the dock size and density requirements in effect at the time of the subdivision as required to maintain compliance with

07/20/2020 to 07/26/2020

Env-Wt 314.02 and Env-Wt 513.12.

4. Only those structures shown on the approved plans shall be installed or constructed along this frontage as required per Env-Wt 513.22, (a).
5. All portions of the docking structures shall be located at least 20 feet from the abutting property lines and no watercraft shall be secured to the docking facility such that it crosses over the imaginary extension of the property lines over the surface water as required by RSA 482-A:3, XIII.
6. In accordance with Env-Wt 513.22(b)(2), the seasonal dock on the watercourse shall be installed after May 15 and removed prior to November
7. The platform shall be installed completely landward of the ordinary high water line as required per Env-Wt 513.13, (e).
8. The seasonal dock shall be removed from the water prior to applying any paint, stain, or other preservative coating, and not returned to the water until after such coating is dry as required per Env-Wt 513.22(b)(4).
9. Pursuant to RSA 483-B:9,V, (a)(2)(d)(v), this permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a)(2)(D)(iv).
10. Pursuant to RSA 482-A:14, RSA 482-A:14-b, and RSA 482-A:14-c, NHDES is authorized to take appropriate compliance actions should it be determined that, based upon additional information which becomes available, any of the structures depicted as "existing" on the plans submitted by or on behalf of the permittee were not previously permitted or grandfathered.

With Findings:

1. The project is classified as a minimum impact per Administrative Rule Env-Wt 513.24(a), construction of a seasonal docking structure provide no more than 2 slips.

\*\*\*\*\*  
**2020-01692    OWNER: KNOX MARSH DEVELOPMENT LLC**

**CITY: DOVER    WATERBODY: BOSTON HARBOR**

Requested Action:

Impact 168 square feet in tidal water to repair an existing tidal docking structure.

\*\*\*\*\*

PBN IS COMPLETE

Impact 168 square feet in tidal water to repair an existing tidal docking structure.

With Conditions:

1. All work shall be done Per plans by Ambit Engineering dated June 2020, revised through June 30, 2020, as received by the NH Department of Environmental Services (NHDES) on July 17, 2020 as required pursuant to Env-Wt 307.16.
2. This permit shall not be effective until it has been recorded in the Strafford County Registry of Deeds and a copy of the recorded permit has been provided to the department as required pursuant to RSA 482-A:3, and Env-Wt 314.02.
3. Work shall be done per the standard conditions in En-Wt 307.
4. Work shall be done by a barge or upland to prevent the driving of construction equipment in or through tidal waters/wetlands or on the bottom of the inter-tidal zone as required per Env-Wt 606.05(b).
5. No activity shall be conducted in such a way as to cause or contribute to any violation of surface water quality standards specified in RSA 485-A:8 or Env-Wq 1700; ambient groundwater quality standards established under RSA 485-C; limitations on activities in a sanitary protective area established under Env-Dw 302.10 or Env-Dw 305.10; or any provision of RSA 485-A, Env-Wq 1000, RSA 483-B, or Env-Wq 1400 that protects water quality as required pursuant to Env-Wt 307.03(a).
6. Work shall be carried out in a time and manner such that there are no discharges in or to fish or shellfish spawning or nursery areas during spawning seasons as required pursuant to Env-Wt 307.04. Impacts to such areas shall be avoided or minimized to the maximum extent practicable during all other times of the year.
7. Work shall be carried out in a time and manner to avoid disturbances to migratory waterfowl breeding and nesting areas

07/20/2020 to 07/26/2020

as required pursuant to Env-Wt 307.04. Impacts to such areas shall be avoided or minimized to the maximum extent practicable during all other times of the year.

8. All development activities associated with any project shall be conducted in compliance with applicable requirements of RSA 483-B and Env-Wq 1400 during and after construction as required pursuant to RSA 483-B:3.

9. Pursuant to RSA 482-A:14, RSA 482-A:14-b, and RSA 482-A:14-c, NHDES is authorized to take appropriate compliance actions should it be determined that, based upon additional information which becomes available, any of the structures depicted as "existing" on the plans submitted by or on behalf of the permittee were not previously permitted or grandfathered.

With Findings:

The project is classified as a minimum impact per Administrative Rule Env-Wt 606.17(b), for the maintenance and repair of overwater structures in coastal areas.

\*\*\*\*\*  
**2020-01710 OWNER: TOWN OF WOLFEBORO**

**CITY: WOLFEBORO WATERBODY: LAKE WINNIPESAUKEE**

Requested Action:

Repair existing docking facility on frontage along Lake Winnepesaukee in Wolfeboro.

\*\*\*\*\*

PBN IS COMPLETE

Repair existing docking facility on frontage along Lake Winnepesaukee in Wolfeboro.

With Conditions:

1. In accordance with Env-Wt 307.16, all work shall be done in accordance with the approved plans by Civil Works New England dated June 26, 2020 as received by the NH Department of Environmental Services (NHDES) on July 20, 2020.
2. This permit shall not be effective until it has been recorded in the Carrol County Registry of Deeds and a copy of the recorded permit has been provided to the department as required pursuant to RSA 482-A:3, and Env-Wt 314.02.
3. Any subdivision of the property frontage will require removal of a sufficient portion of the docking structures to comply with the dock size and density requirements in effect at the time of the subdivision as required to maintain compliance with Env-Wt 314.02 and Env-Wt 513.12.
4. Only those structures shown on the approved plans shall be installed or constructed along this frontage as required per Env-Wt 513.22, (a).
5. No agitating or heating device shall be installed for the purpose of inhibiting the formation of ice in proximity to the approved structures unless it has been registered with the municipal clerk of the town in which such device shall be operated pursuant to RSA 270:34 Registration Required.
6. Pursuant to RSA 270:33, Heating, Agitating, or Other Devices in Public Waters; Safety Hazard, no agitating or heating device installed in accordance with RSA 270:34 shall inhibit or prevent the natural formation of ice in such a manner as to impede either the ingress or egress to or from the ice from any property other than that of the owner of the device.
7. Water quality control measures shall be installed prior to start of work and in accordance with the manufacturer's recommended specifications or, if none, the applicable requirements of Env-Wq 1506 or Env-Wq 1508, shall be maintained so as to ensure continued effectiveness in minimizing erosion and retaining sediment on-site during and after construction, and removed upon completion of work and the effective stabilization of disturbed surfaces as required pursuant to Env-Wt 307.03(c).
8. Work authorized shall be carried out in accordance with Env-Wt 307 such that appropriate turbidity controls are in place to protect water quality, that no turbidity escapes the immediate dredge area, and that appropriate turbidity controls shall remain until suspended particles have settled and water at the work site has returned to normal clarity.
9. All dredged and excavated material and construction-related debris shall be placed outside of those areas subject to RSA 482-A or RSA-483-B unless a permit for for the deposition of materials within those areas has been obtained as required per RSA 482-A:3 or RSA 483-B:5-b respectively.

07/20/2020 to 07/26/2020

10. Pursuant to RSA 482-A:14, RSA 482-A:14-b, and RSA 482-A:14-c, NHDES is authorized to take appropriate compliance actions should it be determined that, based upon additional information which becomes available, any of the structures depicted as "existing" on the plans submitted by or on behalf of the permittee were not previously permitted or grandfathered.

With Findings:

1. The project is classified as a minimum impact per Administrative Rule Env-Wt 513.24(a)(2), repair of an existing legal docking structure.