

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 1 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|-----------------------|--------------------------------------|--------------|------------|--------------|----------------|-----------------------------|----------------------------------|--------|---------------|---------------|----------------|---|
| NHST600030406-01 | Salmon Falls River, P/Uc, 181.22, Ac | DOVER | 0.283 | SQUARE MILES | Aquatic Life | Chlorophyll-a | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | | Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Primary Contact Recreation | CHLOROPHYLL-A | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | | Enterococcus | 5-P | N | HIGH | 2019 | Source Unknown |
| | | | | | | | Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | NHST600030608-01 | Cochecho River, P/Uc, 158.24, Ac | DOVER | 0.240 | SQUARE MILES | Aquatic Life | 2-Methylnaphthalene |
| Acenaphthene | 5-P | N | LOW | 2019 | Source Unknown | | | | | | | |
| Acenaphthylene | 5-P | N | LOW | 2019 | Source Unknown | | | | | | | |
| Anthracene | 5-P | N | LOW | 2019 | Source Unknown | | | | | | | |
| Benzo(a)pyrene (PAHs) | 5-P | N | LOW | 2019 | Source Unknown | | | | | | | |
| Benzo[a]anthracene | 5-P | N | LOW | 2019 | Source Unknown | | | | | | | |
| Benzo[g,h,i]perylene | 5-P | N | LOW | 2019 | Source Unknown | | | | | | | |
| Biphenyl | 5-P | N | LOW | 2019 | Source Unknown | | | | | | | |
| Chlorophyll-a | 5-M | N | LOW | 2021 | Source Unknown | | | | | | | |
| Chrysene (C1-C4) | 5-P | N | LOW | 2019 | Source Unknown | | | | | | | |
| DDD | 5-P | N | LOW | 2019 | Source Unknown | | | | | | | |
| DDE | 5-P | N | LOW | 2019 | Source Unknown | | | | | | | |
| DDT | 5-P | N | LOW | 2019 | Source Unknown | | | | | | | |
| Dibenz[a,h]anthracene | 5-P | N | LOW | 2019 | Source Unknown | | | | | | | |
| Dieldrin | 5-P | N | LOW | 2019 | Source Unknown | | | | | | | |
| Fluoranthene | 5-P | N | LOW | 2019 | Source Unknown | | | | | | | |
| Fluorene | 5-P | N | LOW | 2019 | Source Unknown | | | | | | | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 2 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | | | | | | |
|-----------------------|----------------------------------|--------------|------------|--------------|--|------------------------------|---------------------------------|-----------|---------------|---------------|----------------|---|-----|---|-----|------|--|
| NHST600030608-01 | Cochecho River, P/Uc, 158.24, Ac | DOVER | 0.240 | SQUARE MILES | Aquatic Life | Indeno[1,2,3-cd]pyrene | 5-P | N | LOW | 2019 | Source Unknown | | | | | | |
| | | | | | | Naphthalene | 5-P | N | LOW | 2019 | Source Unknown | | | | | | |
| | | | | | | Nitrogen (Total) | 5-P | N | LOW | 2021 | Source Unknown | | | | | | |
| | | | | | | Phenanthrene | 5-P | N | LOW | 2019 | Source Unknown | | | | | | |
| | | | | | | Pyrene | 5-P | N | LOW | 2019 | Source Unknown | | | | | | |
| | | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | | | | |
| | | | | | | Primary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2017 | Illicit Connections/Hook-ups to Storm Sewers Sanitary Sewer Overflows (Collection System Failures) Source Unknown | | | | | |
| | | | | | | Secondary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2019 | Illicit Connections/Hook-ups to Storm Sewers Source Unknown | | | | | |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown | | | | | |
| | | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown | | | | | |
| | | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | | | | |
| | | | | | | NHST600030709-01 | Lamprey River, P/Uc, 102.56, Ac | NEWMARKET | 0.160 | SQUARE MILES | Aquatic Life | 2-Methylnaphthalene | 5-P | N | LOW | 2019 | Petroleum/natural Gas Activities Source Unknown |
| | | | | | | | | | | | | Anthracene | 5-P | N | LOW | 2019 | Petroleum/natural Gas Activities Source Unknown |
| Benzo(a)pyrene (PAHs) | 5-P | N | LOW | 2019 | Petroleum/natural Gas Activities Source Unknown | | | | | | | | | | | | |
| Benzo[a]anthracene | 5-P | N | LOW | 2019 | Petroleum/natural Gas Activities Source Unknown | | | | | | | | | | | | |
| Chlorophyll-a | 5-M | N | LOW | 2021 | Source Unknown | | | | | | | | | | | | |
| Chrysene (C1-C4) | 5-P | N | LOW | 2019 | Petroleum/natural Gas Activities Source Unknown | | | | | | | | | | | | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 3 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|--------------------|---------------------------------|--------------|------------|--------------|--------------|-------------------------------|---------------------------|--------|---------------|---------------|--|---|
| NHST600030709-01 | Lamprey River, P/Uc, 102.56, Ac | NEWMARKET | 0.160 | SQUARE MILES | Aquatic Life | DDD | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | DDE | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | DDT | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | Dibenz[a,h]anthracene | 5-P | N | LOW | 2019 | Petroleum/natural Gas Activities Source Unknown | |
| | | | | | | Dissolved oxygen saturation | 5-P | N | MEDIUM | 2017 | Source Unknown | |
| | | | | | | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Fluoranthene | 5-P | N | LOW | 2019 | Petroleum/natural Gas Activities Source Unknown | |
| | | | | | | Fluorene | 5-P | N | LOW | 2019 | Petroleum/natural Gas Activities Source Unknown | |
| | | | | | | Light Attenuation Coefficient | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Naphthalene | 5-P | N | LOW | 2019 | Petroleum/natural Gas Activities Source Unknown | |
| | | | | | | Nitrogen (Total) | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Oxygen, Dissolved | 5-P | N | MEDIUM | 2017 | Source Unknown | |
| | | | | | | Pyrene | 5-P | N | LOW | 2019 | Petroleum/natural Gas Activities Source Unknown | |
| | | | | | | pH | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Primary Contact Recreation | CHLOROPHYLL-A | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | | Enterococcus | 5-P | N | HIGH | 2017 | Source Unknown Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| | | | | | | | Nitrogen (Total) | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | Secondary Contact Recreation | Enterococcus | 5-M | N | HIGH | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 4 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|---------------------------|---|--------------|------------|--------------|----------------|---------------------------------|---------------------------------|--------|---------------|---------------|---|--|
| NHES600030709-01 | Lamprey River, P/Uc, 102.56, Ac | NEWMARKET | 0.160 | SQUARE MILES | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown | |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| NHES600030806-01 | Squamscott River, P/Uc, 306.51, Ac | STRATHAM | 0.470 | SQUARE MILES | Aquatic Life | Chlorophyll-a | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Light Attenuation Coefficient | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Nitrogen (Total) | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2012 | Source Unknown |
| | | | | | | | Enterococcus | 5-P | N | HIGH | 2017 | Animal Feeding Operations (NPS) Combined Sewer Overflows Source Unknown Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| | | | | | | Nitrogen (Total) | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Secondary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2019 | Combined Sewer Overflows |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | | | | | | |
| NHES600030902-01-01 | OYSTER RIVER (Johnson Cr), P/U, 1.358, Ac | DURHAM | 0.002 | SQUARE MILES | Aquatic Life | Chlorophyll-a | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Dissolved oxygen saturation | 5-M | N | LOW | 2021 | Source Unknown | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 5 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|---------------------|---|--------------|------------|--------------|--------------|---|---------------------------------|--------|---------------|---------------|----------------|---|
| NHES600030902-01-01 | OYSTER RIVER (Johnson Cr), P/U, 1.358, Ac | DURHAM | 0.002 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Light Attenuation Coefficient | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Nitrogen (Total) | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHES600030902-01-02 | OYSTER RIVER (Bunker Cr), P/U, 9.877, AC | DURHAM | 0.015 | SQUARE MILES | Aquatic Life | Chlorophyll-a | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Dissolved oxygen saturation | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Light Attenuation Coefficient | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Nitrogen (Total) | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown | | | | | | |
| | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | | | | | |
| NHES600030902-01-03 | OYSTER RIVER, P/SZ, 285.520, AC | DURHAM | 0.446 | SQUARE MILES | Aquatic Life | Chlorophyll-a | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Dissolved oxygen saturation | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Light Attenuation Coefficient | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Nitrogen (Total) | 5-P | N | LOW | 2021 | Source Unknown | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 6 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | | | | | | |
|---------------------------|---------------------------------|--------------|------------|--------------|----------------|----------------------------|--|--------|---------------|---------------|----------------|---|-----|---|-----|------|----------------|
| NHST600030902-01-03 | OYSTER RIVER, P/SZ, 285.520, AC | DURHAM | 0.446 | SQUARE MILES | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown | | | | | | |
| | | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | | | | |
| | | | | | | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2019 | Source Unknown | | | | | |
| | | | | | | | Enterococcus | 5-P | N | HIGH | 2019 | Source Unknown | | | | | |
| | | | | | | | Nitrogen (Total) | 5-P | N | LOW | 2021 | Source Unknown | | | | | |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown | | | | | |
| | | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown | | | | | |
| | | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | | | | |
| | | | | | | NHST600030903-01-01 | Bellamy River North, P, C, 160.745, Ac | DOVER | 0.251 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown |
| Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown | | | | | | | | | | | | |
| Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | | | | | | | Source Unknown | | | | | |
| Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | | | | | | | Source Unknown | | | | | |
| | Fecal Coliform | 5-P | N | HIGH | 2019 | | | | | | | Source Unknown | | | | | |
| | Mercury | 5-M | N | LOW | 2017 | | | | | | | Atmospheric Deposition - Toxics Source Unknown | | | | | |
| Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | | | | | | | | | | | |
| NHST600030903-01-02 | Bellamy River South | DOVER | 0.431 | SQUARE MILES | Aquatic Life | | | | | | | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | | | | | | | Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | | | | |
| | | | | | | Primary Contact Recreation | ENTEROCOCCUS | 5-P | N | HIGH | 2021 | Source Unknown | | | | | |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown | | | | | |
| | | | | | | | Fecal Coliform | 5-M | N | HIGH | 2019 | Source Unknown | | | | | |
| | | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown | | | | | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 7 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|-----------------------------------|--------------|------------|--------------|----------------------------|---------------------------------|--------------|--------|---------------|---------------|---|
| NHEST600030903-01-02 | Bellamy River South | DOVER | 0.431 | SQUARE MILES | Shellfishing | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHEST600030904-01 | Winnicut River, P/Uc, 123.50, Ac | GREENLAND | 0.190 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| NHEST600030904-02 | Great Bay Prohib SZ1, 519.231, Ac | NEWMARKET | 0.811 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | Y | LOW | 2021 | Source Unknown |
| | | | | | | Light Attenuation Coefficient | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | PH | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2019 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHEST600030904-03 | Great Bay Prohib SZ2, 664.621, Ac | GREENLAND | 1.038 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | Y | LOW | 2021 | Source Unknown |
| | | | | | | Light Attenuation Coefficient | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 8 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|-------------------------------------|-----------------------------------|--------------|------------|--------------|--------------|-------------------------------|---------------------------------|--------|---------------|---------------|---------------------------------|----------------|
| NHST600030904-03 | Great Bay Prohib SZ2, 664.621, Ac | GREENLAND | 1.038 | SQUARE MILES | Shellfishing | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics | |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| NHST600030904-04-02 CROMMET CREEK | | DURHAM | 0.063 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | Y | LOW | 2021 | Source Unknown | |
| | | | | | | Light Attenuation Coefficient | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 5-P | N | HIGH | 2019 | Source Unknown | |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics | |
| NHST600030904-04-03 PICKERING BROOK | | NEWINGTON | 0.208 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | Y | LOW | 2021 | Source Unknown | |
| | | | | | | Light Attenuation Coefficient | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Nitrogen (Total) | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Primary Contact Recreation | ENTEROCOCCUS | 5-P | N | HIGH | 2021 | Source Unknown |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 5-P | N | HIGH | 2019 | Source Unknown | |
| NHST600030904-04-04 FABYAN POINT | | NEWINGTON | 0.014 | SQUARE MILES | Aquatic Life | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics | |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | Estuarine Bioassessments | 5-P | Y | LOW | 2021 | Source Unknown | |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 9 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | | | | | | |
|----------------------------|---------------------------------|--------------|------------|--------------|---|-------------------------------|-------------------------------------|-----------|---------------|---------------|---|-------------------------------|-----|---|-----|------|----------------|
| NHEST600030904-04-04 | FABYAN POINT | NEWINGTON | 0.014 | SQUARE MILES | Aquatic Life | Light Attenuation Coefficient | 5-P | N | LOW | 2021 | Source Unknown | | | | | | |
| | | | | | | Nitrogen (Total) | 5-P | N | LOW | 2021 | Source Unknown | | | | | | |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2021 | Source Unknown | | | | | | |
| | | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | | | | |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown | | | | | |
| | | | | | | Fecal Coliform | 5-P | N | HIGH | 2019 | Source Unknown | | | | | | |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown | | | | | | |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | | | | | |
| | | | | | | NHEST600030904-04-05 | GREAT BAY CONDITIONALLY APPROVED | NEWINGTON | 4.097 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | Y | LOW | 2021 | Source Unknown |
| | | | | | | | | | | | | Light Attenuation Coefficient | 5-P | N | LOW | 2021 | Source Unknown |
| Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown | | | | | | | | | | | | |
| Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown | | | | | | | | | | | | |
| PH | 5-P | N | LOW | 2021 | Source Unknown | | | | | | | | | | | | |
| Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | | | | | | | Source Unknown | | | | | |
| Primary Contact Recreation | ENTEROCOCCUS | 5-P | N | HIGH | 2021 | | | | | | | Source Unknown | | | | | |
| Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | | | | | | | Source Unknown | | | | | |
| Fecal Coliform | 5-M | N | HIGH | 2019 | Source Unknown | | | | | | | | | | | | |
| Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown | | | | | | | | | | | | |
| Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | | | | | | | | | | | |
| NHEST600030904-04-06 | ADAMS PONT SOUTH - COND APPR | DURHAM | 0.355 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | Y | LOW | 2021 | Source Unknown | | | | | | |
| | | | | | | Light Attenuation Coefficient | 5-P | N | LOW | 2021 | Source Unknown | | | | | | |
| | | | | | | Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown | | | | | | |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2021 | Source Unknown | | | | | | |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown | | | | | | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 10 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|-------------------------------|---------------------------------|--------------|------------|--------------|------------------|-------------------------------|---------------------------------|-----------|---------------|---------------|----------------|---|
| NHST600030904-04-06 | ADAMS POINT SOUTH - COND APPR | DURHAM | 0.355 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | Primary Contact Recreation | ENTEROCOCCUS | 5-P | N | HIGH | 2021 | Source Unknown |
| | | | | | | Secondary Contact Recreation | ENTEROCOCCUS | 5-M | N | HIGH | 2021 | Source Unknown |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | | Fecal Coliform | 5-M | N | HIGH | 2019 | Source Unknown |
| | | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | NHST600030904-06-10 | ADAMS POINT MOORING FIELD SZ | NEWINGTON | 0.356 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments |
| Light Attenuation Coefficient | 5-M | N | LOW | 2021 | Source Unknown | | | | | | | |
| Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown | | | | | | | |
| PH | 5-M | N | LOW | 2021 | Source Unknown | | | | | | | |
| Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | | | | | | | Source Unknown |
| Primary Contact Recreation | ENTEROCOCCUS | 5-P | N | HIGH | 2021 | | | | | | | Source Unknown |
| Secondary Contact Recreation | ENTEROCOCCUS | 5-P | N | HIGH | 2021 | | | | | | | Source Unknown |
| Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | | | | | | | Source Unknown |
| | Mercury | 5-M | N | LOW | 2017 | | | | | | | Atmospheric Deposition - Toxics Source Unknown |
| | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | | | | | | | Source Unknown |
| NHST600030904-06-11 | ADAMS POINT TRIB | DURHAM | 0.010 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Light Attenuation Coefficient | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 11 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|---------------------|----------------------|--------------|------------|--------------|--------------|---------------------------------|---------------------------------|--------|---------------|---------------|---|---|
| NHST600030904-06-11 | ADAMS POINT TRIB | DURHAM | 0.010 | SQUARE MILES | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | Fecal Coliform | 5-P | N | HIGH | 2019 | Source Unknown | |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown | |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| NHST600030904-06-12 | U LITTLE BAY (South) | NEWINGTON | 0.131 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Light Attenuation Coefficient | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Primary Contact Recreation | ENTEROCOCCUS | 5-P | N | HIGH | 2021 | Source Unknown |
| | | | | | | Secondary Contact Recreation | ENTEROCOCCUS | 5-M | N | HIGH | 2021 | Source Unknown |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | | Fecal Coliform | 5-M | N | HIGH | 2019 | Source Unknown |
| | | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHST600030904-06-13 | LOWER LITTLE BAY | NEWINGTON | 0.548 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Light Attenuation Coefficient | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | | Fecal Coliform | 5-M | N | HIGH | 2019 | Source Unknown |
| | | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 12 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|---------------------------|--|--------------|------------|--------------|----------------|-------------------------------|--------------|--------|---------------|---------------|---|
| NHEST600030904-06-13 | LOWER LITTLE BAY | NEWINGTON | 0.548 | SQUARE MILES | Shellfishing | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHEST600030904-06-14 | LOWER LITTLE BAY MARINA SZ | NEWINGTON | 0.459 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | Light Attenuation Coefficient | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Fish Consumption | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Shellfishing | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHEST600030904-06-15 | LOWER LITTLE BAY GENERAL SULLIVAN BRIDGE | NEWINGTON | 0.090 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | Light Attenuation Coefficient | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Fish Consumption | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Shellfishing | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 5-M | N | HIGH | 2019 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | | | | | |
| NHEST600030904-06-16 | U LITTLE BAY (North) | NEWINGTON | 1.258 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | Light Attenuation Coefficient | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Fish Consumption | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Primary Contact Recreation | 5-P | N | HIGH | 2021 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 13 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|--|--------------------|--------------|--------------|--------------|------------------------------|---|---------------------------------|--------|---------------|----------------|---|---|
| NHST600030904-06-16 U | LITTLE BAY (North) | NEWINGTON | 1.258 | SQUARE MILES | Secondary Contact Recreation | ENTEROCOCCUS | 5-M | N | HIGH | 2021 | Source Unknown | |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | | Fecal Coliform | 5-M | N | HIGH | 2019 | Source Unknown |
| | | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHST600030904-06-17 OYSTER RIVER MOUTH | DURHAM | 0.040 | SQUARE MILES | Aquatic Life | Chlorophyll-a | 5-P | N | LOW | 2021 | Source Unknown | | |
| | | | | | | Dissolved oxygen saturation | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Light Attenuation Coefficient | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Nitrogen (Total) | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | Fecal Coliform | 5-M | N | HIGH | 2019 | Source Unknown | |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown | |
| NHST600031001-01-01 Upper Piscataqua River-North, P/Uc, 71.158, Ac | DOVER | 0.111 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown | | |
| | | | | | | Light Attenuation Coefficient | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Nitrogen (Total) | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown | |
| | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown | | | | | | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 15 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---|--------------|------------|--------------|------------------------------|---------------------------------|--------------|--------|---------------|---------------------------------|--|
| NHEST600031001-02-01 | Lower Piscataqua River-North, P/Uc, 393, Ac | NEWINGTON | 0.614 | SQUARE MILES | Shellfishing | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHEST600031001-02-02 | Lower Piscataqua River-South, P/Uc, 319, Ac | PORTSMOUTH | 0.498 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2017 | Combined Sewer Overflows |
| | | | | | Secondary Contact Recreation | ENTEROCOCCUS | 5-P | N | HIGH | 2021 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics | |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHEST600031001-03 | Upper Sagamore Creek, P/Uc, 95.86, Ac | PORTSMOUTH | 0.140 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHEST600031001-04 | Lower Sagamore Creek, P/SZ, 76.24, Ac | PORTSMOUTH | 0.110 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2021 | On-site Treatment Systems (Septic Systems and Similar Decentralized Systems) |
| | | | | | Secondary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2021 | On-site Treatment Systems (Septic Systems and Similar Decentralized Systems) |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 17 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|--------------------|---|--------------|------------|--------------|------------------------------|---------------------------------|---------------------------------|--------|---------------|----------------|---|---|
| NHST600031001-09 | South Mill Pond, Portsmouth | PORTSMOUTH | 0.029 | SQUARE MILES | Secondary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2017 | Combined Sewer Overflows | |
| | | | | | | | | | | | Source Unknown | |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics |
| | | | | | | | | | | Source Unknown | | |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| NHST600031001-10 | North Mill Pond, Portsmouth | PORTSMOUTH | 0.123 | SQUARE MILES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Primary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2017 | Illicit Connections/Hook-ups to Storm Sewers |
| | | | | | | | | | | | | Source Unknown |
| | | | | | | | | | | | | Unpermitted Discharge (Domestic Wastes) |
| | | | | | | | | | | | | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| | | | | | Secondary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2017 | Illicit Connections/Hook-ups to Storm Sewers | |
| | | | | | | | | | | | Source Unknown | |
| | | | | | | | | | | | Unpermitted Discharge (Domestic Wastes) | |
| | | | | | | | | | | | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) | |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics | |
| | | | | | | | | | | | Source Unknown | |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| NHST600031001-11 | Upper Portsmouth Harbor-NH, P/Uc, 461.29 Ac | NEW CASTLE | 0.721 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-T | N | LOW | 2021 | Source Unknown | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 18 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | | | | | | |
|---------------------------------|---|--------------|------------|--------------|---|-------------------------------|-------------------------|--------|---------------|---------------|---|----------------------------|-----|---|------|------|----------------|
| NHST600031001-11 | Upper Portsmouth Harbor-NH, P/Uc, 461.29 Ac | NEW CASTLE | 0.721 | SQUARE MILES | Aquatic Life | Light Attenuation Coefficient | 5-M | N | LOW | 2021 | Source Unknown | | | | | | |
| | | | | | | Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown | | | | | | |
| | | | | | | Fish Consumption | 5-M | N | LOW | 2017 | Source Unknown | | | | | | |
| | | | | | | Shellfishing | 5-M | N | LOW | 2017 | Source Unknown | | | | | | |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown | | | | | | |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | | | | | |
| NHST600031002-01-01 | Witch Creek, R, 55.046, Ac | RYE | 0.086 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | | | | | |
| | | | | | | Primary Contact Recreation | 5-M | N | HIGH | 2019 | Source Unknown | | | | | | |
| | | | | | | Shellfishing | 5-M | N | LOW | 2017 | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) Source Unknown | | | | | | |
| | | | | | | Fecal Coliform | 5-P | N | HIGH | 2019 | Source Unknown | | | | | | |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown | | | | | | |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | | | | | |
| | | | | | | NHST600031002-01-02 | Berry Brook, 34.527, Ac | RYE | 0.054 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | | | | | | | Primary Contact Recreation | 5-M | N | HIGH | 2019 | Source Unknown |
| Shellfishing | 5-M | N | LOW | 2017 | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) Source Unknown | | | | | | | | | | | | |
| Fecal Coliform | 5-P | N | HIGH | 2019 | Source Unknown | | | | | | | | | | | | |
| Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown | | | | | | | | | | | | |
| Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown | | | | | | | | | | | | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 19 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|---------------|------------|--------------|------------------|-------------------------------|--------------|--------|---------------|---------------|--|
| NHEST600031002-01-02 | Berry Brook, 34.527, Ac | RYE | 0.054 | SQUARE MILES | Shellfishing | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHEST600031002-02 | Little Harbor, C-Ap, 197.98, Ac | RYE | 0.300 | SQUARE MILES | Aquatic Life | Estuarine Bioassessments | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | Light Attenuation Coefficient | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Nitrogen (Total) | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Fish Consumption | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Primary Contact Recreation | 4A-P | N | | 2017 | Source Unknown |
| | | | | | | Shellfishing | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 4A-M | N | | 2006 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) Atmospheric Deposition - Toxics Source Unknown |
| NHEST600031003-01 | Hampton Falls River, Cond. App, Open, 7.09, Ac | HAMPTON FALLS | 0.010 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Shellfishing | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 4A-P | N | | 2003 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHEST600031003-02 | TAYLOR RIVER, Proh., Closed, 20.94, Ac | HAMPTON FALLS | 0.033 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Shellfishing | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 5-P | N | HIGH | 2021 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|---------------------|--|---------------|------------|--------------|------------------|---------------------------------|--------------|--------|---------------|---------------|--|
| NHST600031003-02 | TAYLOR RIVER, Proh., Closed, 20.94, Ac | HAMPTON FALLS | 0.033 | SQUARE MILES | Shellfishing | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHST600031003-03 | TAYLOR RIVER, CA, 37.11, Ac | HAMPTON | 0.058 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 5-M | N | HIGH | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) Atmospheric Deposition - Toxics |
| NHST600031003-04 | HAMPTON RIVER BOAT CLUB SZ, P/SZ, 2.616, Ac | HAMPTON | 0.004 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHST600031004-01-02 | HAMPTON FALLS RIVER (WWTF SZ), P/SZ, 30.309, Ac, | HAMPTON | 0.047 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHST600031004-01-03 | Hampton Falls River, CA, 52.709, Ac | HAMPTON | 0.082 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 21 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|---------------------|---------------------------------------|--------------|------------|--------------|---------------------------------|-----------------|--------------|--------|---------------|---|---|
| NHST600031004-01-03 | Hampton Falls River, CA, 52.709, Ac | HAMPTON | 0.082 | SQUARE MILES | Shellfishing | Fecal Coliform | 5-M | N | HIGH | 2017 | Source Unknown |
| | | | | | | | | | | | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics |
| | | | | | | | | | | | Source Unknown |
| NHST600031004-02-02 | TAYLOR RIVER (LOWER) | HAMPTON | 0.015 | SQUARE MILES | Fish Consumption | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | Shellfishing | | | | | | |
| | | | | | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | Fecal Coliform | 5-M | N | HIGH | 2017 | Source Unknown | |
| | | | | | | | | | | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) | |
| | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics | |
| NHST600031004-02-03 | BLIND CREEK WWTF SZ, P/SZ, 20.867, Ac | HAMPTON | 0.019 | SQUARE MILES | Fish Consumption | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | Shellfishing | | | | | | |
| | | | | | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics | |
| | | | | | | | | | | Source Unknown | |
| | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| NHST600031004-02-05 | NUDDS CANAL, P/SZ, 21.99, Ac | HAMPTON | 0.034 | SQUARE MILES | Fish Consumption | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | Shellfishing | | | | | | |
| | | | | | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics | |
| | | | | | | | | | | Source Unknown | |
| | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 22 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|---------------------|---|---------------|------------|--------------|------------------|---------------------------------|--------------|--------|---------------|---------------|---|
| NHST600031004-03-03 | Tide Mill Creek WWTF SZ, P/SZ, 59.93, Ac | HAMPTON | 0.094 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHST600031004-04-01 | Hampton River WWTF SZ, P/SZ, 88.75, Ac | HAMPTON | 0.139 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHST600031004-05-01 | Browns River (Lower), Cond App/Open, 15.845, Ac | HAMPTON FALLS | 0.025 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 4A-P | N | | 2004 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHST600031004-05-02 | Back Creek, P/Uc, 3.957, Ac | HAMPTON FALLS | 0.006 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 4A-P | N | | 2004 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 23 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|---------------|------------|--------------|------------------|---------------------------------|--------------|--------|---------------|---------------|---|
| NHEST600031004-05-02 | Back Creek, P/Uc, 3.957, Ac | HAMPTON FALLS | 0.006 | SQUARE MILES | Shellfishing | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHEST600031004-05-03 | Swains Creek, Cond App/Open, 11.422, Ac | HAMPTON FALLS | 0.018 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 4A-P | N | | 2004 | Source Unknown |
| | | | | | | | | | | | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| NHEST600031004-05-04 | Browns River (Upper), P/Uc, 16.347, Ac | SEABROOK | 0.026 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 4A-P | N | | 2004 | Source Unknown |
| | | | | | | | | | | | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| NHEST600031004-06-01 | Hunts Island Creek (Lower), Cond App, Open, 5.97, Ac | SEABROOK | 0.009 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 4A-P | N | | 2003 | Source Unknown |
| | | | | | | | | | | | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 26 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|---------------------|---|--------------|------------|--------------|------------------------------|---------------------------------|--------------|--------|---------------|---------------|--|
| NHST600031004-09-07 | Fish Coop 150' SZ, 3.695 Ac | SEABROOK | 0.006 | SQUARE MILES | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 4A-P | N | | 2017 | Sanitary Sewer Overflows (Collection System Failures) Source Unknown Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHST600031004-09-08 | Hampton River Marina SZ, 93.863 Ac | HAMPTON | 0.147 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2017 | Sanitary Sewer Overflows (Collection System Failures) Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| | | | | | Secondary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 4A-P | N | | 2017 | Sanitary Sewer Overflows (Collection System Failures) Source Unknown Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| NHST600031004-09-09 | Hampton/Seabrook Harbor, C-Ap, Open, 398.84, Ac | SEABROOK | 0.623 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 27 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---|--------------|------------|--------------|----------------------------|---------------------------------|--------------|--------|---------------|---------------|--|
| NHST600031004-09-09 | Hampton/Seabrook Harbor, C-Ap, Open, 398.84, Ac | SEABROOK | 0.623 | SQUARE MILES | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 4A-P | N | | 2003 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHIMP400010605-01 | Androscoggin River, IMP | BERLIN | 100.000 | ACRES | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | | Industrial Point Source Discharge |
| | | | | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Illicit Connections/Hook-ups to Storm Sewers |
| NHIMP400010605-02 | Androscoggin River, IMP | BERLIN | 7.000 | ACRES | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | | Industrial Point Source Discharge |
| | | | | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Illicit Connections/Hook-ups to Storm Sewers |
| NHIMP400010605-03 | Androscoggin River, IMP | BERLIN | 20.000 | ACRES | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | | Industrial Point Source Discharge |
| | | | | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Illicit Connections/Hook-ups to Storm Sewers |
| NHIMP400010606-02 | Androscoggin River, IMP | BERLIN | 10.000 | ACRES | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | | Industrial Point Source Discharge |
| | | | | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Illicit Connections/Hook-ups to Storm Sewers |
| NHIMP400010606-03 | Androscoggin River, IMP | BERLIN | 50.000 | ACRES | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | | Industrial Point Source Discharge |
| | | | | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Combined Sewer Overflows Illicit Connections/Hook-ups to Storm Sewers |
| NHIMP400010606-04 | Androscoggin River, IMP | GORHAM | 34.000 | ACRES | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | | Industrial Point Source Discharge |
| NHIMP400020101-01-02 | MOOSE BROOK-TOWN POOL-RAVINE | RANDOLPH | 1.380 | ACRES | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 28 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|----------------------|------------------------------------|--------------|------------|-----------|----------------------------|---------------------------------|----------------------------|------------------|---------------|---------------|--|----------------|
| NHIMP400020101-02-02 | MOOSE BROOK STATE PARK-MOOSE BROOK | GORHAM | 1.380 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Pollutants from Public Bathing Areas | |
| NHIMP400020102-02 | Androscoggin River, IMP | GORHAM | 40.000 | ACRES | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | | Industrial Point Source Discharge | |
| NHIMP400020103-01 | Androscoggin River, IMP | SHELBURNE | 123.100 | ACRES | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | | Industrial Point Source Discharge | |
| NHIMP600020702-01-02 | MILL POND-TOWN BEACH | OSSIPEE | 1.380 | ACRES | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown | |
| NHIMP600020901-03 | Cold Brook, IMP | FREEDOM | 2.000 | ACRES | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown | |
| NHIMP600030405-04 | Salmon Falls River, IMP, PWS | ROCHESTER | 58.000 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| | | | | | | Secondary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHIMP600030406-02 | Salmon Falls River, IMP | SOMERSWORTH | 30.000 | ACRES | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2017 | Illicit Connections/Hook-ups to Storm Sewers | |
| NHIMP600030406-03 | Salmon Falls River, IMP | ROLLINSFORD | 57.000 | ACRES | Aquatic Life | Oxygen, Dissolved | 4A-M | N | | | Municipal Point Source Discharges | |
| NHIMP600030406-04 | Salmon Falls River, IMP | ROLLINSFORD | 58.000 | ACRES | Aquatic Life | pH | 5-P | N | LOW | 2017 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| NHIMP600030603-01 | Cochecho River, IMP | ROCHESTER | 50.000 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | HIGH | 2008 | Source Unknown | |
| | | | | | | | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | | Oxygen, Dissolved | 5-P | N | HIGH | 2008 | Source Unknown |
| | | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 |
| NHIMP600030607-02 | Cochecho River, IMP | ROCHESTER | 18.000 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHIMP600030608-02 | Cochecho River, IMP | DOVER | 54.000 | ACRES | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| NHIMP600030608-04 | Cochecho River, IMP | DOVER | 20.000 | ACRES | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 29 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|------------------------------|--|--------------|------------|-----------|----------------------------|-----------------------------|------------------|--------|---------------|---------------|--|----------------|
| NHIMP600030608-04 | Cocheco River, IMP | DOVER | 20.000 | ACRES | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2017 | Illicit Connections/Hook-ups to Storm Sewers | |
| NHIMP600030701-01 | LampreyR., IMP | DEERFIELD | 0.610 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| NHIMP600030708-03 | Piscassic River, IMP, CLS-A | NEWMARKET | 4.000 | ACRES | Aquatic Life | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| NHIMP600030709-02 | Lamprey River, IMP, PWS | DURHAM | 30.000 | ACRES | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown | |
| NHIMP600030709-03 | Lamprey River, IMP, PWS | DURHAM | 120.000 | ACRES | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown | |
| NHIMP600030805-04 | Exeter River, IMP, PWS | EXETER | 36.000 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | pH | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Chlorophyll-a | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown | |
| Secondary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown | | | | | | |
| NHIMP600030901-02 | UNKNOWN RIVER - WINNICUT RIVER DAM POND, IMP | GREENLAND | 20.000 | ACRES | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | pH | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| NHIMP600030902-04 | Oyster River, IMP | DURHAM | 24.000 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown | |
| NHIMP600030902-06 | BEARDS CREEK, IMP | DURHAM | 2.000 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-P | N | LOW | 2017 | Source Unknown | |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2017 | Source Unknown | |
| | | | | | | pH | 5-P | N | LOW | 2017 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 30 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|----------------------|---|---------------|------------|-----------|------------------------------|-----------------------------|-------------------|--------|---------------|---|---|----------------|
| NHIMP600030902-06 | BEARDS CREEK, IMP | DURHAM | 2.000 | ACRES | Secondary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2017 | Source Unknown | |
| NHIMP600030903-02 | Bellamy River, IMP | DOVER | 18.000 | ACRES | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown | |
| | | | | | Primary Contact Recreation | CHLOROPHYLL-A | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Escherichia coli | 5-M | N | HIGH | 2017 | Source Unknown | |
| NHIMP600031004-05 | CAINS BROOK, IMP | SEABROOK | 3.500 | ACRES | Aquatic Life | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | Secondary Contact Recreation | Sedimentation/Siltation | 5-M | N | LOW | 2021 | Highway/Road/Bridge Runoff (Non-construction Related) | |
| | | | | | | | | | | Highways, Roads, Bridges, Infrastructure (New Construction) | | |
| NHIMP700010401-01-02 | TOWN BEACH CORCORAN'S POND | WATERVILLE V/ | 1.380 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Pollutants from Public Bathing Areas | |
| NHIMP700010801-08 | Pemigewasset River, IMP, W/CWF | NEW HAMPTON | 500.000 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2021 | Impacts from Hydrostructure Flow Regulation/modification Municipal Point Source Discharges Source Unknown | |
| | | | | | | | pH | 5-P | N | LOW | 2017 | Source Unknown |
| NHIMP700010804-03 | SUCKER BROOK-SUCKER BROOK I DAM | ANDOVER | 0.150 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | | Oxygen, Dissolved | 5-M | N | LOW | 2021 | Source Unknown |
| NHIMP700020102-01-01 | JONES DAM POND | NEW DURHAM | 60.000 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown | |
| NHIMP700020203-01 | KNOWLES POND, IMP, CLS-A, WWF | NORTHFIELD | 55.000 | ACRES | Aquatic Life | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity | |
| NHIMP700020203-07 | Winnepesaukee R., IMP, CWF | FRANKLIN | 1.500 | ACRES | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Illicit Connections/Hook-ups to Storm Sewers | |
| NHIMP700030101-02 | UNKNOWN RIVER - CONTOOCOOK RIVER DAM, IMP | JAFFREY | 5.000 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown | |
| NHIMP700030101-03 | CONTOOCOOK RIVER, IMP | JAFFREY | 0.500 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | | OXYGEN, DISSOLVED | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHIMP700030104-04 | Contoocook River, IMP, CWF | PETERBOROUGH | 20.000 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|--------------|------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|--|
| NHIMP700030104-12 | Contoocook River, IMP | PETERBOROUGH | 20.000 | ACRES | Primary Contact Recreation | Phosphorus (Total) | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges Source Unknown |
| NHIMP700030204-05-02 | MILL POND-TOWN BEACH | WASHINGTON | 1.380 | ACRES | Primary Contact Recreation | Escherichia coli | 4A-P | N | | 2006 | Source Unknown |
| NHIMP700030402-04 | BLACKWATER RIVER, IMP | NEW LONDON | 1.000 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHIMP700030503-01-01 | UNKNOWN RIVER - HOPKINTON DIKE ELM BROOK, IMP, WWF | HOPKINTON | 213.800 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown |
| | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| NHIMP700030503-01-02 | ELM BROOK-STATE PARK | HOPKINTON | 1.380 | ACRES | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHIMP700030507-01-01 | UNKNOWN RIVER - KIMBALL POND DAM, IMP | HOPKINTON | 27.000 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHIMP700030507-06 | Contoocook River, IMP, WWF | CONCORD | 11.000 | ACRES | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHIMP700030507-07 | Contoocook River, IMP, WWF | BOSCAWEN | 8.500 | ACRES | Aquatic Life | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHIMP700040402-02 | Nashua River, IMP, WWF | NASHUA | 60.000 | ACRES | Aquatic Life | Chloride | 5-M | N | LOW | 2019 | Commerical Districts (Shopping/Office Complexes) Highway/Road/Bridge Runoff (Non-construction Related) Municipal (Urbanized High Density Area) |
| | | | | | | Dissolved oxygen saturation | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2017 | Municipal (Urbanized High Density Area) |
| NHIMP700040402-03 | Nashua R., IMP | NASHUA | 55.000 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHIMP700040402-04 | Nashua R., IMP | NASHUA | 55.000 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown |
| NHIMP700040402-05 | Nashua River, IMP, WWF | NASHUA | 40.000 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2017 | Combined Sewer Overflows |
| NHIMP700060301-03 | Turkey River, IMP, WWF | CONCORD | 27.500 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 33 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|--------------|------------|-----------|------------------------------|-------------------------------|--------------|--------|---------------|----------------|--|
| NHIMP700060302-02 | Hayward Brook, IMP, WWF | CANTERBURY | 30.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Source Unknown |
| NHIMP700060302-07 | Merrimack River, IMP, W/CWF | CONCORD | 250.000 | ACRES | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHIMP700060402-02 | Webster Stream, IMP, WWF | BARNSTEAD | 149.000 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHIMP700060501-01 | Suncook River, IMP, W/CWF | BARNSTEAD | 109.000 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHIMP700060501-03-02 | BERRY POND-TOWN BEACH | PITTSFIELD | 1.380 | ACRES | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHIMP700060502-01 | UNKNOWN RIVER - DURGIN POND OUTLET, IMP, WWF | NORTHWOOD | 11.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Source Unknown |
| NHIMP700060502-03 | Little Suncook River, IMP | EPSOM | 15.000 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHIMP700060503-02 | Suncook River, IMP | EPSOM | 5.000 | ACRES | Aquatic Life | Other flow regime alterations | 4C-P | N | | | Freshettes or Major Flooding |
| NHIMP700060602-02 | Piscataquog River, IMP | WEARE | 0.200 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHIMP700060604-04 | South Branch Piscataquog River, IMP | FRANCESTOWN | 4.000 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHIMP700060802-04 | Merrimack River, IMP, PWS, W/CWF | MANCHESTER | 443.000 | ACRES | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 | Combined Sewer Overflows |
| | | | | | Secondary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHIMP700060901-07 | Souhegan River, IMP, CWF | NEW IPSWICH | 8.000 | ACRES | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| NHIMP700060902-01 | Souhegan River, IMP, CWF | GREENVILLE | 0.550 | ACRES | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Illicit Connections/Hook-ups to Storm Sewers |
| NHIMP700060904-08 | Souhegan River, IMP, CWF | WILTON | 5.000 | ACRES | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHIMP700060906-07 | Souhegan River, IMP, W/CWF | MILFORD | 8.000 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2016 | Source Unknown |
| | | | | | Oxygen, Dissolved | 5-M | N | LOW | 2019 | Source Unknown | |
| NHIMP700060906-08 | Souhegan River, IMP, W/CWF | MILFORD | 3.000 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHIMP700061403-04 | Powwow River, IMP, WWF | KINGSTON | 325.000 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | pH | 4A-M | N | | 2016 | Source Unknown | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|---------------|------------|-----------|----------------------------|-----------------------------|--------------|--------|---------------|---------------|--|
| NHIMP700061403-04-02 | TRICKLIN' FALLS BEACH | EAST KINGSTON | 1.380 | ACRES | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHIMP801010305-01 | Connecticut River, IMP | STEWARTSTOWN | 20.000 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHIMP801030506-03 | Ammonoosuc River, IMP, PWS | BATH | 27.000 | ACRES | Aquatic Life | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| NHIMP801060106-02 | Mascoma River, IMP | LEBANON | 20.000 | ACRES | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Combined Sewer Overflows |
| NHIMP801060106-04 | Mascoma River, IMP | LEBANON | 2.000 | ACRES | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Combined Sewer Overflows |
| NHIMP801060106-05 | Mascoma River, IMP | LEBANON | 7.000 | ACRES | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Combined Sewer Overflows |
| NHIMP801060405-05 | Sugar River, IMP, PWS, WWF | SUNAPEE | 1.000 | ACRES | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHIMP801060405-11 | Sugar River, IMP, WWF | NEWPORT | 7.000 | ACRES | Aquatic Life | Oxygen, Dissolved | 5-T | Y | HIGH | 2007 | Industrial Point Source Discharge Municipal Point Source Discharges |
| NHIMP801060406-08 | Sugar River, IMP, PWS, WWF | CLAREMONT | 2.000 | ACRES | Aquatic Life | Oxygen, Dissolved | 5-T | Y | HIGH | 2007 | Industrial Point Source Discharge Municipal Point Source Discharges |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| NHIMP801060703-05 | Connecticut River, IMP, PWS | CHARLESTOWN | 1720.000 | ACRES | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHIMP801070202-01-02 | VILAS POOL-COLD RIVER | ALSTEAD | 1.380 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Pollutants from Public Bathing Areas |
| NHIMP802010301-02 | Ashuelot River, IMP | KEENE | 34.000 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2017 | Source Unknown |
| NHIMP802010303-04-02 | SAND DAM VILLAGE POND-TOWN BEACH | TROY | 1.380 | ACRES | Primary Contact Recreation | Escherichia coli | 4A-P | N | | 2006 | Source Unknown |
| NHIMP802010401-01 | Ashuelot River - Homestead Woolen Mill Dam | SWANZEY | 45.000 | ACRES | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHIMP802010403-04 | ASHUELOT RIVER - FISK MILL HYDRO, IMP | HINSDALE | 10.000 | ACRES | Aquatic Life | 2-Methylnaphthalene | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Acenaphthene | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Benzo(a)pyrene (PAHs) | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Benzo[a]anthracene | 5-M | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 35 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---------------------------------------|----------------|------------|-----------|----------------------------|----------------------------|------------------|--------|---------------|---------------|--|
| NHIMP802010403-04 | ASHUELOT RIVER - FISK MILL HYDRO, IMP | HINSDALE | 10.000 | ACRES | Aquatic Life | Benzo[b]fluoranthene | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Benzo[k]fluoranthene | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Chrysene (C1-C4) | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | DDD | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | DDE | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Diieldrin | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Endrin | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Heptachlor | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Indeno[1,2,3-cd]pyrene | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Lindane | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Pyrene | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK400010502-02 | CORSEY POND, ERROL | ERROL | 5.000 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity Source Unknown |
| | | | | | | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK400010502-05 | SWEAT POND, ERROL | ERROL | 6.000 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| | | | | | | pH | 4A-M | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK400020102-01 | LIBBY TOWN POOL-PEABODY RIVER | GORHAM | 1.697 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Pollutants from Public Bathing Areas |
| NHLAK600020102-02 | SAWYER POND, LITTLE, LIVERMORE | LIVERMORE | 11.000 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| | | | | | | pH | 4A-M | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK600020104-01 | CARTER POND, UPPER, BEANS PURCHASE | BEANS PURCHASE | 1.100 | ACRES | Aquatic Life | pH | 4A-M | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK600020202-01 | FALLS POND, ALBANY | ALBANY | 8.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020302-01-01 | ECHO LAKE, CONWAY | CONWAY | 14.000 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020302-01-02 | ECHO LAKE-STATE PARK | CONWAY | 0.945 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 |
| NHLAK600020303-03 | IONA LAKE, ALBANY | ALBANY | 74.200 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020303-03-02 | CAMP ALBANY BEACH | ALBANY | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 36 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---|---------------|------------|-----------|----------------------------|-----------------------------|--------------|--------|---------------|---------------|----------------------------------|
| NHLAK600020303-05 | PEA PORRIDGE POND, BIG, MADISON | MADISON | 142.200 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020303-06 | PEA PORRIDGE POND, MIDDLE, MADISON | MADISON | 43.300 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020303-07-01 | PEQUAWKET POND, CONWAY | CONWAY | 142.800 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020303-07-02 | PEQUAKET POND REC DEPARTMENT BEACH | CONWAY | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020303-09 | WHITTON POND, ALBANY | ALBANY | 142.600 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020602-02 | FLAT MOUNTAIN POND (1&2), WATERVILLE VALLEY | WATERVILLE VI | 38.700 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| | | | | | | pH | 4A-P | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK600020604-03 | MOORES POND, TAMWORTH | TAMWORTH | 50.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020604-03-02 | MOORES POND SKI AND BEACH | TAMWORTH | 1.570 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK600020604-03-03 | MOORES POND - ASSOCIATION BEACH | MADISON | 0.870 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020605-02-01 | WHITE LAKE, TAMWORTH, CLS-A | TAMWORTH | 123.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK600020605-02-02 | WHITE LAKE-STATE PARK | TAMWORTH | 2.570 | ACRES | Aquatic Life | pH | 5-M | N | LOW | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHLAK600020701-02 | BEECH POND, LOWER, TUFTONBORO | TUFTONBORO | 155.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020701-02-02 | WILLIAM LAWRENCE CAMP BEACH | TUFTONBORO | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020701-04 | Upper Beech Pond, WOLFEBORO, PWS, CLS-A | WOLFEBORO | 136.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020702-01 | DAN HOLE POND, TUFTONBORO, CLS-A | TUFTONBORO | 408.100 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020702-01-02 | CAMP MERROVISTA BEACH | TUFTONBORO | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020702-01-03 | CAMP SENTINEL BAPTIST BEACH | TUFTONBORO | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020703-03 | PINE RIVER POND, WAKEFIELD | WAKEFIELD | 594.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 37 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|------------------------------------|--------------|------------|-----------|----------------------------|---------------------------|--------------|--------|---------------|---------------|--------------------------------------|
| NHLAK600020703-04 | WHITE POND, OSSIPEE | OSSIPEE | 47.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020801-01 | BLUE POND, MADISON | MADISON | 7.400 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020801-05 | MACK POND, MADISON | MADISON | 12.100 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020801-06-01 | SILVER LAKE, STN S, MADISON | MADISON | 995.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020801-06-02 | SILVER LAKE-MONUMENT BEACH | MADISON | 0.218 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Pollutants from Public Bathing Areas |
| NHLAK600020801-06-03 | SILVER LAKE-FOOT OF THE LAKE BEACH | MADISON | 0.533 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Pollutants from Public Bathing Areas |
| NHLAK600020801-06-04 | SILVER LAKE-NICHOLS BEACH | MADISON | 0.436 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2013 | Pollutants from Public Bathing Areas |
| NHLAK600020801-06-05 | SILVER LAKE-KENNETT PARK BEACH | MADISON | 0.097 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020802-02 | CONNER POND, OSSIPEE | OSSIPEE | 86.500 | ACRES | Aquatic Life | pH | 4A-M | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK600020802-04-01 | OSSIPEE LAKE, OSSIPEE | OSSIPEE | 3091.800 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020802-04-02 | CAMP CALUMET BEACH | OSSIPEE | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020802-04-03 | DEER COVE PB BEACH | OSSIPEE | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020802-04-04 | CAMP CODY FOR BOYS BEACH | FREEDOM | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020803-01-01 | DANFORTH POND, LOWER, FREEDOM | FREEDOM | 31.900 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020803-01-02 | DANFORTH POND, MIDDLE, FREEDOM | FREEDOM | 51.000 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020803-03 | DANFORTH POND, UPPER, FREEDOM | FREEDOM | 39.600 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020803-06 | PURITY LAKE, EATON | EATON | 86.000 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK600020803-06-02 | CAMP TOHKOMEUPOG BEACH | MADISON | 1.380 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK600020803-08 | SHAW POND, FREEDOM | FREEDOM | 15.400 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 38 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---------------------------------------|--------------|------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|--|
| NHLAK600020803-08-02 | CAMP WAKUTA BEACH | FREEDOM | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020804-01-01 | BERRY BAY, FREEDOM | FREEDOM | 145.400 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020804-01-02 | LEAVITT BAY, OSSIPEE | OSSIPEE | 176.200 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020804-01-03 | BROAD BAY, FREEDOM | FREEDOM | 460.800 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600020804-01-04 | CAMP MARIST BEACH | EFFINGHAM | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| NHLAK600020804-01-05 | CAMP HUCKINS BEACH | FREEDOM | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| NHLAK600020804-01-06 | CAMP ROBIN HOOD BEACH | FREEDOM | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| NHLAK600020902-01 | PROVINCE LAKE, EFFINGHAM | EFFINGHAM | 1014.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600021001-01 | BALCH POND, | WAKEFIELD | 704.000 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600021001-03 | BELLEAU LAKE, WAKEFIELD | WAKEFIELD | 185.328 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown |
| NHLAK600030401-01-02 | LOVELL POND-TOWN BEACH | WAKEFIELD | 0.436 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Pollutants from Public Bathing Areas |
| NHLAK600030401-02 | MOUNTAIN LAKE, BROOKFIELD | BROOKFIELD | 12.380 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown |
| NHLAK600030403-02 | HORN POND, | WAKEFIELD | 106.500 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600030403-03 | IVANHOE, LAKE, WAKEFIELD | WAKEFIELD | 124.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK600030404-01-03 | MILTON 3 PONDS-MILTON RECREATION AREA | MILTON | 1.382 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHLAK600030405-03 | WILLAND POND, SOMERSWORTH, CLS-A | SOMERSWORTH | 86.000 | ACRES | Aquatic Life | Other flow regime alterations | 4C-P | N | | | Impacts from Hydrostructure Flow Regulation/modification |
| | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK600030601-05-01 | Sunrise Lake, Middleton | MIDDLETON | 246.880 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 39 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|--------------|------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|--------------------------------------|
| NHLAK600030601-05-02 | SUNRISE LAKE-TOWN BEACH | MIDDLETON | 0.533 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHLAK600030602-01 | BAXTER LAKE, FARMINGTON | FARMINGTON | 294.900 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK600030602-03 | ROCHESTER RESERVIOR, ROCHESTER, PWS, CLS-A | ROCHESTER | 56.000 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK600030604-01-01 | BOW LAKE, STRAFFORD | STRAFFORD | 1160.700 | ACRES | Aquatic Life | pH | 4A-M | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK600030604-01-02 | BOW LAKE-TOWN BEACH | STRAFFORD | 0.970 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Pollutants from Public Bathing Areas |
| NHLAK600030604-01-03 | BOW LAKE-TOWN BEACH/MARY WALDRON | NORTHWOOD | 0.315 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600030604-01-04 | BOW LAKE-TOWN BEACH (BENNETT BRIDGE) | NORTHWOOD | 0.436 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600030605-01 | NIPPO POND, BARRINGTON | BARRINGTON | 85.300 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600030606-01 | LONG POND, BARRINGTON | BARRINGTON | 39.000 | ACRES | Primary Contact Recreation | Chlorophyll-a | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK600030607-01 | AYERS POND, BARRINGTON | BARRINGTON | 227.600 | ACRES | Aquatic Life | pH | 4A-M | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK600030608-01 | FRESH CREEK POND, | DOVER | 15.990 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHLAK600030703-01 | GOVERNORS LAKE, RAYMOND | RAYMOND | 52.200 | ACRES | Primary Contact Recreation | Chlorophyll-a | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK600030703-03-01 | ONWAY LAKE, RAYMOND | RAYMOND | 192.000 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK600030703-03-02 | ONWAY LAKE-RAYMOND TOWN BEACH | RAYMOND | 1.280 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK600030703-03-03 | CAMP ONWAY BEACH | RAYMOND | 1.380 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK600030704-02-01 | Pawtackaway Lake, Nottingham | NOTTINGHAM | 783.360 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 40 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---|--------------|------------|-----------|----------------------------|--|--|--------|---------------|---------------|----------------------------------|
| NHLAK600030704-02-01 | Pawtuckaway Lake, Nottingham | NOTTINGHAM | 783.360 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK600030704-02-02 | PAWTUCKAWAY LAKE-PAWTUCKAWAY STATE PARK | NOTTINGHAM | 0.364 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2006 |
| NHLAK600030704-02-03 | PAWTUCKAWAY LAKE-TOWN BEACH | NOTTINGHAM | 0.364 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 |
| NHLAK600030705-02-02 | LUCAS POND-TOWN BEACH #2 | NORTHWOOD | 0.315 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHLAK600030707-01 | MENDUMS POND, BARRINGTON | BARRINGTON | 252.700 | ACRES | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHLAK600030708-02 | Mitigation Basin 2, Brentwood | BRENTWOOD | 0.344 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK600030802-01 | HUNT POND, SANDOWN | SANDOWN | 6.200 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK600030802-03-01 | Phillips Pond, Sandown | SANDOWN | 94.910 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 |
| NHLAK600030802-03-02 | PHILLIPS POND-TOWN BEACH/SEEBLEY PARK | SANDOWN | 0.267 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 |
| NHLAK600030802-04 | SHOWELL POND, SANDOWN | SANDOWN | 18.500 | ACRES | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK600030804-01 | COLCORD POND, EXETER | EXETER | 12.000 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK600030903-04 | WINKLEY POND, BARRINGTON | BARRINGTON | 11.400 | ACRES | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHLAK700010104-01 | BLACK POND, LINCOLN | LINCOLN | 6.000 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| | | | | | | pH | 4A-M | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK700010104-02 | LOON POND, LINCOLN, PWS, CLS-A, CWF | LINCOLN | 18.500 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 41 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---------------------------------|--------------|------------|-----------|--------------|----------------------------|------------------|--------|---------------|---------------|--|
| NHLAK700010201-03 | LONESOME LAKE, LINCOLN | LINCOLN | 27.200 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| | | | | | | pH | 4A-M | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK700010203-02 | RUSSELL POND, WOODSTOCK, W/CWF | WOODSTOCK | 39.000 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity Source Unknown |
| | | | | | | pH | 4A-M | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK700010204-01 | EAST POND, LIVERMORE | LIVERMORE | 6.700 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| | | | | | | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK700010205-01 | MIRROR LAKE, WOODSTOCK, W/CWF | WOODSTOCK | 37.100 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010205-01-01 | MIRROR LAKE - MIRROR LAKE BEACH | WOODSTOCK | 0.410 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010205-02 | PEAKED HILL POND, THORNTON, CWF | THORNTON | 11.000 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| | | | | | | pH | 4A-P | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK700010302-02 | WACHIPAUKA POND, WARREN, CWF | WARREN | 22.300 | ACRES | Aquatic Life | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK700010304-02 | DERBY POND, ORANGE | ORANGE | 10.000 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| | | | | | | pH | 4A-P | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK700010304-04 | MCCUTCHEON POND, DORCHESTER | DORCHESTER | 8.700 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010304-05 | POUT POND, DORCHESTER | DORCHESTER | 8.700 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010306-01 | STINSON LAKE, RUMNEY, W/CWF | RUMNEY | 350.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK700010306-01-02 | CAMP HAPPY T RANCH BEACH | RUMNEY | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 |
| NHLAK700010307-01 | LOON LAKE, PLYMOUTH, WWF | PLYMOUTH | 111.900 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity Source Unknown |
| | | | | | | pH | 4A-M | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK700010401-03 | CONE POND, THORNTON | THORNTON | 11.000 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 42 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|--------------|------------|-----------|----------------------------|-----------------------------|--------------|--------|---------------|---------------|----------------------------------|
| NHLAK700010401-04 | GREeley POND (UPPER), LIVERMORE | LIVERMORE | 2.000 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| | | | | | | pH | 4A-P | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK700010402-01 | BLACK MOUNTAIN POND, SANDWICH, CWF | SANDWICH | 6.000 | ACRES | Aquatic Life | pH | 4A-P | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK700010402-03 | HALL POND, LOWER, SANDWICH, CWF | SANDWICH | 12.400 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010402-04 | HALL POND, MIDDLE, SANDWICH, CWF | SANDWICH | 8.000 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| | | | | | | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK700010402-05 | HALL POND, UPPER, SANDWICH, CWF | SANDWICH | 22.700 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010402-07 | PERCH POND, CAMPTON, W/CWF | CAMPTON | 43.300 | ACRES | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHLAK700010402-08 | PERCH POND, LITTLE, CAMPTON, WWF | CAMPTON | 19.200 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010501-01 | BARVILLE POND, SANDWICH, WWF | SANDWICH | 39.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010501-02 | INTERVALE POND, SANDWICH, W/CWF | SANDWICH | 43.300 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010501-03 | KUSUMPE POND, SANDWICH, WWF | SANDWICH | 55.600 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010501-05 | WHITE OAK POND, HOLDERNESS, WWF | HOLDERNESS | 291.000 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700010502-01-01 | SQUAM LAKE, LITTLE, HOLDERNESS, CLS-A, WWF | HOLDERNESS | 408.100 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHLAK700010502-01-02 | LITTLE SQUAM LAKE-TOWN BEACH | ASHLAND | 0.752 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| NHLAK700010502-03 | GRIST MILL POND, | ASHLAND | 25.010 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHLAK700010502-04 | SKY POND, NEW HAMPTON, PWS, CLS-A | NEW HAMPTON | 13.400 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010601-01 | SPECTACLE POND, GROTON, CWF | GROTON | 45.800 | ACRES | Aquatic Life | pH | 4A-P | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK700010601-01-02 | SPECTACLE POND - GROTON TOWN BEACH | GROTON | 0.390 | ACRES | Aquatic Life | pH | 4A-P | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK700010603-02-05 | WELLINGTON STATE PARK NEWFOUND LAKE | BRISTOL | 6.061 | ACRES | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK700010603-02-13 | CAMP WI-CO-SU-TA BEACH | HEBRON | 1.380 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHLAK700010701-02-01 | KILTON POND, GRAFTON, WWF | GRAFTON | 68.000 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 43 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---------------------------------------|--------------|------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|----------------------------------|
| NHLAK700010701-02-02 | KILTON POND-HUFF BEACH | GRAFTON | 0.315 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700010701-03 | ORANGE POND, ORANGE, CWF | ORANGE | 28.400 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010701-05 | WAUKEENA LAKE, DANBURY, W/CWF | DANBURY | 52.600 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010702-02 | SCHOOL POND, DANBURY | DANBURY | 37.100 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010801-01 | PEMIGEWASSET LAKE, MEREDITH, WWF | MEREDITH | 241.200 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHLAK700010802-03-01 | HERMIT LAKE, SANBORNTON, WWF | SANBORNTON | 176.100 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010802-03-02 | TOWN BEACH #2 HERMIT LAKE | SANBORNTON | 1.280 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK700010802-04 | RANDLETT POND, MEREDITH, WWF | MEREDITH | 25.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010802-05 | Mountain Pond, SANBORNTON, CLS-A, WWF | SANBORNTON | 22.300 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010804-01-01 | HIGHLAND LAKE, ANDOVER, W/CWF | ANDOVER | 211.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010804-01-02 | HIGHLAND LAKE-TOWN BEACH | ANDOVER | 1.236 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700010804-02-01 | WEBSTER LAKE, FRANKLIN, W/CWF | FRANKLIN | 583.450 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2017 | Source Unknown |
| NHLAK700010804-02-02 | WEBSTER LAKE-GRIFFIN TOWN BEACH | FRANKLIN | 1.280 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| NHLAK700010804-02-03 | WEBSTER LAKE-LEGACE TOWN BEACH | FRANKLIN | 1.280 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHLAK700020101-02 | SARGENTS POND, , WWF | WOLFEBORO | 55.600 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700020101-04 | Cresent Lake Wolfeboro | WOLFEBORO | 146.840 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHLAK700020101-05-01 | Lake Wentworth, Wolfeboro, CLS-A | WOLFEBORO | 309.680 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 44 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|--------------|------------|-----------|------------------------------|--|--------------|--------|---------------|---------------|---|
| NHLAK700020101-05-01 | Lake Wentworth, Wolfeboro, CLS-A | WOLFEBORO | 309.680 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020101-05-02 | WENTWORTH LAKE-ALLEN A RESORT | WOLFEBORO | 0.145 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| | | | | | | | | | | | Waterfowl |
| NHLAK700020101-05-03 | WENTWORTH LAKE-WENTWORTH STATE PARK | WOLFEBORO | 2.206 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| | | | | | | | | | | | Waterfowl |
| NHLAK700020101-05-04 | WENTWORTH LAKE-PUBLIC BEACH | WOLFEBORO | 0.533 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020101-05-05 | CAMP BERNADETTE BEACH | WOLFEBORO | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020101-05-06 | CAMP PLEASANT VALLEY BEACH | WOLFEBORO | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020101-05-07 | PIERCE CAMP BIRCHMONT BEACH | WOLFEBORO | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020101-07-01 | RUST POND, WOLFEBORO, WWF | WOLFEBORO | 210.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Secondary Contact Recreation | Sedimentation/Siltation | 5-M | N | LOW | 2021 | Channel Erosion/Incision from Upstream Hydromodifications Streambank Modifications/destablization |
| NHLAK700020101-07-02 | WOLFEBORO CAMP SCHOOL BEACH | WOLFEBORO | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020101-08 | BACK BAY | WOLFEBORO | 33.285 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown |
| NHLAK700020103-04 | MEADOW BROOK POND, | MOULTONBOROU | 14.600 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700020103-05 | Lees Pond, Moultonboro | MOULTONBOROU | 153.490 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHLAK700020106-02-01 | MIRROR LAKE, TUFTONBORO | TUFTONBORO | 377.500 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700020106-02-02 | MIRROR LAKE-BEACH | TUFTONBORO | 1.280 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Escherichia coli | 5-M | N | HIGH | 2017 | Source Unknown |
| NHLAK700020108-02-01 | WAUKEWAN, LAKE, STN S, MEREDITH, PWS, CLS-A, W/CWF | MEREDITH | 912.700 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 45 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|---------------|------------|-----------|----------------------------|-----------------------------|--------------|--------|---------------|---------------|---|
| NHLAK700020108-02-01 | WAUKEWAN, LAKE, STN S, MEREDITH, PWS, CLS-A, W/CWF | MEREDITH | 912.700 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020108-02-02 | WINONA, LAKE, CENTER HARBOR, CLS-A, W/CWF | NEW HAMPTON | 154.300 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020108-02-03 | TOWN BEACH WAUKEWAN LAKE, CLS-A | MEREDITH | 0.679 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020108-04 | HAWKINS POND, CENTER HARBOR, CLS-A, WWF | CENTER HARBOI | 93.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020110-02-01 | Paugus Bay, LACONIA, W/CWF | LACONIA | 1205.800 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020110-02-04 | MELVIN VILLAGE LAKE-TOWN PIER | TUFTONBORO | 1.280 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK700020110-02-05 | WINNIPESAUKEE LAKE-TOWN BEACH | MOULTONBOROU | 2.230 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020110-02-07 | WINNIPESAUKEE LAKE-PUBLIC BEACH | TUFTONBORO | 1.867 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHLAK700020110-02-08 | WINNIPESAUKEE LAKE-CARRY BEACH | WOLFEBORO | 1.285 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020110-02-09 | WINNIPESAUKEE LAKE-BREWSTER BEACH | WOLFEBORO | 0.897 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK700020110-02-10 | WINNIPESAUKEE LAKE-TOWN BEACH 1/ALTON BAY | ALTON | 1.164 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2013 | Pollutants from Public Bathing Areas |
| NHLAK700020110-02-11 | WINNIPESAUKEE LAKE-TOWN BEACH 2/PUBLIC DOCK | ALTON | 0.970 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 46 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|----------------------|---|---------------|------------|-----------|--------------|------------------------------|------------------|--------|---------------|---------------|--|----------------|
| NHLAK700020110-02-12 | WINNIPESAUKEE LAKE-ELACOYA STATE PARK | GILFORD | 3.200 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| NHLAK700020110-02-13 | WINNIPESAUKEE LAKE-GILFORD TOWN BEACH | GILFORD | 4.267 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| | | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK700020110-02-14 | WINNIPESAUKEE LAKE-WEIRS BEACH/ENDICOTT PARK | LACONIA | 2.545 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Source Unknown |
| | | | | | | Secondary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| | | | | | | | | | | | Waterfowl Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) | |
| NHLAK700020110-02-15 | WINNIPESAUKEE LAKE-LEAVITT PARK (TOWN) | MEREDITH | 0.970 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| NHLAK700020110-02-16 | WINNIPESAUKEE LAKE-TOWN BEACH | CENTER HARBOI | 0.655 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| NHLAK700020110-02-17 | WINNIPESAUKEE LAKE-TOWN BEACH/ST. LANDING RD. | MOULTONBOROUK | 0.533 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| NHLAK700020110-02-19 | WINNIPESAUKEE LAKE, | ALTON | 44585.200 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown | |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| NHLAK700020110-02-20 | CAMP ALTON BEACH | ALTON | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| NHLAK700020110-02-21 | BROOKWOOD/DEER RUN BEACH | ALTON | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| NHLAK700020110-02-22 | CAMP KABEYUN BEACH | ALTON | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| NHLAK700020110-02-23 | CAMP LAWRENCE BEACH | MEREDITH | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 47 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|--------------|------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|---|
| NHLAK700020110-02-24 | CAMP MENOTOMY BEACH | MEREDITH | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020110-02-25 | CAMP NOKOMIS BEACH | MEREDITH | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020110-02-26 | GENEVA POINT CENTER BEACH | MOULTONBOROU | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020110-02-27 | WINAUKEE ISLAND CAMP BEACH | MOULTONBOROU | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020110-02-28 | CAMP ROBINDEL FOR GIRLS BEACH | MOULTONBOROU | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020110-02-29 | CAMP TECUMSEH BEACH | MOULTONBOROU | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020110-02-30 | CAMP WINAUKEE BEACH | MOULTONBOROU | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020110-02-31 | CAMP BELKNAP BEACH | TUFTONBORO | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020110-02-32 | CAMP NORTH WOODS BEACH | TUFTONBORO | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020110-02-33 | CAMP SANDY ISLAND BEACH | TUFTONBORO | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020110-02-34 | CAMP DEWITT BEACH | ALTON | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020110-02-35 | WANAKEE UNITED METHODIST CHURCH BEACH | MEREDITH | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020110-02-37 | LAKE WINNIPESAUKEE WAWBEEK CONDO ASSOC BEACH | TUFTONBORO | 1.540 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020110-05 | SALTMARSH POND, GILFORD, CWF | GILFORD | 30.900 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020201-02 | HUNKINS POND, SANBORNTON | SANBORNTON | 14.800 | ACRES | Primary Contact Recreation | Chlorophyll-a | 5-M | N | LOW | 2017 | Animal Feeding Operations (NPS) |
| | | | | | | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK700020201-04 | WICWAS LAKE, MEREDITH, WWF | MEREDITH | 327.700 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| NHLAK700020201-05-01 | WINNISQUAM, LACONIA, W/CWF | LACONIA | 4249.200 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | Turbidity | 5-M | N | LOW | 2021 | Highways, Roads, Bridges, Infrastructure (New Construction) |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|----------------------------------|--------------|------------|-----------|----------------------------|-----------------------------|--------------|--------|---------------|---------------|---|
| NHLAK700020201-05-02 | TOWN BEACH #1 WINNISQUAM LAKE | SANBORNTON | 0.436 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020201-05-03 | WINNISQUAM LAKE-BARTLETTS BEACH | LACONIA | 1.285 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Pollutants from Public Bathing Areas |
| NHLAK700020201-05-04 | BELMONT TOWN BEACH | BELMONT | 1.280 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2013 | Pollutants from Public Bathing Areas |
| NHLAK700020201-05-05 | AHERN STATE PARK BEACH | LACONIA | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| | | | | | | | | | | | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| NHLAK700020201-06-01 | OPECHEE BAY, LACONIA | LACONIA | 426.700 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHLAK700020201-06-03 | OPECHEE LAKE-OPECHEE POINT | LACONIA | 0.655 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Pollutants from Public Bathing Areas |
| NHLAK700020201-06-04 | OPECHEE LAKE-OPECHEE PARK COVE | LACONIA | 1.067 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Source Unknown |
| NHLAK700020201-07 | RAILROAD POND | BELMONT | 0.553 | ACRES | Aquatic Life | Sedimentation/Siltation | 5-P | N | LOW | 2021 | Highways, Roads, Bridges, Infrastructure (New Construction) |
| | | | | | | Turbidity | 5-P | N | LOW | 2021 | Highways, Roads, Bridges, Infrastructure (New Construction) |
| NHLAK700020202-03 | POUT POND, BELMONT | BELMONT | 14.200 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020202-04 | SARGENT LAKE, BELMONT, WWF | BELMONT | 35.100 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700020203-01 | Silver Lake, Tilton | TILTON | 274.830 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHLAK700030101-02 | Cheshire Pond, Jaffery | JAFFREY | 36.630 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown |
| | | | | | | OXYGEN, DISSOLVED | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700030101-03-01 | CONTOOCOOK LAKE, RINDGE, WWF | RINDGE | 345.000 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 49 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--------------------------------------|--------------|---------------|-----------|----------------------------|-----------------------------|--------------|--------|---------------|---------------|---|
| NHLAK700030101-03-02 | CONTOOCCOOK LAKE-TOWN BEACH 1 | JAFFREY | 1.280 ACRES | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| NHLAK700030101-05 | GILMORE POND, JAFFREY, W/CWF | JAFFREY | 115.000 ACRES | | Aquatic Life | pH | 4A-M | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK700030101-08 | GRASSY POND, RINDGE, WWF | RINDGE | 98.900 ACRES | | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030101-12 | POOL POND, RINDGE, WWF | RINDGE | 119.000 ACRES | | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030101-13 | BULLET POND, RINDGE | RINDGE | 37.500 ACRES | | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030102-01-01 | THORNDIKE POND, JAFFREY, WWF | JAFFREY | 265.000 ACRES | | Aquatic Life | pH | 4A-M | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK700030102-01-02 | THORNDIKE POND-TOWN BEACH 2 | JAFFREY | 0.436 ACRES | | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030102-01-03 | CAMP WA-KLO BEACH | JAFFREY | 1.380 ACRES | | Aquatic Life | pH | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| NHLAK700030102-01-04 | CAMP WANOCKSETT BEACH | JAFFREY | 1.380 ACRES | | Aquatic Life | pH | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| NHLAK700030102-02 | FROST POND, JAFFREY, WWF | JAFFREY | 103.300 ACRES | | Aquatic Life | pH | 4A-M | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK700030103-01 | BEAVER POND, HARRISVILLE | HARRISVILLE | 19.800 ACRES | | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| NHLAK700030103-02 | TOLMAN POND, NELSON | NELSON | 38.300 ACRES | | Aquatic Life | pH | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| NHLAK700030103-03 | Juggernaut Pond, HANCOCK, PWS, CLS-A | HANCOCK | 23.500 ACRES | | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030103-05-01 | HARRISVILLE POND, HARRISVILLE, WWF | HARRISVILLE | 120.000 ACRES | | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK700030103-05-02 | HARRISVILLE LAKE-TOWN BEACH (SUNSET) | HARRISVILLE | 0.412 ACRES | | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030103-07 | NUBANUSIT LAKE, HANCOCK, W/CWF | HANCOCK | 715.000 ACRES | | Aquatic Life | pH | 4A-P | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK700030103-08 | SKATUTAKEE, LAKE, WWF | HARRISVILLE | 260.900 ACRES | | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2006 | Atmospheric Deposition - Acidity |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 50 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|--------------|------------|-----------|----------------------------|-----------------------------|--------------|--------|---------------|---------------|---|
| NHLAK700030103-09 | SPOONWOOD LAKE, NELSON, W/CWF | NELSON | 144.700 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030103-10 | DINSMORE POND, HARRISVILLE | HARRISVILLE | 16.600 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030105-01-01 | ZEPHYR LAKE, GREENFIELD, WWF | GREENFIELD | 30.900 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030105-01-02 | ZEPHYR LAKE-TOWN BEACH 2 | GREENFIELD | 0.267 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| NHLAK700030105-02-01 | OTTER LAKE, GREENFIELD, WWF | GREENFIELD | 61.200 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030105-02-03 | OTTER LAKE-GREENFIELD STATE PARK/PICNIC BEACH | GREENFIELD | 1.552 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Source Unknown |
| NHLAK700030105-02-04 | OTTER LAKE-GREENFIELD STATE PARK/MIDDLE BEACH | GREENFIELD | 1.067 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| NHLAK700030105-02-05 | OTTER LAKE-GREENFIELD STATE PARK/CAMPING BEACH | GREENFIELD | 1.988 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030105-02-06 | CAMP UNION BEACH | GREENFIELD | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030105-02-07 | OTTER LK GREENFIELD SP BEACH | GREENFIELD | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030105-03-01 | SUNSET LAKE, GREENFIELD, WWF | GREENFIELD | 30.900 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030105-03-02 | SUNSET LAKE-TOWN BEACH 1 | GREENFIELD | 0.533 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030105-03-03 | NASHUA FRESH AIR CAMP BEACH | GREENFIELD | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030106-01 | HUNTS POND, HANCOCK, W/CWF | HANCOCK | 46.000 | ACRES | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHLAK700030107-01 | WILLARD POND, , W/CWF | ANTRIM | 96.500 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030107-02-02 | NORWAY POND-TOWN BEACH | HANCOCK | 1.139 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| NHLAK700030107-03 | Powder Mill Pond, Hancock/Greenfield | HANCOCK | 482.900 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-P | N | HIGH | 2007 | Municipal Point Source Discharges Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 51 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---|--------------|------------|-----------|----------------------------|-----------------------------|--------------|--------|---------------|---------------|-----------------------------------|
| NHLAK700030107-03 | Powder Mill Pond, Hancock/Greenfield | HANCOCK | 482.900 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | HIGH | 2007 | Municipal Point Source Discharges |
| | | | | | | Primary Contact Recreation | 5-M | N | LOW | 2019 | Municipal Point Source Discharges |
| | | | | | | | | | | | Source Unknown |
| NHLAK700030108-02-01 | GREGG LAKE, ANTRIM, WWF | ANTRIM | 195.100 | ACRES | Aquatic Life | pH | 4A-M | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK700030108-02-02 | GREGG LAKE-TOWN BEACH | ANTRIM | 1.794 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030108-02-03 | CAMP CHENOA BEACH | ANTRIM | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| NHLAK700030108-03 | CAMPBELL POND, ANTRIM, CLS-A | ANTRIM | 15.988 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700030202-02-01 | ISLAND POND, STODDARD, WWF | STODDARD | 158.000 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700030202-02-02 | ISLAND POND-PUBLIC BEACH | STODDARD | 0.339 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700030202-03-02 | JACKMAN RESERVOIR-MANAHAN PARK-TOWN BEACH | HILLSBOROUGH | 1.067 | ACRES | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK700030202-06 | BAGLEY POND, WINDSOR | WINDSOR | 32.490 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030203-02 | SMITH POND, WASHINGTON, CWF | WASHINGTON | 26.600 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030203-03 | TROUT POND, STODDARD | STODDARD | 12.100 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030204-03 | ISLAND POND, WASHINGTON, WWF | WASHINGTON | 202.200 | ACRES | Aquatic Life | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK700030204-04 | Loon Pond, HILLSBOROUGH, PWS, CLS-A, WWF | HILLSBOROUGH | 155.800 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030301-01 | SOLITUDE, LAKE, NEWBURY | NEWBURY | 5.000 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| | | | | | | pH | 4A-P | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK700030302-02 | BLAISDELL LAKE, SUTTON, WWF | SUTTON | 158.300 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030302-02-02 | BLAISDELL LAKE - CAMP WABASSO BEACH | SUTTON | 0.086 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030302-04-01 | MASSASECUM, LAKE, BRADFORD | BRADFORD | 401.700 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 52 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|--------------|------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|----------------------------------|
| NHLAK700030302-04-01 | MASSASECUM, LAKE, BRADFORD | BRADFORD | 401.700 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| NHLAK700030302-04-02 | MASSASECUM LAKE-MASSASECUM CASINO | BRADFORD | 1.280 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030302-04-03 | MASSASECUM LAKE-FRENCH'S PARK/TOWN BEACH | BRADFORD | 1.280 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030302-04-04 | CAMP PIESAULE BEACH | BRADFORD | 1.380 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030303-03-01 | Kezar Lake, Sutton | SUTTON | 169.800 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700030303-03-02 | KEZAR LAKE-WADLEIGH STATE PARK | SUTTON | 3.200 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700030304-05 | TOM POND, WARNER, WWF | WARNER | 31.500 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Chlorophyll-a | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700030304-07 | TUCKER POND, SALISBURY, WWF | SALISBURY | 83.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| NHLAK700030304-08 | WINNEPOCKET, LAKE, WEBSTER, WWF | WEBSTER | 226.900 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030401-02 | BUTTERFIELD POND, WILMOT | WILMOT | 11.900 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030401-04 | PIPER POND, WILMOT, W/CWF | WILMOT | 31.000 | ACRES | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHLAK700030402-01 | CHASE POND, WILMOT | WILMOT | 39.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030402-02-01 | Pleasant Lake, New London | NEW LONDON | 602.280 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030402-02-02 | PLEASANT LAKE-ELKINS BEACH | NEW LONDON | 0.588 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 53 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|------------------------------------|--------------|------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|--------------------------------------|
| NHLAK700030402-03-02 | TANNERY POND | WILMOT | 0.388 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHLAK700030403-01 | ADDER POND, ANDOVER, W/CWF | ANDOVER | 26.000 | ACRES | Primary Contact Recreation | CHLOROPHYLL-A | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700030403-03 | COLD POND, ANDOVER | ANDOVER | 14.800 | ACRES | Aquatic Life | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK700030403-05 | HORSESHOE POND, STN N, ANDOVER | ANDOVER | 18.500 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030502-02 | UPPER POND, HENNIKER | HENNIKER | 25.300 | ACRES | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHLAK700030502-03 | Bear Pond, WARNER, PWS, CLS-A, WWF | WARNER | 49.500 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030504-02-01 | French Pond, Henniker | HENNIKER | 38.790 | ACRES | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700030504-02-02 | FRENCH POND-PUBLIC ACCESS | HENNIKER | 1.280 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700030504-03 | KEYSER POND, HENNIKER | HENNIKER | 19.800 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700030505-01 | CLEMENT POND, HOPKINTON, WWF | HOPKINTON | 118.700 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700030505-01-02 | CAMP MERRIMAC BEACH | HOPKINTON | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700040401-01-01 | MELENDY POND, BROOKLINE | BROOKLINE | 16.700 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700040401-01-02 | MELENDY POND | BROOKLINE | 1.280 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Pollutants from Public Bathing Areas |
| NHLAK700040401-02-01 | POTANIPO POND, BROOKLINE, WWF | BROOKLINE | 170.000 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700040401-02-02 | LAKE POTANIPO-TOWN BEACH | BROOKLINE | 0.630 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 54 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|----------------------|--|--------------|------------|-----------|--------------|-----------------------------|--|--------|---------------|---------------|----------------------------------|----------------|
| NHLAK700040401-02-02 | LAKE POTANIPO-TOWN BEACH | BROOKLINE | 0.630 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity | |
| | | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK700040401-02-03 | CAMP TEVYA BEACH | BROOKLINE | 1.380 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| NHLAK700040401-03 | ROCKY POND, HOLLIS, WWF | HOLLIS | 46.400 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| NHLAK700040402-01 | Flints Pond, Hollis | HOLLIS | 49.990 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown | |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Chlorophyll-a | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700060101-01 | SHAW POND, FRANKLIN | FRANKLIN | 1.600 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| NHLAK700060101-02-01 | SONDOGARDY POND, NORTHFIELD, WWF | NORTHFIELD | 40.800 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| | | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700060101-02-02 | SONDOGARDY POND-TOWN BEACH/GLINES PARK | NORTHFIELD | 0.267 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| | | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Escherichia coli | 5-M | N | HIGH | 2017 | Source Unknown | |
| NHLAK700060201-01-01 | LOON POND, GILMANTON, W/CWF | GILMANTON | 121.200 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| NHLAK700060201-01-02 | LOON LAKE-BEACH CORP | GILMANTON | 1.280 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| NHLAK700060201-02 | LYFORD POND, CANTERBURY, WWF | CANTERBURY | 26.000 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| NHLAK700060201-03 | New Pond, Canterbury | CANTERBURY | 11.680 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| NHLAK700060201-04 | ROCKY POND, GILMANTON, WWF | GILMANTON | 74.000 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown | |
| NHLAK700060202-03-01 | CLOUGH POND, LOUDON, W/CWF | LOUDON | 45.800 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 55 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--------------------------------|--------------|------------|-----------|----------------------------|-----------------------------|--------------|--------|---------------|---------------|----------------------------------|
| NHLAK700060202-03-01 | CLOUGH POND, LOUDON, W/CWF | LOUDON | 45.800 | ACRES | Primary Contact Recreation | CHLOROPHYLL-A | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700060202-03-02 | CLOUGH POND-TOWN BEACH | LOUDON | 1.280 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060202-04 | CROOKED POND, LOUDON, WWF | LOUDON | 29.100 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060301-02-01 | Turkey Pond, Concord | CONCORD | 167.190 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHLAK700060301-02-02 | Little Turkey Pond, Concord | CONCORD | 165.350 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | LOW | 2021 | Source Unknown |
| NHLAK700060302-07 | SNOW POND, CONCORD | CONCORD | 19.800 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700060302-08 | TURTLE POND, CONCORD, WWF | CONCORD | 121.200 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHLAK700060302-15 | HORSESHOE POND, CANTERBURY | CANTERBURY | 37.000 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700060401-02-01 | CRYSTAL LAKE, GILMANTON, W/CWF | GILMANTON | 440.900 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060401-02-02 | CRYSTAL LAKE-TOWN BEACH | GILMANTON | 0.461 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060401-06 | MANNING LAKE, GILMANTON, W/CWF | GILMANTON | 201.600 | ACRES | Aquatic Life | PH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060401-06-02 | CAMP BELL BEACH | GILMANTON | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060401-12 | SUNSET LAKE, ALTON, WWF | ALTON | 205.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060402-01 | BRINDLE POND, BARNSTEAD, WWF | BARNSTEAD | 84.000 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown |
| NHLAK700060402-03 | HALFMOON LAKE, ALTON, WWF | ALTON | 253.000 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700060402-03-02 | CAMP MI-TE-NA BEACH | ALTON | 1.380 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHLAK700060402-03-02 | CAMP MI-TE-NA BEACH | ALTON | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060402-03-02 | CAMP MI-TE-NA BEACH | ALTON | 1.380 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700060402-03-02 | CAMP MI-TE-NA BEACH | ALTON | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 56 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---|--------------|------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|----------------------------------|
| NHLAK700060402-05 | HUNTRESS POND, BARNSTEAD, WWF | BARNSTEAD | 53.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060402-10-01 | SUNCOOK POND, LOWER, BARNSTEAD, W/CWF | BARNSTEAD | 239.300 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK700060402-10-03 | CAMP FATIMA BEACH | BARNSTEAD | 1.380 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHLAK700060403-01 | WILLEY POND, BIG, STRAFFORD, WWF | STRAFFORD | 47.500 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060403-01-02 | CAMP FOSS BEACH | STRAFFORD | 1.380 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060403-01-03 | PARKER MTN BEACH | STRAFFORD | 1.380 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060403-02 | WILLEY POND, LITTLE, STRAFFORD | STRAFFORD | 32.500 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060501-03 | WILD GOOSE POND, PITTSFIELD | PITTSFIELD | 98.900 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060501-03-02 | WILD GOOSE POND BEACH | PITTSFIELD | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060501-03-03 | WILD GOOSE CAMP BEACH | PITTSFIELD | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060501-05 | ROLLINS POND, GILMANTON, WWF | GILMANTON | 37.000 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700060501-08 | Berry Pond, PITTSFIELD, PWS, CLS-A, WWF | PITTSFIELD | 33.400 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060502-03 | CHESTNUT POND, EPSOM, WWF | EPSOM | 30.300 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060502-05 | HARVEY LAKE, NORTHWOOD, WWF | NORTHWOOD | 105.000 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700060502-06 | JENNESS POND, NORTHWOOD, WWF | NORTHWOOD | 232.500 | ACRES | Aquatic Life | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHLAK700060502-07 | LONG POND, NORTHWOOD, WWF | NORTHWOOD | 100.200 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK700060502-08-01 | Northwood Lake, Northwood | NORTHWOOD | 653.000 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 57 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|----------------------|--|--------------|------------|-----------|----------------------------|------------------------------|------------------|--------|---------------|---------------|----------------------------------|----------------|
| NHLAK700060502-08-01 | Northwood Lake, Northwood | NORTHWOOD | 653.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2006 | Atmospheric Deposition - Acidity | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| | | | | | | Secondary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| NHLAK700060502-08-02 | NORTHWOOD LAKE-TOWN BEACH #1 | NORTHWOOD | 0.364 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown | |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| NHLAK700060502-08-03 | CAMP WAH-TUT-CA BEACH | NORTHWOOD | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity | |
| NHLAK700060502-09-01 | PLEASANT LAKE, DEERFIELD, WWF | DEERFIELD | 493.500 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | | pH | 4A-P | N | | 2004 | Atmospheric Deposition - Acidity | |
| NHLAK700060502-09-02 | PLEASANT LAKE-VEASEY PARK | DEERFIELD | 0.533 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity | |
| NHLAK700060503-01 | BEAR HILL POND, ALLENSTOWN, WWF | ALLENSTOWN | 32.700 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity | |
| NHLAK700060503-01-02 | BEAR HILL POND BEACH | ALLENSTOWN | 1.380 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity | |
| NHLAK700060503-02-02 | CATAMOUNT POND - BEAR BROOK STATE PARK | ALLENSTOWN | 0.679 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown | |
| NHLAK700060503-04 | MARSH POND | CHICHESTER | 23.073 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2019 | Source Unknown |
| NHLAK700060601-01 | DEERING RESERVOIR, DEERING, WWF | DEERING | 315.400 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| NHLAK700060601-01-02 | DEERING RESERVOIR - DEERING LAKE BEACH | DEERING | 0.280 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| NHLAK700060601-01-03 | DEERING RESERVOIR - HOPKINTON INDEPENDENT SCHOOL BEACH | DEERING | 0.155 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 58 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|--------------|------------|-----------|------------------------------|--|--------------|--------|---------------|---------------|--------------------------------------|
| NHLAK700060601-01-03 | DEERING RESERVOIR - HOPKINTON INDEPENDENT SCHOOL BEACH | DEERING | 0.155 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060601-02 | DUDLEY POND, DEERING, WWF | DEERING | 30.300 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060601-03-01 | PLEASANT POND, HENNIKER, WWF | HENNIKER | 92.100 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060601-03-02 | PLEASANT LAKE-PUBLIC ACCESS | HENNIKER | 1.280 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060601-05-01 | WEARE RESERVOIR, WEARE, WWF | WEARE | 323.400 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700060601-05-02 | WEARE RESERVOIR-TOWN BEACH/CHASE PARK | WEARE | 2.352 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK700060601-06 | AUDUBON SOCIETY DAM POND, DEERING | DEERING | 36.360 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700060602-01-02 | EVERETT LAKE-CLOUGH STATE PARK | WEARE | 1.280 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Pollutants from Public Bathing Areas |
| NHLAK700060602-02 | MOUNT WILLIAM POND, WEARE, W/CWF | WEARE | 33.100 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060603-01 | GORHAM POND, DUNBARTON, WWF | DUNBARTON | 102.600 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown |
| NHLAK700060604-01 | PLEASANT POND, FRANCESTOWN, WWF | FRANCESTOWN | 187.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| NHLAK700060605-04-01 | HAUNTED LAKE, FRANCESTOWN, WWF | FRANCESTOWN | 170.700 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHLAK700060607-01-01 | GLEN LAKE, GOFFSTOWN, WWF | GOFFSTOWN | 118.800 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHLAK700060607-01-02 | GLEN LAKE-PUBLIC (STATE OWNED) | GOFFSTOWN | 1.280 | ACRES | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| NHLAK700060607-02 | Kelly Falls Pond, Goffstown | GOFFSTOWN | 1207.550 | ACRES | Primary Contact Recreation | Chlorophyll-a | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| | | | | | Secondary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHLAK700060607-03 | LONG POND, DUNBARTON, WWF | DUNBARTON | 32.100 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060702-03 | MASSABESIC LAKE, STN 1, AUBURN, PWS, CLS-A, W/CWF | AUBURN | 2896.900 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-M | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 60 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|--------------------------------|--------------|------------|-----------|--------------|-----------------------------|---------------|--------|---------------|---------------|--|
| NHLAK700060802-01 | DORRS POND, MANCHESTER | MANCHESTER | 17.600 | ACRES | Aquatic Life | Oxygen, Dissolved | 5-M | N | LOW | 2019 | Municipal (Urbanized High Density Area) Source Unknown |
| | | | | | | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2017 |
| NHLAK700060802-02 | LAKINS POND, , WWF | HOOKSETT | 51.700 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060802-03 | PINNACLE POND, HOOKSETT, CLS-A | HOOKSETT | 18.600 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700060803-01 | NUTT POND, MANCHESTER | MANCHESTER | 16.100 | ACRES | Aquatic Life | Chloride | 5-M | N | LOW | 2019 | Commerical Districts (Shopping/Office Complexes) Highway/Road/Bridge Runoff (Non-construction Related) Municipal (Urbanized High Density Area) |
| | | | | | | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Commerical Districts (Shopping/Office Complexes) Source Unknown |
| | | | | | | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-M | N | LOW | 2019 | Commerical Districts (Shopping/Office Complexes) Source Unknown |
| | | | | | | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2017 |
| NHLAK700060803-02 | STEVENS POND, MANCHESTER, WWF | MANCHESTER | 15.500 | ACRES | Aquatic Life | Chloride | 5-M | N | LOW | 2019 | Commerical Districts (Shopping/Office Complexes) Highway/Road/Bridge Runoff (Non-construction Related) Municipal (Urbanized High Density Area) |
| | | | | | | Dissolved oxygen saturation | 5-M | N | LOW | 2017 | Highway/Road/Bridge Runoff (Non-construction Related) Municipal (Urbanized High Density Area) |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Highway/Road/Bridge Runoff (Non-construction Related) Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 61 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | | | | | |
|----------------------|-------------------------------|--------------|------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|---|-----|---|------|------|---|
| NHLAK700060803-02 | STEVENS POND, MANCHESTER, WWF | MANCHESTER | 15.500 | ACRES | Primary Contact Recreation | Chlorophyll-a | 5-M | N | LOW | 2017 | Highway/Road/Bridge Runoff (Non-construction Related) Municipal (Urbanized High Density Area) | | | | | |
| NHLAK700060803-03 | MCQUESTEN POND | MANCHESTER | 0.222 | ACRES | Aquatic Life | pH | 5-P | N | LOW | 2019 | Atmospheric Deposition - Acidity | | | | | |
| | | | | | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2019 | Source Unknown | | | | | |
| NHLAK700060804-02 | SEBBINS POND, BEDFORD | BEDFORD | 19.800 | ACRES | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2017 | Residential Districts | | | | | |
| NHLAK700060804-03-01 | SANDY POND - CAMP FOSTER POND | BEDFORD | 3.503 | ACRES | Primary Contact Recreation | Chlorophyll-a | 5-M | N | LOW | 2019 | Source Unknown | | | | | |
| NHLAK700060901-03 | Pratt Pond, New Ipswich | NEW IPSWICH | 35.670 | ACRES | Aquatic Life | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity | | | | | |
| NHLAK700060905-01-01 | BABOOSIC LAKE, AMHERST, WWF | AMHERST | 222.000 | ACRES | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2019 | Source Unknown | | | | | |
| | | | | | | | | | | | Unpermitted Discharge (Domestic Wastes) Waterfowl | | | | | |
| | | | | | | | | | | | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | | | | | | Unpermitted Discharge (Domestic Wastes) Waterfowl | | | | | |
| NHLAK700060905-01-02 | BABOOSIC LAKE-TOWN BEACH | AMHERST | 1.280 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-P | N | LOW | 2019 | Source Unknown | | | | | |
| | | | | | | | | | | | Unpermitted Discharge (Domestic Wastes) Waterfowl | | | | | |
| | | | | | | | | | | | Escherichia coli | 5-M | N | HIGH | 2017 | On-site Treatment Systems (Septic Systems and Similar Decentralized Systems) Source Unknown |
| NHLAK700060905-01-03 | YOUNG JUDAEA BEACH | AMHERST | 1.380 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown | | | | | |
| | | | | | | | | | | | Unpermitted Discharge (Domestic Wastes) Waterfowl | | | | | |
| | | | | | | | | | | | Excess Algal Growth | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700060906-01 | HONEY POT POND, AMHERST | AMHERST | 12.400 | ACRES | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2017 | Source Unknown | | | | | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 62 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|------------------------------------|--------------|------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|----------------------------------|
| NHLAK700061001-02-02 | SILVER LAKE-STATE PARK | HOLLIS | 1.280 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Source Unknown |
| NHLAK700061001-04-01 | HarrisPond/Pennichuck Brook, , PWS | NASHUA | 83.000 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700061001-06 | HOLTS POND, , PWS | NASHUA | 34.990 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700061002-01-01 | DARRAH POND, LITCHFIELD | LITCHFIELD | 17.300 | ACRES | Aquatic Life | pH | 4A-P | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK700061002-01-02 | DARRAH POND-TOWN BEACH | LITCHFIELD | 0.533 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700061002-03 | HORSESHOE POND, MERRIMACK, WWF | MERRIMACK | 37.100 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Chlorophyll-a | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2017 | Source Unknown |
| NHLAK700061002-04-02 | NATICOOK LAKE | MERRIMACK | 0.485 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHLAK700061101-01-01 | ISLAND POND, DERRY, W/CWF | HAMPSTEAD | 447.900 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700061101-01-02 | ISLAND POND-CHASE'S GROVE | DERRY | 0.315 | ACRES | Aquatic Life | pH | 5-M | N | LOW | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK700061101-01-03 | ISLAND POND-SANBORN SHORE ACRES | HAMPSTEAD | 1.280 | ACRES | Aquatic Life | pH | 5-M | N | LOW | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700061101-03-02 | WASH POND-TOWN BEACH | HAMPSTEAD | 1.280 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| NHLAK700061101-03-03 | SUNSET LAKE-SUNSET PARK | HAMPSTEAD | 0.800 | ACRES | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK700061101-04 | Arlington Mill Res., Salem | SALEM | 23.770 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHLAK700061102-03-01 | Captain Pond, Salem | SALEM | 86.670 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown |
| NHLAK700061102-03-02 | CAPTAIN'S BEACH - CAPTAINS POND | SALEM | 1.280 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 63 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---------------------------------|--------------|------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|----------------------------------|
| NHLAK700061102-03-02 | CAPTAIN'S BEACH - CAPTAINS POND | SALEM | 1.280 | ACRES | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHLAK700061102-03-03 | CAMP OTTER SWIM AREA BEACH | SALEM | 1.380 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK700061102-03-04 | CAMP Y WOOD BEACH | SALEM | 1.380 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700061102-08 | Seavey Pond, Windham | WINDHAM | 10.630 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| NHLAK700061203-02-01 | BEAVER LAKE, DERRY, W/CWF | DERRY | 133.600 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700061203-02-02 | BEAVER LAKE-GALLIEN'S BEACH | DERRY | 0.582 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Source Unknown |
| NHLAK700061203-02-03 | BEAVER LAKE-PARK | DERRY | 1.164 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700061203-02-04 | BEAVER LAKE COMEAU'S BEACH | DERRY | 1.380 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700061203-03-01 | HOODS POND, DERRY | DERRY | 15.000 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700061203-03-02 | HOOD POND-DERRY TOWN BEACH | DERRY | 1.280 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Source Unknown |
| NHLAK700061203-04 | KENDALL POND, LONDONDERRY, CWF | LONDONDERRY | 11.400 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700061203-05 | RAINBOW LAKE, DERRY | DERRY | 11.300 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700061203-05-02 | RAINBOW LAKE - KAREN-GENA BEACH | DERRY | 0.320 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK700061203-06-01 | ROBINSON POND, HUDSON, WWF | HUDSON | 88.000 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2017 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 64 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|----------------------------------|--------------|------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|---|
| NHLAK700061203-06-01 | ROBINSON POND, HUDSON, WWF | HUDSON | 88.000 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| | | | | | | | | | | | |
| NHLAK700061203-06-02 | ROBINSON POND-TOWN BEACH | HUDSON | 0.582 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Escherichia coli | 5-P | N | HIGH | 2013 | Source Unknown |
| NHLAK700061203-06-03 | CAMP WINAHUPE BEACH | HUDSON | 1.380 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | | | | | | | |
| NHLAK700061204-01-01 | Cobbetts Pond, Windham | WINDHAM | 302.140 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Municipal (Urbanized High Density Area) Source Unknown |
| | | | | | | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHLAK700061204-01-03 | TOWN BEACH - COBBETTS POND | WINDHAM | 0.533 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Municipal (Urbanized High Density Area) Source Unknown |
| NHLAK700061204-01-04 | DUNKAN BEACH | WINDHAM | 1.380 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Municipal (Urbanized High Density Area) Source Unknown |
| NHLAK700061204-02 | ISLAND POND, LITTLE, PELHAM, WWF | PELHAM | 155.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700061204-02-02 | CAMP RUNELS BEACH | PELHAM | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700061204-03 | ROCK POND, WINDHAM, WWF | WINDHAM | 34.600 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700061205-01 | GUMPAS POND, PELHAM, WWF | PELHAM | 90.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK700061205-02-01 | LONG POND, | PELHAM | 120.600 | ACRES | Primary Contact Recreation | CHLOROPHYLL-A | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700061205-02-02 | TOWN BEACH LONG POND | PELHAM | 0.630 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-P | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 65 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|----------------------------------|--------------|------------|-----------|----------------------------|--|------------------|--------|---------------|---------------|---|
| NHLAK700061205-02-02 | TOWN BEACH LONG POND | PELHAM | 0.630 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-P | N | LOW | 2019 | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| | | | | | | Escherichia coli | 5-P | N | HIGH | 2013 | Yard Maintenance Source Unknown |
| NHLAK700061206-02 | OTTERNICK POND, HUDSON, WWF | HUDSON | 34.000 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHLAK700061403-03-01 | COUNTRY POND, KINGSTON, WWF | KINGSTON | 255.000 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700061403-03-02 | TOWN BEACH (COUNTRY POND) | NEWTON | 0.388 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-P | N | LOW | 2019 | Source Unknown |
| NHLAK700061403-03-03 | LONE TREE SCOUT RESV. BEACH | KINGSTON | 1.380 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHLAK700061403-03-04 | TASKER DAY CAMP BEACH | NEWTON | 1.380 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK700061403-06-01 | Great Pond, Kingston | KINGSTON | 267.950 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700061403-06-02 | GREAT POND - KINGSTON STATE PARK | KINGSTON | 0.752 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 |
| NHLAK700061403-06-03 | CAMP BLUE TRIANGLE BEACH | KINGSTON | 1.380 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 |
| NHLAK700061403-06-04 | CAMP LINCOLN BEACH | KINGSTON | 1.380 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK700061403-07 | GREENWOOD POND, KINGSTON | KINGSTON | 49.500 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2017 | Source Unknown |
| NHLAK700061403-08 | HALFMOON POND, KINGSTON | KINGSTON | 15.500 | ACRES | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2019 | Source Unknown |
| NHLAK801010101-04 | Moose Falls Dam. Pittsburg | PITTSBURG | 20.000 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| NHLAK801010102-03 | ROUND POND, PITTSBURG | PITTSBURG | 62.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801010103-03 | WRIGHT POND, | PITTSBURG | 6.000 | ACRES | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Atmospheric Deposition - Acidity |
| | | | | | | | | | | | Source Unknown |
| NHLAK801010203-01-01 | BACK LAKE, PITTSBURG | PITTSBURG | 358.600 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 66 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---|--------------|------------|-----------|----------------------------|--|--|--------|---------------|---------------|---|
| NHLAK801010701-02 | YORK POND, BERLIN | BERLIN | 21.000 | ACRES | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2017 | Industrial Point Source Discharge |
| | | | | | | Cyanobacteria hepatotoxic microcystins | 5-P | N | LOW | 2019 | Industrial Point Source Discharge Source Unknown |
| NHLAK801010701-02-02 | YORK POND (BARRY CONSERVATION CAMP) BEACH | BERLIN | 1.380 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-P | N | LOW | 2019 | Industrial Point Source Discharge Source Unknown |
| NHLAK801010706-01 | BOG POND, LITTLE, ODELL | ODELL | 37.000 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| | | | | | | pH | 4A-M | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK801010707-01-01 | CHRISTINE LAKE, STARK | STARK | 170.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801010707-01-02 | CHRISTINE LAKE TB BEACH | STARK | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801010902-01 | BAKER POND, LANCASTER | LANCASTER | 25.000 | ACRES | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2017 | Source Unknown |
| NHLAK801030101-01-02 | BURNS POND-PUBLIC BEACH | WHITEFIELD | 0.267 | ACRES | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK801030101-02-01 | FOREST LAKE, DALTON | DALTON | 191.700 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK801030101-02-02 | FOREST LAKE STATE PARK, WHITEFIELD | DALTON | 0.727 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Escherichia coli | 5-P | N | HIGH | 2013 | Pollutants from Public Bathing Areas |
| NHLAK801030102-02 | MARTIN MEADOW POND, LANCASTER | LANCASTER | 118.000 | ACRES | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK801030302-01-01 | ECHO LAKE, FRANCONIA | FRANCONIA | 28.400 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| | | | | | | pH | 4A-M | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK801030302-01-02 | FRANCONIA STATE PARK ECHO LAKE | FRANCONIA | 1.188 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| | | | | | | | | | | | |
| NHLAK801030502-03 | PARTRIDGE LAKE, LITTLETON | LITTLETON | 103.900 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 67 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---------------------------------|--------------|------------|-----------|----------------------------|-----------------------------|------------------|--------|---------------|---------------|----------------------------------|
| NHLAK801030505-03 | Mountain Lake, Lower, Haverhill | HAVERHILL | 39.880 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK801030505-04 | MOUNTAIN LAKE, UPPER, HAVERHILL | HAVERHILL | 30.000 | ACRES | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK801030701-01 | CONSTANCE LAKE, PIERMONT | PIERMONT | 9.000 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| | | | | | | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK801040201-01 | ARMINGTON LAKE, | PIERMONT | 142.200 | ACRES | Aquatic Life | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK801040201-01-02 | CAMP WALT WHITMAN BEACH | PIERMONT | 1.380 | ACRES | Aquatic Life | pH | 4A-P | N | | 2017 | Atmospheric Deposition - Acidity |
| NHLAK801040201-03 | TARLETON, LAKE, PIERMONT | PIERMONT | 315.400 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 |
| NHLAK801040201-03-02 | KINGSWOOD CAMP BEACH | PIERMONT | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801040203-01-01 | POST POND, LYME | LYME | 111.300 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801040203-01-02 | POST POND-CHASE BEACH (TOWN) | LYME | 0.558 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 |
| NHLAK801040402-03 | Wilder Lake, Hanover | LYME | 1760.000 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK801060101-01-02 | CANAAN ST. LAKE-TOWN BEACH | CANAAN | 0.436 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| NHLAK801060101-02 | CLARK POND, CANAAN | CANAAN | 136.000 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK801060101-03 | CUMMINS POND, DORCHESTER | DORCHESTER | 136.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801060101-05 | RESERVOIR POND, DORCHESTER | DORCHESTER | 111.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801060103-01 | GOOSE POND, CANAAN | CANAAN | 554.000 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK801060103-02 | GOOSE POND, LITTLE, CANAAN | CANAAN | 13.400 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801060104-02 | GRAFTON POND, GRAFTON | GRAFTON | 321.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801060105-01 | COLE POND, ENFIELD | ENFIELD | 17.300 | ACRES | Aquatic Life | pH | 4A-P | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK801060105-04-01 | Mascoma Lake, Enfield | ENFIELD | 1161.380 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 68 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|--------------|------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|----------------------------------|
| NHLAK801060105-04-02 | MASCOMA LAKE-SHAKOMA | ENFIELD | 0.533 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK801060105-04-03 | MASCOMA LAKE-CRESCENT BEACH | ENFIELD | 1.280 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK801060105-04-04 | MASCOMA LAKE - DARTMOUTH COLLEGE BEACH | ENFIELD | 0.180 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK801060401-01 | ANDERSON POND, GRANTHAM | GRANTHAM | 13.600 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK801060401-02 | STOCKER POND, GRANTHAM | GRANTHAM | 63.500 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK801060401-06 | EASTMAN POND, GRANTHAM | GRANTHAM | 335.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801060401-07 | HALFMILE POND, ENFIELD | ENFIELD | 6.800 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| | | | | | | pH | 4A-P | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK801060401-08-01 | KOLELEMOOK LAKE, SPRINGFIELD | SPRINGFIELD | 98.900 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801060401-08-02 | KOLEMOOK LAKE-TOWN BEACH | SPRINGFIELD | 0.461 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK801060402-03 | CHALK POND, NEWBURY | NEWBURY | 21.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK801060402-04-01 | SUNAPEE LAKE, LITTLE, NEW LONDON, CLS-A | NEW LONDON | 472.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801060402-04-02 | LITTLE SUNAPEE LAKE-BUCKLIN TOWN BEACH | NEW LONDON | 0.679 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHLAK801060402-04-03 | COLBY LODGE BEACH | NEW LONDON | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801060402-05-01 | SUNAPEE LAKE, STN 2, SUNAPEE, PWS, CLS-A | SUNAPEE | 4090.000 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 69 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--------------------------------------|--------------|------------|-----------|--------------|-----------------------------|------------------|--------|---------------|---------------|----------------------------------|
| NHLAK801060402-05-02 | SUNAPEE LAKE-TOWN BEACH/GEORGES MILL | SUNAPEE | 0.679 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2013 |
| NHLAK801060402-05-03 | SUNAPEE LAKE-DEWEY BEACH (TOWN) | SUNAPEE | 0.727 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 |
| NHLAK801060402-05-04 | SUNAPEE LAKE-BLODGETT'S LANDING | NEWBURY | 1.280 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 |
| NHLAK801060402-05-05 | SUNAPEE LAKE-SUNAPEE STATE PARK | NEWBURY | 1.280 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 |
| NHLAK801060402-05-06 | SUNAPEE LAKE-DEPOT BEACH | NEWBURY | 0.121 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 |
| NHLAK801060402-06 | DUTCHMAN POND, SPRINGFIELD | SPRINGFIELD | 27.900 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK801060402-08 | LEDGE POND, SUNAPEE, CLS-A | SUNAPEE | 110.100 | ACRES | Aquatic Life | pH | 4A-M | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK801060402-11 | MOUNTAINVIEW LAKE, SUNAPEE | SUNAPEE | 104.800 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|--------------|------------|-----------|----------------------------|-----------------------------|--------------|--------|---------------|---------------|--------------------------------------|
| NHLAK801060402-12-01 | OTTER POND, SUNAPEE | SUNAPEE | 185.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801060402-12-02 | OTTER POND-MORGAN BEACH | NEW LONDON | 1.280 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Pollutants from Public Bathing Areas |
| NHLAK801060403-01 | Gilman Pond, UNITY, PWS, CLS-A | UNITY | 66.800 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801060403-04-01 | RAND POND, GOSHEN | GOSHEN | 38.700 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801060403-04-02 | RANDS POND-PUBLIC WAY (ACCESS RD.) | GOSHEN | 0.097 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK801060404-01 | ROCKYBOUND POND, CROYDON | CROYDON | 64.600 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801060405-03 | PERKINS POND, SUNAPEE | SUNAPEE | 157.000 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK801070201-01 | CRESCENT LAKE, ACWORTH | ACWORTH | 116.200 | ACRES | Aquatic Life | pH | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity |
| NHLAK801070202-01 | NEWELL POND, | ALSTEAD | 13.600 | ACRES | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHLAK801070503-01-01 | SPOFFORD LAKE, CHESTERFIELD | CHESTERFIELD | 706.800 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801070503-01-02 | SPOFFORD LAKE-TOWN BEACH 2 ACCESS RD | CHESTERFIELD | 1.280 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801070503-01-03 | SPOFFORD LAKE-TOWN BEACH 1 NO SHORE RD | CHESTERFIELD | 0.388 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801070503-01-04 | SPOFFORD LAKE-TOWN BEACH-WARES GROVE | CHESTERFIELD | 0.848 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801070503-01-05 | CAMP SPOFFORD BEACH | CHESTERFIELD | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK801070503-01-06 | ROADS END FARM BEACH | CHESTERFIELD | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK802010101-01 | ASHUELOT POND, WASHINGTON | WASHINGTON | 299.500 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK802010101-04 | LONG POND, LEMPSTER | LEMPSTER | 120.000 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | | pH | 4A-P | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK802010101-05 | MAY POND, WASHINGTON | WASHINGTON | 149.000 | ACRES | Aquatic Life | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--------------------------------|--------------|------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|--|
| NHLAK802010101-06-01 | MILLEN POND, WASHINGTON | WASHINGTON | 156.000 | ACRES | Aquatic Life | Aluminum | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity Source Unknown |
| | | | | | | pH | 4A-P | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK802010101-06-02 | MILLEN POND-TOWN BEACH | WASHINGTON | 1.280 | ACRES | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Atmospheric Deposition - Acidity Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK802010101-08 | SAND POND, MARLOW | MARLOW | 159.100 | ACRES | Aquatic Life | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK802010102-01 | COLD SPRING POND, STODDARD | STODDARD | 29.100 | ACRES | Aquatic Life | pH | 4A-M | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK802010102-05 | BARRETT POND, WASHINGTON | WASHINGTON | 16.700 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK802010104-01 | CALDWELL POND, ALSTEAD | ALSTEAD | 28.400 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK802010104-02-02 | SURRY MOUNTAIN-RECREATION AREA | SURRY | 1.280 | ACRES | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK802010104-03 | CRANBERRY POND, | ALSTEAD | 18.510 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK802010201-01 | BOLSTER POND, SULLIVAN | SULLIVAN | 33.400 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK802010201-02 | CENTER POND, NELSON | NELSON | 36.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK802010201-05 | GRANITE LAKE, STODDARD | STODDARD | 227.800 | ACRES | Aquatic Life | pH | 4A-P | N | | 2004 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK802010201-06-02 | OTTER BROOK PK BEACH | KEENE | 1.380 | ACRES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHLAK802010202-02 | CHILDS BOG, HARRISVILLE | HARRISVILLE | 105.400 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK802010202-03 | CLAPP POND, MARLBOROUGH | MARLBOROUGH | 15.500 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK802010202-05 | DUBLIN POND, DUBLIN | DUBLIN | 238.700 | ACRES | Aquatic Life | pH | 4A-M | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK802010202-07 | RUSSELL RESERVOIR, HARRISVILLE | HARRISVILLE | 26.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK802010202-07-02 | CHESHAM BEACH | HARRISVILLE | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 72 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---|--------------|------------|-----------|----------------------------|-----------------------------|--------------|--------|---------------|---------------|----------------------------------|
| NHLAK802010202-07-02 | CHESHAM BEACH | HARRISVILLE | 1.380 | ACRES | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Waterfowl |
| NHLAK802010202-09 | SILVER LAKE, HARRISVILLE | HARRISVILLE | 332.700 | ACRES | Aquatic Life | pH | 4A-P | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK802010202-14 | Babbidge Reservoir, ROXBURY, PWS, CLS-A | ROXBURY | 31.000 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK802010302-01-01 | SWANZEY LAKE, SWANZEY | SWANZEY | 117.000 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK802010302-01-02 | SWANZEY LAKE-TOWN BEACH/RICHARDSON PARK | SWANZEY | 0.630 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHLAK802010302-01-03 | CAMP SQUANTO BEACH | SWANZEY | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK802010303-02 | MEETINGHOUSE POND, MARLBOROUGH | MARLBOROUGH | 59.400 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK802010303-04 | ROCKWOOD POND, FITZWILLIAM | FITZWILLIAM | 76.000 | ACRES | Aquatic Life | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK802010303-05-01 | STONE POND, MARLBOROUGH | MARLBOROUGH | 64.890 | ACRES | Aquatic Life | pH | 4A-M | N | | 2004 | Atmospheric Deposition - Acidity |
| NHLAK802010303-05-02 | STONE POND | MARLBOROUGH | 0.320 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK802010303-07 | SAND POND, | TROY | 17.300 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK802010303-10 | WILSON POND, SWANZEY | SWANZEY | 80.400 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |
| NHLAK802010401-01-01 | Forest Lake, Winchester | WINCHESTER | 92.640 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | Primary Contact Recreation | Chlorophyll-a | 5-M | N | LOW | 2019 | Source Unknown |
| NHLAK802010401-01-02 | FOREST LAKE-TOWN BEACH, WINCHESTER | WINCHESTER | 0.630 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHLAK802010402-01 | SANDY POND, RICHMOND | RICHMOND | 26.600 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK802010402-01-02 | CAMP WIYAKA BEACH | RICHMOND | 1.380 | ACRES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK802020101-01 | PECKER POND, RINDGE | RINDGE | 38.300 | ACRES | Aquatic Life | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity |
| NHLAK802020101-01-02 | CAMP TOAH NIPI BEACH | RINDGE | 1.380 | ACRES | Aquatic Life | pH | 4A-P | N | | 2017 | Atmospheric Deposition - Acidity |
| NHLAK802020103-04 | EMERSON POND, RINDGE | RINDGE | 113.200 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 73 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|----------------------|--------------------------------|--------------|------------|--------------|------------------|------------------------------|--|--------|---------------|----------------------------------|---|---|
| NHLAK802020103-06 | MONOMONAC, LAKE, STN A, RINDGE | RINDGE | 705.100 | ACRES | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown | |
| | | | | | | pH | 4A-M | N | 2006 | Atmospheric Deposition - Acidity | | |
| | | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK802020103-06-02 | CAMP MONOMONAC BEACH | RINDGE | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity | |
| | | | | | | Primary Contact Recreation | Cyanobacteria hepatotoxic microcystins | 5-M | N | LOW | 2021 | Source Unknown |
| NHLAK802020103-08 | Pearly Lake, Rindge | RINDGE | 142.200 | ACRES | Aquatic Life | Dissolved oxygen saturation | 5-P | N | LOW | 2017 | Package Plant or Other Permitted Small Flows Discharges | |
| | | | | | | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown | |
| | | | | | | Primary Contact Recreation | Chlorophyll-a | 5-M | N | LOW | 2017 | Package Plant or Other Permitted Small Flows Discharges |
| NHLAK802020202-01 | COLLINS POND, FITZWILLIAM | FITZWILLIAM | 30.000 | ACRES | Aquatic Life | pH | 4A-P | N | | 2019 | Atmospheric Deposition - Acidity | |
| NHLAK802020202-02-01 | LAUREL LAKE, FITZWILLIAM | FITZWILLIAM | 155.000 | ACRES | Aquatic Life | pH | 4A-P | N | | 2006 | Atmospheric Deposition - Acidity | |
| NHLAK802020202-02-02 | LAUREL LAKE-TOWN BEACH | FITZWILLIAM | 0.218 | ACRES | Aquatic Life | pH | 4A-M | N | | 2019 | Atmospheric Deposition - Acidity | |
| NHLAK802020202-02-03 | CAMP FLEUR DE LIS BEACH | FITZWILLIAM | 1.380 | ACRES | Aquatic Life | pH | 4A-P | N | | 2017 | Atmospheric Deposition - Acidity | |
| NHLAK802020202-03 | HORSE SHOE POND, | FITZWILLIAM | 10.010 | ACRES | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown | |
| NHLAK802020203-01 | CASS POND, RICHMOND | RICHMOND | 48.400 | ACRES | Aquatic Life | pH | 4A-M | N | | 2006 | Atmospheric Deposition - Acidity | |
| NHLAK802020203-01-02 | CAMP TAKODAH BEACH | RICHMOND | 1.380 | ACRES | Aquatic Life | pH | 4A-M | N | | 2017 | Atmospheric Deposition - Acidity | |
| NHOCN00000000-02-02 | TOWN OF NEW CASTLE BEACH | NEW CASTLE | 0.250 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2017 | Source Unknown |
| | | | | | | Secondary Contact Recreation | ENTEROCOCCUS | 5-M | N | HIGH | 2021 | Source Unknown |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics |
| | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | | | | | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 74 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|------------------------------|--------------|------------|--------------|----------------------------|---------------------------------|--------------|--------|---------------|---------------|---|
| NHOCN000000000-02-04 | PIRATES COVE BEACH | RYE | 0.250 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | ENTEROCOCCUS | 5-P | N | HIGH | 2021 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHOCN000000000-02-05 | CABLE BEACH | RYE | 0.250 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Enterococcus | 5-M | N | HIGH | 2019 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHOCN000000000-02-06 | SAWYER BEACH | RYE | 0.009 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2019 | Source Unknown Waterfowl |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 5-P | N | HIGH | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | | | | |
| NHOCN000000000-02-07 | JENNESS BEACH ATLANTIC OCEAN | RYE | 0.250 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | ENTEROCOCCUS | 5-P | N | HIGH | 2021 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 75 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|----------------------|--|---------------|------------|--------------|------------------------------|---------------------------------|--------------|--------|---------------|----------------|---|---|
| NHOCN000000000-02-07 | JENNESS BEACH ATLANTIC OCEAN | RYE | 0.250 | SQUARE MILES | Shellfishing | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| NHOCN000000000-02-09 | STATE BEACH PK ATLANTIC OCEAN | NORTH HAMPTON | 1.500 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | Primary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2019 | Source Unknown | |
| | | | | | | | | | | | | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | Fecal Coliform | 5-P | N | HIGH | 2019 | Forced Drainage Pumping | |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown | |
| | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | | |
| NHOCN000000000-02-10 | HAMPTON BCH. STATE PARK ATLANTIC OCEAN | HAMPTON | 1.500 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | Primary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2019 | Source Unknown | |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown | |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| NHOCN000000000-02-11 | SEABROOK TOWN BEACH | SEABROOK | 0.002 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | Primary Contact Recreation | ENTEROCOCCUS | 5-P | N | HIGH | 2021 | Source Unknown | |
| | | | | | Secondary Contact Recreation | ENTEROCOCCUS | 5-P | N | HIGH | 2021 | Source Unknown | |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown | |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 76 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---|--------------|------------|--------------|------------------|---------------------------------|--------------|--------|---------------|---------------|---|
| NHOCN000000000-02-12 | NORTH BEACH | HAMPTON | 0.054 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHOCN000000000-02-13 | NORTHSIDE PARK BEACH | HAMPTON | 0.022 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHOCN000000000-02-14 | FOSS BEACH | RYE | 0.027 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHOCN000000000-02-15 | WALLIS SANDS WWTP OUTFALL, P/SZ, CLOSED, ATLANTIC OCEAN | RYE | 0.250 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHOCN000000000-02-16 | WALLIS SANDS STATE PARK BEACH, ATLANTIC OCEAN | RYE | 0.005 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 77 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---|--------------|------------|--------------|------------------------------|---------------------------------|--------------|--------|---------------|---------------|---|
| NHOCN000000000-02-16 | WALLIS SANDS STATE PARK BEACH, ATLANTIC OCEAN | RYE | 0.005 | SQUARE MILES | Shellfishing | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHOCN000000000-02-18 | Atlantic Ocean | OCEAN | 61.363 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHOCN000000000-03-01 | Bass Beach Brook Outfall Area, P, 21.98, Ac | RYE | 0.030 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Enterococcus | 5-M | N | HIGH | 2017 | Sewage Discharges in Unsewered Areas |
| | | | | | Secondary Contact Recreation | Enterococcus | 5-M | N | HIGH | 2017 | Sewage Discharges in Unsewered Areas |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 5-P | N | HIGH | 2016 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHOCN000000000-03-02 | BASS BEACH | RYE | 0.008 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2019 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 5-P | N | HIGH | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| NHOCN000000000-04 | Chapel Brook, P, 21.34, Ac | OCEAN | 0.030 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2017 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 78 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|-----------------------------|--------------|------------|--------------|------------------------------|---------------------------------|--------------|--------|---------------|----------------|---|
| NHOCN000000000-04 | Chapel Brook, P, 21.34, Ac | OCEAN | 0.030 | SQUARE MILES | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 5-P | N | HIGH | 2016 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHOCN000000000-05 | Eel Pond, P, 32.18, Ac | OCEAN | 0.050 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 5-P | N | HIGH | 2016 | Source Unknown Waterfowl |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| NHOCN000000000-06 | Little River, R, 75.977, Ac | OCEAN | 0.119 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2017 | Source Unknown |
| | | | | | Secondary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2019 | Forced Drainage Pumping |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 5-P | N | HIGH | 2016 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| NHOCN000000000-07 | Parsons Creek, P, 33.14, Ac | OCEAN | 0.050 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Enterococcus | 5-P | N | HIGH | 2016 | Source Unknown Unpermitted Discharge (Domestic Wastes) |
| | | | | | Secondary Contact Recreation | Enterococcus | 5-M | N | HIGH | 2017 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 79 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|--------------|------------|--------------|------------------------------|---------------------------------|--------------|--------|---------------|---------------|---|
| NHOCN000000000-07 | Parsons Creek, P, 33.14, Ac | OCEAN | 0.050 | SQUARE MILES | Secondary Contact Recreation | Enterococcus | 5-M | N | HIGH | 2017 | Unpermitted Discharge (Domestic Wastes) |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Fecal Coliform | 5-P | N | HIGH | 2016 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Unpermitted Discharge (Domestic Wastes) |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics |
| NHOCN000000000-08-01 | Seabrook WWTP outfall, P/SZ, 1739.710, Ac | OCEAN | 2.718 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHOCN000000000-08-03 | SUN VALLEY BEACH | HAMPTON | 0.002 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHOCN000000000-09 | Star Island WWTF Outfall, P/SZ, 803.86, Ac | OCEAN | 1.250 | SQUARE MILES | Aquatic Life | BOD, Biochemical oxygen demand | 4B-T | N | | | Municipal Point Source Discharges |
| | | | | | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics |
| | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|----------------------|-----------------------------|--------------|------------|--------------|----------------------------|---------------------------------|---------------------------------|--------|---------------|---------------|--|---|
| NHOCN000000000-09-02 | STAR ISLAND BEACH | RYE | 0.000 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHOCN000000000-11 | Rye Harbor, P/Uc, 46.97, Ac | RYE | 0.070 | SQUARE MILES | Fish Consumption | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | Shellfishing | Dioxin (including 2,3,7,8-TCDD) | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | | Mercury | 5-M | N | LOW | 2017 | Atmospheric Deposition - Toxics Source Unknown |
| | | | | | | | Polychlorinated biphenyls | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV400010405-05 | Swift Diamond River | SECOND COLLE | 1.200 | MILES | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2016 | Source Unknown | |
| NHRIV400010605-10 | Androscoggin River, WTF | BERLIN | 0.320 | MILES | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | | Industrial Point Source Discharge | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Illicit Connections/Hook-ups to Storm Sewers |
| NHRIV400010605-11 | Androscoggin River | BERLIN | 0.350 | MILES | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | | Industrial Point Source Discharge | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Illicit Connections/Hook-ups to Storm Sewers |
| NHRIV400010606-02 | Dead River, Jericho Brook | BERLIN | 5.170 | MILES | Primary Contact Recreation | Escherichia coli | 4B-P | N | | | Illicit Connections/Hook-ups to Storm Sewers | |
| | | | | | | Secondary Contact Recreation | Escherichia coli | 4B-M | N | | 2019 | Source Unknown |
| NHRIV400010606-07 | Androscoggin River, WTF | BERLIN | 0.900 | MILES | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | | Industrial Point Source Discharge | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Illicit Connections/Hook-ups to Storm Sewers |
| NHRIV400010606-08 | Androscoggin River, WTF | BERLIN | 0.380 | MILES | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | | Industrial Point Source Discharge | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Illicit Connections/Hook-ups to Storm Sewers |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 81 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|-------------------------|--------------|--------------|-----------|----------------------------|--|--------------|--------|---------------|--|-----------------------------------|
| NHRIV400010606-09 | Androscoggin River, WTF | BERLIN | 0.220 MILES | | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | | Industrial Point Source Discharge |
| | | | | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | Illicit Connections/Hook-ups to Storm Sewers | |
| NHRIV400010606-10 | Androscoggin River, WTF | GORHAM | 2.630 MILES | | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | | Industrial Point Source Discharge |
| | | | | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | Combined Sewer Overflows Illicit Connections/Hook-ups to Storm Sewers | |
| NHRIV400020101-11 | Moose Brook | GORHAM | 1.620 MILES | | Aquatic Life | ALUMINUM | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV400020101-12 | Androscoggin River, WTF | GORHAM | 0.930 MILES | | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | | Industrial Point Source Discharge |
| NHRIV400020102-02 | Peabody River | GREENS GRANT | 8.060 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2017 | Source Unknown |
| NHRIV400020102-06 | Androscoggin River, WTF | GORHAM | 1.220 MILES | | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | | Industrial Point Source Discharge |
| NHRIV400020103-03 | Androscoggin River, WTF | SHELBURNE | 2.380 MILES | | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | | Industrial Point Source Discharge |
| NHRIV400020103-06 | Androscoggin River, WTF | SHELBURNE | 8.860 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Fish Consumption | Dioxin (including 2,3,7,8-TCDD) | 4B-M | N | | Industrial Point Source Discharge | |
| | | | | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | Illicit Connections/Hook-ups to Storm Sewers | |
| NHRIV600020103-02 | Rocky Branch | BARTLETT | 1.820 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600020104-01 | Bog Brook | JACKSON | 10.420 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600020104-02 | Great Brook | JACKSON | 2.990 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV600020104-03 | Wildcat Brook | JACKSON | 0.530 MILES | | Aquatic Life | CHLORIDE | 5-P | N | LOW | 2021 | Salt Storage Sites |
| | | | | | | Lead | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV600020105-02 | Ellis River, PWS | JACKSON | 6.720 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600020105-06 | Ellis River | JACKSON | 1.340 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV600020105-07 | Ellis River | BARTLETT | 2.330 MILES | | Aquatic Life | Lead | 5-M | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---|--------------|--------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|----------------|
| NHRIV600020105-07 | Ellis River | BARTLETT | 2.330 MILES | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 | Source Unknown |
| NHRIV600020106-08 | Saco River | BARTLETT | 11.080 MILES | | Aquatic Life | ALUMINUM | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600020202-05-01 | Swift River | ALBANY | 6.930 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600020202-05-02 | ROCKY GORGE-SWIFT RIVER | ALBANY | 0.020 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600020202-05-03 | LOWER FALLS-SWIFT RIVER | ALBANY | 0.020 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600020203-06 | Swift River | ALBANY | 3.050 MILES | | Aquatic Life | Other flow regime alterations | 4C-M | N | | | Channelization |
| NHRIV600020203-07 | Swift River | CONWAY | 0.410 MILES | | Aquatic Life | ALUMINUM | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Lead | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 | Source Unknown |
| NHRIV600020301-01 | East Branch Saco River, CLS-A | JACKSON | 6.370 MILES | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| NHRIV600020301-04 | East Branch Saco River | BARTLETT | 2.700 MILES | | Aquatic Life | Lead | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 | Source Unknown |
| NHRIV600020302-02-01 | Saco River | CONWAY | 8.880 MILES | | Aquatic Life | Lead | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600020302-02-02 | SACO RIVER-FIRST BRIDGE REC. AREA #4 | CONWAY | 0.020 MILES | | Aquatic Life | Lead | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | PH | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV600020302-05-02 | Kearsarge Brook | CONWAY | 6.580 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Habitat Assessment (Streams) | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV600020303-05 | UNNAMED BK - FROM PEA PORRIDGE PD TO MIDDLE PEA PORRIDGE PD | MADISON | 0.200 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600020303-06 | Peguawket Brook | MADISON | 4.440 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600020303-07 | Peguawket Brook | ALBANY | 2.250 MILES | | Aquatic Life | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 83 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--------------------------------------|--------------|------------|-----------|----------------------------|--|------------------|--------|---------------|---------------|----------------|
| NHRIV600020304-01-01 | Saco River | CONWAY | 0.630 | MILES | Aquatic Life | Lead | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 |
| NHRIV600020304-01-02 | SACO RIVER-DAVIS PARK REC. AREA #3 | CONWAY | 0.020 | MILES | Aquatic Life | Lead | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 |
| NHRIV600020304-10-02 | SACO RIVER-SMITH EASTON REC. AREA #2 | CONWAY | 0.020 | MILES | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV600020305-02 | Saco River | CONWAY | 3.060 | MILES | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 |
| NHRIV600020601-04 | Bearcamp River | SANDWICH | 2.970 | MILES | Aquatic Life | pH | 5-P | N | LOW | 2017 | Source Unknown |
| NHRIV600020601-05 | UNNAMED BROOK - TO BEARCAMP POND | SANDWICH | 1.430 | MILES | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600020601-09 | Bearcamp River | SANDWICH | 7.900 | MILES | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV600020602-08 | Cold River | SANDWICH | 3.920 | MILES | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600020603-08 | Mill Brook | TAMWORTH | 10.430 | MILES | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600020603-11 | PAUGUS BROOK | TAMWORTH | 1.150 | MILES | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV600020603-12 | Swift River | TAMWORTH | 9.470 | MILES | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV600020604-06 | Chocorua River | TAMWORTH | 5.530 | MILES | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600020605-08 | Bearcamp River | TAMWORTH | 2.450 | MILES | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600020605-11 | Bearcamp River | TAMWORTH | 4.430 | MILES | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600020605-13 | Bearcamp River | OSSIPEE | 4.510 | MILES | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600020701-01 | Beech River | WOLFEBORO | 0.770 | MILES | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600020701-02 | Beech River | TUFTONBORO | 0.390 | MILES | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600020701-06 | Beech River | OSSIPEE | 6.030 | MILES | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600020702-02 | Dan Hole River, CLS-A | OSSIPEE | 6.610 | MILES | Aquatic Life | Fishes Bioassessments (Streams) | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 |
| NHRIV600020703-01 | UNNAMED BROOKS - TO PINE RIVER POND | WOLFEBORO | 7.910 | MILES | Aquatic Life | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV600020703-02 | UNNAMED BROOK - TO PINE RIVER POND | WAKEFIELD | 2.190 | MILES | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600020703-05 | Poland Brook | OSSIPEE | 7.640 | MILES | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 84 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|---|--------------|-------------|-----------|----------------------------|-----------------------------|--------------|--------|---------------|---------------|----------------|
| NHRIV600020703-06 | Pine River | OSSIPEE | 5.600 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600020703-07 | FRENCHMAN BROOK | OSSIPEE | 1.140 MILES | | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV600020703-08 | FRENCHMAN BROOK - UNNAMED BROOK | OSSIPEE | 2.410 MILES | | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV600020703-12 | Pine River | EFFINGHAM | 5.190 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600020703-13 | Pine River | OSSIPEE | 1.580 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600020801-02 | Forrest Brook | MADISON | 8.940 MILES | | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV600020801-05 | WEST BRANCH | FREEDOM | 4.630 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600020802-04 | Lovell River | OSSIPEE | 8.780 MILES | | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV600020802-05 | Red Brook | EFFINGHAM | 2.160 MILES | | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600020802-07 | WEETAMOE BROOK | OSSIPEE | 1.250 MILES | | Aquatic Life | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV600020804-01 | Cold Brook | FREEDOM | 2.490 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600020804-02 | UNNAMED BROOK - FROM BROAD BAY TO DANFORTH POND | FREEDOM | 0.240 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600020804-03 | Phillips Brook | EFFINGHAM | 1.900 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600020804-04 | Leavitt Brook | EFFINGHAM | 3.250 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600020804-05 | Square Brook | FREEDOM | 4.320 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600020901-04 | Cold Brook | FREEDOM | 0.480 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600020901-10 | Ossipee River | FREEDOM | 4.600 MILES | | Aquatic Life | Lead | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2017 | Source Unknown |
| NHRIV600020902-01 | Hobbs Brook | EFFINGHAM | 2.710 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600030401-02 | Pike Brook | BROOKFIELD | 6.920 MILES | | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV600030401-08 | Branch River | WAKEFIELD | 7.040 MILES | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 | Source Unknown |
| NHRIV600030405-14 | Salmon Falls River, PWS | SOMERSWORTH | 2.200 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV600030406-02 | Salmon Falls River | SOMERSWORTH | 0.260 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 85 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|--------------------|--------------------|--------------|-------------|--------------|--------------|--|------------------|--------|---------------|---------------|-----------------------------------|---|
| NHRIV600030406-03 | Salmon Falls River | SOMERSWORTH | 1.380 MILES | Aquatic Life | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Oxygen, Dissolved | 4A-P | N | | | Municipal Point Source Discharges | |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV600030406-04 | Salmon Falls River | ROLLINSFORD | 0.250 MILES | Aquatic Life | Aquatic Life | Oxygen, Dissolved | 4A-M | N | | | Municipal Point Source Discharges | |
| NHRIV600030601-02 | Cochecho River | NEW DURHAM | 9.330 MILES | Aquatic Life | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV600030601-03 | Cochecho River | MIDDLETON | 5.100 MILES | Aquatic Life | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown | |
| NHRIV600030601-05 | Cochecho River | NEW DURHAM | 9.970 MILES | Aquatic Life | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown | |
| NHRIV600030601-07 | Dames Brook | MILTON | 6.730 MILES | Aquatic Life | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | OXYGEN, DISSOLVED | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | pH | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV600030601-08 | Mad River | FARMINGTON | 8.840 MILES | Aquatic Life | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown | |
| NHRIV600030601-09 | Cochecho River | FARMINGTON | 0.770 MILES | Aquatic Life | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | | Lead | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 | Source Unknown |
| NHRIV600030602-03 | Axe Handle Brook | ROCHESTER | 7.010 MILES | Aquatic Life | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2017 | Livestock (Grazing or Feeding Operations) |
| | | | | | | Secondary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2017 | Livestock (Grazing or Feeding Operations) |
| NHRIV600030603-01 | Cochecho River | FARMINGTON | 5.120 MILES | Aquatic Life | Aquatic Life | Aluminum | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | COPPER | 4B-T | N | | | Municipal Point Source Discharges | |
| | | | | | | Dissolved oxygen saturation | 5-M | N | LOW | 2008 | Landfills | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 86 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|--------------------------------|--------------|-------------|----------------------------|----------------------------|--|--------------|--------|---------------|----------------------------|-----------------------------------|
| NHRIV600030603-01 | Cochecho River | FARMINGTON | 5.120 MILES | Aquatic Life | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2008 | Municipal Point Source Discharges |
| | | | | | | Iron | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Lead | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2008 | Landfills |
| | | | | | | | | | | | Municipal Point Source Discharges |
| | | | | | | Phosphorus (Total) | 4B-T | N | | | Municipal Point Source Discharges |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown | |
| NHRIV600030603-02 | Pokamoonshine Brook | FARMINGTON | 2.920 MILES | Aquatic Life | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Lead | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | | | | | Primary Contact Recreation | Escherichia coli |
| NHRIV600030603-04 | Rattlesnake R. | FARMINGTON | 2.890 MILES | Aquatic Life | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Lead | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV600030603-06 | Cochecho River | ROCHESTER | 3.170 MILES | Aquatic Life | Aquatic Life | Aluminum | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Lead | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown | |
| NHRIV600030603-08 | Cochecho River | ROCHESTER | 2.360 MILES | Aquatic Life | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Habitat Assessment (Streams) | 4C-P | N | | | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | | | | | Primary Contact Recreation | Escherichia coli |
| NHRIV600030603-10 | WORDLEY BROOK - UNNAMED BROOKS | ROCHESTER | 5.170 MILES | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV600030603-11 | HURD BROOK | ROCHESTER | 1.080 MILES | | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 87 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|---|--------------|-------------|----------------------------|----------|-----------------------------|------------------|--------|---------------|---------------|--|
| NHRIV600030605-05 | MOHAWK BROOK | STRAFFORD | 6.560 MILES | Aquatic Life | | DISSOLVED OXYGEN SATURATION | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV600030605-10 | Isinglass River | STRAFFORD | 0.430 MILES | Aquatic Life | | DISSOLVED OXYGEN SATURATION | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV600030605-11 | Isinglass River | STRAFFORD | 3.820 MILES | Aquatic Life | | Lead | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2017 | Source Unknown |
| NHRIV600030605-14 | STONEHOUSE BROOK - HALL BROOK | BARRINGTON | 5.300 MILES | Aquatic Life | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV600030605-15 | Nippo Brook | BARRINGTON | 9.930 MILES | Aquatic Life | | DISSOLVED OXYGEN SATURATION | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV600030605-16 | Isinglass River | BARRINGTON | 0.790 MILES | Aquatic Life | | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 |
| NHRIV600030606-04 | Berrys River | BARRINGTON | 2.430 MILES | Aquatic Life | | Low flow alterations | 4C-P | N | | | Flow Alterations from Water Diversions |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV600030606-06 | BERRY RIVER - FROM LONG POND TO ISINGLASS RIVER | BARRINGTON | 0.720 MILES | Aquatic Life | | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV600030607-01 | Isinglass River | BARRINGTON | 7.240 MILES | Aquatic Life | | pH | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 |
| NHRIV600030607-03 | Ayer Pond Brook | BARRINGTON | 0.250 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV600030607-04 | Berrys River | BARRINGTON | 1.800 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV600030607-10 | Isinglass River | ROCHESTER | 3.730 MILES | Aquatic Life | | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV600030607-15 | Cochecho River | ROCHESTER | 4.260 MILES | Aquatic Life | | Oxygen, Dissolved | 4B-M | N | | | Municipal Point Source Discharges |
| NHRIV600030608-02 | Blackwater Brook-Clark Brook | DOVER | 8.700 MILES | Primary Contact Recreation | | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV600030608-03 | Cochecho River | DOVER | 3.770 MILES | Aquatic Life | | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 88 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|---|--------------|-------------|-----------------|------------|--|--------------|--------|---------------|---------------|---|
| NHRIV600030608-03 | Cocheco River | DOVER | 3.770 MILES | Aquatic Life | Recreation | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | Primary Contact Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| NHRIV600030608-04 | REYNEERS BROOK | DOVER | 1.710 MILES | Primary Contact | Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV600030608-05 | Cocheco River | DOVER | 1.940 MILES | Aquatic Life | Recreation | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | Primary Contact Escherichia coli | 5-M | N | HIGH | 2017 | Source Unknown |
| NHRIV600030608-06 | Indian Brook | DOVER | 1.110 MILES | Primary Contact | Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV600030608-08 | Fresh Creek | ROLLINSFORD | 4.070 MILES | Aquatic Life | Recreation | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Primary Contact Escherichia coli | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV600030608-10 | Rollins Brook | ROLLINSFORD | 2.750 MILES | Aquatic Life | Recreation | DISSOLVED OXYGEN SATURATION | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Primary Contact Escherichia coli | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV600030608-11 | Fresh Creek | ROLLINSFORD | 1.030 MILES | Aquatic Life | Recreation | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Primary Contact Escherichia coli | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV600030608-14 | UNNAMED TRIB. TO COCHECO RIVER, DOVER (FROM LANDFILL) | DOVER | 0.150 MILES | Aquatic Life | | Iron | 5-M | N | LOW | 2017 | Landfills |
| NHRIV600030608-15 | Berry Brook | DOVER | 0.890 MILES | Aquatic Life | Recreation | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-M | N | LOW | 2019 | Municipal (Urbanized High Density Area) |
| | | | | | | Primary Contact Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV600030608-16 | JACKSON BROOK | DOVER | 0.910 MILES | Primary Contact | Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV600030701-01 | LAMPREY RIVER - AND HEADWATER TRIBUTARIES | NORTHWOOD | 9.130 MILES | Aquatic Life | | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV600030701-08 | Hartford Brook | DEERFIELD | 6.760 MILES | Aquatic Life | Recreation | ALUMINUM | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2017 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 89 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|-------------------------------------|--------------|-------------|----------------------------|----------|--|------------------|--------|---------------|---------------|----------------|
| NHRIV600030701-09 | Nicholls Brook | DEERFIELD | 5.310 MILES | Aquatic Life | | DISSOLVED OXYGEN SATURATION | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV600030702-06 | NORTH BRANCH RIVER - UNNAMED BROOKS | DEERFIELD | 4.830 MILES | Aquatic Life | | Dissolved oxygen saturation | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600030702-09 | North Branch River | RAYMOND | 1.030 MILES | Aquatic Life | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV600030703-01 | Unnamed Brook to Onway Lake | CANDIA | 8.200 MILES | Aquatic Life | | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | Habitat Assessment (Streams) | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600030703-04 | Dudley Brook | RAYMOND | 0.870 MILES | Aquatic Life | | Dissolved oxygen saturation | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Lead | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV600030703-05 | Lamprey R. | RAYMOND | 2.660 MILES | Aquatic Life | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV600030703-07-02 | LAMPREY RIVER (PROPOSED TOWN BEACH) | RAYMOND | 0.020 MILES | Primary Contact Recreation | | Escherichia coli | 5-P | N | HIGH | 2013 | Source Unknown |
| NHRIV600030703-09 | Lamprey R. | RAYMOND | 1.750 MILES | Aquatic Life | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV600030703-10 | Lamprey R. | RAYMOND | 0.730 MILES | Aquatic Life | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV600030703-11 | Lamprey R. | EPPING | 1.610 MILES | Aquatic Life | | ALUMINUM | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | | | | | | |
| NHRIV600030703-14 | Pawtuckaway River | NOTTINGHAM | 7.370 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV600030703-15 | Lamprey River, PWS | EPPING | 4.530 MILES | Aquatic Life | | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 |
| NHRIV600030703-18 | Lamprey River, PWS | EPPING | 2.480 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 |
| NHRIV600030704-04 | Back Creek | DEERFIELD | 6.420 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600030704-06 | ROUND POND BROOK | NOTTINGHAM | 2.230 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 90 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|--|--------------|-------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|-----------------------------------|
| NHRIV600030704-10 | MOUNTAIN BROOK -BETWEEN MOUNTAIN POND AND PAWTACKAWAY LAKE | NOTTINGHAM | 0.100 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV600030704-12 | UNNAMED BROOK - TO PAWTUCKAWAY POND | NOTTINGHAM | 0.270 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV600030705-13 | North River | NOTTINGHAM | 7.140 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV600030706-02 | North River | NOTTINGHAM | 7.260 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| NHRIV600030707-03 | Little River | NOTTINGHAM | 6.830 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600030707-07 | Little River | LEE | 6.300 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Lead | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 | Source Unknown |
| NHRIV600030708-07 | Piscassic River, PWS, CLS-A | NEWMARKET | 5.380 MILES | | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV600030709-01 | Lamprey River, PWS | EPPING | 3.250 MILES | | Aquatic Life | Oxygen, Dissolved | 4A-M | N | | | Municipal Point Source Discharges |
| NHRIV600030709-07 | Lamprey River, PWS | LEE | 5.790 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| NHRIV600030709-08 | Lamprey River, PWS | LEE | 2.230 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV600030709-09 | Lamprey River, PWS | DURHAM | 1.180 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV600030801-05 | Fordway Brook | RAYMOND | 7.310 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Dissolved oxygen saturation | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV600030802-03 | Exeter River | SANDOWN | 5.220 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV600030802-10 | TOWLE BROOK - TO PANDOLPIN DAM | CHESTER | 2.320 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV600030803-01 | Exeter R., PWS | FREMONT | 1.800 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2017 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 91 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|-------------------|--------------|-------------|----------------------------|----------|--|------------------|--------|---------------|---------------|----------------|
| NHRIV600030803-01 | Exeter R., PWS | FREMONT | 1.800 MILES | Aquatic Life | | Habitat Assessment (Streams) | 4C-P | N | | | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 |
| NHRIV600030803-05 | Exeter River, PWS | BRENTWOOD | 4.200 MILES | Aquatic Life | | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV600030803-07 | Little River | KINGSTON | 1.810 MILES | Aquatic Life | | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV600030804-06 | Dudley Brook | BRENTWOOD | 3.660 MILES | Aquatic Life | | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | DISSOLVED OXYGEN SATURATION | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV600030804-10 | Little River | EXETER | 1.370 MILES | Aquatic Life | | Oxygen, Dissolved | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600030804-11 | Little River | EXETER | 2.900 MILES | Aquatic Life | | OXYGEN, DISSOLVED | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV600030805-02 | Exeter River, PWS | EXETER | 4.940 MILES | Aquatic Life | | Dissolved oxygen saturation | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 |
| NHRIV600030805-04 | Great Brook | KENSINGTON | 8.440 MILES | Aquatic Life | | DISSOLVED OXYGEN SATURATION | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 |
| NHRIV600030805-09 | Exeter River, PWS | EXETER | 0.810 MILES | Aquatic Life | | DISSOLVED OXYGEN SATURATION | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV600030806-01 | Norris Brook | EXETER | 3.220 MILES | Primary Contact Recreation | | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 92 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|--------------------|---|---------------|-------------|-----------|------------------------------|--|------------------|--------|---------------|---------------|---------------------------------|----------------|
| NHRIV600030806-01 | Norris Brook | EXETER | 3.220 MILES | | Secondary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown | |
| NHRIV600030806-04 | Wheelwright Creek | STRATHAM | 3.430 MILES | | Aquatic Life | Chloride | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown | |
| NHRIV600030806-09 | UNNAMED BROOK - TO SQUAMSCOTT RIVER | NEWFIELDS | 1.390 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2016 | Source Unknown | |
| | | | | | | Oxygen, Dissolved | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 | Source Unknown |
| NHRIV600030806-14 | Tributary to Squamscott River | STRATHAM | 0.300 MILES | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2017 | Animal Feeding Operations (NPS) | |
| NHRIV600030901-01 | Winnicut River | NORTH HAMPTON | 8.770 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | Oxygen, Dissolved | 5-M | N | LOW | 2017 | Source Unknown | |
| NHRIV600030901-02 | Winnicut River | GREENLAND | 8.910 MILES | | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| | | | | | | Secondary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV600030901-03 | HAINES BROOK | GREENLAND | 0.540 MILES | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown | |
| NHRIV600030902-01 | Unnamed Trib. to Wheelwright Pond, PWS, CLS-A | LEE | 1.290 MILES | | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| NHRIV600030902-02 | Oyster River, PWS, CLS-A | BARRINGTON | 8.890 MILES | | Aquatic Life | Oxygen, Dissolved | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | | pH | 5-P | N | LOW | 2017 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| | | | | | | Secondary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV600030902-03 | Oyster River, PWS, CLS-A | LEE | 7.220 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 93 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|-----------------------------------|--------------|-------------|--------------|--|------------------|--------------|--------|---------------|---|----------------|
| NHRIV600030902-03 | Oyster River, PWS, CLS-A | LEE | 7.220 MILES | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | pH | 5-P | N | LOW | 2017 | Source Unknown | |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| | | | | | Secondary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV600030902-04 | Oyster River, PWS, CLS-A | LEE | 8.260 MILES | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2017 | Source Unknown | |
| | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown | |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| | | | | | Secondary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV600030902-05 | Oyster River | DURHAM | 1.510 MILES | Aquatic Life | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV600030902-06 | LONGMARSH BROOK - BEAUDETTE BROOK | DURHAM | 1.130 MILES | Aquatic Life | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV600030902-08 | Hamel Brook | DURHAM | 1.060 MILES | Aquatic Life | Dissolved oxygen saturation | 5-P | N | LOW | 2017 | Source Unknown | |
| | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2017 | Source Unknown | |
| | | | | | pH | 5-P | N | LOW | 2017 | Source Unknown | |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| | | | | | Secondary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| NHRIV600030902-09 | College Brook | DURHAM | 1.900 MILES | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-M | N | LOW | 2019 | Municipal (Urbanized High Density Area) | |
| | | | | | Chloride | 5-M | N | LOW | 2019 | Commerical Districts (Shopping/Office Complexes) | |
| | | | | | | | | | | Highway/Road/Bridge Runoff (Non-construction Related) | |
| | | | | | | | | | | Municipal (Urbanized High Density Area) | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 94 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|--------------------|----------------------|--------------|-------------|-----------|--------------|--|-----------------------------|------------------|---------------|---------------|---|--|
| NHRIV600030902-09 | College Brook | DURHAM | 1.900 MILES | | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV600030902-10 | Reservoir Brook | DURHAM | 1.350 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-M | N | LOW | 2019 | Municipal (Urbanized High Density Area) | |
| | | | | | | | Chloride | 5-P | N | LOW | 2019 | Commerical Districts (Shopping/Office Complexes) |
| | | | | | | | Dissolved oxygen saturation | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | | pH | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 |
| | | | | | | Secondary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| | | | | | | | | | | | | |
| NHRIV600030902-13 | Johnson Creek | MADBURY | 5.660 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV600030902-14 | Horsehide Brook | DURHAM | 0.980 MILES | | Aquatic Life | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown | |
| NHRIV600030903-01 | MADLA BROOK, CLS-A | BARRINGTON | 3.360 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| NHRIV600030903-02 | Mallego Brook, CLS-A | BARRINGTON | 7.170 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| NHRIV600030903-06 | Bellamy River, CLS-A | BARRINGTON | 1.370 MILES | | Aquatic Life | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV600030903-07 | Bellamy River, CLS-A | BARRINGTON | 8.160 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | | pH | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| | | | | | | Secondary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV600030903-08 | Bellamy River, CLS-A | MADBURY | 9.530 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 95 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|----------------------|--------------|-------------|----------------------------|----------|--|------------------|--------|---------------|---------------|-----------------------------------|
| NHRIV600030903-08 | Bellamy River, CLS-A | MADBURY | 9.530 MILES | Aquatic Life | | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Habitat Assessment (Streams) | 4C-P | N | | | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 |
| NHRIV600030903-09 | Bellamy River | DOVER | 0.230 MILES | Aquatic Life | | pH | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 |
| NHRIV600030903-11 | Varney Brook | DOVER | 2.570 MILES | Primary Contact Recreation | | Escherichia coli | 5-M | N | HIGH | 2016 | Source Unknown |
| | | | | | | Secondary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 |
| NHRIV600030903-13 | GARRISON BROOK | DOVER | 1.680 MILES | Primary Contact Recreation | | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV600030904-06 | Pickering Brook | PORTSMOUTH | 4.270 MILES | Aquatic Life | | CHLORIDE | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Copper | 5-P | N | LOW | 2016 | Industrial Point Source Discharge |
| | | | | | | DISSOLVED OXYGEN SATURATION | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | Iron | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV600030904-09 | Knight Branch | NEWINGTON | 0.560 MILES | Aquatic Life | | Aluminum | 5-M | N | LOW | 2016 | Landfills |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 |
| NHRIV600030904-11 | MCINTYRE BROOK | NEWINGTON | 1.000 MILES | Aquatic Life | | Manganese | 5-M | N | LOW | 2016 | Airports |
| NHRIV600030904-12 | PEVERLY BROOK | NEWINGTON | 1.000 MILES | Aquatic Life | | Arsenic | 5-M | N | LOW | 2016 | Landfills |
| | | | | | | Cadmium | 5-M | N | LOW | 2016 | Landfills |
| | | | | | | Manganese | 5-M | N | LOW | 2016 | Landfills |
| | | | | | | Zinc | 5-M | N | LOW | 2016 | Landfills |
| NHRIV600030904-13 | SHAW BROOK | GREENLAND | 1.300 MILES | Primary Contact Recreation | | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| | | | | | | Secondary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 |
| NHRIV600030904-21 | Unnamed Brook | GREENLAND | 0.290 MILES | Primary Contact Recreation | | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 96 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|--------------------|--|--------------|-------------|----------------------------|---|-----------------|--------------|--------|---------------|---|---|--|
| NHRIV600031001-01 | Pickering Brook and Flagstone Brook, Newington | NEWINGTON | 2.280 MILES | Aquatic Life | Aluminum | | 5-M | N | LOW | 2016 | Landfills | |
| | | | | | | Iron | 5-M | N | LOW | 2016 | Landfills | |
| NHRIV600031001-03 | Sagamore Creek | PORTSMOUTH | 1.080 MILES | Aquatic Life | pH | | 5-M | N | LOW | 2016 | Source Unknown | |
| | | | | Primary Contact Recreation | Escherichia coli | | 5-P | N | HIGH | 2019 | Source Unknown | |
| NHRIV600031001-04 | Hodgsons Brook, Portsmouth | PORTSMOUTH | 1.000 MILES | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | | 5-M | N | LOW | 2019 | Municipal (Urbanized High Density Area) | |
| | | | | | | | | | | | Source Unknown | |
| | | | | | Chloride | 5-M | N | LOW | 2019 | Commerical Districts (Shopping/Office Complexes) | | |
| | | | | | | | | | | Highway/Road/Bridge Runoff (Non-construction Related) | | |
| | | | | | | | | | | Municipal (Urbanized High Density Area) | | |
| | | | | | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown | | |
| | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown | | |
| NHRIV600031001-05 | LOWER NEWFIELDS BROOK (Upper Hodgson Br) | PORTSMOUTH | 0.500 MILES | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | | 5-P | N | LOW | 2017 | Source Unknown | |
| | | | | | | | | | | | | |
| | | | | | Chloride | 5-M | N | LOW | 2019 | Commerical Districts (Shopping/Office Complexes) | | |
| | | | | | Highway/Road/Bridge Runoff (Non-construction Related) | | | | | | | |
| | | | | | Municipal (Urbanized High Density Area) | | | | | | | |
| | | | | | Dissolved oxygen saturation | 5-P | N | LOW | 2019 | Source Unknown | | |
| | | | | | Habitat Assessment (Streams) | 4C-P | N | | | Source Unknown | | |
| | | | | | Manganese | 5-M | N | LOW | 2016 | Industrial Point Source Discharge | | |
| | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown | | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 97 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|--------------------|---|--------------|-------------|--------------|--|------------------------------|------------------|--------|---------------|--|----------------|----------------|
| NHRIV600031001-05 | LOWER NEWFIELDS BROOK (Upper Hodgson Br) | PORTSMOUTH | 0.500 MILES | Aquatic Life | pH | | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| | | | | | | Secondary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV600031001-06 | LOWER GRAFTON BROOK | PORTSMOUTH | 0.500 MILES | Aquatic Life | Aluminum | 5-M | N | LOW | 2016 | Industrial Point Source Discharge | | |
| | | | | | Arsenic | 5-M | N | LOW | 2016 | Industrial Point Source Discharge | | |
| | | | | | Chromium (total) | 5-M | N | LOW | 2016 | Industrial Point Source Discharge | | |
| | | | | | Copper | 5-M | N | LOW | 2016 | Industrial Point Source Discharge | | |
| | | | | | Iron | 5-M | N | LOW | 2016 | Industrial Point Source Discharge | | |
| | | | | | Lead | 5-M | N | LOW | 2016 | Industrial Point Source Discharge | | |
| | | | | | Manganese | 5-M | N | LOW | 2016 | Industrial Point Source Discharge | | |
| | | | | | Zinc | 5-M | N | LOW | 2016 | Industrial Point Source Discharge | | |
| NHRIV600031001-07 | PAULS BROOK | PORTSMOUTH | 0.500 MILES | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-M | N | LOW | 2019 | Municipal (Urbanized High Density Area) Source Unknown | | |
| | | | | | Chloride | 5-P | N | LOW | 2019 | Commerical Districts (Shopping/Office Complexes) Highway/Road/Bridge Runoff (Non-construction Related) Municipal (Urbanized High Density Area) | | |
| | | | | | DDD | 5-M | N | LOW | 2016 | Industrial Point Source Discharge | | |
| | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown | | |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown | |
| NHRIV600031001-08 | Railway Brook, Newington | NEWINGTON | 0.500 MILES | Aquatic Life | Iron | 5-M | N | LOW | 2016 | Industrial Point Source Discharge | | |
| NHRIV600031001-09 | BORTHWICK AVE BROOK | PORTSMOUTH | 1.450 MILES | Aquatic Life | Chloride | 5-M | N | LOW | 2019 | Commerical Districts (Shopping/Office Complexes) | | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 98 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | | | | | | | | | | | | | | |
|--------------------|---|---------------|-------------|----------------------------|-----------------------------|-----------------|--------------|--------|---------------|----------------|---|--|--|--|--|-----------------------------|------------------------------|------------------|-----|------------------|----------------|----------------|----------------|------|----------------|
| NHRIV600031001-09 | BORTHWICK AVE BROOK | PORTSMOUTH | 1.450 MILES | Aquatic Life | Chloride | | 5-M | N | LOW | 2019 | Highway/Road/Bridge Runoff (Non-construction Related) Municipal (Urbanized High Density Area) | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | Dissolved oxygen saturation | 5-P | N | LOW | 2019 | Source Unknown | | | | |
| | | | | | | | | | | | | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown | | | |
| | | | | | | | | | | | | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown | | | |
| | | | | | | | | | | | | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown | | |
| NHRIV600031001-10 | NEWFIELDS DITCH | PORTSMOUTH | 1.150 MILES | Aquatic Life | CHLORIDE | | 5-M | N | LOW | 2021 | Source Unknown | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown | | | | |
| | | | | | | | | | | | | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown | | |
| | | | | | | | | | | | | | | | | | Secondary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown | | |
| NHRIV600031002-01 | Berry's Brook | RYE | 5.680 MILES | Aquatic Life | Dissolved oxygen saturation | | 5-P | N | LOW | 2017 | Source Unknown | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2017 | Source Unknown | | | |
| | | | | | | | | | | | | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown | | | |
| | | | | | | | | | | | | | | | | | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2017 | Source Unknown | | |
| | | | | | | | | | | | | | | | | | | | | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV600031002-03 | UNNAMED BROOKS - TO ATLANTIC OCEAN AT CONCORD POINT | RYE | 3.380 MILES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown | | | | | | | | | | | | | | | |
| NHRIV600031004-04 | Little River | NORTH HAMPTON | 2.540 MILES | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown | | | | | | | | | | | | | | | |
| NHRIV600031004-09 | UNNAMED BROOK - TO CAINES BROOK | SEABROOK | 0.120 MILES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown | | | | | | | | | | | | | | | |
| NHRIV600031004-10 | Cain's Brook | SEABROOK | 0.210 MILES | Primary Contact Recreation | Escherichia coli | | 5-P | N | HIGH | 2016 | Source Unknown | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | Secondary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 | Source Unknown | | |
| NHRIV600031004-12 | Cain's Brook | SEABROOK | 0.710 MILES | Primary Contact Recreation | Escherichia coli | | 5-P | N | HIGH | 2016 | Source Unknown | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | Secondary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown | | |
| NHRIV700010104-06 | Loon Pond Brook | LINCOLN | 0.350 MILES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown | | | | | | | | | | | | | | | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 99 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|--------------|-------------|-----------|----------------------------|-------------------------------|--------------|--------|---------------|---------------|---|
| NHRIV700010104-07 | East Branch Pemigewasset River, PWS, WTF | LINCOLN | 7.680 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700010104-08 | East Branch Pemigewasset River, CWF | WOODSTOCK | 0.830 MILES | | Aquatic Life | COPPER | 4B-T | N | | | Municipal Point Source Discharges |
| NHRIV700010203-01 | Pemigewasset River, CWF | WOODSTOCK | 5.720 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Other flow regime alterations | 4C-M | N | | | Streambank Modifications/destablization |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700010204-02 | Eastman Brook, WTF | THORNTON | 9.150 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700010205-09 | Mill Brook, WTF | THORNTON | 2.530 MILES | | Aquatic Life | Other flow regime alterations | 4C-M | N | | | Streambank Modifications/destablization |
| NHRIV700010205-12 | Pemigewasset River, CWF | THORNTON | 7.180 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2017 | Source Unknown |
| NHRIV700010206-05 | West Branch Brook | CAMPTON | 9.140 MILES | | Aquatic Life | ALUMINUM | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700010302-03 | Baker River, CWF | WARREN | 1.160 MILES | | Aquatic Life | Other flow regime alterations | 4C-M | N | | | Streambank Modifications/destablization |
| NHRIV700010302-06 | Ore Hill Brook, CWF | WARREN | 5.250 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2016 | Acid Mine Drainage |
| | | | | | | Copper | 5-M | N | LOW | 2016 | Acid Mine Drainage |
| | | | | | | Lead | 5-M | N | LOW | 2016 | Acid Mine Drainage |
| | | | | | | Zinc | 5-M | N | LOW | 2016 | Acid Mine Drainage |
| | | | | | | pH | 5-M | N | LOW | 2016 | Acid Mine Drainage |
| NHRIV700010303-09-01 | Baker River, CWF | WENTWORTH | 0.720 MILES | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV700010303-12 | Baker River, CWF | WENTWORTH | 1.660 MILES | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV700010305-11 | Baker River, CWF | RUMNEY | 7.230 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV700010306-03 | Sucker Brook | ELLSWORTH | 2.370 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700010306-04 | Unnamed Brook to Stinson Lake | RUMNEY | 0.960 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700010306-05 | Unnamed Brook to Stinson Lake | RUMNEY | 1.420 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700010306-06 | Unnamed Brook to Stinson Lake, CWF | RUMNEY | 2.630 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700010307-05 | Unnamed Brook to Loon Lake | RUMNEY | 4.290 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 100 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|-----------------------------------|--------------|-------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|--|
| NHRIV700010307-11 | Baker River, CWF | PLYMOUTH | 9.870 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV700010401-13 | Mad River, WTF | THORNTON | 8.790 MILES | | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV700010401-17 | Mad River, CWF | CAMPTON | 3.120 MILES | | Aquatic Life | Other flow regime alterations | 4C-M | N | | | Impacts from Hydrostructure Flow Regulation/modification |
| NHRIV700010402-09 | Beebe River, WWF | CAMPTON | 1.110 MILES | | Aquatic Life | Habitat Assessment (Streams) | 4C-P | N | | | Source Unknown |
| NHRIV700010403-03 | Bog Brook | CAMPTON | 3.510 MILES | | Aquatic Life | ALUMINUM | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700010403-06 | Pemigewasset River, WWF | CAMPTON | 4.310 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2017 | Source Unknown |
| NHRIV700010404-03 | Clay Brook | BRIDGEWATER | 8.830 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700010404-06 | Pemigewasset River, W/CWF | ASHLAND | 3.890 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2017 | Source Unknown |
| NHRIV700010501-12 | Unnamed Brook to White Oak Pond | HOLDERNESS | 3.830 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700010501-13 | UNNAMED BROOK - TO WHITE OAK POND | HOLDERNESS | 1.470 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV700010502-06 | SQUAM RIVER | ASHLAND | 0.170 MILES | | Aquatic Life | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown |
| NHRIV700010502-08 | SQUAM RIVER | ASHLAND | 0.440 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Habitat Assessment (Streams) | 4C-M | N | | | Source Unknown |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700010602-05 | FOWLER RIVER - UNNAMED BROOK, CWF | ALEXANDRIA | 3.310 MILES | | Aquatic Life | ALUMINUM | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700010602-09 | Bog Brook, CWF | ALEXANDRIA | 4.590 MILES | | Aquatic Life | ALUMINUM | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV700010603-01 | Cilley Brook | HEBRON | 8.460 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700010701-02 | Smith River | GRAFTON | 1.320 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700010702-22 | Smith River, CWF | ALEXANDRIA | 7.530 MILES | | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV700010801-22 | Pemigewasset River, W/CWF | NEW HAMPTON | 5.390 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2017 | Source Unknown |
| NHRIV700010801-23 | Pemigewasset River, W/CWF | NEW HAMPTON | 1.010 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700010802-02 | Hadley Brook | SANBORNTON | 3.470 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 10 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|--|---------------|--------------|-----------|------------------------------|------------------|--------------|--------|---------------|---------------|--|
| NHRIV700010802-07 | Salmon Brook, CWF | SANBORNTON | 6.040 MILES | | Aquatic Life | ALUMINUM | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV700010803-07 | Weeks Brook, CWF | SANBORNTON | 8.220 MILES | | Aquatic Life | ALUMINUM | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV700010803-13 | Pemigewasset River, W/CWF | NEW HAMPTON | 10.150 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV700010804-03 | TILTON BROOK | ANDOVER | 1.810 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700010804-04 | UNNAMED BROOK - TO HIGHLAND LAKE | ANDOVER | 3.130 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700010804-05 | SUCKER BROOK - UNNAMED BROOKS | ANDOVER | 6.530 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV700010804-07 | UNNAMED BROOK - TO SUCKER BROOK | ANDOVER | 3.800 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| | | | | | Secondary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV700010804-14 | Pemigewasset River, W/CWF | FRANKLIN | 0.910 MILES | | Primary Contact Recreation | Escherichia coli | 4B-P | N | | | Illicit Connections/Hook-ups to Storm Sewers |
| | | | | | Secondary Contact Recreation | ESCHERICHIA COLI | 4B-M | N | | 2021 | Source Unknown |
| NHRIV700020101-03 | Wiley Brook | WOLFEBORO | 8.200 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700020101-22 | NORTH INLET TO RUST POND | WOLFEBORO | 0.610 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV700020102-13 | Merrymeeting River, CWF | ALTON | 1.040 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700020103-09 | HALFWAY BROOK | MOULTONBOROUK | 5.140 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700020103-12 | Shannon Brook | MOULTONBOROUK | 6.170 MILES | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV700020104-06 | Nineteenmile Brook | TUFTONBORO | 7.126 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700020104-07 | MELVIN RIVER DS OF MELVIN RIVER DAM POND | TUFTONBORO | 0.227 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700020104-08 | WINGATE BROOK | TUFTONBORO | 0.690 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700020104-09 | Twenty Mile Brook | TUFTONBORO | 3.770 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 102 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|---------------|-------------|-----------|------------------------------|-----------------------------|--------------|--------|---------------|---------------|---|
| NHRIV700020106-01 | UNNAMED BROOK - FROM UNNAMED POND TO MIRROR LAKE | WOLFEBORO | 1.610 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700020108-01 | Unnamed Brook to Winona Lake, CLS-A | ASHLAND | 1.500 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV700020108-05 | SNAKE RIVER - TO LAKE WAUKEWAN, CLS-A | NEW HAMPTON | 1.017 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700020109-01 | HAWKINS BROOK - TO PRESCOTT PARK DAM | CENTER HARBOI | 2.420 MILES | | Aquatic Life | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700020109-02 | HAWKINS BROOK - TO MERIDETH BAY | MEREDITH | 0.590 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700020110-03 | MILL FALLS BROOK | MEREDITH | 0.050 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700020201-03 | DOLLOFF BROOK - UNNAMED BROOK | MEREDITH | 4.110 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700020201-08 | Wickwas Lake Outlet Stream, W/CWF | MEREDITH | 1.200 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700020201-20 | Unnamed Brook - Governors Park Stream | LACONIA | 0.740 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| | | | | | Secondary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| NHRIV700020201-22 | HUEBER BROOK | BELMONT | 0.460 MILES | | Aquatic Life | Sedimentation/Siltation | 5-P | N | LOW | 2021 | Highways, Roads, Bridges, Infrastructure (New Construction) |
| | | | | | | Turbidity | 5-P | N | LOW | 2021 | Highways, Roads, Bridges, Infrastructure (New Construction) |
| NHRIV700020203-10-01 | WILLIAMS BROOK | NORTHFIELD | 0.870 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700020203-10-02 | Williams Brook | NORTHFIELD | 7.390 MILES | | Aquatic Life | Iron | 4A-M | N | | | Landfills |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700020203-11 | Winnepesaukee River, W/CWF | NORTHFIELD | 1.630 MILES | | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHRIV700020203-16 | Winnepesaukee River, W/CWF | NORTHFIELD | 3.120 MILES | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 103 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|---------------------------------------|--------------|-------------|-----------|----------------------------|-----------------------------|--------------|--------|---------------|---------------|-----------------------------------|
| NHRIV700030101-02 | Contoocook Lake Inflow from Rugg Pond | RINDGE | 0.780 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700030101-05 | Unnamed Trib. to Contoocook Lake | JAFFREY | 1.150 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV700030101-08 | Unnamed Trib. to Contoocook Lake | RINDGE | 0.370 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700030101-10 | Unnamed Trib. to Gilmore Pond | JAFFREY | 0.690 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700030101-11 | Contoocook R. | JAFFREY | 0.820 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700030101-16 | Contoocook River, CWF | JAFFREY | 0.680 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-T | Y | LOW | 2006 | Municipal Point Source Discharges |
| | | | | | | Oxygen, Dissolved | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |
| | | | | | | Phosphorus (Total) | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |
| | | | | | Primary Contact Recreation | Chlorophyll-a | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |
| | | | | | | Escherichia coli | 5-M | N | HIGH | 2016 | Source Unknown |
| | | | | | | Phosphorus (Total) | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |
| | | | | | | | | | | | Source Unknown |
| NHRIV700030101-17 | Contoocook River, CWF | JAFFREY | 6.050 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |
| | | | | | | Oxygen, Dissolved | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |
| | | | | | | Phosphorus (Total) | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |
| | | | | | Primary Contact Recreation | Chlorophyll-a | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 104 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---------------------------------|--------------|-------------|-----------|----------------------------|---|---------------|--------|---------------|---------------|---|
| NHRIV700030101-17 | Contoocook River, CWF | JAFFREY | 6.050 MILES | | Primary Contact Recreation | Chlorophyll-a | 5-T | Y | HIGH | 2006 | Source Unknown |
| | | | | | | Phosphorus (Total) | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges Source Unknown |
| NHRIV700030102-02 | Unnamed Trib. to Thordike Pond | DUBLIN | 0.790 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700030103-02 | UNNAMED BROOK - NABANUSIT LAKE | NELSON | 1.060 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700030103-03 | Unnamed Trib. to Nubanusit Lake | HANCOCK | 0.280 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700030103-04 | Brickyard Brook | NELSON | 2.870 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700030103-06 | Nubanusit Brook | HARRISVILLE | 1.250 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700030104-02 | Gridley River | NEW IPSWICH | 5.370 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2017 | Source Unknown |
| NHRIV700030104-03 | Contoocook River, CWF | SHARON | 8.400 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | Y | HIGH | 2006 | Municipal Point Source Discharges Source Unknown |
| | | | | | | Phosphorus (Total) | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Primary Contact Recreation | Chlorophyll-a | 5-T | Y | HIGH | 2006 |
| | Phosphorus (Total) | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges Source Unknown | | | | | |
| NHRIV700030104-07-02 | Meadow Brook, WTF | SHARON | 4.277 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV700030104-12 | Contoocook River, CWF | PETERBOROUGH | 1.350 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges Source Unknown |
| | | | | | | Phosphorus (Total) | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 105 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|--|--------------|-------------|--------------|----------------------------|-----------------------------|--------------|--------|---------------|---------------|-----------------------------------|
| NHRIV700030104-12 | Contoocook River, CWF | PETERBOROUGH | 1.350 MILES | Aquatic Life | | Phosphorus (Total) | 5-T | Y | HIGH | 2006 | Source Unknown |
| | | | | | Primary Contact Recreation | Chlorophyll-a | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |
| | | | | | | Phosphorus (Total) | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |
| NHRIV700030104-16 | Contoocook River, CWF | PETERBOROUGH | 1.410 MILES | Aquatic Life | | Dissolved oxygen saturation | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |
| | | | | | | Oxygen, Dissolved | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |
| | | | | | | Phosphorus (Total) | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |
| | | | | | Primary Contact Recreation | Chlorophyll-a | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |
| | | | | | | Phosphorus (Total) | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |
| NHRIV700030104-17 | Contoocook River, CWF | PETERBOROUGH | 3.070 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Chlorophyll-a | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |
| | | | | | | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| | | | | | | Phosphorus (Total) | 5-T | Y | HIGH | 2006 | Municipal Point Source Discharges |
| NHRIV700030104-18 | Contoocook River, CWF | PETERBOROUGH | 0.550 MILES | Aquatic Life | | Phosphorus (Total) | 4B-T | N | | | Municipal Point Source Discharges |
| NHRIV700030104-23 | Contoocook River, WTF | PETERBOROUGH | 4.150 MILES | Aquatic Life | | Oxygen, Dissolved | 5-P | N | HIGH | 2007 | Industrial Point Source Discharge |
| NHRIV700030105-01 | UNNAMED BROOK - FROM SUNSET LAKE TO OTTER LAKE | GREENFIELD | 1.060 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | | | | | | |
| NHRIV700030106-08 | Contoocook River, CWF | PETERBOROUGH | 2.730 MILES | Aquatic Life | | Aluminum | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 106 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|---|--------------|-------------|-----------|----------------------------|-----------------------------|--------------|--------|---------------|---------------|--|
| NHRIV700030106-08 | Contoocook River, CWF | PETERBOROUGH | 2.730 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV700030107-05 | Moose Brook | HANCOCK | 2.240 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700030107-07 | Moose Brook | HANCOCK | 7.220 MILES | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV700030108-07 | Unnamed Trib. to Gregg Lake, WWF | ANTRIM | 0.040 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700030108-08 | Great Brook | ANTRIM | 0.350 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700030108-15 | Contoocook River | BENNINGTON | 2.006 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-P | N | HIGH | 2007 | Industrial Point Source Discharge Municipal Point Source Discharges |
| | | | | | | Oxygen, Dissolved | 5-P | N | HIGH | 2007 | Industrial Point Source Discharge Municipal Point Source Discharges |
| NHRIV700030108-23 | Contoocook River | ANTRIM | 7.330 MILES | | Aquatic Life | Oxygen, Dissolved | 5-P | N | HIGH | 2007 | Municipal Point Source Discharges |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700030201-03 | Bog Brook | WASHINGTON | 6.120 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700030201-04 | Bog Brook | WASHINGTON | 2.470 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700030201-09 | Bog Brook | WASHINGTON | 6.060 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700030201-12 | Unnamed Trib. to Highland Lake | WASHINGTON | 0.180 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700030201-16 | Pickerel Creek | STODDARD | 1.200 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700030201-17 | Carr Brook | STODDARD | 2.750 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700030201-22 | Rice Brook and Unnamed Trib. to Highland Lake | STODDARD | 1.360 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700030201-23 | Kennedy Brook | STODDARD | 8.150 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700030201-25 | Decul Brook | STODDARD | 7.990 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700030202-01 | UNNAMED BROOK - FROM HIGHLAND LAKE TO ISLAND POND | STODDARD | 0.170 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700030202-06 | North Branch | NELSON | 7.710 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700030202-13 | Island Pond Outlet Stream | STODDARD | 0.130 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700030202-17 | North Branch, CWF | ANTRIM | 5.440 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 107 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---|--------------|--------------|-----------|----------------------------|-------------------------------|------------------|--------|---------------|---------------|--|
| NHRIV700030202-24 | North Branch | HILLSBOROUGH | 3.150 MILES | | Aquatic Life | Other flow regime alterations | 4C-P | N | | | Impacts from Hydrostructure Flow Regulation/modification |
| NHRIV700030204-04 | Unnamed Brook to Island Pond | WASHINGTON | 0.920 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 |
| NHRIV700030204-05 | UNNAMED BROOKS - TO ISLAND POND | WASHINGTON | 2.120 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV700030204-06 | Beards Brook | WASHINGTON | 0.750 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700030204-15-02 | BEARD'S BROOK-TOWN BEACH | HILLSBOROUGH | 0.020 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV700030204-16 | North Branch, CWF | HILLSBOROUGH | 1.260 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700030301-02 | Andrew Brook | NEWBURY | 9.210 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700030302-07 | Unnamed Brooks to Lake Massasecum | BRADFORD | 5.590 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700030302-08 | Unnamed Brooks to Lake Massasecum | WARNER | 5.040 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700030302-10 | UNNAMED BROOK - FROM RUSSELL POND TO BLAISDELL LAKE | SUTTON | 0.540 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700030302-11 | Unnamed Brook to Blaisdell Lake from Billings Pond | SUTTON | 0.130 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700030302-12 | Warner River, W/CWF | BRADFORD | 9.850 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700030303-02 | Unnamed Brook from Messer Pond to Clark Pond, WWF | NEW LONDON | 0.500 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700030303-03 | Lion Brook | SUTTON | 7.580 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700030304-19 | Schoodac Brook | WEBSTER | 3.910 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700030304-21 | Schoodac Brook | WARNER | 10.110 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700030401-05 | Blackwater River, CLS-A | DANBURY | 5.070 MILES | | Aquatic Life | Iron | 4B-M | N | | | Landfills |
| NHRIV700030402-01 | Little Brook, CLS-A | NEW LONDON | 8.890 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700030402-04 | UNNAMED BROOK - FROM REC POND TO REC POND, CLS-A | NEW LONDON | 0.050 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700030403-04 | UNNAMED BROOKS - TO COLD POND, CLS-A | ANDOVER | 1.990 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700030403-05 | Unnamed Tribs. to Blackwater River, CLS-A | ANDOVER | 3.920 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 108 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|----------------------------------|--------------|-------------|-----------|--------------|--|--------------|--------|---------------|---------------|---|
| NHRIV700030403-09 | Bradley Brook, CLS-A | SALISBURY | 4.320 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700030403-17 | Blackwater River, CLS-A | SALISBURY | 3.970 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700030404-03 | Blackwater River, CLS-A, W/CWF | SALISBURY | 5.270 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700030404-05 | Blackwater River, CLS-A, W/CWF | WEBSTER | 3.900 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700030404-08 | Blackwater River, CLS-A, WWF | WEBSTER | 5.400 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700030501-02-02 | Sand Brook, WTF | HILLSBOROUGH | 2.228 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700030501-16 | BEAVER GLEN BROOK | HILLSBOROUGH | 0.330 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700030502-10 | Amey Brook | HENNIKER | 3.470 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2017 | Sand/gravel/rock Mining or Quarries |
| | | | | | | Habitat Assessment (Streams) | 4C-P | N | | | Source Unknown Sand/gravel/rock Mining or Quarries |
| NHRIV700030504-10 | Contoocook River, CWF | HILLSBOROUGH | 6.510 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV700030505-05 | Contoocook River, PWS, WWF | HOPKINTON | 0.780 MILES | | Aquatic Life | Copper | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Lead | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Mercury | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Zinc | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700030506-03 | Deer Meadow Brook | BOSCAWEN | 4.590 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700040401-04 | SCAB MILL BROOK - UNNAMED BROOK | BROOKLINE | 4.820 MILES | | Aquatic Life | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV700040401-05 | SPAULDING BROOK - UNNAMED BROOKS | BROOKLINE | 5.760 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700040401-06 | Lancy Brook | MASON | 9.790 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700040401-18 | Rocky Pond Brook | BROOKLINE | 3.390 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700040401-20 | Gulf Brook | BROOKLINE | 6.220 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700040402-04 | LYLE REED BROOK | NASHUA | 3.059 MILES | | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV700040402-05 | Nashua River, WWF | HOLLIS | 4.220 MILES | | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 10 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|--------------------|--------------------------|--------------|-------------|----------------------------|----------|--|------------------|--------|---------------|---------------|--|--------------------------|
| NHRIV700040402-05 | Nashua River, WWF | HOLLIS | 4.220 MILES | Aquatic Life | | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown | |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown | |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown | |
| NHRIV700040402-08 | Nashua River, WWF | NASHUA | 3.660 MILES | Aquatic Life | | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Combined Sewer Overflows |
| | | | | | | Secondary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV700040402-09 | Nashua River, WWF | NASHUA | 1.300 MILES | Aquatic Life | | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2017 | Combined Sewer Overflows |
| NHRIV700060101-11 | Stirrup Iron Brook | BOSCAWEN | 3.270 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2016 | Source Unknown | |
| NHRIV700060101-12 | Merrimack River, W/CWF | FRANKLIN | 0.870 MILES | Primary Contact Recreation | | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown | |
| NHRIV700060102-07 | Tannery Brook | BOSCAWEN | 3.720 MILES | Aquatic Life | | pH | 5-P | N | LOW | 2016 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV700060201-01 | HUCKINS BROOK | GILMANTON | 1.820 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2019 | Source Unknown | |
| NHRIV700060201-04 | Academy Brook, CWF | GILMANTON | 8.460 MILES | Aquatic Life | | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | Habitat Assessment (Streams) | 4C-M | N | | | Source Unknown | |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown | |
| NHRIV700060201-07 | Soucook River | LOUDON | 3.860 MILES | Aquatic Life | | pH | 5-P | N | LOW | 2016 | Source Unknown | |
| NHRIV700060201-08 | Soucook River, CWF | LOUDON | 8.790 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2016 | Source Unknown | |
| NHRIV700060201-09 | Gues Meadow Brook, W/CWF | CANTERBURY | 2.970 MILES | Aquatic Life | | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | pH | 5-P | N | LOW | 2017 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| NHRIV700060201-10 | Gues Meadow Brook, W/CWF | LOUDON | 1.270 MILES | Aquatic Life | | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2019 | Habitat Modification - other than Hydromodification Impervious Surface/Parking Lot Runoff | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 11 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|--------------|--------------|--------------|---|--|--------------|--------|---------------|----------------|---|
| NHRIV700060201-10 | Gues Meadow Brook, W/CWF | LOUDON | 1.270 MILES | Aquatic Life | | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2019 | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| | | | | | | Habitat Assessment (Streams) | 4C-M | N | | | Habitat Modification - other than Hydromodification |
| | | | | | | | | | | | Impervious Surface/Parking Lot Runoff |
| | | | | | | | | | | | Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO) |
| | | | | | pH | 5-P | N | LOW | 2017 | Source Unknown | |
| | | | | | Primary Contact Recreation Escherichia coli | 5-M | N | HIGH | 2016 | Source Unknown | |
| NHRIV700060202-02 | Pickard Brook | CANTERBURY | 9.280 MILES | Aquatic Life | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700060202-09 | Shaker Branch | LOUDON | 3.240 MILES | Aquatic Life | | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Habitat Assessment (Streams) | 4C-P | N | | | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| | | | | | Primary Contact Recreation Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown | |
| NHRIV700060202-10 | Soucook River, W/CWF | LOUDON | 1.880 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700060202-18 | Soucook River, CWF | CHICHESTER | 7.780 MILES | Aquatic Life | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700060301-05 | UNNAMED BROOK - TO TUREE POND | BOW | 1.790 MILES | Aquatic Life | | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV700060301-13 | Turkey River, W/CWF | CONCORD | 3.540 MILES | Aquatic Life | | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Primary Contact Recreation Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV700060302-24 | Merrimack River, W/CWF | CONCORD | 11.270 MILES | Aquatic Life | | Aluminum | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Dissolved oxygen saturation | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown | |
| NHRIV700060302-25-01 | Merrimack River, W/CWF, Garvins Falls Bypass | CONCORD | 0.120 MILES | Aquatic Life | | Other flow regime alterations | 4B-M | N | | | Impacts from Hydrostructure Flow Regulation/modification |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 11 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--|--------------|-------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|----------------|
| NHRIV700060302-25-01 | Merrimack River, W/CWF, Garvins Falls Bypass | CONCORD | 0.120 MILES | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV700060302-25-02 | Merrimack River, W/CWF | PEMBROKE | 2.540 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV700060401-05 | Unamed Trib. to Hills Pond | ALTON | 1.470 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700060401-06 | UNNAMED BROOK - FROM HILL POND TO SUNSET LAKE, WWF | ALTON | 0.070 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700060401-08 | UNNAMED BROOKS - FROM SUNSET LAKE TO CRYSTAL LAKE | ALTON | 4.810 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700060401-10 | Nelson Brook | GILMANTON | 0.630 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700060401-12 | UNNAMED BROOK TO CRYSTAL LAKE | GILMANTON | 0.590 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700060402-03 | Nighthawk Hollow Brook, CWF | GILMANTON | 8.400 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Habitat Assessment (Streams) | 4C-P | N | | | Source Unknown |
| NHRIV700060402-04 | Nighthawk Hollow Brook | GILMANTON | 9.090 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700060402-05 | Suncook River, CWF | GILMANTON | 3.480 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700060402-06 | Unnamed Trib. to Upper Suncook Lake | BARNSTEAD | 1.240 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700060402-07 | Unnamed Tribs. to Upper Suncook Lake | GILMANTON | 2.950 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700060402-08 | Unnamed Trib. to Lower Suncook Lake | BARNSTEAD | 1.040 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700060402-09 | Unnamed Trib. to Halfmoon Lake | ALTON | 2.990 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700060402-10 | Unnamed Trib. to Halfmoon Lake | BARNSTEAD | 1.300 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700060402-14 | Webster Stream | BARNSTEAD | 0.740 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700060501-06 | Kelley Brook | GILMANTON | 5.490 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700060501-22 | Perry Brook | CHICHESTER | 9.480 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700060502-01 | Tucker Brook | NORTHWOOD | 1.030 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700060502-02 | Kelsey Brook | NORTHWOOD | 0.650 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700060502-04 | Little Suncook River | NORTHWOOD | 5.600 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 112 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|---|--------------|--------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|------------------------------|
| NHRIV700060502-07 | Unnamed Brook for Pleasant Lake to Northwood Lake | DEERFIELD | 1.290 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700060502-08 | Griffin Brook | EPSOM | 3.040 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700060502-09 | Little Bear Brook | EPSOM | 3.560 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700060502-11 | Gulf Brook | EPSOM | 3.410 MILES | | Aquatic Life | ALUMINUM | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700060502-13 | Little Suncook River | EPSOM | 0.880 MILES | | Aquatic Life | Non-Native Aquatic Plants | 4C-P | N | | | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700060503-03 | Suncook River | EPSOM | 7.102 MILES | | Aquatic Life | Other flow regime alterations | 4C-P | N | | | Freshettes or Major Flooding |
| NHRIV700060503-04 | Suncook River | EPSOM | 2.480 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700060503-06 | Suncook River | EPSOM | 6.580 MILES | | Aquatic Life | Other flow regime alterations | 4C-P | N | | | Freshettes or Major Flooding |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Physical substrate habitat alterations | 4C-P | N | | | Freshettes or Major Flooding |
| NHRIV700060503-14 | Bear Brook, CWF | DEERFIELD | 10.400 MILES | | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV700060503-16 | Bear Brook, CWF | ALLENSTOWN | 4.650 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700060601-01 | Unnamed Brook to Deering Reservoir | DEERING | 2.430 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700060601-04 | Piscataquog River | DEERING | 6.360 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV700060602-06 | Piscataquog River | WEARE | 7.530 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV700060603-07 | Piscataquog River | NEW BOSTON | 1.820 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV700060604-01 | Unnamed Brook to Pleasant Pond | DEERING | 1.580 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700060604-02 | South Branch Piscataquog River | FRANCESTOWN | 0.050 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700060604-08 | South Branch Piscataquog River | FRANCESTOWN | 7.850 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV700060604-09 | BRENNAN BROOK | FRANCESTOWN | 4.390 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700060604-10 | Rand Brook | GREENFIELD | 6.070 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 113 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|---------------------------------|--------------|-------------|--------------|----------|-----------------------------|------------------|--------|---------------|---------------|--|
| NHRIV700060604-10 | Rand Brook | GREENFIELD | 6.070 MILES | Aquatic Life | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700060605-01 | WHITING BROOK - UNNAMED BROOK | FRANCESTOWN | 6.670 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700060605-03 | Middle Branch Piscataquog River | NEW BOSTON | 6.460 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700060605-08 | Middle Branch Piscataquog River | WEARE | 6.130 MILES | Aquatic Life | | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV700060605-14 | Hillside Brook | WEARE | 4.340 MILES | Aquatic Life | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700060605-18 | Middle Branch Piscataquog River | NEW BOSTON | 0.450 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700060606-01 | Cold Brook | LYNDEBOROUGH | 6.690 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700060606-02 | South Branch Piscataquog River | NEW BOSTON | 7.210 MILES | Aquatic Life | | Aluminum | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV700060606-05 | South Branch Piscataquog River | NEW BOSTON | 5.760 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 |
| NHRIV700060606-07 | South Branch Piscataquog River | NEW BOSTON | 4.100 MILES | Aquatic Life | | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV700060607-02 | Bog Brook, CWF | NEW BOSTON | 9.880 MILES | Aquatic Life | | Dissolved oxygen saturation | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700060607-15 | Harry Brook | GOFFSTOWN | 9.600 MILES | Aquatic Life | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 |
| NHRIV700060607-17 | Piscataquog River, WWF | GOFFSTOWN | 3.590 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700060607-20 | Catamount Brook | GOFFSTOWN | 2.379 MILES | Aquatic Life | | CHLORIDE | 5-P | N | LOW | 2021 | Commerical Districts (Shopping/Office Complexes) |
| | | | | | | Iron | 5-P | N | LOW | 2017 | Highway/Road/Bridge Runoff (Non-construction Related) Impervious Surface/Parking Lot Runoff Municipal (Urbanized High Density Area) Unpermitted Discharge (Domestic Wastes) |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 114 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|----------------------|--|--------------|-------------|------------------------------|--|------------------------------|------------------------------|--------|---------------|----------------|---|--|
| NHRIV700060607-20 | Catamount Brook | GOFFSTOWN | 2.379 MILES | Aquatic Life | Iron | | 5-P | N | LOW | 2017 | Unpermitted Discharge (Industrial/commercial Wastes) | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Unpermitted Discharge (Domestic Wastes) |
| | | | | | | | Foam/Flocs/Scum/Oil Slicks | 5-P | N | LOW | 2017 | Unpermitted Discharge (Domestic Wastes) |
| | | | | | | | | | | | | Unpermitted Discharge (Industrial/commercial Wastes) |
| | | | | Secondary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown | | |
| NHRIV700060607-22 | Piscataquog River, WWF | MANCHESTER | 2.500 MILES | Aquatic Life | pH | | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 4B-P | N | | | Combined Sewer Overflows |
| | | | | | | Secondary Contact Recreation | Escherichia coli | 4B-M | N | | | Combined Sewer Overflows |
| NHRIV700060703-05 | Cohas Brook and Long Pond Brook, CWF | MANCHESTER | 6.170 MILES | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | | 5-P | N | LOW | 2017 | Source Unknown | |
| | | | | | | | Habitat Assessment (Streams) | 4C-P | N | | | Source Unknown |
| | | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| NHRIV700060703-08 | Cohas Brook, CWF | MANCHESTER | 7.300 MILES | Aquatic Life | pH | | 5-M | N | LOW | 2019 | Source Unknown | |
| NHRIV700060703-09 | UNNAMED BROOK - FROM PINE ISLAND POND TO MERRIMACK RIVER | MANCHESTER | 0.220 MILES | Primary Contact Recreation | Escherichia coli | | 5-P | N | HIGH | 2019 | Source Unknown | |
| NHRIV700060801-05-01 | Black Brook, CLS-A | GOFFSTOWN | 8.040 MILES | Aquatic Life | Lead | | 5-P | N | LOW | 2019 | Contaminated Groundwater Inappropriate Waste Disposal | |
| | | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700060801-05-02 | Black Brook | MANCHESTER | 2.410 MILES | Aquatic Life | Iron | | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | | Mercury | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700060801-06 | Black Brook | MANCHESTER | 0.280 MILES | Aquatic Life | pH | | 5-M | N | LOW | 2016 | Source Unknown | |
| NHRIV700060802-02 | BROWN BROOK | HOOKSETT | 1.570 MILES | Aquatic Life | PH | | 5-M | N | LOW | 2021 | Source Unknown | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 115 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|----------------------|--|------------------|-------------|--------------|----------|-------------------------------|--|--------|---------------|---------------|--|--|
| NHRIV700060802-07 | Peters Brook | HOOKSETT | 4.430 MILES | Aquatic Life | | ALUMINUM | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | pH | 5-P | N | LOW | 2019 | Source Unknown | |
| NHRIV700060802-08 | Dalton Brook | HOOKSETT | 3.320 MILES | Aquatic Life | | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| NHRIV700060802-09 | MESSER BROOK | HOOKSETT | 2.520 MILES | Aquatic Life | | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| NHRIV700060802-13 | UNNAMED BROOK - FROM GOLDFISH POND TO DORRS POND | MANCHESTER | 0.330 MILES | Aquatic Life | | Chloride | 5-M | N | LOW | 2019 | Commerical Districts (Shopping/Office Complexes) Highway/Road/Bridge Runoff (Non-construction Related) Municipal (Urbanized High Density Area) | |
| NHRIV700060802-14-01 | Merrimack River, PWS, WWF, Hooksett Dam Bypass | HOOKSETT | 0.110 MILES | Aquatic Life | | Other flow regime alterations | 4C-M | N | | | Impacts from Hydrostructure Flow Regulation/modification | |
| NHRIV700060802-14-02 | Merrimack River, PWS, WWF | HOOKSETT | 5.510 MILES | Aquatic Life | | Aluminum | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | | Dissolved oxygen saturation | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | pH | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Illicit Connections/Hook-ups to Storm Sewers |
| | Secondary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Illicit Connections/Hook-ups to Storm Sewers | | | | | |
| NHRIV700060803-08 | BAKER BROOK | MANCHESTER | 1.070 MILES | Aquatic Life | | Chloride | 5-M | N | LOW | 2019 | Commerical Districts (Shopping/Office Complexes) Municipal (Urbanized High Density Area) | |
| NHRIV700060803-12 | PATTEN BROOK | BEDFORD | 2.010 MILES | Aquatic Life | | ALUMINUM | 5-M | N | LOW | 2021 | Source Unknown | |
| | | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| | | | | | | Secondary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV700060803-14-01 | Merrimack River, PWS, W/CWF, Amoskeg Dam Bypass | MANCHESTER | 0.360 MILES | Aquatic Life | | Other flow regime alterations | 4C-M | N | | | Impacts from Hydrostructure Flow Regulation/modification | |
| NHRIV700060803-14-02 | Merrimack River, PWS, W/CWF | MANCHESTER | 5.010 MILES | Aquatic Life | | Aluminum | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | | Dissolved oxygen saturation | 5-M | N | LOW | 2017 | Source Unknown | |
| | | | | | | pH | 5-M | N | LOW | 2017 | Source Unknown | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 116 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name | |
|----------------------|-----------------------------|--------------|-------------|-----------|----------------------------|--|----------------------------|--------|---------------|---------------|--|---|
| NHRIV700060803-14-02 | Merrimack River, PWS, W/CWF | MANCHESTER | 5.010 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Combined Sewer Overflows | |
| NHRIV700060804-01 | Sebbins Brook | BEDFORD | 6.540 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown | |
| NHRIV700060804-05 | Little Cohas Brook, CWF | LONDONDERRY | 3.050 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2017 | Source Unknown | |
| | | | | | | Chloride | 5-P | N | LOW | 2019 | Industrial/Commercial Site Stormwater Discharge (Permitted) Municipal (Urbanized High Density Area) | |
| | | | | | | Dissolved oxygen saturation | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | Iron | 5-M | N | LOW | 2019 | Source Unknown | |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown | |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown | |
| | | | | | | Primary Contact Recreation | Foam/Flocs/Scum/Oil Slicks | 5-P | N | LOW | 2019 | Airports Industrial/Commercial Site Stormwater Discharge (Permitted) |
| | | | | | | Taste and Odor | | 5-P | N | LOW | 2019 | Airports Industrial/Commercial Site Stormwater Discharge (Permitted) |
| | | | | | | Secondary Contact Recreation | Foam/Flocs/Scum/Oil Slicks | 5-P | N | LOW | 2019 | Airports Industrial/Commercial Site Stormwater Discharge (Permitted) |
| | | | | | | Taste and Odor | | 5-P | N | LOW | 2019 | Airports Industrial/Commercial Site Stormwater Discharge (Permitted) |
| NHRIV700060804-11 | Merrimack River, PWS, W/CWF | MERRIMACK | 5.740 MILES | | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown | |
| NHRIV700060804-12 | South Perimeter Brook | LONDONDERRY | 1.000 MILES | | Aquatic Life | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Combined Sewer Overflows |
| | | | | | | Chloride | 5-P | N | LOW | 2019 | Industrial/Commercial Site Stormwater Discharge (Permitted) Municipal (Urbanized High Density Area) | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 117 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--------------------------------------|--------------|-------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|----------------|
| NHRIV700060804-12 | South Perimeter Brook | LONDONDERRY | 1.000 MILES | | Aquatic Life | Iron | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV700060901-03 | Pratt Pond Brook | NEW IPSWICH | 5.100 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV700060901-04 | STARK BROOK | NEW IPSWICH | 1.360 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700060901-05 | Souhegan River | NEW IPSWICH | 5.740 MILES | | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV700060901-09 | Souhegan River, CWF | NEW IPSWICH | 3.340 MILES | | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 | Source Unknown |
| NHRIV700060901-12 | UNNAMED TRIB TO PRATT POND | NEW IPSWICH | 0.128 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV700060902-05 | Souhegan River, CWF | WILTON | 8.630 MILES | | Aquatic Life | Aluminum | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Iron | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| NHRIV700060902-13 | Souhegan River, CWF | WILTON | 2.270 MILES | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 | Source Unknown |
| NHRIV700060903-16-02 | STONY BROOK - TOWN BEACH (GOSS PARK) | WILTON | 0.010 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Source Unknown |
| NHRIV700060904-07 | Purgatory Brook | MILFORD | 4.690 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| NHRIV700060904-13 | Souhegan River, CWF | WILTON | 0.390 MILES | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| NHRIV700060904-14 | Souhegan River, CWF | MILFORD | 2.940 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV700060905-12 | McQuade Brook | BEDFORD | 5.990 MILES | | Aquatic Life | Chloride | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV700060905-17 | Baboosic Brook, CWF | BEDFORD | 2.530 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2016 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 118 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|--|--------------|------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|----------------|
| NHRIV700060905-17 | Baboosic Brook, CWF | BEDFORD | 2.530 | MILES | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700060905-18 | Riddle Brook, CWF | BEDFORD | 9.750 | MILES | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV700060905-19 | Baboosic Brook, CWF | MERRIMACK | 7.000 | MILES | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2017 | Source Unknown |
| NHRIV700060906-01 | Beaver Brook | MONT VERNON | 9.510 | MILES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV700060906-08 | Great Brook | MILFORD | 6.370 | MILES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700060906-12 | Ox Brook | MILFORD | 4.520 | MILES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV700060906-13 | Souhegan River, W/CWF | MILFORD | 2.110 | MILES | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV700060906-16 | Souhegan River, W/CWF | AMHERST | 0.890 | MILES | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV700060906-18 | Souhegan River, W/CWF | MERRIMACK | 10.940 | MILES | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV700060906-20 | UNNAMED BROOK - FROM YORK POND TO SOUHEGAN RIVER | MERRIMACK | 0.770 | MILES | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV700060906-24 | Souhegan River, CWF | MERRIMACK | 0.210 | MILES | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700060906-25 | Souhegan River | MERRIMACK | 0.230 | MILES | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| NHRIV700061001-02 | Witches Brook, CLS-A, WTF | HOLLIS | 9.330 | MILES | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV700061001-05 | Pennichuck Brook | HOLLIS | 1.520 | MILES | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700061001-06 | Muddy Brook | HOLLIS | 1.740 | MILES | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 119 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|--|--------------|--------------|----------------------------|----------------------------|--|------------------|--------|---------------|---------------|--|
| NHRIV700061001-07 | Pennichuck Brook, CLS-A | MERRIMACK | 3.200 MILES | Aquatic Life | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 |
| NHRIV700061001-09 | Unnamed Brook to Pennichuck Brook (Boire Fields) | NASHUA | 1.180 MILES | Aquatic Life | Aquatic Life | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700061002-04 | Nesenkeag Brook | LONDONDERRY | 7.290 MILES | Aquatic Life | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700061002-05 | Nesenkeag Brook, CWF | LITCHFIELD | 3.650 MILES | Aquatic Life | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700061002-13 | Merrimack River, PWS, WWF | MERRIMACK | 3.830 MILES | Primary Contact Recreation | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Combined Sewer Overflows |
| NHRIV700061002-14 | Merrimack River, WWF | NASHUA | 3.530 MILES | Primary Contact Recreation | Primary Contact Recreation | Creosote | 5-M | N | LOW | 2019 | Contaminated Groundwater |
| | | | | | | Escherichia coli | 5-P | N | HIGH | 2019 | Rcra Hazardous Waste Sites Source Unknown |
| NHRIV700061101-01 | Drew Brook | DERRY | 4.630 MILES | Aquatic Life | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700061102-16 | POLICY BROOK - FROM CANOBIE LAKE | SALEM | 0.730 MILES | Aquatic Life | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Habitat Assessment (Streams) | 4C-P | N | | | Source Unknown |
| NHRIV700061102-17 | POLICY BROOK | SALEM | 0.860 MILES | Aquatic Life | Aquatic Life | CHLORIDE | 5-P | N | LOW | 2021 | Commerical Districts (Shopping/Office Complexes) |
| | | | | | | | | | | | Highway/Road/Bridge Runoff (Non-construction Related) Impervious Surface/Parking Lot Runoff |
| NHRIV700061102-18 | Policy Brook | SALEM | 10.550 MILES | Aquatic Life | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2019 | Municipal (Urbanized High Density Area) |
| | | | | | | | | | | | Source Unknown Unspecified Urban Stormwater |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 120 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|--|--------------|--------------|------------------------------|--|-----------------|--------------|--------|---|------------------------------|---|
| NHRIV700061102-18 | Policy Brook | SALEM | 10.550 MILES | Aquatic Life | Chloride | | 5-P | N | LOW | 2017 | Commerical Districts (Shopping/Office Complexes) |
| | | | | | | | | | | | Highway/Road/Bridge Runoff (Non-construction Related) |
| | | | | | | | | | | | Municipal (Urbanized High Density Area) |
| | | | | | Habitat Assessment (Streams) | 4C-P | N | | | Unspecified Urban Stormwater | |
| | | | | | pH | 5-M | N | LOW | 2017 | Source Unknown | |
| NHRIV700061102-23 | Unnamed Brook to Western Embayment | WINDHAM | 0.500 MILES | Aquatic Life | Chloride | | 5-M | N | HIGH | 2008 | Highway/Road/Bridge Runoff (Non-construction Related) |
| NHRIV700061201-05 | Salmon Brook | NASHUA | 6.340 MILES | Primary Contact Recreation | Escherichia coli | | 5-M | N | HIGH | 2016 | Illicit Connections/Hook-ups to Storm Sewers |
| NHRIV700061201-07 | Salmon Brook, WWF | NASHUA | 0.290 MILES | Primary Contact Recreation | Escherichia coli | | 5-P | N | HIGH | 2019 | Source Unknown |
| | | | | Secondary Contact Recreation | Escherichia coli | | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV700061203-01 | Unnamed Tribs. to Hurantis Lake | CHESTER | 2.730 MILES | Aquatic Life | pH | | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700061203-02 | Unnamed Brook from Hurantis Lake to Adams Pond | DERRY | 1.800 MILES | Aquatic Life | pH | | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700061203-09 | Beaver Brook, West Running Brook, CWF | DERRY | 8.450 MILES | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | | 5-P | N | LOW | 2021 | Municipal (Urbanized High Density Area) |
| | | | | | | | | | Source Unknown | | |
| | | | | | CHLORIDE | | 5-P | N | LOW | 2021 | Commerical Districts (Shopping/Office Complexes) |
| | | | | | | | | | Highway/Road/Bridge Runoff (Non-construction Related) | | |
| | | | | | | | | | Impervious Surface/Parking Lot Runoff | | |
| | | | | | pH | | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | Primary Contact Recreation | Escherichia coli | | 5-M | N | HIGH | 2016 | Source Unknown |
| NHRIV700061203-11 | Beaver Brook | LONDONDERRY | 5.700 MILES | Aquatic Life | CHLORIDE | | 5-P | N | LOW | 2021 | Commerical Districts (Shopping/Office Complexes) |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 12 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|---|--------------|-------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|--|
| NHRIV700061203-11 | Beaver Brook | LONDONDERRY | 5.700 MILES | | Aquatic Life | CHLORIDE | 5-P | N | LOW | 2021 | Highway/Road/Bridge Runoff (Non-construction Related) Impervious Surface/Parking Lot Runoff |
| NHRIV700061203-16 | Beaver Brook, Shields Brook, Ayers Brook, CWF | LONDONDERRY | 4.860 MILES | | Aquatic Life | Chloride | 5-M | N | LOW | 2019 | Commerical Districts (Shopping/Office Complexes) Highway/Road/Bridge Runoff (Non-construction Related) Municipal (Urbanized High Density Area) |
| | | | | | | Iron | 4B-P | N | | | Landfills |
| | | | | | | pH | 5-M | N | LOW | 2017 | Landfills |
| NHRIV700061203-20 | Beaver Brook, CWF | LONDONDERRY | 9.330 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700061203-21 | Beaver Brook, CWF | WINDHAM | 7.370 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700061203-22 | Beaver Brook, CWF | PELHAM | 8.280 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV700061203-25 | HOWARD BROOK | HUDSON | 0.510 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700061203-26 | LAUNCH BROOK | HUDSON | 0.610 MILES | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV700061204-01 | DINSMORE BROOK (UNNAMED BROOK - TO COBBETTS POND) | WINDHAM | 1.500 MILES | | Aquatic Life | Chloride | 5-P | N | LOW | 2019 | Highway/Road/Bridge Runoff (Non-construction Related) |
| NHRIV700061205-01 | Beaver Brook, CWF | PELHAM | 4.440 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Habitat Assessment (Streams) | 4C-P | N | | | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV700061205-05 | UNNAMED BROOK - TO GUMPAS POND | PELHAM | 1.500 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700061206-01 | GLOVER BROOK | HUDSON | 2.560 MILES | | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV700061206-04 | MERRILL BROOK | HUDSON | 1.120 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700061206-05 | First Brook | HUDSON | 0.200 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700061206-10 | SECOND BROOK | HUDSON | 1.690 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700061206-24 | Merrimack River, WWF | NASHUA | 4.880 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 122 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|-----------------------------|---------------|-------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|---|
| NHRIV700061206-24 | Merrimack River, WWF | NASHUA | 4.880 MILES | | Primary Contact Recreation | Chlorophyll-a | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Escherichia coli | 5-P | N | HIGH | 2017 | Combined Sewer Overflows |
| | | | | | | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV700061401-04 | Kelly Brook | PLAISTOW | 7.530 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2019 | Municipal (Urbanized High Density Area) |
| | | | | | | | | | | | Source Unknown |
| | | | | | | | | | | | Unspecified Urban Stormwater |
| | | | | | | Dissolved oxygen saturation | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700061403-05 | Bartlett Brook | DANVILLE | 5.560 MILES | | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700061403-09 | Powwow River, WWF | KINGSTON | 0.130 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV700061403-11 | Powwow River | KINGSTON | 0.810 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV700061403-12 | Unnamed Trib. to Great Pond | KINGSTON | 1.080 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV700061403-14 | Powwow River | KINGSTON | 2.540 MILES | | Aquatic Life | DISSOLVED OXYGEN SATURATION | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | OXYGEN, DISSOLVED | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV700061403-16 | Powwow River | EAST KINGSTON | 0.180 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV700061403-17 | Powwow River | SOUTH HAMPTON | 7.770 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV700061403-18 | UNNAMED BROOK - THRU MASS | NEWTON | 0.780 MILES | | Aquatic Life | Oxygen, Dissolved | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV801010101-02 | Connecticut River | PITTSBURG | 2.310 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 123 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|------------------------|-----------------|--------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|----------------|
| NHRIV801010101-04 | Connecticut River | PITTSBURG | 1.190 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801010102-02 | Connecticut River | PITTSBURG | 8.760 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801010203-04 | Connecticut River | PITTSBURG | 3.887 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801010203-07 | Connecticut River | CLARKSVILLE | 4.170 MILES | | Aquatic Life | Lead | 5-P | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801010301-02 | Bishop Brook | CLARKSVILLE | 6.610 MILES | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 | Source Unknown |
| NHRIV801010303-02 | Halls Stream | PITTSBURG | 10.100 MILES | | Aquatic Life | Lead | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV801010305-01 | Connecticut River | STEWARTSTOWN | 2.060 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV801010305-02 | Connecticut River | STEWARTSTOWN | 9.860 MILES | | Aquatic Life | Invasive Aquatic Algae | 4C-M | N | | | Source Unknown |
| NHRIV801010403-01 | Simms Stream | COLUMBIA | 9.570 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV801010404-02 | Connecticut River | COLUMBIA | 8.630 MILES | | Aquatic Life | Invasive Aquatic Algae | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV801010405-01 | Cone Brook | COLUMBIA | 5.250 MILES | | Aquatic Life | Fishes Bioassessments (Streams) | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV801010405-03 | Connecticut River | COLUMBIA | 6.020 MILES | | Aquatic Life | Invasive Aquatic Algae | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV801010603-02 | Kimball Brook | STRATFORD | 1.630 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV801010603-05 | Connecticut River | STRATFORD | 19.180 MILES | | Aquatic Life | Invasive Aquatic Algae | 4C-M | N | | | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| NHRIV801010706-05-04 | NASH STREAM | STRATFORD | 5.896 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV801010707-13 | Upper Ammonoosuc River | STARK | 2.090 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801010707-18 | Upper Ammonoosuc River | NORTHUMBERLAND | 2.180 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV801010801-01 | ISRAEL RIVER | LOW AND BURBANK | 8.560 MILES | | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 124 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--------------------------------|----------------|-------------|-----------|----------------------------|---------------------------------|--------------|--------|---------------|---------------|-----------------------------------|
| NHRIV801010803-02 | Israel River | JEFFERSON | 8.810 MILES | | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV801010804-05 | Bunnell Brook | LANCASTER | 7.850 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801010805-04 | Burnside Brook | NORTHUMBERLAND | 5.850 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV801010805-05 | Otter Br., Caleb Br., Bone Br. | LANCASTER | 5.870 MILES | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 | Source Unknown |
| NHRIV801010805-06 | Otter Brook | LANCASTER | 2.340 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV801010806-03-02 | WAUMBEEK INN BROOK-TOWN BEACH | JEFFERSON | 0.010 MILES | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV801010806-06 | Israel River | JEFFERSON | 6.630 MILES | | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV801010806-09 | Israel River | LANCASTER | 2.030 MILES | | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV801010902-02 | Connecticut River | NORTHUMBERLAND | 3.700 MILES | | Aquatic Life | Invasive Aquatic Algae | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 | Source Unknown |
| NHRIV801010902-03 | Connecticut River | NORTHUMBERLAND | 9.310 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801010902-04 | INDIAN BROOK | LANCASTER | 3.320 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801010903-02 | Connecticut River | LANCASTER | 5.720 MILES | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2017 | Source Unknown |
| NHRIV801030101-01 | UNNAMED BROOK - TO FOREST LAKE | DALTON | 0.650 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801030102-08 | Johns River | DALTON | 6.050 MILES | | Aquatic Life | COPPER | 4B-T | N | | | Municipal Point Source Discharges |
| NHRIV801030102-13 | Johns River | DALTON | 3.870 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV801030201-01 | Cushman Brook | DALTON | 4.440 MILES | | Aquatic Life | Fishes Bioassessments (Streams) | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV801030201-02 | Connecticut River | DALTON | 0.580 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV801030203-01 | Connecticut River | LITTLETON | 1.060 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801030205-02 | Connecticut River | MONROE | 0.920 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 125 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---|--------------|--------------|-----------|------------------------------|--|--------------|--------|---------------|---------------|--------------------------------------|
| NHRIV801030402-04 | Ammonoosuc River | CARROLL | 10.860 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801030402-07-01 | Ammonoosuc River | CARROLL | 16.880 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801030402-07-02 | TWIN MT. REC. AREA TUTTLE BROOK | CARROLL | 0.020 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV801030402-08 | UNNAMED TRIBUTARY - TO BETHLEHEM AMMONOOSUC RIVER (FROM BETHLEHEM LF) | | 0.100 MILES | | Aquatic Life | Iron | 4B-P | N | | | Landfills |
| NHRIV801030403-01 | Ammonoosuc River | BETHLEHEM | 4.460 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801030403-03 | Ammonoosuc River | BETHLEHEM | 1.980 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801030403-07 | Ammonoosuc River | BETHLEHEM | 4.170 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801030403-09 | Baker Brook | BETHLEHEM | 2.630 MILES | | Aquatic Life | Fishes Bioassessments (Streams) | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV801030403-11 | Ammonoosuc River | LITTLETON | 3.320 MILES | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 | Source Unknown |
| NHRIV801030503-07 | Ammonoosuc River, PWS | LANDAFF | 1.230 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801030504-01 | Wild Ammonoosuc River, CLS-A | EASTON | 8.120 MILES | | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV801030505-08 | Wild Ammonoosuc River | BATH | 7.880 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801030506-02 | Pettyboro Brook | LYMAN | 6.780 MILES | | Aquatic Life | Fishes Bioassessments (Streams) | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV801030701-05 | Oliverian Brook | HVERHILL | 10.100 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| | | | | | Secondary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |
| NHRIV801030703-01 | Clark Brook | HVERHILL | 8.430 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801030703-02 | Clark Brook | HVERHILL | 8.550 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Fishes Bioassessments (Streams) | 5-P | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV801040201-03 | Eastman Brook | PIERMONT | 0.640 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801040204-02 | Grant Brook | LYME | 6.400 MILES | | Aquatic Life | Fishes Bioassessments (Streams) | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV801040205-02-02 | BEAN BROOK-TOWN BEACH | PIERMONT | 0.010 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2013 | Pollutants from Public Bathing Areas |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 126 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|---|--------------|-------------|-----------|------------------------------|---------------------------------|--------------|--------|---------------|---------------|--------------------------|
| NHRIV801040402-04 | Hewes Brook | LYME | 9.380 MILES | | Aquatic Life | Fishes Bioassessments (Streams) | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV801060101-04 | UNKNOWN RIVER - FROM MUD POND TO RESERVOIR POND | LYME | 0.880 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2017 | Source Unknown |
| NHRIV801060101-05 | Mascoma River | DORCHESTER | 9.810 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801060105-02 | Knox Brook | ENFIELD | 2.490 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801060105-04 | SMITH POND BROOK | ENFIELD | 0.470 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801060105-05 | Mascoma River, PWS | CANAAN | 6.600 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV801060105-08 | Lovejoy Brook, Scales Brook | HANOVER | 8.800 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Dissolved oxygen saturation | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | Oxygen, Dissolved | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV801060106-03 | Hardy Hill Brook, CLS-A | LEBANON | 3.020 MILES | | Aquatic Life | Aluminum | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Lead | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| | | | | | Secondary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV801060106-04 | Blodgett Brook, CLS-A | LEBANON | 2.410 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV801060106-05 | Blodgett Brook, CLS-A | LEBANON | 0.780 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| | | | | | Secondary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| NHRIV801060106-09 | Great Brook | LEBANON | 2.130 MILES | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Combined Sewer Overflows |
| NHRIV801060106-15 | Mascoma River | LEBANON | 1.010 MILES | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Combined Sewer Overflows |
| NHRIV801060106-16 | Mascoma River | LEBANON | 0.660 MILES | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Combined Sewer Overflows |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 127of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|---|--------------|--------------|-----------|----------------------------|------------------|--------------|--------|---------------|---------------|--------------------------|
| NHRIV801060106-17 | Mascoma River | LEBANON | 0.270 MILES | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Combined Sewer Overflows |
| NHRIV801060106-18 | Mascoma River | LEBANON | 0.060 MILES | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Combined Sewer Overflows |
| NHRIV801060106-19 | Mascoma River | LEBANON | 0.250 MILES | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Combined Sewer Overflows |
| NHRIV801060106-20 | Mascoma River | LEBANON | 1.400 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Combined Sewer Overflows |
| NHRIV801060302-01 | Connecticut River | LEBANON | 1.270 MILES | | Primary Contact Recreation | Escherichia coli | 4B-M | N | | | Combined Sewer Overflows |
| NHRIV801060302-05 | Connecticut River | PLAINFIELD | 12.540 MILES | | Primary Contact Recreation | Escherichia coli | 4B-P | N | | | Combined Sewer Overflows |
| NHRIV801060303-11 | Blow-Me-Down Brook | CORNISH | 0.360 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801060401-07 | Unnamed Brooks to Kolelemook Lake | SPRINGFIELD | 1.650 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV801060401-13 | Unnamed Brook from Stocker Pond to Palazzi Pond | SPRINGFIELD | 0.580 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV801060401-26 | STROING BROOK | GRANTHAM | 0.730 MILES | | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV801060402-03 | North Branch Sugar River | SPRINGFIELD | 4.300 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV801060402-04 | UNNAMED BROOKS - TO BUCKLIN BEACH LITTLE SUNAPEE LAKE | NEW LONDON | 0.350 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801060402-05 | UNNAMED BROOK - TO LITTLE SUNAPEE LAKE | SPRINGFIELD | 1.200 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV801060402-06 | North Branch Sugar River | NEW LONDON | 0.930 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801060402-07 | LITTLE SUNAPEE BROOK - FROM GOOSE POND TO OTTER POND | NEW LONDON | 0.290 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801060402-09 | OTTER BROOK - UNNAMED BROOKS | SPRINGFIELD | 7.030 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801060402-11 | OTTER BROOK - FROM OTTER POND TO SUNAPEE LAKE | SUNAPEE | 0.240 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801060402-12 | UNNAMED BROOKS - TO BAPTIST POND | SPRINGFIELD | 3.010 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801060402-13 | UNNAMED BROOK - THRU BOG POND TO BAPTIST POND | SPRINGFIELD | 1.060 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801060402-14 | Unnamed Brook to Ledge Pond, CLS-A | SUNAPEE | 0.800 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2017 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 128 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|--|--------------|-------------|-----------|----------------------------|--------------------|--------------|--------|---------------|---------------|--|
| NHRIV801060402-16 | UNNAMED BROOKS - FROM LEDGE POND TO SUNAPEE LAKE | SUNAPEE | 1.810 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801060402-17 | UNNAMED BROOK - TO HERRICK COVE SUNAPEE LAKE | NEW LONDON | 0.750 MILES | | Aquatic Life | Chloride | 5-M | N | LOW | 2019 | Highway/Road/Bridge Runoff (Non-construction Related) |
| NHRIV801060402-18 | UNNAMED BROOK - TO HERRICK COVE SUNAPEE LAKE | NEW LONDON | 0.870 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV801060402-20 | UNNAMED BK - FROM STOCK BASIN DAM TO JOBS CREEK SUNAPEE LK | SUNAPEE | 0.100 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV801060402-22 | UNNAMED BROOKS - TO SUNAPEE LAKE | NEW LONDON | 5.100 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV801060402-23 | PIKE BROOK - UNNAMED BROOKS | NEWBURY | 4.270 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV801060402-24 | Blodgett Brook | NEWBURY | 5.090 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV801060402-25 | BARTLETT BROOK - UNNAMED BROOK TO SUNAPEE LAKE | NEWBURY | 2.510 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801060402-27 | Unnamed Brook to Mountain View Lake | SUNAPEE | 2.600 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV801060402-29 | Johnson Brook | NEWBURY | 4.210 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801060402-30 | Sugar River | NEWBURY | 4.050 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV801060403-10 | South Branch Sugar River | GOSHEN | 8.780 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801060403-11 | Gunnison Brook | GOSHEN | 9.630 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801060403-12 | South Branch Sugar River | GOSHEN | 8.240 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV801060404-11 | North Branch Sugar River | CROYDON | 7.980 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV801060405-04 | Sugar River, PWS, WTF | SUNAPEE | 0.060 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801060405-08 | Long Pond Brook | SUNAPEE | 2.890 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV801060405-10 | Sugar River, PWS, WTF | SUNAPEE | 0.850 MILES | | Aquatic Life | Oxygen, Dissolved | 5-T | Y | HIGH | 2007 | Industrial Point Source Discharge Municipal Point Source Discharges |
| | | | | | | Phosphorus (Total) | 4B-T | N | | | Municipal Point Source Discharges |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 129 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|--------------------------------|--------------|--------------|-----------|--------------|---------------------------------|------------------|--------|---------------|---------------|-----------------------------------|
| NHRIV801060405-10 | Sugar River, PWS, WTF | SUNAPEE | 0.850 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 |
| NHRIV801060405-17 | Long Pond Brook | CROYDON | 8.000 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV801060405-25 | Sugar River, WTF | NEWPORT | 0.600 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 |
| NHRIV801060405-27 | Sugar River, WTF | NEWPORT | 1.460 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 |
| NHRIV801060405-29 | Sugar River, WTF | NEWPORT | 1.300 MILES | | Aquatic Life | Oxygen, Dissolved | 5-T | Y | HIGH | 2007 | Industrial Point Source Discharge |
| | | | | | | Phosphorus (Total) | 4B-T | N | | | |
| NHRIV801060405-30 | UNNAMED TRIB - TO PERKINS POND | SUNAPEE | 0.740 MILES | | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV801060405-31 | UNNAMED TRIB - TO PERKINS POND | SUNAPEE | 0.170 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801060405-32 | UNNAMED TRIB - TO PERKINS POND | SUNAPEE | 0.240 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801060406-30 | Sugar River, PWS, WTF | CLAREMONT | 12.650 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 |
| NHRIV801060407-09-02 | Sugar River, WTF | CLAREMONT | 2.330 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 |
| NHRIV801060407-16 | Sugar River, WTF | CLAREMONT | 1.800 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2016 |
| NHRIV801060701-05 | Chase Brook | UNITY | 9.730 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 |
| NHRIV801060702-12 | Connecticut River, PWS | CLAREMONT | 12.930 MILES | | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| NHRIV801060703-06 | Clay Brook | CHARLESTOWN | 1.110 MILES | | Aquatic Life | Fishes Bioassessments (Streams) | 5-P | N | LOW | 2021 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 130 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|--|--------------|-------------|-----------|------------------------------|--|--------------|--------|---------------|---------------|---|
| NHRIV801070201-01 | Cold River | UNITY | 3.210 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV801070201-03 | Unnamed Brook to Crescent Lake | UNITY | 0.310 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV801070201-06 | Cold River | LEMPSTER | 7.430 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV801070201-08 | Cold River | ACWORTH | 8.620 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV801070201-09 | Dodge Brook | LEMPSTER | 2.700 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801070201-11 | Dodge Brook | LEMPSTER | 5.590 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV801070201-14 | UNNAMED BROOKS - UPPER REACHES OF TRIBS TO DODGE BROOK | LEMPSTER | 5.210 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801070201-16 | Cold River | LEMPSTER | 6.310 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV801070202-01 | Honey Brook | ACWORTH | 8.200 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801070202-02 | Cold River | ACWORTH | 6.790 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2017 | Source Unknown |
| NHRIV801070202-04 | Cold River | ACWORTH | 4.770 MILES | | Aquatic Life | Other flow regime alterations | 4C-P | N | | | Streambank Modifications/destablization |
| | | | | | | pH | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV801070202-05 | Cold River | ACWORTH | 7.030 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801070202-06 | Great Brook | ALSTEAD | 6.890 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801070202-07 | Great Brook | ALSTEAD | 8.900 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV801070202-08 | Cold River | ACWORTH | 5.180 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV801070202-09 | Cold River | ACWORTH | 6.910 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2021 | Freshettes or Major Flooding |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Manure Runoff |
| | | | | | | | | | | | Source Unknown |
| | | | | | Secondary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Manure Runoff |
| | | | | | | | | | | | Source Unknown |
| NHRIV801070203-01 | Hale Brook | ALSTEAD | 9.530 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV801070203-02 | Warren Brook | ALSTEAD | 1.130 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 131 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|----------------------|---|--------------|--------------|----------------------------|----------|--|--------------|--------|---------------|----------------|------------------------------|
| NHRIV801070203-04 | Cold River | ALSTEAD | 4.860 MILES | Aquatic Life | | ALUMINUM | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2021 | Freshettes or Major Flooding |
| | | | | | | Fishes Bioassessments (Streams) | 5-P | N | LOW | 2021 | Freshettes or Major Flooding |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | Primary Contact Recreation Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV801070203-05 | Darby Brook | ALSTEAD | 8.330 MILES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| NHRIV801070203-08 | Great Brook | LANGDON | 4.500 MILES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| NHRIV801070203-09 | Cold River | LANGDON | 2.680 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| | | | | | | Primary Contact Recreation ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV801070203-10 | Mountain Brook | LANGDON | 2.120 MILES | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown | |
| NHRIV801070203-12 | Cold River | WALPOLE | 1.070 MILES | Aquatic Life | pH | 5-P | N | LOW | 2017 | Source Unknown | |
| NHRIV801070203-13 | SPRUCE RIVER | ALSTEAD | 0.720 MILES | Aquatic Life | PH | 5-P | N | LOW | 2021 | Source Unknown | |
| NHRIV801070501-10-01 | Connecticut River, PWS | WALPOLE | 2.000 MILES | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown | |
| NHRIV801070503-02 | Partridge Brook, PWS | CHESTERFIELD | 6.590 MILES | Primary Contact Recreation | | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV801070503-03 | Partridge Brook, PWS | WESTMORELAND | 9.670 MILES | Primary Contact Recreation | | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV801070505-10 | Connecticut River | WESTMORELAND | 11.050 MILES | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown | |
| NHRIV801070507-01 | Ash Swamp Brook | HINSDALE | 5.370 MILES | Aquatic Life | | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2017 | Source Unknown |
| NHRIV802010101-03 | Ashuelot River | WASHINGTON | 0.120 MILES | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown | |
| NHRIV802010101-08 | Ashuelot River | WASHINGTON | 9.590 MILES | Aquatic Life | | pH | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Primary Contact Recreation Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV802010101-11 | UNNAMED BROOKS - TO LONG POND | LEMPSTER | 3.080 MILES | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown | |
| NHRIV802010101-14 | Unnamed Brook form Sand Pond to Ashuelot Pond | WASHINGTON | 0.440 MILES | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown | |
| NHRIV802010101-15 | UNNAMED BROOK - TO ASHUELOT POND | WASHINGTON | 1.140 MILES | Aquatic Life | pH | 5-P | N | LOW | 2019 | Source Unknown | |
| NHRIV802010101-16 | Unnamed Brook to Millen Lake | WASHINGTON | 0.850 MILES | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown | |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 132 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|--|--------------|-------------|-----------|------------------------------|--|--------------|--------|---------------|---------------|---|
| NHRIV802010101-17 | Unnamed Brooks to Ashuelot Lake | WASHINGTON | 6.580 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV802010101-19 | UNNAMED BROOK - TO SAND POND | MARLOW | 0.270 MILES | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Manure Runoff |
| | | | | | Secondary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Manure Runoff |
| NHRIV802010101-20 | UNNAMED BROOK - TO SAND POND | MARLOW | 0.090 MILES | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Manure Runoff |
| NHRIV802010102-01 | Ashuelot River | WASHINGTON | 0.140 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV802010102-11 | Ashuelot River | MARLOW | 2.470 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2017 | Source Unknown |
| NHRIV802010103-22 | Ashuelot River | GILSUM | 5.160 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV802010104-08 | Dart Brook | GILSUM | 4.470 MILES | | Aquatic Life | Fishes Bioassessments (Streams) | 5-P | N | LOW | 2021 | Source Unknown |
| NHRIV802010201-03 | Unnamed Brooks to Center Pond | STODDARD | 2.460 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV802010201-13 | Roaring Brook | STODDARD | 6.360 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV802010201-15 | Roaring Brook | NELSON | 8.170 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV802010201-18 | Otter Brook | SULLIVAN | 6.720 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV802010202-13 | UNNAMED BROOK - FROM HOWE RES DAM TO RUSSELL RES | HARRISVILLE | 0.310 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV802010202-14 | MINNEWAWA BROOK | MARLBOROUGH | 2.010 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV802010202-16 | Robbins Brook | MARLBOROUGH | 5.030 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV802010301-04 | Ashuelot River | KEENE | 7.260 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV802010301-09 | Ashuelot River | KEENE | 1.710 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV802010301-11 | Ashuelot River | SWANZEY | 2.570 MILES | | Aquatic Life | Dissolved oxygen saturation | 5-M | N | HIGH | 2016 | Municipal (Urbanized High Density Area) |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV802010301-12 | MILL CREEK | KEENE | 0.200 MILES | | Aquatic Life | Benzo(a)pyrene (PAHs) | 5-M | N | LOW | 2017 | Petroleum/natural Gas Activities |
| NHRIV802010303-01 | ROCKWOOD BROOK - UNNAMED BROOK | FITZWILLIAM | 3.046 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV802010303-11 | South Branch Ashuelot River | TROY | 2.380 MILES | | Aquatic Life | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 133 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|--|--------------|--------------|-----------|----------------------------|--|--------------|--------|---------------|---------------|----------------|
| NHRIV802010303-11 | South Branch Ashuelot River | TROY | 2.380 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| NHRIV802010303-12 | South Branch Ashuelot River | TROY | 0.880 MILES | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2017 | Source Unknown |
| NHRIV802010303-17 | Shaker Brook | MARLBOROUGH | 5.610 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV802010303-18 | South Branch Ashuelot River | TROY | 0.640 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-P | N | HIGH | 2021 | Source Unknown |
| NHRIV802010303-20 | South Branch Ashuelot River | MARLBOROUGH | 7.010 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV802010303-23 | South Branch Ashuelot River | SWANZEY | 6.870 MILES | | Aquatic Life | PH | 5-M | N | LOW | 2021 | Source Unknown |
| | | | | | Primary Contact Recreation | ESCHERICHIA COLI | 5-M | N | HIGH | 2021 | Source Unknown |
| NHRIV802010303-24 | UNNAMED BROOK - UPPER TO LOWER WILSON POND | SWANZEY | 0.280 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV802010401-11 | Wheelock Brook | WINCHESTER | 7.620 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV802010401-14 | UNNAMED BROOKS - TO FOREST LAKE | WINCHESTER | 10.490 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV802010401-15 | Ashuelot River | SWANZEY | 3.890 MILES | | Aquatic Life | Aluminum | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | | Habitat Assessment (Streams) | 4C-P | N | | | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2016 | Source Unknown |
| NHRIV802010401-16 | Ashuelot River | SWANZEY | 0.390 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV802010401-19 | Ashuelot River | WINCHESTER | 9.310 MILES | | Aquatic Life | Non-Native Aquatic Plants | 4C-M | N | | | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| | | | | | Primary Contact Recreation | Chlorophyll-a | 5-P | N | LOW | 2019 | Source Unknown |
| NHRIV802010402-04 | Brickyard Br., Tilsey Br., Roaring Br. | RICHMOND | 7.060 MILES | | Aquatic Life | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV802010402-06 | Mirey Brook | WINCHESTER | 6.910 MILES | | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2017 | Source Unknown |
| NHRIV802010403-07 | Ashuelot River | WINCHESTER | 0.880 MILES | | Aquatic Life | pH | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | Primary Contact Recreation | Escherichia coli | 5-M | N | HIGH | 2019 | Source Unknown |

FINAL- 2012 LIST OF ALL IMPAIRED OR THREATENED WATERS

Date: 4/7/2015

(Excluding Fish/Shellfish Consumption Advisories due to Mercury - see Note 3)

Page 134 of 134

Notes:

1. See the Consolidated Assessment and Listing Methodology (CALM) for definitions and details regarding how this list was developed. (www.des.nh.gov/organization/divisions/ater/wmb/swqa/index.htm)
2. This list is sorted by Waterbody Type and then Assessment Unit ID.
3. By this note, all surface waters in New Hampshire (which are divided into over 8800 Assessment Units) are also included on this list due to statewide fish/shellfish consumption advisories issued because of mercury levels in fish/shellfish tissue. To keep the size of this list manageable, mercury impairment for fish/shellfish consumption are not shown below.
4. TMDL stands for Total Maximum Daily Load study. TMDL schedules are subject to change as funding and resources become available.
5. This list only represents known impairments and threats, waters presented on this list may also be threatened or impaired by other pollutants or nonpollutants.

| Assessment Unit ID | Water Name | Primary Town | Water Size | Size Unit | Use Desc | Impairment Name | DES Category | Threat | TMDL Priority | Tmdl Schedule | Source Name |
|--------------------|---|--------------|-------------|--------------|----------------------------|--|--------------|--------|---------------|---------------|-----------------------------------|
| NHRIV802010403-19 | Ashuelot River | HINSDALE | 0.690 MILES | Aquatic Life | | Aluminum | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2017 | Source Unknown |
| NHRIV802010403-20 | Ashuelot River | HINSDALE | 0.920 MILES | Aquatic Life | Primary Contact Recreation | Escherichia coli | 5-P | N | HIGH | 2019 | Source Unknown |
| | | | | | | | | | | | |
| NHRIV802010501-05 | Connecticut River | HINSDALE | 5.990 MILES | Aquatic Life | | Aluminum | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | Copper | 5-P | N | LOW | 2016 | Source Unknown |
| | | | | | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV802020102-02 | Priest Brook | FITZWILLIAM | 2.210 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2019 | Source Unknown |
| NHRIV802020102-03 | Priest Brook | FITZWILLIAM | 5.120 MILES | Aquatic Life | | Aluminum | 5-M | N | LOW | 2017 | Source Unknown |
| | | | | | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV802020103-06 | North Branch Millers River | RINDGE | 0.570 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV802020103-07 | UNNAMED BROOK - FROM EMERSON POND TO CROWCROFT POND | RINDGE | 0.130 MILES | Aquatic Life | | PH | 5-M | N | LOW | 2021 | Source Unknown |
| NHRIV802020103-09 | Unnamed brook to Monomanac Lake fom Crowcroft Pond | RINDGE | 0.250 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV802020103-10 | Lord Brook | RINDGE | 3.050 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV802020103-13 | Millers River | JAFFREY | 2.360 MILES | Aquatic Life | | pH | 5-P | N | LOW | 2016 | Source Unknown |
| NHRIV802020103-14 | Unnamed Brook to Pearly Lake | RINDGE | 1.500 MILES | Aquatic Life | | ALUMINUM | 4B-T | N | | | Municipal Point Source Discharges |
| | | | | | | Ammonia (Un-ionized) | 4B-T | N | | | Municipal Point Source Discharges |
| | | | | | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV802020103-16 | Millers River | RINDGE | 1.720 MILES | Aquatic Life | | pH | 5-M | N | LOW | 2016 | Source Unknown |
| NHRIV802020203-05 | TULLY BROOK - UNNAMED BROOKS | RICHMOND | 6.370 MILES | Aquatic Life | | Benthic-Macroinvertebrate Bioassessments (Streams) | 5-P | N | LOW | 2019 | Source Unknown |