

STATUS REPORT ON THE OCCURRENCE OF PER- AND POLYFLUOROALKYL SUBSTANCES (PFAS) CONTAMINATION IN NEW HAMPSHIRE

This report has been developed to satisfy the requirements of the Laws of New Hampshire

January Session of 2018, Chapter 306:2 (HB 1766)

Prepared by
New Hampshire Department of Environmental Services

Robert R. Scott, Commissioner

June 2021



PO Box 95, Concord, NH 03302-0095
www.des.nh.gov

Table of Contents

1. Introduction.....	3
2. Coakley Landfill Superfund Site	4
3. Former Pease Air Force Base Superfund Site	4
4. Statewide Public Water Supplies.....	10
5. Statewide PFAS Data	10
<i>5.1 Solid Waste Facilities</i>	<i>10</i>
<i>5.2 Hazardous Waste Remediation Sites.....</i>	<i>11</i>
<i>5.3 Oil Remediation Sites.....</i>	<i>11</i>
<i>5.4 Groundwater Discharge Permit Sites (Wastewater Disposal to Groundwater)</i>	<i>12</i>
APPENDICES	13
Appendix 1.....	14
House Bill 1766-FN- Final Version.....	14

Table 1 – Public Water System PFAS Water Quality Summary

Table 2 – Solid Waste Facility PFAS Water Quality Summary

Table 3 – Hazardous Waste Remediation Sites PFAS Water Quality Summary

Table 4 – Oil Remediation Sites PFAS Water Quality Summary

Table 5 – Groundwater Discharge Permit Sites PFAS Water Quality Summary

LIST OF COMMON ACRONYMS

AGQS – Ambient Groundwater Quality Standard

EPA – United States Environmental Protection Agency

NHDES – New Hampshire Department of Environmental Services

PFAS – Per- and polyfluoroalkyl substances

PFOA – Perfluorooctanoic Acid

PFOS – Perfluorooctanesulfonic Acid

PFHxS - Perfluorohexane Sulfonic Acid

PFNA - Perfluorononanoic Acid

PWS – Public Water System

1. Introduction

The New Hampshire Department of Environmental Services (NHDES) is engaged in an ongoing investigation into per- and polyfluoroalkyl substances (PFAS) in New Hampshire drinking water. New Hampshire and several other northeast states are dealing with several sites where there have been widespread PFAS impacts on drinking water supplies. In recognition of public concern regarding the issue of water quality in the Seacoast area and at areas of environmental interest across the state relative to PFAS, the Laws of New Hampshire, January Session of 2018 Chapter 306:2 (House Bill 1766) requires NHDES to report to the general court regarding bedrock testing and PFAS contamination in the Seacoast area and at other landfills and hazardous waste sites. This status report reflects an update to NHDES' December 2020 report, and has been developed to satisfy the twice yearly reporting requirements established in Chapter 306:2 (House Bill 1766).

Per- and polyfluoroalkyl substances or PFAS are a family of nearly 5,000 man-made chemicals, some of which have been more widely used and studied than others¹. PFAS have been widely used since the 1940s in commercial, industrial, and household products and applications, including production of water resistant materials, fire suppression foams, non-stick cookware, stain removers, etc. PFAS are used for their properties to resist heat, oil, grease and water. Once released to the environment, PFAS are persistent and do not biodegrade or breakdown.

In 2019, NHDES adopted administrative rules that establish health-based Maximum Contaminant Levels (MCLs) and Ambient Groundwater Quality Standards (AGQS) for four per- and polyfluoroalkyl substances (PFAS) that include: 12 ppt for perfluorooctanoic acid (PFOA), 15 ppt for perfluorooctane sulfonic acid (PFOS), 18 ppt for perfluorohexane sulfonic acid (PFHxS), and 11 ppt for perfluorononanoic acid (PFNA). While enforcement of these standards was temporarily stayed by a court injunction, the MCLs and AGQS were established as a matter of law by House Bill 1264, which became effective July 23, 2020. MCLs are drinking water quality standards that non-transient public water systems (water systems serving the same 25 people more than 6 months per year) must comply with. An AGQS is the standard used to require site investigations and remedial action at and around contamination sites. AGQS are also used to identify where the provision of alternate drinking water is required when contamination sites have contaminated private and/or public water supply wells. Please note that these rules do not require testing by owners of private water wells. NHDES does recommend for health reasons that private wells meet the AGQS.

This status report provides a brief summary of PFAS information available to date at the Coakley Landfill and former Pease Air Force Base superfund sites, both of which are located in the seacoast area of New Hampshire. This information includes a description of recent investigations at the Coakley site, and efforts to treat groundwater and drinking water at the Pease site. The report also presents PFAS data for public drinking water supplies, and groundwater data compiled from known PFAS sites statewide.

NHDES notes that its PFAS data are contained in several different databases, which impacts the ease with which PFAS information can be queried. Data provided in this status report generally is current for most NHDES programs through March 2021. Since new data are continuously provided to NHDES, readers may wish to access more up-to-date information using the following resources:

- Data viewer summarizing up to date PFOA and PFOS sampling results at <https://www4.des.state.nh.us/nh-pfas-investigation/> (under "Maps and Data"); and

¹ <https://www.fda.gov/food/chemicals-and-polyfluoroalkyl-substances-pfas>

- An online, searchable database referred to as “OneStop” comprised of environmental information and data compiled by select NHDES programs. OneStop does not provide access to all existing PFAS NHDES data, however, it is considered to be a valuable resource. The database can be found at <https://www4.des.state.nh.us/DESONestop/BasicSearch.aspx>.

This status report is required to be updated every six months and provided to the legislature. NHDES anticipates updates to the report will be available June and December of each year.

2. Coakley Landfill Superfund Site

The Coakley Landfill Superfund Site (Coakley) is a closed 27-acre former municipal/industrial solid waste disposal facility located in North Hampton. The landfill operated from 1972 to 1982 and received incinerator ash from the Portsmouth Refuse-to-Energy Facility through 1985. The site was listed on the National Priorities List (Superfund) in 1983 and construction of selected remedies was completed in 1999. Sampling for the emerging contaminants 1,4-dioxane and PFAS in 2009 and 2016, respectively, confirmed their presence and prompted extensive follow-on investigations. Currently, the Coakley Landfill Group (CLG), a consortium of the parties responsible for the contamination, is conducting an investigation that will further develop the conceptual site model, refining the source, fate, and transport of these emerging contaminants.

The following provides an update regarding ongoing activities in part related to the investigation of PFAS at Coakley generally through March 2021. For additional site-specific information please visit NHDES’ OneStop database at: <https://www4.des.state.nh.us/DESONestop/BasicSearch.aspx> or EPA’s website at: <https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0101107>. The NHDES Site ID associated with the Coakley Landfill is NHDES #198712001.

- The CLG conducted semi-annual sampling in late September into early October 2020, including the sampling of more than 20 private wells. Validated private well sampling data for the fall 2020 round were provided to private property owners by the CLG on January 21, 2021. Results are consistent with historic data, with the exception of the continued detection of a PFAS compound with no regulatory standard (perfluorooctanesulfonamide or PFOSA), initially detected in the spring 2020 sampling round, the first round with a new lab performing the analysis. Review and comparison of the PFOSA data from the two labs recently performing sample analysis has not resolved the reporting discrepancy. EPA issued a letter to the CLG on March 10, 2021 requesting planning and implementation of a replicate sampling program that will investigate and compare the analytical procedures and results of the two labs historically performing sample analysis in addition to a third independent lab.
- On October 21, 2020, the CLG submitted a work plan for performing a groundwater pumping test to further characterize groundwater flow in bedrock at and near the site. EPA and NHDES provided comments on the work plan to the CLG in a letter dated November 6, 2020. CLG responded to the comments and revised the work plan on November 20, 2020. EPA and NHDES ultimately approved the work plan, with conditions, on December 15, 2020. The pumping test schedule was pushed from Fall-2020 to Spring-2021, due to delays associated with gaining access to the property where a new well was to be installed and technical issues related to drilling the new well. The pumping test is anticipated to be one of the final field activities in the bedrock investigation.

- A new bedrock borehole (MW-25) was sited and drilled on NHDOT property to the west of the landfill in January and February 2021. The location of this well was based on the on-going review of historic site data and a surface geophysics survey performed by the CLG and reported to the agencies on October 7, 2020. The borehole was installed to allow for location-specific sampling of bedrock groundwater as part of the ongoing bedrock investigation and pending pump test. Borehole geophysical data were collected and packer sampling intervals proposed in a March 16, 2021 CLG submittal. EPA provided comments on the proposed packer sampling intervals in a March 22nd letter to the CLG. CLG also applied for and received a temporary groundwater discharge permit in December 2020 for the collection and release of well development water from MW-6, the pumping test well.
- In response to NH House Bill 494, CLG submitted a draft work plan for the treatment of surface water in Berrys Brook on September 17, 2020. NHDES provided comments on the draft work plan in email correspondence dated October 1, 2020. CLG conducted the pilot study during fall 2020 consistent with CLG's October 10, 2020 version of the work plan. CLG submitted a brief memo on the results of the pilot study and NHDES provided comments in March 2021. The treatment system consisted of bioavailable absorbent media (BAM) contained in flow-through mats that were deployed in Berrys Brook just south of Breakfast Hill Road for three weeks to test the efficiency of reducing PFAS concentrations in Berrys Brook. During deployment of the mats, three rounds of pre- and post-treatment water quality samples were collected from Berrys Brook and analyzed for PFAS. The treatment system had little to no impact on PFAS concentrations of Berrys Brook.
- EPA initiated the fifth Five-Year Review for the Coakley Landfill site in a January 12, 2021 memo. The five-year review process allows for the periodic review of the effectiveness of the remedial actions implemented at a site. The fifth Five-Year Review includes community and stakeholder input, and is scheduled to be published in September 2021.
- The agencies scheduled, planned, and presented a virtual public meeting on March 3, 2021. EPA provided a site update in a February 24th email distribution, including a meeting invitation, access link, and agenda in advance of the public meeting. The public meeting included a brief background of the site, summary of the private well sampling program, and updates of on-going site investigative activities. The virtual forum provided opportunities for participants to submit written or verbal questions and/or expand on discussion topics.

For further details on submittals and agency responses, please see hyperlinks provided in the table below.

Documents added to NHDES website between October 1, 2020 and March 31, 2021:

Date	Document
October 1, 2020	NHDES email to CLG: Comments on Surface Water Treatment work plan https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4916214
October 7, 2020	CLG submittal: Surface Geophysical Results and MW-25 Well Locating Memorandum http://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4884516
October 9, 2020	EPA letter to NHDES: Clarifications on EPA position regarding HB 494 http://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4885485
October 10, 2020	CLG submittal: House Bill 494 – Surface Water Treatment Pilot Study Memo (final work plan) http://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4882151
October 21, 2020	CLG submittal: Draft Deep Bedrock Investigation Pumping Test Work Plan https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4914859
October 21, 2020	EPA letter to CLG: Request for schedule update on miscellaneous tasks identified in work plan addendum http://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4885484
November 6, 2020	CLG submittal: Deep bedrock investigation estimated completion schedule http://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4886415
November 6, 2020	EPA letter to CLG: October 21,2020 Draft Deep Bedrock Investigation Pumping Test Work Plan https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4889231
November 16, 2020	CLG submittals: Spring 2020 sampling results summary and laboratory analytical reports https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4888190 http://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4888227 http://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4888193 http://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4888183
November 20, 2020	CLG submittal: Response to comments on Draft Deep Bedrock Investigation Pumping Test Work Plan https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4914842
December 10, 2020	CLG submittal: Temporary groundwater discharge permit application for MW-6 redevelopment https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4892254
December 15, 2020	EPA letter to CLG: Conditional approval of revised bedrock investigation pumping test work plan https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4894181
December 17, 2020	EPA email to CLG: Agency comments on draft 2019 Annual Summary Report https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4894673
December 23, 2020	NHDES letter to CLG: Temporary discharge permit for redevelopment of MW-6 (pumping test well) https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4892215
January 12, 2021	EPA memo to file: Fifth five-year review kick-off meeting https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4898704
January 21, 2021	CLG letter to private property owners: Fall 2020 private water supply well sampling results https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4898712
February 24, 2021	EPA email distribution: Site update, March 3 rd virtual public meeting invitation, and public meeting agenda https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4916706
March 3, 2021	Slide deck and chat transcript from March 3, 2021 virtual public meeting https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4907363 https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4913414
March 10, 2021	EPA letter to CLG: Request for replicate sampling to resolve lab differences in recent detections of PFOSA https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4913406
March 16, 2021	CLG submittal: Draft Downhole Geophysics and Packer Sampling Interval Recommendations for MW-25 https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4910498
March 22, 2021	EPA letter to CLG: Comments on Draft Downhole Geophysics and Packer Sampling Interval Recs for MW-25 https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4913405
March 24, 2021	CLG memo to NHDES: House Bill 494 – Surface Water Treatment Pilot Study Results https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4910503
March 31, 2021	NHDES email to CLG: NHDES comments on HB 494 Surface Water Treatment Pilot Study Results Memo https://www4.des.state.nh.us/IISProxy/IISProxy.dll?ContentId=4911216

3. Former Pease Air Force Base Superfund Site

The following provides an update regarding ongoing activities specific to the investigation and remediation of PFAS at the former Pease Air Force Base Superfund Site (Pease). NHDES notes that the Air Force maintains the official Administrative Record for Pease. Reports summarizing investigations and other site-specific documents are public record on the U.S. Air Force Civil Engineering Center (AFCEC) Administrative Record website <https://ar.afcec-cloud.af.mil/Search.aspx>. Once there, select *BRAC>Pease AFB>OU-9 PFC Operable Unit* then click “Search” to view the document listing.

- **Pease Tradeport Municipal Water Supply.** The City of Portsmouth has been operating a filtration system using granular activated carbon (GAC) on the two active Tradeport municipal supply wells (Smith and Harrison wells) since September 2016 to treat low-level PFAS. The Haven supply well, the most productive of the three wells on the Tradeport, was taken off-line immediately upon the discovery of PFAS in samples collected in April 2014 (including PFOS and PFOA at concentrations above the then applicable EPA Provisional Health Advisory levels). Regular monitoring for the presence of PFAS is conducted on the four municipal water supply wells that actively draw groundwater from the Pease aquifer (Smith, Harrison, and two off-base wells, Portsmouth and Collins) and also on a network of sentry monitoring wells distributed throughout the southern portion of the Pease aquifer. The City’s construction of a full-scale treatment plant at their Grafton Road site that will allow for operation and treatment of the Smith, Harrison and Haven wells will be completed this spring. The City posts the water supply well monitoring results, the filter demonstration project monitoring results and other pertinent information on their website.

Pease Tradeport Water Information. NHDES notes the following links for additional updates

PEASE TRADEPORT WATER SUPPLY UPDATE

http://files.cityofportsmouth.com/files/water/Pease_Water_System_PFAS_Update_April_2021.pdf

PEASE COMPREHENSIVE PFC SAMPLING DATA

<http://files.cityofportsmouth.com/files/ww/PeasePFAS08.2020.pdf>

PEASE TRADEPORT WATER SYSTEM OVERVIEW

<http://files.cityofportsmouth.com/publicworks/PeaseWaterSystemOperationsUpdate033115.pdf>

- **Off-site Private Wells.** In June 2014 the Air Force began an inventory and sampling program for private off-site supply wells within 1-mile of Pease in the towns of Newington, Greenland and Portsmouth. To date, 41 residential drinking water wells have been sampled, five of which were documented to have PFOS/PFOA at concentrations near or above the 2016 AGQS. All five were initially supplied with bottled water; four were provided with point-of-entry treatment (POET) systems, one was taken out of use. Of the four wells provided with POE systems, a permanent solution was agreed upon between the Air Force and three property owners to connect to Portsmouth’s municipal supply system that already services parts of Newington. Two of those wells were successfully connected to the municipal system in December 2019; the Air Force is still seeking resolution with the third owner. The owner of the fourth well opted to take over operation and maintenance of their POET system from the Air Force rather than connect to the municipal supply. Since 2014, long-term monitoring has occurred on a regular basis for all residential wells where the owners have elected to participate. The long-term monitoring plan is

continually evaluated and modified, as appropriate, based on the results. All sampling results are provided to each individual well owner.

In October 2019 NHDES sent letters to six additional private supply well owners to notify them of the development of new AGQSs for four PFAS because at least one PFAS concentration was detected in a past water quality sample above one or more of the new more stringent PFAS standards. The letters were intended to ensure the residents were aware of the new standards and to provide them with updated information and resources relative to PFAS. One of those six wells is on the Great Bay National Wildlife Refuge; U.S. Fish and Wildlife Service subsequently confirmed that it is not used for potable purposes.

Following reestablishment of the AGQS, as signed into law in July 2020, NHDES requested Air Force compliance with our standards and response actions including providing bottled water and permanent mitigation for affected private well owners. In correspondence dated September 2, 2020 the Air Force responded to NHDES that it would not take corrective action on private well issues unless detected concentrations exceed the EPA's Lifetime Health Advisory levels (70 ppt for PFOS/PFOA). Subsequent entreaties from New Hampshire's Congressional representatives and from Governor Sununu for the Air Force to take actions based on AGQS violations we met with the same response.

As a result, NHDES coordinated bottled water delivery to four of the residences (the fifth installed their own filtration system). NHDES subsequently contracted permanent mitigation actions at two of the properties: connection to the municipal supply at one and installation of a point-of-entry treatment system at another. A third owner declined NHDES' offer to connect them to the municipal supply. NHDES is evaluating the need for mitigation at the fourth of these impacted wells pending follow-on water quality monitoring results in 2021.

- **Base-wide Hydrogeological Investigation.** Concurrent with initial response actions and completion of a CERCLA Preliminary Assessment for PFAS to identify areas where fluorinated Aqueous Film-Forming Foam (AFFF) was released, the source of the widespread PFAS at Pease, the Air Force conducted a base-wide PFAS site investigation (SI) to better understand the nature and extent of PFAS in soil and overburden and bedrock groundwater. The SI was completed in 2016. This information was used to develop a conceptual site model of PFAS contamination and to develop a groundwater remediation plan called the Airfield Interim Mitigation System (AIMS). A supplemental PFAS investigation, designated as Expanded Site Inspection (ESI), was conducted in 2018 and 2019 to further refine the relationship between overburden and bedrock groundwater and surface waters, both base-wide and with particular focus in Newington, north of Site 8. The ESI also included PFAS characterization and an exposure assessment of other media (soil, sediment, surface water, and shellfish). Results of the ESI were shared with the public at the 2019 Pease Restoration Advisory Board (RAB) meetings. Key conclusions of the ESI include: additional investigation and risk assessment is warranted and will occur as part of the next CERCLA phase, a Remedial Investigation (RI); though PFAS were detected in shellfish collected from various locations, the detected concentrations did not exceed the Screening Levels (SLs) established for three PFAS by EPA. Because of the detection NHDES' Environmental Health Program conducted a site-specific evaluation of PFAS in shellfish and concluded that a shellfish consumption advisory for PFAS was not warranted. The Final ESI report was published in March 2020 and is posted on the AFCEC Administrative Record website.

The Air Force has begun the Pease PFAS RI. A comprehensive outreach effort to property owners in the vicinity of Pease was conducted in fall 2020 to gather additional information about the presence of

surface waters, springs, seep and non-potable wells on off-base properties as well as agricultural practices in the community to better inform the development of the Human Health Risk Assessment and Ecological Risk Assessment being conducted as part of the RI. This winter several technical sessions were held to seek input from Pease stakeholders including concerned community members as well as the City of Portsmouth and Pease Development Authority. This information was considered during the development of the RI Work Plan. The first phase of field work to refine the nature and extent of PFAS is underway this spring and will be used to support follow-on investigation and the risk assessments required under the RI.

- **Airfield Interim Mitigation System (AIMS).** The AIMS objectives include: intercepting PFAS-impacted groundwater upgradient of the Haven Well through a network of groundwater extraction wells; treatment of the intercepted water in a centrally-located treatment plant using best available technology; reinjection of the treated groundwater back into the Pease aquifer to restore the aquifer, support the City's reactivation of the Haven Well and provide hydraulic protection of the southern Pease aquifer supply wells. Installation of the AIMS extraction and infiltration wells was completed in 2018. Construction of the AIMS treatment plant was completed and the Air Force started operation in April 2019. Since April 2019 the AIMS has treated more than 375 million gallons of groundwater.
- **Former Fire Training Area No. 2 (Site 8).** Concurrent with the base-wide PFAS Site Investigation, a separate investigation was conducted at the former fire training area where AFFF was known to have been used by the Air Force beginning in the early 1970s up through the late 1980s. Extensive investigations in the 1990s were conducted to address petroleum and solvent contamination. A remedy including a hydraulic containment system had been operated since 1995 and was demonstrated to have mitigated off-site migration of those contaminants. Based on the Site 8 PFAS investigation a design was developed to augment the hydraulic containment system to better mitigate PFAS migration. That system and its associated state-of-the-art PFAS treatment plant began operating in spring 2018. Since operation began, the Site 8 Interim Mitigation System has treated more than 40 million gallons of groundwater. System design and operations are regularly evaluated to optimize performance. Due to the unexpected presence of elevated iron concentrations in several of the Site 8 IMS extraction wells, the Air Force augmented the Site 8 IMS with an iron mitigation treatment phase. The Air Force is currently proving out the iron removal by systematically expanding the extraction well network pumping.
- **Community Involvement.** Since discovery of PFAS in the municipal supply wells in May 2014 the community has been actively engaged and has participated in numerous public meetings hosted by NHDES and New Hampshire Department of Health and Human Services (NHDHHS). In addition, the following community groups have been developed for Pease PFAS-related issues:
 - Restoration Advisory Board (RAB). In 2015 NHDES requested the Air Force re-establish Pease's RAB, a stakeholder group that meets quarterly to discuss ongoing environmental restoration of Pease. The RAB provides community members an open forum to talk with the Air Force and regulatory agencies about environmental restoration activities. The Pease RAB consists of local volunteer community members (including the NH Air National Guard) and appointed members representing the Air Force, regulatory agencies, the Pease Development Authority and the City of Portsmouth. RAB information can be accessed on the Air Force Civil Engineering Center website:
<https://www.afcec.af.mil/Home/BRAC/Pease.aspx>

- Community Assistance Panel (CAP): The initial forum that was created for community input on PFAS-related health concerns was the Community Advisory Board. To build on the community involvement started with the Board, the Agency for Toxic Substances and Disease Registry (ATSDR) formed the Pease CAP as a way for the community to participate directly in ATSDR's health activities. CAP information can be accessed on the ATSDR website for Pease:

<https://www.atsdr.cdc.gov/pfas/Pease-CAP.html>

Information on the Pease Study made by ATSDR can be accessed on the ATSDR website for Pease:
<https://www.atsdr.cdc.gov/sites/pease/index.html>.

ATSDR's Health Consultation on PFAS in the Pease Tradeport Public Water System can be accessed on the ATSDR website for Pease:

https://www.atsdr.cdc.gov/HAC/pha/pease/Pease_Air_Force_Base_HC-508.pdf

ATSDR's draft Health Consultation on PFAS in the Private Residential Drinking Water Wells was available for public comment through July 30, 2020 and can be accessed on the ATSDR website for Pease: https://www.atsdr.cdc.gov/HAC/pha/pease/Pease_AFB_HC-PC_April_2020-508.pdf

4. Statewide Public Water Supplies

NHDES began a statewide initiative to test drinking water from all community water supplies for PFAS in 2016. Of the 1,880 sources of drinking water that supply public water systems in New Hampshire, as of September 2020, approximately 78% (1,459 sources) have been sampled for PFAS with approximately 30% of wells having detections of PFOA, PFOS, PFHxS, and PFNA.

Information included on the attached Table 1 summarizes sampling results for PFOA, PFOS, PFHxS, and PFNA. NHDES notes that exceedances of the current MCLs for the four PFAS compounds occurred at 103 water supply wells which have or may require that the owners of these wells install treatment or take the wells out of service. Table 1 presents only one sample result for each source, representing the most recent concentration of PFOA, PFOS, PFHxS, and PFNA detected.

5. Statewide PFAS Data

The following summarizes PFAS information that NHDES has compiled to date from various sources at existing solid waste facilities, hazardous waste remediation sites, oil remediation sites, and groundwater discharge sites. Please refer to the additional resources referenced in Section 1 above for up-to-date and/or additional site-specific information.

5.1 Solid Waste Facilities

There are roughly 200 unlined/lined solid waste disposal facilities or synthetic lined wastewater treatment lagoons in New Hampshire for which the owner/operator is responsible for monitoring water quality. These sites have either a groundwater release detection permit (GDP) or groundwater management permit (GMP) that have been issued by NHDES, in accordance with applicable

administrative rules. These permits prescribe programs for periodic groundwater quality monitoring and reporting, provide for groundwater remediation either through active measures or natural attenuation, specify performance standards for remedies, and describe procedures for performing site investigations and implementing remedial action plans.

NHDES has required groundwater sampling for PFAS at all of these sites. As of April 2021, 92% have sampled, and of those sites sampled, approximately 89% have PFAS detections and 61% have exceedances of the AGQS for PFOA, PFOS, PFHxS, and PFNA. Refer to Table 2 for a summary of maximum PFOA, PFOS, PFHxS, and PFNA concentrations at each of the sites where data has been compiled by NHDES.

5.2 Hazardous Waste Remediation Sites

Hazardous waste remediation sites include all sites where a hazardous substance or waste has been released, and which often have a long-term remediation and management component prescribed and regulated through an NHDES-issued groundwater management permit or remedial action plan. There are roughly 540 waste sites, including State-listed hazardous waste, Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), and Brownfield sites, that have an open status and are currently regulated by NHDES, in accordance with its administrative rules.

As outlined in a letter to responsible parties, site owners, and/or permittees dated May 18, 2017, and clarified in a follow-up letter dated October 19, 2017, NHDES is requiring waste sites that meet certain criteria to complete an initial screening for the presence of PFAS per the provisions of the NH Code of Administrative Rules, Chapters Env-Or 600 and Env-Or 700, as applicable. As of April 2021, 46% have sampled and of those sites sampled, approximately 96% have detected PFAS and 72% have exceedances of the AGQS for PFOA, PFOS, PFHxS, and PFNA. Refer to Table 3 for a summary of maximum PFOA, PFOS, PFHxS, and PFNA concentrations at each of the sites where data has been compiled by NHDES.

5.3 Oil Remediation Sites

Oil remediation sites include all sites where long-term remediation and management of petroleum contamination occurs primarily through a NHDES-issued GMP or remedial action plan. There are roughly 1,500 active petroleum sites, including, but not limited to, leaking underground/above ground storage tank sites, motor vehicle salvage yards, and spills that have an open status and are currently regulated by NHDES in accordance with the administrative rules.

NHDES undertook an initiative in 2019 requesting a small initial subset of these petroleum sites to voluntarily complete an initial screening for the presence of PFAS. As of September 2019, less than 1% of all petroleum sites have sampled and reported data to NHDES for PFAS. Of the sites sampled, several have exceedances of the AGQS for PFOA, PFOS, PFHxS, and PFNA. NHDES notes however, that in all cases to date, it has been concluded that the source and release mechanism(s) have not been attributable to the petroleum discharge. PFAS exceedances in groundwater were observed in the general vicinity of areas where fire suppression foam was used and motor oil additives or other fluids were stored or discharged at motor vehicle salvage yards or unpermitted solid waste facilities. Refer to Table 4 for a summary of maximum PFOA, PFOS, PFHxS, and PFNA concentrations at each of the sites where data has been compiled by NHDES.

5.4 Groundwater Discharge Permit Sites (*Wastewater Disposal to Groundwater*)

NHDES regulates 87 facilities that dispose of wastewater to the ground through such practices as discharges to unlined lagoons, rapid infiltration basins, spray irrigation systems and very large leach fields. These sites are managed under a Groundwater Discharge Permit (GDP), which allows the discharge in accordance with administrative rules that protect against impact to other properties and drinking water supply wells. NHDES has required sampling for PFAS at all of these sites. To date, 93% have sampled and of those sites sampled, approximately 79% have detected PFAS and 43% have exceedances of the AGQS for PFOA, PFOS, PFHxS, and PFNA. Refer to Table 5 for a summary of maximum PFOA, PFOS, PFHxS, and PFNA concentrations at each of the sites where data has been compiled by NHDES.

APPENDICES

Appendix 1

House Bill 1766-FN- Final Version

The following document is an image of the final bill text of House Bill (HB) 1766-FN- Final Version. Please visit the following webpage for an HTML or PDF version of the final bill text:

http://gencourt.state.nh.us/bill_status/billText.aspx?sy=2018&id=1523&txtFormat=html

**CHAPTER 306
HB 1766-FN - FINAL VERSION**

04/26/2018 1630s
23May2018... 1983-CofC

2018 SESSION

18-2503
08/04

HOUSE BILL

1766-FN

AN ACT requiring the department of environmental services to report to the general court regarding bedrock testing and perfluorochemical contamination in the Seacoast area and at other landfills and hazardous waste sites.

SPONSORS: Rep. Messmer, Rock. 24; Rep. Cushing, Rock. 21; Rep. Bean, Rock. 21; Rep. Edgar, Rock. 21; Rep. T. Le, Rock. 31; Rep. P. Gordon, Rock. 29; Sen. Fuller Clark, Dist 21

COMMITTEE: Environment and Agriculture

AMENDED ANALYSIS

This bill requires the department of environmental services to report to the general court regarding perfluorinated chemical contamination at the Seacoast and at landfills and other hazardous waste sites.

Explanation: Matter added to current law appears in ***bold italics***.
Matter removed from current law appears [~~in brackets and struckthrough~~.]
Matter which is either (a) all new or (b) repealed and reenacted appears in regular type.

CHAPTER 306
HB 1766-FN - FINAL VERSION

04/26/2018 1630s
23May2018... 1983-CofC

18-2503
08/04

STATE OF NEW HAMPSHIRE

In the Year of Our Lord Two Thousand Eighteen

AN ACT

requiring the department of environmental services to report to the general court regarding bedrock testing and perfluorochemical contamination in the Seacoast area and at other landfills and hazardous waste sites.

Be it Enacted by the Senate and House of Representatives in General Court convened:

1 **306:1 Findings.** The general court acknowledges the public concern regarding the
2 issue of water quality in the Seacoast area and at areas of environmental interest all
3 over the state. The general court further finds that in view of bedrock testing due to
4 begin in the Seacoast area during the summer of 2018, and in view of the impending first
5 ever study of per and polyfluoroalkyl (PFAS) exposure, the general court shall be
6 informed, on a regular basis, of contaminant monitoring and contaminant migration,
7 and advised regarding new research on contaminant exposure and any developments in
8 remediation technology.

9 **306:2 Department of Environmental Services; Reports Required.**

10 I. The department of environmental services shall submit an initial report to the
11 general court by December 1, 2018, and shall submit interim reports every 6 months
12 thereafter, on the results of monitoring, testing, and any other analysis or data relative
13 to perfluorooctanesulfonic acid (PFOS) and perfluorooctanoic acid (PFOA) levels at
14 statewide sites that it has identified as sources of those contaminants. The reports shall
15 include preliminary results from bedrock testing conducted at the Coakley Landfill site
16 beginning in the summer of 2018. The department shall submit interim reports on the
17 bedrock testing by July 1, 2019 and December 1, 2019, and a final report within 6 months
18 of when such testing is completed. Other Seacoast area sites shall include, but not be
19 limited to, the Pease International Tradeport and its vicinity, the Hampton Landfill, the
20 Coakley Landfill, the Rye Breakfast Hill Landfill, the Rye Grove Landfill, the Garland
21 Well and nearby well sites, the former Cibor Airport, the Hampton Airport, and other
22 municipal and commercial operations within the Seacoast area deemed relevant by the
23 department. The department shall also include in such reports the PFOS and PFOA
24 levels at any landfill, hazardous waste, and other sites statewide where it currently
25 requires testing.

26 II. Copies of the reports required in paragraph I shall be submitted to:
27 (a) The president of the senate.

CHAPTER 306
HB 1766-FN - FINAL VERSION
- Page 2 -

1 (b) The speaker of the house of representatives.
2 (c) The chairman of the senate energy and natural resources committee, or
3 the successor committee with jurisdiction over energy and natural resource issues.

4 (d) The chairman of the environment and agriculture committee, or the
5 successor committee with jurisdiction over energy and natural resource issues.

6 (e) The joint legislative fiscal committee of the general court.

7 **306:3 Senate and House of Representatives Committees; Duties.** The senate energy
8 and natural resources committee and the house environment and agriculture committee,
9 or their successor committees as specified in section 2, paragraph II of this act, shall
10 collect and evaluate the reports required in section 2 of this act along with any other
11 reports, data, and information the committees deem relevant. The committees shall
12 solicit information from commissions and informed citizens in southeastern New
13 Hampshire and shall solicit information from the United States Environmental
14 Protection Agency regarding the reports required in section 2.

15 **306:4 Effective Date.** This act shall take effect July 1, 2018.

Approved: June 25, 2018

Effective Date: July 01, 2018

TABLES



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0015010-001	ACWORTH PRIMARY SCH	ACWORTH	07/20/20	ND
0022010-501	WILDWOOD DEV	ALBANY	03/10/20	ND
0023010-001	PIPER MEADOWS PRIVATE COMMUNITY	ALBANY	03/29/21	ND
0032010-501	LEDGES AT NEWFOUND LAKE	ALEXANDRIA	11/05/19	ND
0052010-001	PAPERMILL VILLAGE	ALSTEAD	04/21/21	ND
0053010-504	WELL HILL	ALSTEAD	01/20/21	ND
0055010-501	ALSTEAD VILAS SCH	ALSTEAD	07/20/20	ND
0055020-001	ALSTEAD PRIMARY SCH	ALSTEAD	07/20/20	ND
0055030-001	ORCHARD SCHOOL	ALSTEAD	12/04/19	ND
0059010-001	MOLE HILL THEATRE/LEAF CHARTER	ALSTEAD	12/21/20	ND
0061010-502	ALTON WATER WORKS	ALTON	03/10/21	ND
0061010-503	ALTON WATER WORKS	ALTON	03/10/21	ND
0062010-501	EAGLES REST MHP	ALTON	01/04/21	ND
0062050-501	LAKESIDE AT WINNIPESAUKEE	ALTON	11/05/19	ND
0063020-501	MERRYMEETING MHP	ALTON	03/10/21	ND
0065020-501	PROSPECT MOUNTAIN HIGH SCH	ALTON	12/10/20	ND
0072070-501	SOUHEGAN WOODS	AMHERST	01/13/21	5.05
0072080-001	GOWING WOODS	AMHERST	04/26/21	4.88
0072090-501	CONNOR COURT	AMHERST	04/12/21	6.98
0073030-000	RIDGEWOOD ESTATES	AMHERST	11/05/19	ND
0075060-501	AMHERST MEDICAL CENTER	AMHERST	01/04/21	ND
0075070-001	CHRISTS CHURCH OF AMHERST	AMHERST	01/25/21	ND
0076040-002	SALZBURG SQUARE AMHERST	AMHERST	04/29/21	9.10
0076070-001	MC SQUARE	AMHERST	04/29/21	4.54
0076130-501	COLONIAL PARK	AMHERST	04/29/21	6.02
0078090-501	MEETING PLACE	AMHERST	04/12/21	ND
0081010-002	ANDOVER VILLAGE DIST	ANDOVER	02/20/20	ND
0086030-001	BELLETETES	ANDOVER	03/09/21	ND
0091010-501	ANTRIM SEWER AND WATER DEPT	ANTRIM	02/11/20	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0092010-001	STEELE POND DEV	ANTRIM	08/05/16	ND
0095010-001	OVERSEAS UNITED EDUC FNDTN	ANTRIM	03/31/21	ND
0101010-504	ASHLAND WATER DEPT	ASHLAND	04/06/21	ND
0101010-505	ASHLAND WATER DEPT	ASHLAND	04/06/21	ND
0102010-500	ROPEWALK SERVICES	ASHLAND	03/06/20	ND
0102020-000	VILLAGE AT RIVERBEND	ASHLAND	02/12/20	ND
0112030-501	WRIGHT FARM CONDOS	ATKINSON	04/19/21	5.60
0112060-501	COMMONS OF ATKINSON	ATKINSON	04/20/21	8.63
0112070-501	WATER WHEEL ESTATES	ATKINSON	02/04/20	ND
0112080-001	WALNUT RIDGE/BRYANT WDS	ATKINSON	06/17/19	5.90
0112080-003	WALNUT RIDGE/BRYANT WDS	ATKINSON	06/17/19	4.80
0112080-004	WALNUT RIDGE/BRYANT WDS	ATKINSON	06/17/19	16.00
0112080-009	WALNUT RIDGE/BRYANT WDS	ATKINSON	06/17/19	2.60
0112080-011	WALNUT RIDGE/BRYANT WDS	ATKINSON	06/17/19	2.10
0112080-012	WALNUT RIDGE/BRYANT WDS	ATKINSON	06/17/19	2.70
0112080-013	WALNUT RIDGE/BRYANT WOODS	ATKINSON	05/26/16	ND
0112080-021	WALNUT RIDGE/BRYANT WDS	ATKINSON	06/17/19	1.80
0112090-501	DEARBORN RIDGE	ATKINSON	05/17/21	ND
0112100-502	ATKINSON WOODS	ATKINSON	05/18/21	2.74
0115010-502	ATKINSON ACADEMY SCH	ATKINSON	04/12/21	10.70
0115060-001	LEARNING PATH CHILD CARE CTR	ATKINSON	05/14/21	6.12
0116010-501	PEU/PIONEER COMMERCE PARK	ATKINSON	04/19/21	3.17
0116020-501	GEX	ATKINSON	04/22/21	2.46
0116040-501	PALMER GAS	ATKINSON	04/22/21	7.28
0135010-502	AUBURN VILLAGE SCH	AUBURN	01/14/21	ND
0135020-001	AUBURN CHILDRENS HOUSE	AUBURN	06/24/20	ND
0135030-501	ITS A CHILDS WORLD	AUBURN	08/13/20	ND
0142010-019	PEU LOCKE LAKE	BARNSTEAD	05/20/21	ND
0142010-510	PEU/LOCKE LAKE	BARNSTEAD	02/11/20	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0142010-517	PEU/LOCKE LAKE	BARNSTEAD	02/11/20	ND
0145010-502	BARNSTEAD ELEMENTARY SCH	BARNSTEAD	11/14/19	ND
0146040-501	BARNSTEAD BUSINESS PARK	BARNSTEAD	02/21/21	ND
0151010-503	SWAINS LAKE VILLAGE WATER	BARRINGTON	03/03/20	ND
0152010-001	ELLISON FARM APARTMENTS	BARRINGTON	01/27/21	2.10
0152020-501	OLD STAGE COACH ARMS	BARRINGTON	04/14/21	5.28
0152030-001	BARRINGTON HILLS APTS/LOWER	BARRINGTON	11/19/19	ND
0152050-001	BARRINGTON HILLS APTS/UPPER	BARRINGTON	11/19/19	ND
0152060-003	OYSTER RIVER APTS EAST/WEST	BARRINGTON	01/14/20	ND
0152090-501	PEPPERIDGE WOODS	BARRINGTON	11/13/19	ND
0153020-501	HALCYON HILL	BARRINGTON	05/18/21	6.34
0153030-502	BARRINGTON OAKS	BARRINGTON	03/25/21	ND
0153030-503	BARRINGTON OAKS	BARRINGTON	03/25/21	ND
0153040-501	LEE OAK COOPERATIVE	BARRINGTON	04/22/21	3.94
0153050-506	BARRINGTON MOBILE HOME ESTATES	BARRINGTON	04/28/21	2.52
0153060-503	EMERALD ACRES	BARRINGTON	01/22/21	ND
0155020-501	EARLY CHILDHOOD LEARNING CTR	BARRINGTON	11/18/19	ND
0155050-501	BARRINGTON ELEMENTARY SCHOOL	BARRINGTON	03/18/21	ND
0155070-501	FRISBIE HEALTH SERVICES	BARRINGTON	11/21/20	ND
0155080-500	BARRINGTON MIDDLE SCH	BARRINGTON	02/16/21	ND
0155100-001	BARRINGTON VLG ENRICHMENT CTR	BARRINGTON	05/05/21	0.56
0156020-501	FOCUS HOLDINGS	BARRINGTON	01/20/21	9.91
0156030-501	ASSOCIATED BUYERS	BARRINGTON	02/03/21	ND
0156040-004	TURBOCAM/PHASE I	BARRINGTON	03/18/20	ND
0156040-005	TURBOCAM/PHASE I	BARRINGTON	03/18/20	ND
0156060-001	MIDPOINT PROPERTIES	BARRINGTON	04/01/21	ND
0156070-001	TURBOCAM B2	BARRINGTON	03/18/20	ND
0161010-003	BARTLETT VILLAGE PCT	BARTLETT	04/05/21	ND
0161020-001	LOWER BARTLETT WATER PCT	BARTLETT	04/20/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0161020-003	LOWER BARTLETT WATER PCT	BARTLETT	04/21/21	ND
0162050-502	NORTH LEDGE	BARTLETT	02/11/20	ND
0162070-000	LINDERHOF PROP OWN'R ASSN	BARTLETT	03/12/20	ND
0162100-002	RIVERSBEND	BARTLETT	03/12/20	ND
0162140-502	RIVERSIDE COBB FARM	BARTLETT	03/12/20	ND
0162160-001	COW HILL WELLHOUSE	BARTLETT	11/09/16	ND
0162160-503	COW HILL WELLHOUSE	BARTLETT	03/02/21	ND
0162170-511	RIVER RUN CONDOS	BARTLETT	04/06/21	4.18
0162180-001	BLUEBERRY VILLAGE CONDOS	BARTLETT	10/23/19	ND
0162190-502	CRAWFORD HILLS	BARTLETT	02/11/20	ND
0162200-503	TOP NOTCH CONDOS	BARTLETT	03/12/20	ND
0162210-502	MOUNTAININSIDE ON ATTITASH	BARTLETT	03/10/20	ND
0162250-504	BARTLETT PLACE	BARTLETT	03/09/20	ND
0162260-001	VILLAGGIO BIANCO	BARTLETT	03/09/20	ND
0162270-505	NORDIC VILLAGE	BARTLETT	12/04/20	ND
0162310-502	WHISPERING BROOK	BARTLETT	03/09/20	ND
0162330-501	CRAWFORD POND	BARTLETT	02/11/20	ND
0162340-001	BEAR VILLAGE SOUTH	BARTLETT	03/12/20	ND
0162350-000	GOODRICH PROPERTY	BARTLETT	10/23/19	ND
0162390-501	SUGARWOOD ON THE SACO	BARTLETT	03/03/21	4.16
0162400-501	EAGLE RIDGE RESORT	BARTLETT	11/11/19	ND
0162400-501	EAGLE RIDGE RESORT	BARTLETT	03/09/20	ND
0162410-508	STILLINGS GRANT	BARTLETT	10/23/19	ND
0162410-508	STILLINGS GRANT	BARTLETT	02/11/20	ND
0162430-501	BEARFOOT CREEK	BARTLETT	10/23/19	ND
0162430-501	BEARFOOT CREEK	BARTLETT	03/04/20	ND
0167010-501	MT ATTITASH SKI AREA/LODGE	BARTLETT	11/14/19	ND
0167010-501	MT ATTITASH SKI AREA/LODGE	BARTLETT	03/12/20	ND
0168460-001	BEAR PEAK AT ATTITASH	BARTLETT	10/23/19	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0168460-001	BEAR PEAK AT ATTITASH	BARTLETT	02/11/20	ND
0171010-503	BATH VILLAGE WATER WORKS	BATH	12/04/19	ND
0192060-501	ENGLISH WOODS	BEDFORD	01/21/21	2.29
0192070-321	CABOT PRESERVE	BEDFORD	03/06/20	14.70
0195010-002	MONTESSOR SCH OF BEDFORD	BEDFORD	03/17/21	ND
0195020-501	KELLOGG CHRISTIAN SCHOOL	BEDFORD	10/29/19	40.20
0195090-001	BETHANY COVENANT CHURCH	BEDFORD	03/09/21	3.98
0155100-501	BEDFORD VILLAGE MORNING SCHOOLE	BEDFORD	03/09/21	ND
0196020-501	101 PLAZA	BEDFORD	04/26/21	15.10
0196170-001	PINE TREE PLACE CONDOS	BEDFORD	05/07/21	6.39
0196210-501	288 ROUTE 101	BEDFORD	02/03/20	ND
0196270-501	EVERSOURCE ENERGY BEDFORD AWC	BEDFORD	09/21/20	ND
0196280-501	292 ROUTE 101	BEDFORD	05/13/21	5.88
0196310-001	FRENCH ATWOOD MARKETPLACE	BEDFORD	01/20/21	4.11
0196320-501	FAMILY MEDICAL CENTER	BEDFORD	04/08/21	16.40
0196330-501	124 BEDFORD CENTER RD	BEDFORD	05/21/21	6.84
0197020-001	CAMP FOSTER	BEDFORD	05/09/17	ND
0197030-001	CAMP KETTLEFORD	BEDFORD	05/09/17	ND
0198010-001	OLDE ROAD II	BEDFORD	11/30/18	93.00
0201010-501	BELMONT WATER DEPT	BELMONT	10/30/19	ND
0201010-502	BELMONT WATER DEPT	BELMONT	10/30/19	ND
0201010-503	BELMONT WATER DEPT	BELMONT	05/25/21	ND
0202010-005	ABENAKI WATER /LAKELAND	BELMONT	11/05/19	ND
0202010-5041	ABENAKI WATER /LAKELAND	BELMONT	05/21/21	ND
0202010-504	ABENAKI WATER /LAKELAND	BELMONT	01/18/21	ND
0202020-500	SUNRAY SHORES WATER DIST	BELMONT	12/06/19	ND
0202060-501	SUN LAKE VILLAGE	BELMONT	11/06/19	ND
0203010-001	CATES MOBILE HOME PARK	BELMONT	02/11/20	ND
0203020-501	LADD HILL MHP	BELMONT	05/12/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0203030-001	NORTHBROOK MHP	BELMONT	04/22/21	8.18
0203030-501	NORTHBROOK MHP	BELMONT	04/22/21	10.20
0203040-000	PINE GARDENS MHP	BELMONT	03/03/20	ND
0203060-504	SOLAR VILLAGE	BELMONT	02/11/21	ND
0203070-502	GRANITE STATE CAMPGROUND	BELMONT	01/28/21	3.19
0203080-000	MALLARDS LANDING	BELMONT	11/06/19	ND
0203090-505	LAKES REGION MHP COOP II	BELMONT	04/06/21	ND
0205010-501	LAKES REGION DAYCARE	BELMONT	04/21/21	7.53
0206020-501	BELMONT BUSINESS PARK	BELMONT	11/15/19	ND
0206040-501	AFL TELECOMMUNICATIONS LLC	BELMONT	11/21/19	6.46
0206050-501	EASTGATE PARK	BELMONT	03/17/21	ND
0209040-501	BELMONT MEDICAL CENTER	BELMONT	04/29/21	ND
0211010-502	BENNINGTON WATER DEPT	BENNINGTON	02/21/20	ND
0212010-501	SOUTH FACE CONDOS	BENNINGTON	01/05/21	ND
0212030-000	BIRCHES OF BENNINGTON	BENNINGTON	01/05/21	ND
0212020-501	MOUNTAINSIDE AT CROTCHED MTN	BENNINGTON	04/21/21	ND
0224010-004	GLENCLIFF HOME FOR THE ELDERLY	BENTON	06/04/20	ND
0224010-504	GLENCLIFF HOME FOR THE ELDERLY	BENTON	01/17/20	ND
0231010-004	BERLIN WATER WORKS	BERLIN	10/10/19	ND
0231010-008	BERLIN WATER WORKS	BERLIN	11/06/19	ND
0231010-009	BERLIN WATER WORKS	BERLIN	10/10/19	ND
0241010-003	BETHLEHEM VILLAGE DIST	BETHLEHEM	05/24/21	ND
0245010-502	PROFILE HIGH SCH	BETHLEHEM	12/29/20	ND
0251010-002	PENACOOK BOSCAWEN WATER PCT	BOSCAWEN	12/29/20	ND
0251010-003	PENACOOK BOSCAWEN WATER PCT	BOSCAWEN	12/29/20	ND
0251010-004	PENACOOK BOSCAWEN WATER PCT	BOSCAWEN	12/29/20	ND
0261010-511	BOW MUNICIPAL WATER SYSTEM	BOW	04/14/21	4.55
0262010-501	EVERGREEN DRIVE WATER	BOW	01/04/21	ND
0262020-501	ABENAKI WATER/WHITE ROCK	BOW	01/18/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0262030-502	BELA BROOK WATER	BOW	11/06/19	ND
0262040-502	COTTAGES AT WINDCHIMES	BOW	04/06/21	ND
0262050-501	PEU/WHITE ROCK SENIOR LIVING	BOW	04/08/21	3.41
0262060-501	PEU/STONE SLED FARM	BOW	03/04/20	ND
0262060-502	PEU/STONE SLED FARM	BOW	03/04/20	ND
0265010-502	BOW MEMORIAL SCHOOL	BOW	03/15/21	6.65
0265020-502	BOW ELEMENTARY SCHOOL	BOW	03/15/21	ND
0265030-502	BOW HIGH SCHOOL	BOW	03/15/21	ND
0265040-001	JOYFUL NOISE	BOW	02/03/21	ND
0265040-501	JOYFUL NOISE	BOW	02/03/21	ND
0265050-001	BOW YOUTH CENTER	BOW	04/06/21	ND
0265060-501	MEETING HOUSE MONTESSORI	BOW	11/13/19	ND
0266010-000	GSP/MERRIMACK STATION	BOW	10/01/19	6.69
0266020-001	BOVIE SCREEN PRINTING	BOW	04/01/21	ND
0266050-002	GRAPPONE FORD COMPLEX	BOW	04/08/21	7.14
0266090-001	PITCO FRIALATOR	BOW	02/22/21	16.3
0266110-501	BOW TECHNOLOGIES	BOW	02/03/21	3.45
0266130-002	RUGGLES III OFFICE BLDG	BOW	11/05/19	ND
0266140-501	NH AUTO DEALERS ASSN	BOW	11/13/19	ND
0266150-502	CONCORD GROUP	BOW	12/11/20	ND
0266200-500	GRAPPONE TOYOTA	BOW	04/08/21	5.22
0266220-001	501 SOUTH STREET	BOW	01/11/21	ND
0266240-001	GRAPPONE HONDA	BOW	04/08/21	7.15
0266250-501	BOW SAFETY BLDG	BOW	04/22/21	ND
0269010-501	BOW MUNICIPAL BUILDING	BOW	03/15/21	ND
0272010-001	FISHERFIELD TOWNHOUSES	BRADFORD	10/21/19	ND
0275070-001	KEARSARGE REG ELEM SCH/BRADFRD	BRADFORD	12/23/20	ND
0275080-501	NFI NORTH TRNS HSING	BRADFORD	05/11/21	ND
0275090-501	CHILDRENS CTR FOR CREATIVE LRNG	BRADFORD	04/06/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0282010-002	MILL POND CROSSING	BRENTWOOD	06/03/20	ND
0284010-502	ROCKINGHAM COUNTY COMPLEX	BRENTWOOD	04/06/21	2.16
0284010-503	ROCKINGHAM COUNTY COMPLEX	BRENTWOOD	05/21/21	ND
0285010-502	SWASEY CENTRAL SCH	BRENTWOOD	03/30/21	2.14
0285040-501	A PLACE TO GROW	BRENTWOOD	09/17/20	ND
0286020-501	OWENS CORNING	BRENTWOOD	12/10/20	8.68
0286060-500	ROCKINGHAM COUNTY COURTHOUSE	BRENTWOOD	02/26/21	3.30
0292010-000	WHITTEMORE SHORES	BRIDGEWATER	11/06/19	ND
0293010-002	NEWFOUND ACRES MHP	BRIDGEWATER	02/12/20	ND
0295010-001	BRIDGEWATER/HEBON VIL SCH	BRIDGEWATER	03/16/21	ND
0297020-512	WHIP O WHILL CONDOS	BRIDGEWATER	04/08/21	ND
0298040-001	NEWFOUND GROCERY	BRIDGEWATER	07/22/16	ND
0301010-501	BRISTOL WATER WORKS	BRISTOL	04/02/21	ND
0301010-502	BRISTOL WATER WORKS	BRISTOL	04/02/21	ND
0301010-503	BRISTOL WATER WORKS	BRISTOL	04/02/21	ND
0305010-501	NEWFOUND REGIONAL HS	BRISTOL	01/08/21	ND
0305020-001	PB AND JS FAMILY CHILDCARE	BRISTOL	04/08/21	ND
0325010-001	RICHARD MAGHAKIAN MEMORIAL SCH	BROOKLINE	12/21/20	ND
0325050-501	CAPT SAMUEL DOUGLASS ACADEMY	BROOKLINE	12/22/20	ND
0325060-001	STONEY LEDGE PLAZA	BROOKLINE	05/24/21	ND
0326020-501	DECCO	BROOKLINE	10/28/19	ND
0341010-508	CAMPTON VILLAGE PCT	CAMPTON	04/02/21	ND
0341010-509	CAMPTON VILLAGE PCT	CAMPTON	04/02/21	ND
0341030-502	WATERVILLE ESTATES VLG DIST	CAMPTON	03/12/21	ND
0342010-512	BEEBE RIVER	CAMPTON	01/27/21	ND
0342020-001	TRIPPLEWOOD RESORT CONDOS	CAMPTON	04/02/21	ND
0342050-000	DEER RUN	CAMPTON	02/18/20	ND
0342060-002	BECKET HOUSE AT CAMPTON	CAMPTON	11/05/19	ND
0342080-000	VALLEY VIEW CONDOS	CAMPTON	01/08/20	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0342090-001	RED SLEIGH CONDOS	CAMPTON	12/08/20	ND
0342100-000	COACHMAN CONDOS	CAMPTON	01/20/21	ND
0343010-000	CHESLEYS MHP	CAMPTON	03/12/21	ND
0343020-502	SIX FLAGS MHP	CAMPTON	02/03/21	ND
0346030-501	USFS WMNF ADMIN CMPLX	CAMPTON	03/04/21	1.90
0351010-501	CANAAN WATER DEPT	CANAAN	03/11/21	ND
0353010-001	COUNTRY VILLAGE MHP	CANAAN	02/03/21	ND
0353010-002	COUNTRY VILLAGE MHP	CANAAN	02/03/21	0.50
0353020-001	MASCOMA VALLEY COOP	CANAAN	11/05/19	ND
0354010-503	CARDIGAN MOUNTAIN SCH	CANAAN	1/10/2020	ND
0355030-001	MASCOMA VALLEY REG HIGH SCH	CANAAN	11/21/16	12.00
0355060-001	INDIAN RIVER SCH	CANAAN	01/20/21	5.68
0355070-001	MACOMA COMM HEALTH CARE	CANAAN	01/28/21	ND
0356020-001	BARKER STEEL	CANAAN	03/11/20	ND
0362010-501	HILLCREST MANOR APTS	CANDIA	01/05/21	ND
0363010-503	COUNTRY LANE MANOR	CANDIA	03/31/21	3.06
0365010-503	HENRY W MOORE SCH	CANDIA	04/07/21	ND
0365020-501	M AND C CHILDRENS LEARNING PL	CANDIA	05/24/21	ND
0365040-001	REMINGTON EDUC CENTER	CANDIA	03/15/21	4.89
0366040-001	BIRCHWOOD PLAZA	CANDIA	01/25/21	ND
0374010-102	CANTERBURY SPRUCES HOUSING	CANTERBURY	01/20/21	ND
0375010-002	CANTERBURY ELEMENTARY SCH	CANTERBURY	01/20/21	ND
0381010-514	CARROLL WATER WORKS	CARROLL	10/24/19	ND
0382010-001	ROSEBROOK WATER	CARROLL	01/28/21	ND
0382010-002	ROSEBROOK WATER	CARROLL	01/28/21	ND
0396020-000	SENTERS MARKET CONDOS	CENTER HARBOR	04/14/21	15.00
0398030-001	CENTER HARBOR INN	CENTER HARBOR	12/08/16	4.60
0411010-004	CHARLESTOWN WATER WORKS	CHARLESTOWN	01/04/21	ND
0411010-005	CHARLESTOWN WATER WORKS	CHARLESTOWN	01/04/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0411010-502	CHARLESTOWN WATER WORKS	CHARLESTOWN	04/28/21	5.62
0411020-511	NORTH CHARLESTOWN WATER DEPT	CHARLESTOWN	01/04/21	ND
0411020-512	NORTH CHARLESTOWN WATER DEPT	CHARLESTOWN	01/04/21	ND
0412010-000	MEADOWVIEW APTS	CHARLESTOWN	08/04/20	ND
0413020-504	CONNECTICUT RIVER MHP	CHARLESTOWN	07/15/20	ND
0413030-501	WINDY ACRES	CHARLESTOWN	08/04/20	ND
0419010-501	LIFE FLLWSP FOURSQRE CHURCH	CHARLESTOWN	01/20/21	ND
043020-511	OLDE TOWNE	ALLENSTOWN	09/23/20	ND
043040-505	CATAMOUNT HILL	ALLENSTOWN	03/25/20	ND
0432010-501	VILLAGES AT CHESTER CONDOS	CHESTER	10/22/19	ND
0432020-502	OAK HILL	CHESTER	03/08/21	ND
0432030-502	CHESTER BROOK	CHESTER	05/18/21	ND
0432040-501	PEU/SHAKER HEIGHTS	CHESTER	02/12/20	ND
0435060-501	CHESTER ACADEMY	CHESTER	04/13/21	ND
0435070-001	PLAY LAUGH N GROW	CHESTER	10/03/19	ND
0435080-501	CHESTERBROOK SCH OF NTRL LRNG	CHESTER	03/17/21	ND
0437020-503	WASON POND COMMUNITY CENTER	CHESTER	02/10/20	ND
0438010-001	SHAKER HEIGHTS PROF PLAZA	CHESTER	05/25/16	ND
0445010-004	CHESTERFIELD CENTRAL SCH	CHESTERFIELD	12/18/21	ND
0446020-502	UNITED NATURAL FOODS	CHESTERFIELD	04/21/21	ND
0446030-501	NORTHEAST HOME LOAN	CHESTERFIELD	12/29/20	ND
0449040-001	FEDEX FACILITY	CHESTERFIELD	12/29/20	ND
04653020-001	ROBINSONS MHP/UPPER	CHICHESTER	02/03/21	ND
0455010-501	CHICHESTER CENTRAL SCH	CHICHESTER	12/07/20	ND
0456010-502	CAMPING WORLD OF NEW HAMPSHIRE	CHICHESTER	04/22/21	ND
0461010-002	CLAREMONT WATER DEPT	CLAREMONT	02/04/20	ND
0461010-002	CLAREMONT WATER DEPT	CLAREMONT	02/04/20	ND
0481010-503	COLEBROOK WATER WORKS	COLEBROOK	03/18/21	ND
0481010-504	COLEBROOK WATER WORKS	COLEBROOK	03/18/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0493020-002	MOUNTAIN VIEW PARK ESTATES	COLUMBIA	03/19/21	ND
0505010-002	SHAKER RD SCH	CONCORD	02/11/21	ND
0501010-002	CONCORD WATER DEPT	CONCORD	04/16/20	ND
0501010-504	CONCORD WATER DEPT	CONCORD	04/16/20	ND
0501010-505	CONCORD WATER DEPT	CONCORD	08/12/20	2.69
0501010-506	CONCORD WATER DEPT	CONCORD	04/16/20	ND
0501010-507	CONCORD WATER DEPT	CONCORD	04/16/20	ND
0511010-501	CONWAY VILLAGE FIRE DIST	CONWAY	08/04/20	ND
0511010-502	CONWAY VILLAGE FIRE DIST	CONWAY	08/04/20	ND
0511030-503	NORTH CONWAY WATER PCT	CONWAY	03/18/21	ND
0511030-508	NORTH CONWAY WATER PCT	CONWAY	03/18/21	ND
0511030-509	NORTH CONWAY WATER PCT	CONWAY	03/18/21	ND
0511030-510	NORTH CONWAY WATER PCT	CONWAY	03/18/21	ND
0512030-500	CATHEDRAL LEDGE	CONWAY	04/06/21	ND
0512050-000	ECHO LAKE WOODS	CONWAY	03/10/20	ND
0512060-501	FOREST EDGE	CONWAY	12/03/20	ND
0512070-001	FOREST PARK VILLAGE	CONWAY	03/12/20	ND
0512080-501	REBECCA LANE WATER SYS	CONWAY	03/17/20	ND
0512110-502	NORTH PINES	CONWAY	04/06/21	ND
0512120-501	SACO RIVER FOREST	CONWAY	03/03/21	ND
0512130-501	WOODLAND GROVE	CONWAY	03/10/20	ND
0512140-002	SOUTH PINES	CONWAY	03/17/20	ND
0512150-501	DEERBROOK CONDOS	CONWAY	03/03/21	4.83
0512170-501	OAKWOOD HEIGHTS	CONWAY	12/02/20	ND
0512180-502	SACO PINES	CONWAY	03/10/20	ND
0512190-001	BROOK VIEW VILLAGE	CONWAY	03/03/21	2.83
0512200-503	CEDAR CREEK	CONWAY	10/17/19	ND
0512200-503	CEDAR CREEK	CONWAY	03/10/20	ND
0512210-501	NEAR LEDGE	CONWAY	03/12/20	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0512230-502	MELODY PINES CONDOS	CONWAY	03/17/20	ND
0512240-506	ROCKHOUSE MOUNTAIN	CONWAY	03/18/21	ND
0512240-508	ROCKHOUSE MOUNTAIN	CONWAY	03/18/21	ND
0512250-501	SACO WOODS CONDOS	CONWAY	03/12/20	ND
0512260-502	DAVIS HILL	CONWAY	12/04/20	ND
0512270-501	HALE ESTATES	CONWAY	10/24/19	ND
0513100-501	MOUNTAIN VALE VILLAGE MHP	CONWAY	05/24/21	2.64
0515010-001	CONWAY COMMUNITY BLDG	CONWAY	09/20/16	ND
0515020-001	NEW PINE TREE SCH	CONWAY	01/26/21	ND
0515040-501	LITTLE HANDS BIG DREAMS	CONWAY	01/29/21	ND
0516020-501	NORTHERN HUMAN SVCS	CONWAY	12/22/20	ND
0516030-001	CONWAY MUNICIPAL CENTER	CONWAY	12/04/20	ND
0516040-001	LUPINE	CONWAY	10/23/19	ND
0519020-002	CONWAY TOWN HALL	CONWAY	12/03/20	ND
0525010-502	CORNISH ELEM SCH	CORNISH	03/12/21	24.80
0545010-001	CROYDON VILLAGE SCH	CROYDON	12/18/20	ND
0575010-001	DANBURY ELEMENTARY SCH	DANBURY	12/30/20	ND
0578060-001	DANBURY COUNTRY STORE	DANBURY	12/08/16	ND
0582010-501	COLBY POND	DANVILLE	03/09/21	ND
0583010-502	SPRUCE VALLEY MHP	DANVILLE	05/07/21	2.12
0583020-005	IRON WHEEL MHP	DANVILLE	04/15/21	14.8
0583020-006	IRON WHEEL MHP	DANVILLE	04/15/21	9.29
0583020-501	IRON WHEEL MHP	DANVILLE	04/14/21	3.03
0583030-506	COTTON FARMS MHP	DANVILLE	03/17/21	2.79
0583030-510	COTTON FARMS MHP	DANVILLE	03/17/21	7.29
0583050-505	ROCK RIMMON COOPERATIVE	DANVILLE	04/14/21	2.54
0585010-502	DANVILLE ELEMENTARY	DANVILLE	04/12/21	3.06
0594010-003	CORNERSTONE PLACE	DEERFIELD	05/03/21	3.23
0594020-501	INN AT DEERFIELD	DEERFIELD	01/04/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0594030-001	SHERBURN WOODS	DEERFIELD	12/05/20	0.70
0595010-501	GEORGE B WHITE BLDG	DEERFIELD	05/20/21	5.90
0595020-501	DEERFIELD COMMUNITY SCH	DEERFIELD	12/05/19	ND
0595040-001	LONGVIEW SCH	DEERFIELD	11/21/19	ND
0603010-502	LONGWOODS MHP	DEERING	04/26/21	2.49
0603020-001	JOHNSON CITY MHP	DEERING	01/29/20	ND
0605010-501	ROBIN HILL FARM/BLUE HOUSE	DEERING	03/16/21	ND
0607030-503	HIS MANSION DIN HALL	DEERING	01/21/21	ND
0609010-501	HIS MANSION NEW BEGINNING	DEERING	01/21/21	ND
0612040-501	BARKLAND ACRES	DERRY	03/18/21	9.02
0612050-000	MORNINGSIDE DRIVE	DERRY	05/18/21	15.1
0612070-502	GLEN RIDGE DEV	DERRY	04/16/21	4.50
0612110-501	PEU/FARMSTEAD ACRES	DERRY	10/02/19	ND
0612140-004	HI AND LO ESTATES	DERRY	04/19/21	6.99
0612150-504	DREW WOODS	DERRY	04/19/21	4.40
0612160-001	WOODLAND AT DERRY	DERRY	07/27/16	ND
0612170-502	MAPLE HAVEN	DERRY	10/02/19	1.90
0612210-503	OLD COACH VILLAGE	DERRY	08/25/20	6.81
0612220-501	AUTUMN WOODS	DERRY	04/23/21	2.94
0612230-501	RAND SHEPARD HILL	DERRY	04/02/21	6.98
0612240-501	WILLOW BEND	DERRY	12/26/20	ND
0613010-001	ANNIE OAKLEY	DERRY	04/08/21	5.27
0613030-501	RUNNING BROOK	DERRY	05/01/21	6.86
0613060-513	CENTENNIAL ESTATES	DERRY	05/18/21	12.1
0615060-501	E DERRY MEMORIAL ELEM SCH	DERRY	04/02/21	3.05
0616040-511	BROOKSTONE PARK/EAST	DERRY	03/12/21	10.60
0618150-501	COWBELL CORNERS	DERRY	12/29/20	4.36
0651010-003	DOVER WATER DEPT	DOVER	03/11/21	ND
0651010-005	DOVER WATER DEPT - WELL NOT IN USE	DOVER	10/13/16	82.00



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0651010-007	DOVER WATER DEPT - WELL NOT IN USE	DOVER	07/05/18	106.00
0651010-502	DOVER WATER DEPT	DOVER	03/11/21	ND
0651010-505	DOVER WATER DEPT	DOVER	03/12/21	ND
0651010-515	DOVER WATER DEPT	DOVER	03/11/21	ND
0651010-517	DOVER WATER DEPT	DOVER	03/11/21	3.98
0655030-501	MISS PATTYS CHILDCARE	DOVER	02/03/21	ND
0664010-502	DUBLIN CHRISTIAN ACADEMY	DUBLIN	12/01/20	ND
0664010-503	DUBLIN CHRISTIAN ACADEMY	DUBLIN	12/01/20	ND
0664020-501	DUBLIN SCHOOL	DUBLIN	10/10/19	2.19
0665010-501	DUBLIN CONSOLIDATED SCH	DUBLIN	04/27/21	4.62
0665030-501	PHOENIX HOUSE DUBLIN CENTER	DUBLIN	03/16/21	ND
0665050-501	MOUNTAIN SHADOWS SCH	DUBLIN	01/20/21	ND
0666010-501	YANKEE PUBLISHING	DUBLIN	03/31/21	2.23
0666030-501	DUBLIN VILLAGE PARK	DUBLIN	04/21/21	2.28
0685010-502	DUNBARTON ELEMENTARY SCH	DUNBARTON	12/27/20	ND
0691010-002	UNH/DURHAM WATER SYS	DURHAM	03/16/21	ND
0691010-003	UNH/DURHAM WATER SYS	DURHAM	03/08/21	ND
0691010-005	UNH/DURHAM WATER SYS	DURHAM	03/08/21	ND
0691010-501	UNH/DURHAM WATER SYS	DURHAM	05/22/20	2.02
0691010-502	UNH/DURHAM WATER SYS	DURHAM	03/16/21	1.95
0692010-501	JOHNSON CREEK	DURHAM	11/25/19	ND
0692020-501	STAGECOACH FARMS	DURHAM	04/15/21	ND
0694010-501	BROOKDALE SPRUCE WOOD	DURHAM	04/12/21	2.13
0702010-003	BARTON MHP	EAST KINGSTON	12/18/20	ND
0702020-003	BRANDYWINE	EAST KINGSTON	10/22/19	ND
0702020-501	BRANDYWINE	EAST KINGSTON	04/14/21	ND
0702030-502	MAPLEVALE AND CRICKET HILL	EAST KINGSTON	05/18/21	4.66
0702040-504	COUNTRY HILLS OF EAST KINGSTON	EAST KINGSTON	02/21/20	ND
0705020-502	E KINGSTON ELEMENTARY SCH	EAST KINGSTON	05/18/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0708040-501	POWWOW JUNCTION	EAST KINGSTON	12/18/20	ND
0732020-502	GREEN MOUNTAIN TREATMENT CTR	EFFINGHAM	02/04/21	ND
0732030-000	LOST VALLEY	EFFINGHAM	03/17/20	ND
0732040-503	18 HUGHES LN	EFFINGHAM	02/10/21	ND
0735030-001	EFFINGHAM ELEMENTARY SCH	EFFINGHAM	12/14/20	ND
0751010-002	ENFIELD WATER DEPT	ENFIELD	09/15/20	ND
0751010-003	ENFIELD WATER DEPT	ENFIELD	09/15/20	ND
0751010-005	ENFIELD WATER DEPT	ENFIELD	09/15/20	ND
0751010-504	ENFIELD WATER DEPT	ENFIELD	09/15/20	ND
0752020-001	LAKEVIEW CONDOS	ENFIELD	01/05/21	ND
0752020-002	LAKEVIEW CONDOS	ENFIELD	11/06/19	ND
0753010-001	WILSONS MHP	ENFIELD	03/27/21	ND
0753020-502	DANIELS ACRES	ENFIELD	12/03/19	ND
0753030-501	LOWER SHAKER VILLAGE	ENFIELD	03/11/20	ND
0753030-501	LOWER SHAKER VILLAGE	ENFIELD	10/02/19	ND
0761010-507	EPPING WATER AND SEWER DEPT	EPPING	01/21/20	ND
0761010-514	EPPING WATER AND SEWER DEPT	EPPING	01/21/20	ND
0762040-501	MELLING GLEN	EPPING	04/01/20	ND
0762050-502	GOVERNORS GREEN	EPPING	04/01/20	ND
0762070-502	PLUMER COURT	EPPING	01/05/21	ND
0762080-501	VILLAGES ON THE LAMPREY	EPPING	04/14/21	6.08
0762120-502	WOODLANDS	EPPING	02/12/20	ND
0763010-501	EVANS TRAILER PARK	EPPING	10/01/19	ND
0771010-501	EPSOM VILLAGE DIST	EPSOM	04/20/21	2.45
0771010-502	EPSOM VILLAGE DIST	EPSOM	04/20/21	8.49
0771020-500	KINGS GRANT	EPSOM	12/18/20	ND
0773010-504	KINGS TOWNE MHP	EPSOM	11/16/20	ND
0773020-002	COLBY BROOK ESTATES	EPSOM	12/29/20	6.44
0773020-504	COLBY BROOK ESTATES	EPSOM	05/18/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0773030-504	SHELTERING PINES MHP	EPSOM	05/18/21	3.82
0774010-001	EPSOM HEALTHCARE CTR	EPSOM	02/05/21	ND
0774030-002	MEADOW BROOK	EPSOM	01/27/21	ND
0775020-511	EPSOM MED CTR	EPSOM	12/05/20	ND
0781010-501	ERROL WATER WORKS	ERROL	03/09/21	ND
0801010-002	EXETER WATER DEPT	EXETER	08/05/20	2.35
0801010-003	EXETER WATER DEPT	EXETER	08/05/20	5.13
0801010-004	EXETER WATER DEPT	EXETER	08/05/20	2.60
0801010-507	EXETER WATER DEPT	EXETER	08/05/20	ND
0802010-001	PICKPOCKET WOODS	EXETER	04/12/21	1.90
0802020-001	EXETER HIGHLANDS	EXETER	04/21/21	2.00
0802030-000	LOUISBURG CIRCLE	EXETER	03/17/21	8.03
0802040-501	PEU/FOREST RIDGE	EXETER	02/12/20	ND
0803020-502	EXETER RIVER MOBILE HOME PARK	EXETER	04/20/21	2.66
0803030-501	LANDING AT EXETER RIVER	EXETER	04/20/21	ND
0803040-501	BEECH HILL PARK	EXETER	04/20/21	4.26
0803050-501	ICEY HILL COOPERATIVE	EXETER	01/18/21	3.36
0804010-001	EXETER HOSPITAL/SLEEP MED - WELL NOT IN USE	EXETER	08/03/16	7.00
0804010-001	EXETER HOSPITAL/SLEEP MED - WELL NOT IN USE	EXETER	08/03/16	7.00
0804020-001	EXETER HOSPITAL	EXETER	08/03/16	4.00
0805010-501	BUILDING BLOCK COMMONS	EXETER	04/01/21	2.14
0805030-501	EXETER UNITED METHODIST CHURCH	EXETER	10/23/19	ND
0805040-501	EXETER HIGH SCH	EXETER	03/17/21	ND
0811010-504	FARMINGTON WATER DEPT	FARMINGTON	03/05/20	ND
0811010-506	FARMINGTON WATER DEPT	FARMINGTON	03/05/20	ND
0821010-501	FITZWILLIAM VILLAGE/PRIGGE	FITZWILLIAM	04/21/21	2.18
0821010-511	FITZWILLIAM VILLAGE/LAUGHNER	FITZWILLIAM	02/19/21	ND
0821010-512	FITZWILLIAM VILLAGE/LAUGHNER	FITZWILLIAM	02/18/21	ND
0821010-511	FITZWILLIAM VILLAGE/MASSIN	FITZWILLIAM	02/19/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0823010-001	20 JAFFREY RD	FITZWILLIAM	04/15/21	5.95
0825010-501	GEORGE S EMERSON ELEM SCH	FITZWILLIAM	03/12/21	4.81
0827070-001	MEADOWOOD ASSEMBLY HALL	FITZWILLIAM	07/05/16	ND
0831010-505	FRANCESTOWN VILLAGE WATER	FRANCESTOWN	03/03/20	ND
0832010-501	CROTCHED MOUNTAIN MNTNC	FRANCESTOWN	10/30/19	ND
0835010-501	FRANCESTOWN ELEMENTARY SCH	FRANCESTOWN	10/30/19	ND
0841010-501	FRANCONIA VILLAGE WATER	FRANCONIA	03/03/20	ND
0841020-004	MITTERSILL WATER DEPT	FRANCONIA	03/03/20	ND
0841020-005	MITTERSILL WATER DEPT	FRANCONIA	03/03/20	ND
0851010-001	FRANKLIN WATER WORKS	FRANKLIN	03/27/21	ND
0851010-002	FRANKLIN WATER WORKS	FRANKLIN	03/27/21	ND
0851010-003	FRANKLIN WATER WORKS	FRANKLIN	03/27/21	ND
0851010-004	FRANKLIN WATER WORKS	FRANKLIN	03/27/21	ND
0861010-501	FREEDOM VILLAGE WATER PRECINCT	FREEDOM	03/10/20	ND
0862010-501	LOV WATER	FREEDOM	03/16/20	ND
0862020-501	PINE LANDING CONDOS	FREEDOM	02/03/21	3.01
0862030-503	FREEDOM VILLAGE CONDOS	FREEDOM	03/16/20	ND
0872010-501	GOVERNORS FOREST	FREMONT	12/21/20	ND
0872020-501	BLACKROCKS VILLAGE	FREMONT	03/09/21	ND
0874020-501	COLONIAL POPLIN NURSING HOME	FREMONT	04/01/21	11.3
0875010-502	ELLIS SCHOOL - BEFORE TREATMENT WAS INSTALLED	FREMONT	10/01/19	15.50
0875010-503	ELLIS SCHOOL - AFTER TREATMENT WAS INSTALLED	FREMONT	04/21/21	ND
0875030-501	COUNTRY CLUB FOR KIDS	FREMONT	04/21/21	4.61
0875040-001	BARNYARD BUDDIES	FREMONT	12/18/20	ND
0876030-001	COOPERS CORNER/EAST	FREMONT	2/20/2020	ND
0878020-001	FREMONT PIZZERIA RESTAURANT	FREMONT	02/09/18	12.00
0881010-003	GILFORD VILLAGE WATER DIST	GILFORD	11/16/16	ND
0881010-004	GILFORD VILLAGE WATER DIST	GILFORD	11/16/16	ND
0881010-005	GILFORD VILLAGE WATER DIST	GILFORD	11/16/16	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0881010-503	ABENAKI WATER/GILFORD VILLAGE	GILFORD	01/18/21	ND
0881020-010	GUNSTOCK ACRES VILL DIST	GILFORD	04/26/21	ND
0881020-505	GUNSTOCK ACRES VILL DIST	GILFORD	04/26/21	ND
0882010-001	CHALET VILLAGE	GILFORD	10/11/19	ND
0882020-501	GILFORD FOREST ESTATES	GILFORD	02/12/21	ND
0882040-002	LIBERTY HIGHLANDS WATER	GILFORD	01/20/21	ND
0882050-001	BRAKE HILL ACRES	GILFORD	03/02/20	ND
0882050-002	BRAKE HILL ACRES	GILFORD	03/02/20	ND
0882060-502	WINNSTOCK CONDOS	GILFORD	01/25/21	ND
0882080-001	CHERRY VALLEY CONDOS	GILFORD	10/11/19	ND
0882090-001	GUNSTOCK GLEN WATER	GILFORD	03/02/20	ND
0882100-511	BELKNAP HEIGHTS WATER	GILFORD	01/20/21	ND
0882130-503	BROADVIEW CONDOS	GILFORD	10/01/19	ND
0882140-003	MARINA BAY CONDOS I AND II	GILFORD	01/08/21	ND
0882150-502	LAKE SHORE PARK	GILFORD	01/18/21	ND
0882160-500	SAMOSET AT WINNI	GILFORD	01/20/21	ND
0882170-001	COUNTRY VILLAGE WAY	GILFORD	12/05/20	ND
0882180-502	BROOKSIDE CROSSING	GILFORD	12/05/19	ND
0882190-502	DOCKHAM SHORES ESTATES	GILFORD	03/02/20	ND
0882220-101	BRETTON WOODS DEV	GILFORD	01/20/21	ND
0882410-501	HAMPSHIRE VILLAGE	GILFORD	01/20/21	ND
0882420-501	STONEWALL VILLAGE	GILFORD	03/25/21	ND
0882210-502	GILFORD MEADOWS	GILFORD	11/11/19	ND
0883010-501	OLD LAKE SHORE	GILFORD	12/11/20	ND
0883030-505	MOUNTAIN VIEW HOUSING	GILFORD	11/05/19	ND
0883040-503	LRMHV	GILFORD	01/27/21	ND
0883060-501	EDGE OF WOODS	GILFORD	10/22/19	ND
0885010-001	GILFORD ELEMENTARY SCH	GILFORD	12/29/20	ND
0885020-003	GILFORD MIDDLE AND HIGH SCH	GILFORD	01/27/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0885050-501	GILFORD PROFESSIONAL PARK	GILFORD	01/27/21	ND
0886040-001	UNDER HIS WING PRESCHOOL	GILFORD	01/27/21	ND
0886120-002	VILLAGE WEST I	GILFORD	03/25/21	ND
0886150-501	GILFORD MUNICIPAL BLDG COMPLEX	GILFORD	03/25/21	6.82
0886170-501	VILLAGE WEST II	GILFORD	11/15/19	ND
0886190-501	NHDOS MARINE PATROL	GILFORD	03/17/21	ND
0887050-001	GUNSTOCK AREA	GILFORD	04/28/21	ND
0887050-002	GUNSTOCK AREA	GILFORD	04/28/21	ND
0887150-001	MEADOWBROOK/CONFERENCE CENTER	GILFORD	12/08/16	ND
0888390-001	AIRPORT COUNTRY STORE	GILFORD	12/08/16	ND
0895010-002	GILMANTON ELEMENTARY SCH	GILMANTON	04/29/21	2.12
0905010-001	GILSUM ELEMENTARY SCH	GILSUM	12/29/20	ND
0906010-501	WS BADGER CO	GILSUM	07/20/20	ND
0911010-004	GOFFSTOWN VILLAGE PCT	GOFFSTOWN	03/03/20	ND
0911010-501	GOFFSTOWN VILLAGE PCT	GOFFSTOWN	03/03/20	ND
0911010-502	GOFFSTOWN VILLAGE PCT	GOFFSTOWN	03/03/20	ND
0912020-502	ORCHARD HIGHLANDS	GOFFSTOWN	10/23/19	ND
0912040-501	BRIAR COURT ESTATES	GOFFSTOWN	05/24/21	2.08
0912050-502	MT LAUREL ESTATES	GOFFSTOWN	04/06/21	3.95
0915020-501	LEARN AS WE PLAY CHLD CARE CTR	GOFFSTOWN	10/23/19	ND
0921010-005	GORHAM WATER AND SEWER DEPT	GORHAM	01/24/20	ND
0921010-501	GORHAM WATER AND SEWER DEPT	GORHAM	01/24/20	ND
0921020-501	GORHAM HILL SPRING	GORHAM	01/24/20	ND
0926010-502	ANDRO RANGER STATION	GORHAM	04/15/21	1.80
0951010-506	VILLAGE DIST OF EASTMAN	GRANTHAM	01/22/20	ND
0952020-001	GRAY LEDGES	GRANTHAM	04/08/21	ND
0955010-001	GRANTHAM VILLAGE SCH	GRANTHAM	12/31/20	ND
0956040-001	GRANTHAM GREENWAY	GRANTHAM	11/05/19	ND
0972010-010	CROTCHED MOUNTAIN REHAB CENTER	GREENFIELD	04/02/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
0972010-011	CROTCHED MOUNTAIN REHAB CENTER	GREENFIELD	04/02/21	ND
0972010-512	CROTCHED MOUNTAIN REHAB CENTER	GREENFIELD	04/02/21	ND
0972010-517	CROTCHED MOUNTAIN REHAB CENTER	GREENFIELD	04/02/21	ND
0974010-502	GREENFIELD COMMONS	GREENFIELD	04/22/21	ND
0975020-501	GREENFIELD ELEMENTARY SCH	GREENFIELD	12/04/20	ND
0987050-001	BREAKFAST HILL GOLF CLUB	GREENLAND	07/11/16	25.00
0991010-001	GREENVILLE WATER DEPT	GREENVILLE	02/01/20	ND
0993030-501	FROST TRAILER PARK	GREENVILLE	02/18/21	ND
1021010-501	HALES LOCATION	HALES LOCATION	03/02/21	2.31
1031010-007	HAMPSTEAD AREA WATER	HAMPSTEAD	03/09/21	3.34
1031010-013	HAMPSTEAD AREA WATER	HAMPSTEAD	03/09/21	ND
1031010-020	HAMPSTEAD AREA WATER	HAMPSTEAD	03/25/21	3.32
1031010-502	HAMPSTEAD AREA WATER	HAMPSTEAD	03/09/21	7.48
1031010-504	HAMPSTEAD AREA WATER	HAMPSTEAD	03/09/21	3.7
1031010-510	HAMPSTEAD AREA WATER	HAMPSTEAD	03/09/21	ND
1031010-512	HAMPSTEAD AREA WATER	HAMPSTEAD	03/09/21	5.61
1031010-515	HAMPSTEAD AREA WATER	HAMPSTEAD	05/17/21	4.4
1031010-522	HAMPSTEAD AREA WATER	HAMPSTEAD	03/09/21	4.04
1031010-523	HAMPSTEAD AREA WATER	HAMPSTEAD	03/09/21	9.33
1031010-524	HAMPSTEAD AREA WATER	HAMPSTEAD	11/11/19	3.30
1031010-525	HAMPSTEAD AREA WATER	HAMPSTEAD	05/18/21	2.43
1031010-526	HAMPSTEAD AREA WATER	HAMPSTEAD	03/09/21	5.86
1031010-527	HAMPSTEAD AREA WATER	HAMPSTEAD	11/11/19	ND
1031010-528	HAMPSTEAD AREA WATER	HAMPSTEAD	03/09/21	ND
1031010-529	HAMPSTEAD AREA WATER	HAMPSTEAD	03/15/21	4.90
1031010-530	HAMPSTEAD AREA WATER	HAMPSTEAD	03/09/21	3.60
1032070-001	COACH RUN CONDOS	HAMPSTEAD	05/07/21	2.37
1032090-501	GLENWOOD NORTH	HAMPSTEAD	12/03/20	ND
1034010-501	HAMPSTEAD HOSPITAL	HAMPSTEAD	02/19/21	3.26



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1035020-501	AGES AND STAGES HAMPSTEAD	HAMPSTEAD	04/26/21	5.12
1035040-501	HAMPSTEAD MIDDLE SCH - PFAS TREATMENT INSTALLED	HAMPSTEAD	03/17/21	ND
1035050-001	HAMPSTEAD ACADEMY	HAMPSTEAD	05/20/21	3.81
1035110-501	HAZEL DRIVE KIDS	HAMPSTEAD	03/17/21	2.61
1036010-501	HAMPSTEAD SHOPPERS VILLAGE	HAMPSTEAD	03/13/21	8.24
1036040-001	STAGE ROAD JUNCTION	HAMPSTEAD	03/17/21	ND
1036080-001	RAM PRINTING	HAMPSTEAD	01/14/21	2.15
1036090-002	THUNDERLINE Z	HAMPSTEAD	03/24/21	12.5
1042010-501	MEADOWS AT GRAPEVINE RUN	HAMPTON FALLS	01/13/21	ND
1045010-001	LINCOLN AKERMAN SCH	HAMPTON FALLS	03/17/21	2.13
1045040-501	HERONFIELD ACADEMY	HAMPTON FALLS	11/18/19	ND
1046050-502	CRN REALTY	HAMPTON FALLS	11/25/19	ND
1048120-002	153 LAFAYETTE RD WATER SYSTEM	HAMPTON FALLS	03/22/18	23.00
1051010-504	AQUARION WATER/NH	HAMPTON	04/14/21	3.71
1051010-508	AQUARION WATER/NH	HAMPTON	07/13/20	2.48
1051010-511	AQUARION WATER/NH	HAMPTON	11/20/20	ND
1051010-521	AQUARION WATER/NH	HAMPTON	01/11/21	2.34
1051010-529	AQUARION WATER/NH	HAMPTON	01/11/21	3.08
1051010-531	AQUARION WATER/NH	HAMPTON	07/13/20	2.24
1051010-536	AQUARION WATER/NH	HAMPTON	02/10/21	5.87
1053010-002	FOUR SEASONS MOBILE HOME PARK	HAMPTON	01/15/20	ND
1053020-504	HEMLOCK HAVEN	HAMPTON	01/15/20	ND
1053030-502	TAYLOR RIVER ESTATES	HAMPTON	04/12/21	4.95
106010-502	ROCHESTER SHOE TREE	ASHLAND	09/24/20	ND
1061010-501	HANCOCK WATER WORKS	HANCOCK	02/11/20	ND
1071010-511	HANOVER WATER DEPT	HANOVER	01/08/20	ND
1075010-001	HAMPSHIRE COOP NURSERY SCH	HANOVER	12/18/20	ND
1075020-501	MONTESSORI CHILDRENS SCH	HANOVER	03/17/20	ND
1085010-001	WELLS MEMORIAL SCH	HARRISVILLE	03/12/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1085020-502	CHESHIRE MILLS BOARDING HOUSE	HARRISVILLE	01/27/21	3.62
1086010-502	HISTORIC HARRISVILLE	HARRISVILLE	03/31/21	7.08
1097020-002	CNSP DRY RIVER CAMPGROUND	HARTS LOCATION	09/19/16	ND
1101010-501	PRECINCT OF HAVERHILL CORNER	HAVERHILL	11/26/19	ND
1101020-501	NO HAVERHILL WATER AND LIGHT	HAVERHILL	02/25/20	ND
1101040-002	WOODSVILLE WATER AND LIGHT	HAVERHILL	02/25/20	ND
1101050-001	MOUNTAIN LAKES WATER DEPT	HAVERHILL	11/30/20	ND
1101050-004	MOUNTAIN LAKES WATER DEPT	HAVERHILL	11/30/20	ND
1102020-001	FRENCH POND ESTATES	HAVERHILL	02/25/20	ND
1105010-511	OLIVERIAN EAST CAMPUS	HAVERHILL	04/02/21	ND
1155020-001	BECKET HOUSE AT HALL FARM	HAVERHILL	04/02/21	ND
1107030-001	OLIVERIAN SCH	HAVERHILL	04/02/21	ND
1112010-002	STONEGATE ACRES	HEBRON	02/26/21	ND
1113010-503	HILLSIDE INN CONDOS	HEBRON	02/12/20	ND
1113010-504	HILLSIDE INN CONDOS	HEBRON	02/12/20	ND
1121010-004	COGSWELL SPRINGS WATER WORKS	HENNIKER	03/18/21	ND
1121010-005	COGSWELL SPRINGS WATER WORKS	HENNIKER	03/18/21	ND
1123020-503	WOOD HILL VILLAGE	HENNIKER	02/03/21	ND
1123020-504	WOOD HILL VILLAGE	HENNIKER	02/03/21	ND
1126030-001	HHP	HENNIKER	04/06/21	ND
1127030-503	PATS PEAK	HENNIKER	03/09/21	ND
1131010-001	HILL WATER WORKS	HILL	09/15/16	ND
1131010-002	HILL WATER WORKS	HILL	01/27/21	ND
1141010-002	HILLSBOROUGH WATER WORKS	HILLSBOROUGH	01/14/20	ND
1141020-001	EMERALD LAKE	HILLSBOROUGH	03/27/20	ND
1141020-506	EMERALD LAKE	HILLSBOROUGH	03/27/20	ND
1141020-512	EMERALD LAKE	HILLSBOROUGH	03/27/20	ND
1145010-501	ROSEWALD FARM	HILLSBOROUGH	10/22/19	ND
1145020-001	HILLSBORO BAPTIST CH	HILLSBOROUGH	03/15/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1151010-503	NORTH HINSDALE WATER DEPT	HINSDALE	02/18/21	ND
1151010-506	NORTH HINSDALE WATER DEPT	HINSDALE	02/19/21	ND
1151020-501	HINSDALE WATER DEPT/DOWNTOWN	HINSDALE	02/18/21	ND
1156010-001	GEORGES FIELD WATER SYSTEM	HINSDALE	3/9/2020	ND
1162010-500	HIGHLAND COLONY	HOLDerness	1/8/2020	ND
1163010-001	TOWN LINE VILLAGE	HOLDerness	12/08/20	ND
1163010-503	TOWN LINE VILLAGE	HOLDerness	12/08/20	ND
1165010-501	WHITE MTN MONT SCH	HOLDerness	01/20/21	ND
1165020-501	HOLDerness CENTRAL SCH	HOLDerness	02/11/20	ND
1167190-001	SLNSC BLUE HERON SCH	HOLDerness	02/11/20	ND
1172020-500	RUNNELLS LANDING	HOLLIS	04/27/21	11.20
1172030-501	SILVER LAKE ESTATES	HOLLIS	11/18/19	ND
1173010-501	PITARYS MOBILE HOME PARK/EAST	HOLLIS	04/26/21	11.40
1173020-503	PITARYS MOBILE HOME PARK/WEST	HOLLIS	04/20/21	6.27
1175030-501	HOLLIS SCH DIST	HOLLIS	11/18/19	ND
1175050-503	HOLLIS BROOKLINE HS	HOLLIS	05/18/21	2.62
1175060-001	HOLLIS MONT SCH	HOLLIS	03/18/21	6.51
1176010-502	HOLLIS VILLAGE MARKET PLACE	HOLLIS	04/27/21	4.72
1176020-501	26 CLINTON DRIVE BLDG	HOLLIS	01/22/20	ND
1176030-001	HOLLIS LINE MACHINE	HOLLIS	11/18/19	ND
1176060-501	DIAMOND CASTING MACHINE	HOLLIS	04/06/21	ND
1176070-001	ULTRASOURCE	HOLLIS	02/25/20	ND
1176080-501	PURITAN PRESS	HOLLIS	04/27/21	9.35
1176090-501	FARM DESIGN	HOLLIS	03/24/21	4.38
1176100-001	18 CLINTON DR BLDG	HOLLIS	05/26/21	3.05
1181020-503	HOOKSETT VILLAGE WATER PCT	HOOKSETT	01/06/20	ND
1181020-504	HOOKSETT VILLAGE WATER PCT	HOOKSETT	01/06/20	ND
1181020-506	HOOKSETT VILLAGE WATER PCT	HOOKSETT	01/06/20	ND
1181020-507	HOOKSETT VILLAGE WATER PCT	HOOKSETT	01/06/20	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1185010-501	PLACES YOULL GROW	HOOKSETT	03/24/21	5.80
1186010-002	198 LONDONDERRY TURNPIKE	HOOKSETT	01/13/21	2.22
1889030-501	NHDOT BURUAU TURNPIKE	HOOKSETT	04/02/21	ND
1191010-501	CONTOOCOOK VILLAGE PCT	HOPKINTON	02/24/20	ND
1191020-001	HOPKINTON VILLAGE PCT	HOPKINTON	02/19/17	ND
1191020-002	HOPKINTON VILLAGE PCT	HOPKINTON	02/19/17	1.00
1191020-003	HOPKINTON VILLAGE PCT	HOPKINTON	03/10/21	ND
1191020-502	HOPKINTON VILLAGE PCT	HOPKINTON	03/10/21	ND
1192010-001	E PENACOOK RD WATER SYS	HOPKINTON	04/23/18	19.80
1193010-501	MEADOWS THE	HOPKINTON	01/29/20	ND
1193020-501	ELM BROOK VILLAGE	HOPKINTON	02/26/21	ND
1193030-000	DEER MEADOWS	HOPKINTON	01/29/20	ND
1195040-001	BEECH HILL SCH	HOPKINTON	02/11/21	ND
1196030-001	MCLANE NORTHEAST	HOPKINTON	02/03/21	ND
1196050-502	YANKEE BOOK PEDDLER	HOPKINTON	02/03/21	ND
1201010-008	HUDSON WATER DEPT	HUDSON	12/11/20	23.10
1201010-501	HUDSON WATER DEPT	HUDSON	04/14/21	7.75
1201010-502	HUDSON WATER DEPT	HUDSON	04/14/21	14.30
1202010-503	FRANCOEUR APT/HUDSON MOTOR INN	HUDSON	05/18/21	2.96
1203010-522	HUDSON MOBILE HOME ESTS	HUDSON	04/20/21	6.45
1205060-001	KIDDIE KONNECTION	HUDSON	03/09/21	15.4
1205070-501	EARLY START LEARNING ACAD	HUDSON	03/17/21	9.53
1211010-501	JACKSON WATER PCT	JACKSON	02/11/20	ND
1212030-501	WILDCAT TOWNHOUSE RESORT	JACKSON	04/05/21	ND
1212050-511	MT JEFFERSON/WASHINGTON CONDOS	JACKSON	02/11/20	ND
1212060-002	ELLIS RIVER VILLAGE	JACKSON	08/23/16	ND
1212080-512	BLACK MOUNTAIN MEADOW CONDOS	JACKSON	03/09/20	ND
1212090-501	HIGH PASTURES AT BLACK MTN	JACKSON	03/12/20	ND
1212110-501	EAGLE MOUNTAIN HOUSE	JACKSON	03/03/21	4.27



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1212130-501	EAGLE BROOK	JACKSON	02/11/20	ND
1212140-001	TYROL WELL A	JACKSON	03/18/20	ND
1212140-001	TYROL WELL A	JACKSON	11/11/19	ND
1218010-001	DANA PLACE	JACKSON	04/05/21	ND
1221010-502	JAFFREY WATER WORKS	JAFFREY	12/01/20	ND
1221010-505	JAFFREY WATER WORKS	JAFFREY	04/27/21	ND
1221010-506	JAFFREY WATER WORKS	JAFFREY	12/01/20	ND
1221010-511	JAFFREY WATER WORKS	JAFFREY	04/27/21	4.64
1241010-005	KEENE WATER DEPT	KEENE	01/29/20	ND
1241010-006	KEENE WATER DEPT	KEENE	01/29/20	ND
1241010-501	KEENE WATER DEPT	KEENE	01/29/20	ND
1241010-502	KEENE WATER DEPT	KEENE	01/29/20	ND
1241010-503	KEENE WATER DEPT	KEENE	01/29/20	ND
1241010-504	KEENE WATER DEPT	KEENE	01/21/21	ND
1245010-001	MONADNOCK WALDORF SCH	KEENE	12/10/20	ND
1255010-502	KENSINGTON ELEMENTARY SCH	KENSINGTON	11/27/20	ND
1256010-003	UNITIL ENERGY SYS	KENSINGTON	4/14/2020	15.7
1256010-503	UNITIL ENERGY SYS	KENSINGTON	04/14/20	9.25
1272010-501	KINGSTON PINES ELDERLY HOUSING	KINGSTON	10/01/19	ND
1272020-501	ANNS LANDING	KINGSTON	10/25/19	ND
1272030-501	LAMPLIGHTER ESTATES	KINGSTON	03/09/21	ND
1272040-500	ROWELL ESTATES	KINGSTON	04/14/21	2.91
1272050-501	COOPERS GROVE	KINGSTON	03/08/21	ND
1272060-501	VILLAGE AT GRAN FIELDS	KINGSTON	05/17/21	ND
1272070-502	KINGS LANDING	KINGSTON	03/09/21	ND
1272080-501	ALL AMERICAN AL	KINGSTON	01/13/21	ND
1275010-501	DANIEL J BAKIE SCH	KINGSTON	03/24/21	ND
1275060-501	SANBORN REGIONAL HIGH SCH	KINGSTON	05/24/21	5.11
1276020-501	266 ROUTE 125	KINGSTON	10/16/19	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1277090-001	COUNTRY SHORE CAMPGROUND	KINGSTON	07/01/19	20.80
1277090-002	COUNTRY SHORE CAMPGROUND	KINGSTON	08/27/19	22.00
1278060-501	CARRIAGE TOWN PLAZA	KINGSTON	05/18/21	5.38
1279010-511	KINGSTON CHILDREN CENTER	KINGSTON	12/18/20	ND
1279040-001	KINGSTON TOWN HALL	KINGSTON	01/04/17	ND
1281010-001	LACONIA WATER WORKS	LACONIA	03/09/21	ND
1282010-501	MOUNTAIN VIEW APTS	LACONIA	04/06/21	ND
1282020-001	WENTWORTH COVE ESTATES	LACONIA	03/02/20	ND
1282030-001	PENDLETON COVE	LACONIA	03/02/20	ND
1282050-500	WINDEMERE RIDGE	LACONIA	03/08/21	ND
1285010-502	LACONIA CHRISTIAN SCH	LACONIA	03/17/21	3.77
1289010-002	PREScott FARM ENVIRON ED CTR	LACONIA	03/05/20	ND
1291010-002	LANCASTER WATER DEPT	LANCASTER	03/31/21	ND
1296010-001	EASTER SEALS YOUTH RES	LANCASTER	03/09/21	ND
1305020-501	LANDAFF BLUE SCH	LANDAFF	12/29/21	ND
1315010-002	FALL MOUNTAIN REGIONAL HS	LANGDON	07/15/20	ND
1315020-002	SARAH PORTER SCH	LANGDON	07/15/20	ND
1321010-002	LEBANON WATER DEPT	LEBANON	01/22/20	ND
1323020-001	MASCOMA MEADOWS	LEBANON	11/05/19	ND
1323030-002	OLYMPIC MOBILE HOME VILL/UPPER	LEBANON	11/05/19	ND
1323040-002	CURRIERS MHP	LEBANON	11/05/19	ND
1323050-001	OLYMPIC MOBILE HOME VILL/LOWER	LEBANON	11/05/19	ND
1332010-001	OYSTER RIVER CONDOS	LEE	01/27/21	ND
1332020-502	DARBY FIELD COMMONS	LEE	04/22/21	4.25
1332030-501	GREYSTONE COMMONS	LEE	03/25/20	ND
1332040-001	CEDAR WOOD ESTATES	LEE	02/19/21	ND
1332050-501	PEU/THURSTON WOODS	LEE	02/12/20	ND
1333010-501	HILL ACRES TRAILER PARK	LEE	04/01/21	ND
1333020-000	PINE KNOLL VILLAGE	LEE	04/29/21	5.49



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1333030-501	EVERGREEN TERRACE	LEE	03/15/21	ND
1333060-501	PACKERS FALLS VILLAGE	LEE	04/21/21	ND
1334010-501	KIRKWOOD CORNERS SENIOR LIVING	LEE	11/25/19	ND
1335010-501	MAST WAY ELEMENTARY SCH	LEE	11/25/19	ND
1335020-001	LIVE AND LEARN DAY CARE	LEE	03/08/21	3.31
1335030-002	GROWING PLACES	LEE	02/03/21	ND
1336020-001	LEE MARKETPLACE	LEE	11/27/19	ND
1336020-002	LEE MARKETPLACE	LEE	11/27/19	ND
1336020-003	LEE MARKETPLACE	LEE	11/27/19	ND
1336030-001	BENUCK AND RAINY	LEE	11/21/20	ND
1339010-501	LEE CONGREGATIONAL CH	LEE	02/03/21	ND
1339030-001	WENTWORTH DOUGLASS MED OFFICE	LEE	03/08/21	16.30
1345010-503	LEMPSTER COMMUNITY SCH	LEMPSTER	05/11/21	9.26
1351010-004	LINCOLN WATER WORKS	LINCOLN	02/04/20	ND
1351010-005	LINCOLN WATER WORKS	LINCOLN	02/04/20	ND
1351010-506	LINCOLN WATER WORKS	LINCOLN	02/04/20	ND
1361010-502	LISBON WATER DEPT	LISBON	02/04/20	ND
1361010-503	LISBON WATER DEPT	LISBON	02/04/20	ND
1372020-001	LITCHFIELD APARTMENTS - WELL NOT IN USE	LITCHFIELD	03/13/16	87.00
1376010-001	LITCHFIELD TECHNOLOGY PARK - WELL NOT IN USE	LITCHFIELD	03/09/16	34.00
1377020-001	MELS FUNWAY PARK - WELL NOT IN USE	LITCHFIELD	03/09/16	57.00
1378010-001	CROFTERS PUB - WELL NOT IN USE	LITCHFIELD	05/06/16	110.00
1378030-001	LITCHFIELD PLAZA - WELL NOT IN USE	LITCHFIELD	04/15/16	92.00
1378050-001	ROMANOS PIZZA - WELL NOT IN USE	LITCHFIELD	04/26/16	23.00
1378060-001	NATICOOK GRILL - WELL NOT IN USE	LITCHFIELD	04/21/16	61.00
1378070-001	LOBSTER BOAT PLZ	LITCHFIELD	02/22/21	ND
1379010-502	TABERNACLE CHRISTIION CH	LITCHFIELD	04/29/21	ND
1381010-002	LITTLETON WATER AND LIGHT DEPT	LITTLETON	09/08/20	ND
1381010-501	LITTLETON WATER AND LIGHT DEPT	LITTLETON	08/19/20	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1386010-501	PEAK THREE	LITTLETON	04/02/21	ND
1392010-500	OAKRIDGE CONDOS	LONDONDERRY	04/27/20	7.55
1392030-512	OLDE COUNTRY VILLAGE	LONDONDERRY	05/18/21	25.6
1392040-501	PEU/PINEHAVEN WATER TRUST	LONDONDERRY	04/13/21	7.64
1392050-501	BOUMIL GROVE CONDOS	LONDONDERRY	04/06/21	3.58
1392070-501	MIDRIDGE CONDOS	LONDONDERRY	05/24/21	16.1
1392130-512	STONEHENGE APARTMENTS	LONDONDERRY	01/11/21	24.40
1392180-502	CENTURY VILLAGE CONDOS	LONDONDERRY	04/13/21	19.2
1392200-501	ROLLING MEADOWS CONDOS I	LONDONDERRY	05/19/21	25.8
1392220-501	ROLLING MEADOWS CONDOS III	LONDONDERRY	05/18/21	17.1
1392230-501	ROLLING MEADOWS CONDOS IV	LONDONDERRY	05/18/21	20.4
1392290-501	PEU/HARVEST VILLAGE	LONDONDERRY	04/13/21	9.15
1392300-001	SOUTHVIEW CONDOS	LONDONDERRY	04/22/21	7.44
1392310-501	PEU/MINISTERIAL/PARRISH HILLS	LONDONDERRY	04/13/21	5.04
1392320-001	BITIM APARTMENTS	LONDONDERRY	12/19/20	8.60
1393050-512	WAGON WHEEL	LONDONDERRY	03/09/21	14.80
1393060-502	PONDEROSA MHP	LONDONDERRY	02/09/21	5.83
1395090-501	CREATIVE LITTLE ANGELS	LONDONDERRY	04/20/21	2.32
1395110-501	28 BUTTRICK RD PROPERTY	LONDONDERRY	03/05/20	ND
1395140-501	VICTORY BAPTIST SCH	LONDONDERRY	03/12/21	ND
1396060-501	HOLTON	LONDONDERRY	05/17/21	10.4
1396060-501	ZOHL WPS INC	LONDONDERRY	02/22/21	9.74
1696070-003	TOWNE SQUARE PROF CONDOS	LONDONDERRY	02/03/21	6.97
1396110-501	REEDS FERRY SMALL BLDG	LONDONDERRY	01/21/21	17.00
1402010-001	FLINTLOCK APTS	LOUDON	01/29/20	ND
1402020-501	VILLAGES AT LOUDON	LOUDON	01/20/21	ND
1402030-001	VOA/NNE SENIOR HOUSING	LOUDON	10/29/19	ND
1403010-501	KOS MANUFACTURED HOUSING CMNTY	LOUDON	01/08/21	ND
1403030-001	FREEDOM HILL/PINE RIDGE	LOUDON	01/13/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1403020-501	PRESIDENTIAL PINES/UPPER	LOUDON	11/14/19	ND
1403040-001	PRESIDENTIAL PINES/LOWER	LOUDON	04/16/21	3.11
1405010-002	LOUDON ELEMENTARY SCH	LOUDON	11/14/19	ND
1407020-001	NH MOTOR SPEEDWAY	LOUDON	09/29/20	ND
1407060-001	NH MOTOR SPEEDWAY/MAIN OFFICE	LOUDON	06/24/20	ND
1431010-001	LYME WATER	LYME	01/05/21	ND
1431010-003	LYME WATER	LYME	01/05/21	ND
1431010-004	LYME WATER	LYME	01/05/21	ND
1432010-001	POND VIEW APTS	LYME	02/03/21	ND
1435030-501	CROSSROADS ACADEMY	LYME	03/01/21	ND
1435040-001	CROSSROADS ACADEMY/NORTH	LYME	03/17/20	ND
1435050-001	LYME NURSERY SCHL	LYME	03/01/21	ND
1436020-501	PATHWAYS ORFORD ROAD RESIDENCE	LYME	10/22/19	ND
1445010-001	LYNDEBOROUGH CENTRAL SCH	LYNDEBOROUGH	03/10/21	6.46
1455010-501	MOHARIMET SCH	MADBURY	12/28/20	ND
1456020-501	MADBURY WOODS APARTMENTS	MADBURY	10/01/19	ND
1456030-501	CARRIAGE HILL AL	MADBURY	02/03/21	ND
1458010-002	LITTLE TREE ED CTR	MADBURY	03/31/21	ND
1461010-011	VILLAGE DISTRICT OF EIDELWEISS	MADISON	02/23/21	ND
1461010-510	VILLAGE DISTRICT OF EIDELWEISS	MADISON	01/25/21	ND
1462040-501	SILVER LAKE LANDING SR HOUSING	MADISON	3/10/2020	ND
1463010-001	BROOKWOOD PARK	MADISON	05/21/21	2.28
1465010-002	MADISON ELEMENTARY SCH	MADISON	01/27/21	ND
1466020-000	MADISON LUMBER MILL	MADISON	10/03/19	ND
1466050-002	MACLEAN PRECISION MACHINE	MADISON	03/03/21	6.65
1471010-001	MANCHESTER WATER WORKS	MANCHESTER	04/14/21	4.13
1471010-003	MANCHESTER WATER WORKS	MANCHESTER	10/31/19	6.14
1472030-501	ROCKWOOD TERRACE CONDOS	MANCHESTER	04/15/21	10.90
1481010-001	MARLBOROUGH WATER WORKS	MARLBOROUGH	03/16/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1481010-504	MARLBOROUGH WATER WORKS	MARLBOROUGH	03/16/21	ND
1482010-501	MARLBOROUGH ESTATES	MARLBOROUGH	10/29/19	ND
1495010-001	JOHN D PERKINS SR ELEM SCH - NO TREATMENT INSTALLED	MARLOW	12/29/20	3.03
1495010-501	JOHN D PERKINS SR ELEM SCH - PFAS TREATMENT INSTALLED	MARLOW	02/03/21	ND
1515010-501	MASON PUBLIC SCH	MASON	12/30/20	ND
1521010-003	MEREDITH WATER DEPT	MEREDITH	01/07/20	ND
1522010-502	PATRICIAN SHORES	MEREDITH	03/09/20	ND
1522020-501	EAST BLUFF HIGHLAND CONDOS	MEREDITH	01/27/21	ND
1522030-001	EAST BLUFF VILLAGE CONDOS	MEREDITH	01/27/21	ND
1522040-002	SANDS OF BROOKHURST	MEREDITH	04/14/21	3.63
1522070-500	PINE HILL COMMUNITY ASSN	MEREDITH	10/22/19	ND
1522090-500	GROUSE POINT CLUB	MEREDITH	12/05/20	ND
1524010-000	FORESTVIEW MANOR	MEREDITH	02/10/21	ND
1525010-001	INTER LAKES HIGH SCH	MEREDITH	02/19/20	ND
1525020-502	INTER LAKES ELEMENTARY SCH	MEREDITH	02/19/20	ND
1531010-003	MERRIMACK VILLAGE DIST	MERRIMACK	04/26/21	20.50
1531010-005	MERRIMACK VILLAGE DIST	MERRIMACK	04/26/21	42.20
1531010-007	MERRIMACK VILLAGE DIST	MERRIMACK	04/26/21	29.50
1531010-008	MERRIMACK VILLAGE DIST	MERRIMACK	04/26/21	13.20
1531010-009	MERRIMACK VILLAGE DIST	MERRIMACK	04/26/21	20.70
1531010-011	MERRIMACK VILLAGE DIST	MERRIMACK	04/26/21	86.60
1531010-504	MERRIMACK VILLAGE DIST	MERRIMACK	02/03/21	27.00
1531010-505	MERRIMACK VILLAGE DIST	MERRIMACK	02/03/21	12.90
1531010-508	MERRIMACK VILLAGE DIST	MERRIMACK	04/26/21	23.40
1531010-509	MERRIMACK VILLAGE DIST	MERRIMACK	04/26/21	ND
1542030-500	PEU/SUNRISE ESTATES	MIDDLETON	02/11/20	ND
1545010-501	MIDDLETON ELEM SCH	MIDDLETON	04/14/21	ND
1553010-001	DEER ESTATES	MILAN	10/24/19	ND
1555010-501	MILAN VILLAGE SCH	MILAN	03/31/21	1.70



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1561010-504	MILFORD WATER UTILITIES DEPT	MILFORD	12/22/20	3.08
1561010-509	MILFORD WATER UTILITIES DEPT	MILFORD	12/22/20	2.74
1562030-503	BADGER HILL	MILFORD	04/26/21	3.20
1562040-501	HERITAGE WAY	MILFORD	04/06/20	ND
1563020-101	FAIRHAVEN MOBILE HOME PARK	MILFORD	04/15/21	ND
1565010-501	LITTLE ARROWS CC SVS	MILFORD	05/20/21	2.02
1566020-001	MILFORD TECHNOLOGY CENTER	MILFORD	04/02/21	22.00
1566040-501	115/119 EMERSON RD	MILFORD	11/20/19	ND
1581010-502	MILTON WATER DIST	MILTON	03/09/21	ND
1581010-504	MILTON WATER DIST	MILTON	03/09/21	ND
1582010-501	SHORTRIDGE ACADEMY	MILTON	10/18/19	ND
1583010-502	PINELAND PARK	MILTON	03/15/20	ND
1585030-001	MILTON CHILDRENS CENTER	MILTON	11/07/19	ND
1586040-001	INDEX PACKAGING	MILTON	02/03/21	ND
1591010-511	MONROE WATER DEPT	MONROE	02/25/20	ND
1591010-512	MONROE WATER DEPT	MONROE	02/25/20	ND
1603010-516	ROLLING ACRES MHP	MONT VERNON	04/27/21	2.01
1605010-501	MONT VERNON VILLAGE SCH	MONT VERNON	03/05/21	4.16
1612010-501	PARADISE SHORES	MOULTONBOROUGH	03/16/20	ND
1612010-508	PARADISE SHORES	MOULTONBOROUGH	03/16/20	ND
1612030-501	FAR ECHO HARBOR	MOULTONBOROUGH	04/23/21	3.18
1612040-500	WEST POINT	MOULTONBOROUGH	03/09/20	ND
1612080-501	WEST WYNDE VILLAGE	MOULTONBOROUGH	04/06/21	ND
1612170-000	JONATHANS LANDING CONDOS	MOULTONBOROUGH	04/26/21	ND
1612200-000	LANDS END	MOULTONBOROUGH	03/09/20	ND
1612210-501	WINDWARD HARBOR CONDOS	MOULTONBOROUGH	02/11/20	ND
1612220-000	HARBOURSIDE ON WINNI	MOULTONBOROUGH	04/06/21	ND
1612230-001	KILNWOOD ON KANASATKA	MOULTONBOROUGH	04/02/21	ND
1612250-511	WENTWORTH ACRES	MOULTONBOROUGH	12/18/20	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1612260-001	CROSSWINDS	MOULTONBOROUGH	04/06/21	ND
1612270-501	STANYAN ROAD	MOULTONBOROUGH	10/15/19	ND
1615010-503	MOULTONBOROUGH CENTRAL SCH	MOULTONBOROUGH	12/03/19	ND
1615020-501	MOULTONBOROUGH ACADEMY	MOULTONBOROUGH	12/18/20	ND
1615030-002	A CHILDS PLACE	MOULTONBOROUGH	02/11/21	ND
1615050-001	RED HILL BUSINESS CENTER	MOULTONBOROUGH	10/10/19	13.10
1616010-000	HARBOR PINES ON LAKE SHORE DR	MOULTONBOROUGH	02/10/21	4.41
1616040-501	CRUCON CRUISE OUTLET	MOULTONBOROUGH	04/15/21	ND
1618240-001	HARBOR SQUARE SHOPPING CENTER	MOULTONBOROUGH	04/20/21	15.30
1621010-001	PENNICHUCK WATER WORKS	NASHUA	05/12/21	ND
1621010-508	PENNICHUCK WATER WORKS	NASHUA	09/21/20	ND
1622010-501	PWW/FARLEY RD ESTATES	NASHUA	10/04/19	ND
1625020-001	SECOND NATURE ACADEMY	NASHUA	03/03/21	5.33
1635010-501	NELSON ELEMENTARY SCH	NELSON	12/21/20	ND
1645010-001	NEW BOSTON ELEMENTARY SCH	NEW BOSTON	11/29/20	ND
1645020-501	STRONG FOUNDATIONS	NEW BOSTON	03/31/21	3.04
1645030-501	CHESTNUT CHRISTIAN PRESCH	NEW BOSTON	03/31/21	ND
1645040-501	ROSE MEADOW ACRES	NEW BOSTON	03/31/21	ND
1646020-001	USAF NH SATELLITE TRACKING STN	NEW BOSTON	04/15/21	9.04
1646020-002	USAF NH SATELLITE TRACKING STN	NEW BOSTON	04/26/21	6.15
1652020-506	CHALK POND WATER	NEWBURY	02/24/20	ND
1652020-506	CHALK POND WATER	NEWBURY	11/18/19	ND
1652050-001	NEWBURY ELDERLY HOUSING	NEWBURY	02/03/21	0.40
1656010-001	NEWBURY HARBOR PLAZA	NEWBURY	03/09/21	ND
1672010-501	MANITOOS SHORES	NEW DURHAM	03/17/21	ND
1672020-504	COPPLE CROWN VILL DIST	NEW DURHAM	04/06/21	ND
1675010-501	NEW DURHAM ELEMENTARY SCH	NEW DURHAM	04/01/21	2.88
1675020-001	7 DEPOT ROAD BEING COOL	NEW DURHAM	12/05/20	ND
1681010-501	NEWFIELDS VLG WATER AND SEWER	NEWFIELDS	07/22/20	3.1



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1681010-501	NEWFIELDS VLG WATER AND SEWER	NEWFIELDS	10/01/19	4.05
1691010-002	NEW HAMPTON VILLAGE PCT	NEW HAMPTON	04/02/21	ND
1691010-003	NEW HAMPTON VILLAGE PCT	NEW HAMPTON	11/06/19	ND
1692030-501	MANSFIELD WOODS	NEW HAMPTON	04/23/21	ND
1712010-501	APPLETON GARDENS	NEW IPSWICH	02/18/21	ND
1712040-511	WILDER VILLAGE CLUSTER	NEW IPSWICH	12/04/20	ND
1713010-504	FREEDOM POND	NEW IPSWICH	02/26/21	5.58
1715020-501	MASCENIC REGIONAL HIGH SCH	NEW IPSWICH	03/19/21	7.97
1715040-500	BOYNTON MIDDLE SCH	NEW IPSWICH	12/30/20	ND
1715060-501	HIGHBRIDGE HILL ELEM SCH	NEW IPSWICH	03/22/21	4.83
1716050-501	VANGUARD MANUFACTURING	NEW IPSWICH	02/19/21	ND
1716060-001	APPLETON BUSINESS CENTER	NEW IPSWICH	02/12/20	ND
1716080-001	WARWICK MILLS	NEW IPSWICH	05/21/21	2.86
1721010-008	NEW LONDON SPRINGFIELD WATER	NEW LONDON	02/05/20	ND
1722010-001	SEASONS AT LAKE SUNAPEE	NEW LONDON	04/08/21	ND
1722020-502	SLOPE N SHORE CLUB	NEW LONDON	02/03/21	ND
1731010-506	NEWMARKET WATER WORKS	NEWMARKET	04/15/20	ND
1731010-507	NEWMARKET WATER WORKS	NEWMARKET	04/15/20	ND
1731010-508	NEWMARKET WATER WORKS	NEWMARKET	04/15/20	ND
1732010-001	MOODY POINT	NEWMARKET	02/23/21	ND
1732020-511	WADE FARM CONDOS	NEWMARKET	04/12/20	ND
1732030-514	GREAT BAY WATER SYSTEM	NEWMARKET	04/13/21	7.43
1741010-502	NEWPORT WATER WORKS	NEWPORT	02/12/20	ND
1741010-503	NEWPORT WATER WORKS	NEWPORT	02/12/20	ND
1742010-001	CARY AND ALLEN ST DEV	NEWPORT	03/24/21	ND
1746020-001	LATVA MACHINE	NEWPORT	03/17/21	ND
1749010-001	KIDS WORLD ACADEMY OF NH	NEWPORT	02/03/21	ND
1752020-501	MEADOWVIEW APARTMENTS	NEWTON	10/02/19	ND
1752030-511	PACKER MEADOWS	NEWTON	10/01/19	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1752070-501	SARGENT WOODS	NEWTON	03/09/21	ND
1753010-502	WILLOW GROVE TRAILER PARK	NEWTON	03/10/20	ND
1755010-001	SANBORN MEM SCH/SEACOST LRNG	NEWTON	03/24/21	ND
1755010-001	SANBORN REGIONAL MIDDLE SCH	NEWTON	12/28/20	ND
1755050-004	NEWTON LEARNING CENTER	NEWTON	05/24/21	6.83
1756040-503	TEREX ENVIRONMENTAL EQUIPMENT	NEWTON	05/24/21	ND
1756050-501	RAVENSBURGER USA	NEWTON	05/26/21	3.62
1762010-501	HIGHLANDS VILLAGE DIST	NORTHFIELD	02/03/21	ND
1763010-502	SODA BROOK	NORTHFIELD	03/17/21	ND
1764010-502	SPAULDING YOUTH CENTER - PFAS TREATMENT	NORTHFIELD	04/02/21	ND
1766030-001	YOUNG ENTERPRISES NH	NORTHFIELD	01/04/21	ND
1767020-001	CANTERBURY CROSSING	NORTHFIELD	01/20/21	ND
1773020-001	SEACOAST CAMPING AND RV RESORT	NORTH HAMPTON	09/26/16	1.90
1773020-002	SEACOAST CAMPING AND RV RESORT	NORTH HAMPTON	09/26/16	ND
1773020-102	SEACOAST CAMPING AND RV RESORT	NORTH HAMPTON	09/26/16	2.60
1777020-001	SAGAMORE/HAMPTON GOLF CLUB	NORTH HAMPTON	08/25/16	ND
1777040-001	SAGAMORE GOLF CLUB/DWELLBUB 79	NORTH HAMPTON	08/25/16	ND
1781010-502	GROVETON WATER SYS	NORTHUMBERLAND	10/21/19	ND
1781030-502	LOST NATION WATER	NORTHUMBERLAND	10/21/19	ND
1792030-001	VLG OF NORTHWOOD RDG WTR DIST	NORTHWOOD	11/19/19	ND
1792030-002	VLG OF NORTHWOOD RDG WTR DIST	NORTHWOOD	11/19/19	ND
1792040-001	VILLAGE AT MEAD FIELD	NORTHWOOD	11/17/16	ND
1792050-001	THE MEADOW AT NORTHWOOD	NORTHWOOD	01/27/20	ND
1793010-501	TOWER VIEW	NORTHWOOD	04/06/20	ND
1793020-103	LOON ESTATES	NORTHWOOD	12/07/20	ND
1793030-501	NORTHWOOD MOUNTAIN VIEW MHP	NORTHWOOD	04/15/21	2.12
1795020-001	COE BROWN NORTHWOOD ACADEMY	NORTHWOOD	03/25/21	ND
179+5040-001	COE BROWN NORTHWOOD ACADEMY	NORTHWOOD	03/25/21	ND
1796010-001	HANNAFORD NORTHWOOD 8160	NORTHWOOD	09/11/20	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1798030-002	JOHNSONS SEAFOOD AND STEAK	NORTHWOOD	01/26/20	ND
1798060-502	COOPER HILL PIZZERIA	NORTHWOOD	04/22/21	ND
1802020-501	CAMELOT COURT	NOTTINGHAM	03/09/21	ND
1805050-501	NOTTINGHAM COMMUNITY SCH	NOTTINGHAM	12/07/20	ND
1805060-001	ALL ABOARD PRESCH AND CHLD CARE	NOTTINGHAM	08/07/20	ND
1809020-002	NOTTINGHAM COMMUNITY CHURCH	NOTTINGHAM	05/06/21	2.25
1831010-505	ORFORD VILLAGE DIST	ORFORD	01/20/21	ND
1835010-002	RIVENDELL INTERSTATE SCH	ORFORD	03/03/20	ND
1841010-501	OSSIPEE WATER DEPT	OSSIPEE	11/18/19	ND
1842010-505	BLUFFS AT OSSIPEE LAKE	OSSIPEE	03/17/20	ND
1842020-505	INDIAN MOUND SHOPPING CTR	OSSIPEE	04/28/21	ND
1842030-503	INDIAN MOUND GOLF CLUB	OSSIPEE	04/20/21	2.12
1842050-001	POLAND BROOK WOODS	OSSIPEE	12/18/20	ND
1842060-501	DEER COVE WATER	OSSIPEE	03/12/20	ND
1843010-000	OSSIPEE MTN ESTATES	OSSIPEE	02/10/21	ND
1843020-503	SANDY RIDGE ESTATES	OSSIPEE	02/10/21	ND
1844010-501	CARROL COUNTY COMPLEX	OSSIPEE	05/10/21	ND
1844010-505	CARROL COUNTY COMPLEX	OSSIPEE	05/10/21	ND
1845020-001	CORNERSTONE CHRISTIAN ACADEMY	OSSIPEE	07/21/20	ND
1846090-501	HANNAFORD OSSIPEE 8159	OSSIPEE	07/21/20	ND
1851010-501	PEU/WILLIAMSBURG	PELHAM	04/08/21	4.93
1852020-501	PEU/GAGE HILL	PELHAM	04/08/21	7.15
1852040-002	PROLYN TOWNHOUSE APARTMENTS - NO TREATMENT	PELHAM	04/22/21	23.00
1852040-503	PROLYN TOWNHOUSE APARTMENTS - PFAS TREATMENT	PELHAM	04/20/21	13.10
1852060-511	HIGHLANDS ESTATES	PELHAM	01/20/21	12.60
1852080-542	OLD LAWRENCE ROAD	PELHAM	04/20/21	16
1852090-501	SIMPSON MILL ROAD	PELHAM	11/27/20	ND
1852100-501	BOULDER HILLS	PELHAM	11/27/20	ND
1852110-501	PARADISE ESTATES CONDOS	PELHAM	05/18/21	2.18



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1852120-501	PEU/SKY VIEW ESTATES	PELHAM	02/04/20	ND
1852130-501	GARLAND WOODS	PELHAM	01/13/21	ND
1852140-502	LONG POND WOODS	PELHAM	05/18/21	ND
1855060-001	PERFECT PLACE	PELHAM	03/29/21	12.70
1855070-001	DYNAMIC FOUNDATION FOR CHLDREN	PELHAM	11/24/20	ND
1855080-001	COLONIAL WAY PLAZA	PELHAM	03/24/21	ND
1855090-001	KINGS KIDS CHILD CARE CENTER	PELHAM	03/09/21	2.29
1856010-502	PELHAM PLAZA	PELHAM	04/06/21	2.83
1856040-501	HANNAFORD PELHAM 8015	PELHAM	08/11/20	ND
1856040-501	HANNAFORD PELHAM 8015	PELHAM	08/11/20	ND
1856050-501	AMERICAN FOODS	PELHAM	05/21/21	22.40
1856070-502	PELHAM INDUSTRIAL PARK I	PELHAM	03/24/21	13.50
1859040-001	CROSSROADS BAPTIST CHURCH	PELHAM	12/03/20	ND
1861010-006	PEMBROKE WATER WORKS	PEMBROKE	08/19/20	ND
1861010-502	PEMBROKE WATER WORKS	PEMBROKE	08/19/20	5.88
1861010-503	PEMBROKE WATER WORKS	PEMBROKE	08/19/20	ND
1861010-504	PEMBROKE WATER WORKS	PEMBROKE	08/19/20	ND
1861010-507	PEMBROKE WATER WORKS	PEMBROKE	08/19/20	ND
1861010-509	PEMBROKE WATER WORKS	PEMBROKE	04/15/21	3.24
1862010-001	MEETING HOUSE WATER	PEMBROKE	03/10/21	ND
1862030-501	BOROUGH RD APARTMENTS	PEMBROKE	11/19/19	ND
1866030-501	NEW ENGLADN FLOWER FARM	PEMBROKE	04/08/21	ND
1871010-501	PETERBOROUGH WATER WORKS	PETERBOROUGH	10/03/19	ND
1871010-503	PETERBOROUGH WATER WORKS	PETERBOROUGH	10/03/19	ND
1871010-504	PETERBOROUGH WATER WORKS	PETERBOROUGH	10/03/19	ND
1879020-001	PETERBOROUGH PLAYERS THEATRE	PETERBOROUGH	04/14/16	ND
1875010-501	HAPPY VALLEY SCH	PETERBOROUGH	03/16/21	ND
1875020-001	WELL SCHOOL	PETERBOROUGH	02/17/21	ND
1875030-511	MONADNOCK COMM EARLY LNGCTR	PETERBOROUGH	2/022/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1885010-503	PIERMONT VILLAGE SCH	PIERMONT	01/13/21	ND
1897020-501	AMC PINKHAM NOTCH CAMP	PINKHAMS GRANT	03/24/20	ND
1901010-506	PITTSBURG WATER DEPT	PITTSBURG	04/15/21	ND
1911010-501	PITTSFIELD AQUEDUCT	PITTSFIELD	01/14/21	ND
1913010-001	GRIGGS MOBILE HOMES	PITTSFIELD	01/13/21	ND
1921010-506	PLAINFIELD VILLAGE WATER DIST	PLAINFIELD	03/02/20	ND
1921010-507	PLAINFIELD VILLAGE WATER DIST	PLAINFIELD	03/02/20	ND
1921020-001	MERIDEN VILLAGE WATER DIST	PLAINFIELD	03/26/20	ND
1921020-002	MERIDEN VILLAGE WATER DIST	PLAINFIELD	03/26/20	ND
1921020-003	MERIDEN VILLAGE WATER DIST	PLAINFIELD	03/26/20	ND
1926010-501	TOWNLINE EQUIP	PLAINFIELD	02/05/21	ND
1932020-502	GOLDEN HILL	PLAISTOW	04/27/21	14.00
1932030-502	WEST VIEW PARK CONDOS	PLAISTOW	01/27/21	11.00
1932040-501	FOREST GLEN CONDOS	PLAISTOW	07/14/20	5.63
1932050-008	TWIN RIDGE CONDOS	PLAISTOW	04/20/21	6.57
1932050-512	TWIN RIDGE CONDOS	PLAISTOW	04/20/21	6.80
1932060-501	MOONGATE FARM	PLAISTOW	04/20/21	10.20
1932070-501	VALLEY FIELD APTS NORTHLAND	PLAISTOW	04/12/21	4.87
1932080-503	STONEBRIDGE VILLAGE	PLAISTOW	10/25/19	ND
1932090-501	GREENFIELD HILL ESTATES	PLAISTOW	01/13/21	3.95
1932100-502	STRAWBERRY HILL	PLAISTOW	04/20/21	4.50
1932110-001	BRYANT BROOK	PLAISTOW	10/09/19	ND
1932120-501	CROSS RIDGE ESTATES	PLAISTOW	04/27/21	10.80
1932130-503	26 CHANDLER AVE CONDOS	PLAISTOW	04/19/21	ND
1932140-001	RUTLEDGE PLACE	PLAISTOW	02/18/21	12.40
1932150-501	BLUEBERRY KNOLL ESTATES	PLAISTOW	03/09/20	ND
1932170-501	RAINBOW RIDGE	PLAISTOW	05/17/21	ND
1932180-501	TUXBURY MEADOWS	PLAISTOW	03/08/21	3.09
1932190-502	CHANDLER TERRACE	PLAISTOW	04/19/21	2.50



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1932200-511	SWEET HILL ESTATES	PLAISTOW	04/19/21	ND
1932210-500	WEST PINE CONDOS	PLAISTOW	04/19/21	7.65
1932220-501	SHADY LANE APARTMENTS	PLAISTOW	04/02/21	6.08
1932230-501	LITTLE RIVER VILLAGE	PLAISTOW	05/17/21	ND
1932240-501	THE RESERVE AT SNOWS BROOK	PLAISTOW	05/17/21	2.59
1932250-501	CHANDLER PLACE APTS	PLAISTOW	02/26/21	3.22
1935010-003	POLLARD ELEMENTARY SCH	PLAISTOW	04/12/21	13.20
1935020-001	TIMBERLANE MIDDLE SCH	PLAISTOW	10/03/19	ND
1935030-511	TIMBERLANE REGIONAL HS	PLAISTOW	10/03/19	ND
1935070-001	LITTLE EXPLORERS	PLAISTOW	03/24/21	3.40
1936040-002	PLAZA 125	PLAISTOW	09/20/18	11.80
1936070-501	144 MAIN STREET	PLAISTOW	03/02/20	ND
1936100-501	PENTUCKET SHOPPING CENTER	PLAISTOW	12/16/20	8.03
1936110-001	SCANDIA PLASTICS	PLAISTOW	03/15/21	4.29
1936130-001	PLAISTOW COMMONS	PLAISTOW	06/22/20	ND
1936150-502	MARKET BASKET	PLAISTOW	01/27/21	94.70
1936160-001	FITZGERALD SAFETY COMPLEX	PLAISTOW	08/04/17	4.00
1936230-523	3 / 11 PLAISTOW RD PLAZA	PLAISTOW	03/24/21	47.10
1936270-001	FIELDSTONE INDUSTRIAL PARK	PLAISTOW	02/17/20	ND
1936280-001	SPARTON BECKWOOD	PLAISTOW	03/09/21	2.16
1936300-001	BARONS CONDOS	PLAISTOW	03/18/21	10.90
1936310-511	ETHAN ALLEN PLAZA	PLAISTOW	03/11/21	8.32
1938040-501	PLAISTOW REG HEALTHCARE	PLAISTOW	04/22/21	5.13
1938090-501	BRICKYARD PLAZA	PLAISTOW	04/02/21	18.00
1938190-511	GREAT ELM PLAZA	PLAISTOW	03/02/20	ND
1938240-002	PLAISTOW COMM YMCA	PLAISTOW	03/25/21	3.25
1941010-501	PLYMOUTH VLG WATER AND SEWER	PLYMOUTH	01/15/21	ND
1941010-502	PLYMOUTH VLG WATER AND SEWER	PLYMOUTH	01/15/21	ND
1942010-003	TENNEY BROOK II	PLYMOUTH	01/27/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1942010-501	TENNEY BROOK II	PLYMOUTH	01/27/21	ND
1942020-001	TENNEY BROOK CONDOS	PLYMOUTH	01/27/21	2.85
1943010-007	WHIP O WILL	PLYMOUTH	04/26/21	ND
1943010-106	WHIP O WILL	PLYMOUTH	04/26/21	ND
1943010-501	WHIP O WILL	PLYMOUTH	04/26/21	ND
1945010-001	MOUNTAIN VILLAGE SCH	PLYMOUTH	03/25/21	ND
1949030-001	PLYMOUTH COMMERCE PARK	PLYMOUTH	03/24/21	ND
1951010-501	PORTSMOUTH WATER WORKS	PORTSMOUTH	04/28/21	ND
1951010-502	PEASE TRADE PORT - WELL NOT IN USE	PORTSMOUTH	05/14/14	320.00
1951010-503	PORTSMOUTH WATER WORKS	PORTSMOUTH	04/28/21	6.06
1951010-504	PORTSMOUTH WATER WORKS	PORTSMOUTH	04/28/21	2.52
1951010-506	PORTSMOUTH WATER WORKS	PORTSMOUTH	04/28/21	ND
1951010-507	PORTSMOUTH WATER WORKS	PORTSMOUTH	04/28/21	2.52
1951010-508	PORTSMOUTH WATER WORKS	PORTSMOUTH	04/28/21	ND
1951010-510	PEASE TRADE PORT - PFAS TREATMENT INSTALLED	PORTSMOUTH	02/03/21	ND
1951010-516	PORTSMOUTH WATER WORKS	PORTSMOUTH	04/28/21	4.26
1971010-504	RAYMOND WATER DEPT	RAYMOND	10/24/19	ND
1971010-505	RAYMOND WATER DEPT	RAYMOND	10/24/19	ND
1971010-506	RAYMOND WATER DEPT	RAYMOND	10/24/19	ND
1972010-505	PEU/LIBERTY TREE ACRES	RAYMOND	10/22/19	1.88
1972020-501	RIVERVIEW MANOR CONDOS	RAYMOND	04/14/21	ND
1972040-502	BRANCH RIVER APARTMENTS	RAYMOND	04/22/21	5.35
1972050-501	PAWTUCKAWAY FARMS	RAYMOND	12/18/20	ND
1972060-500	WESTGATE ESTATES	RAYMOND	10/30/19	ND
1972070-501	PEU/CLEARWATER ESTATES	RAYMOND	02/12/20	ND
1972080-501	BLACKSTONE RESERVE	RAYMOND	03/17/21	ND
1973050-502	HILL TOP	RAYMOND	04/26/21	3.16
1973060-503	LEISURE VILLAGE	RAYMOND	11/21/19	ND
1975010-001	RAYMOND HIGH SCH	RAYMOND	11/10/16	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
1985010-002	ST BENEDICT CENTER MONASTERY	RICHMOND	04/06/20	ND
1992020-106	DUNBAR PROPERTIES	RINDGE	12/05/20	ND
1992040-502	HAMPSHIRE COURT WATER	RINDGE	01/20/21	ND
1992050-001	CARRIAGE APTS	RINDGE	10/11/19	ND
1992070-501	PAYSON VILLAGE	RINDGE	02/18/21	ND
1993010-511	MONADNOCK TENANTS	RINDGE	01/06/20	ND
1994010-502	FRANKLIN PIERCE UNIVERSITY	RINDGE	03/17/21	ND
1995010-001	RINDGE MEMORIAL SCH	RINDGE	04/14/21	3.27
1995030-501	HAMPSHIRE COUNTRY SCH	RINDGE	04/05/21	ND
1995050-501	HERITAGE CHRISTIAN SCH	RINDGE	03/12/21	ND
1996010-501	CHESHIRE MARKET PLACE	RINDGE	02/03/21	ND
1996020-001	WAL MART STORE 2057	RINDGE	03/16/21	2.71
1996040-504	HANNAFORD RINDGE 8180	RINDGE	04/20/21	20.80
1996060-001	PHASE 10	RINDGE	04/14/21	5.05
2001010-001	ROCHESTER WATER DEPT	ROCHESTER	08/14/20	ND
2001010-002	ROCHESTER WATER DEPT	ROCHESTER	08/14/20	ND
2001010-503	ROCHESTER WATER DEPT	ROCHESTER	08/14/20	3.07
2001020-001	COUNTRY RIDGE MHP	ROCHESTER	04/08/21	ND
2002020-501	PROFILE APARTMENTS	ROCHESTER	02/10/21	ND
2002030-504	DUSTIN HOMESTEAD	ROCHESTER	05/06/21	8.33
2002040-501	MEADOWBROOK VILLAGE	ROCHESTER	04/21/21	ND
2002050-500	GRANDVIEW ESTATES	ROCHESTER	12/23/20	ND
2003020-506	ACORN TERRACE	ROCHESTER	04/14/21	ND
2003020-508	ACORN TERRACE	ROCHESTER	04/08/21	ND
2003030-511	PARADISE ESTATES	ROCHESTER	02/17/21	18.50
2003040-000	STONY BROOK	ROCHESTER	02/03/20	ND
2003090-001	WESTWIND ESTATES II	ROCHESTER	02/20/20	ND
2004010-503	INN AT SECRETARIAT	ROCHESTER	04/06/21	ND
2006020-501	CORNERSTONE VNA ROCHESTER	ROCHESTER	04/29/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
2011010-509	ROLLINSFORD WATER SEWER DIST	ROLLINSFORD	01/05/21	9.72
2011010-514	ROLLINSFORD WATER SEWER DIST	ROLLINSFORD	06/30/20	ND
2032010-002	HAWTHORNE VILLAGE	RUMNEY	02/12/20	ND
2035010-501	RUSSELL ELEMENTARY SCH	RUMNEY	02/12/20	ND
2036010-001	STONEWALL CABLE	RUMNEY	02/12/20	ND
2041010-006	RYE WATER DIST	RYE	04/14/21	2.46
2041010-008	RYE WATER DIST	RYE	04/14/21	5.68
2041010-501	RYE WATER DIST	RYE	04/14/21	6.81
2051010-009	SALEM WATER DEPT	SALEM	05/17/21	7.43
2051010-510	SALEM WATER DEPT	SALEM	04/13/20	3.47
2052010-002	MILLVILLE CIRCLE/SOUTH	SALEM	05/04/21	5.12
2052030-503	LANCASTER FARMS	SALEM	05/17/21	3.70
2052060-001	MILLVILLE CIRCLE/NORTH	SALEM	01/24/20	ND
2052070-501	AUTUMN WOODS	SALEM	04/19/21	ND
2053020-501	ACKERMAN RETIREMENT PARK	SALEM	04/27/21	7.31
2053030-001	SHADOW LAKE MOBILE HOME PARK	SALEM	04/08/21	3.81
2055010-502	NORTH SALEM ELEMENTARY SCH	SALEM	04/01/21	12.90
2055020-501	MERRIMACK VALLEY MONTESSORI SCH	SALEM	03/15/21	8.31
2056010-501	KLEIN MARINE SYSTEMS	SALEM	05/03/21	2.20
2056040-001	NORTH SALEM VILLAGE	SALEM	03/23/20	ND
2057060-001	SCOTTISH HIGHLAND GOLF COURSE	SALEM	06/14/16	ND
2065010-001	SALISBURY ELEMENTARY SCH	SALISBURY	12/30/20	ND
2075010-501	SAINT BANI UPPER BLDG	SANBORNTON	03/12/21	ND
2075020-002	SANBORNTON CENTRAL SCH	SANBORNTON	12/29/20	ND
2075030-501	SAINT BANI MIDDLE BLDG	SANBORNTON	03/15/21	6.26
2075070-001	SAPLINGS PRESCHOOL	SANBORNTON	12/05/20	ND
2078010-503	STEELE HILL RESORT	SANBORNTON	02/26/21	2.64
2078010-505	STEELE HILL RESORT	SANBORNTON	02/26/21	ND
2082010-503	PEU/BEAVER HOLLOW	SANDOWN	04/12/21	5.62



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
2082020-001	FAIRFIELD	SANDOWN	05/17/21	ND
2082020-502	FAIRFIELD	SANDOWN	05/17/21	ND
2082030-001	REEDS CROSSING	SANDOWN	03/13/21	ND
2082040-501	PINE ACRES CONDOS	SANDOWN	08/25/20	10.70
2082050-501	STONEFORD	SANDOWN	05/17/21	ND
2082060-501	CORNERSTONE ESTATES	SANDOWN	03/09/21	ND
2082070-500	MILL PINE VILLAGE	SANDOWN	10/30/19	ND
2082080-501	LITTLE MILL WOODS	SANDOWN	03/08/21	ND
2082090-501	WATERFORD VILLAGE ESTATES	SANDOWN	03/09/21	ND
2082110-501	TOWNHOUSES AT WELLS VILLAGE	SANDOWN	05/17/21	ND
2085020-501	PLAYMATES LEARNING CENTER	SANDOWN	02/23/21	4.30
2085040-001	SANDOWN NORTH ELEMENTARY SCH	SANDOWN	10/31/19	ND
2095020-001	SANDWICH CENTRAL SCH	SANDWICH	04/02/21	ND
2095030-001	SANDWICH CHILDRENS CTR	SANDWICH	03/15/21	ND
2111010-501	SEABROOK WATER DEPT	SEABROOK	02/15/21	9.72
2111010-503	SEABROOK WATER DEPT	SEABROOK	05/19/21	4.83
2111010-512	SEABROOK WATER DEPT	SEABROOK	02/15/21	4.99
2111010-514	SEABROOK WATER DEPT	SEABROOK	02/23/21	ND
2111010-516	SEABROOK WATER DEPT	SEABROOK	05/19/21	2.42
2151010-005	SOMERSWORTH WATER WORKS	SOMERSWORTH	03/24/20	ND
2151010-506	SOMERSWORTH WATER WORKS	SOMERSWORTH	03/24/20	ND
2165020-501	BARNARD SCH	SOUTH HAMPTON	12/18/20	ND
2185010-002	STARK VILLAGE SCH	STARK	05/10/21	ND
2192020-001	NORTHERN VIEW APTS	STEWARTSTOWN	04/06/21	ND
2195020-001	STEWARTSTOWN COMM SCH	STEWARTSTOWN	03/27/21	ND
2205010-002	JAMES FAULKNER MEM SCH	STODDARD	02/26/21	ND
2205010-502	CARLISLE WIDE PLANK FLOORS	STODDARD	03/31/21	ND
2212010-501	BOW LAKE ESTATES	STRAFFORD	03/09/21	ND
2215010-502	STRAFFORD SCH	STRAFFORD	05/20/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
2215040-501	WHITEHOUSE EARLY LRNG CTR	STRAFFORD	04/15/21	ND
2221010-502	NORTH STRATFORD WATER DEPT	STRAFFORD	04/02/21	ND
2221010-503	NORTH STRATFORD WATER DEPT	STRAFFORD	04/02/21	ND
2223010-001	PLEASANT VALLEY PARK ESTATES	STRATFORD	03/17/21	ND
2223020-001	NORTH STRATFORD MHP	STRATFORD	03/09/21	ND
22232010-504	GLENDARRY CONDOS	STRATHAM	04/22/21	8.07
22232020-502	THORNHILL CONDOS	STRATHAM	04/06/20	ND
22232030-501	SALT RIVER CONDOS	STRATHAM	09/17/20	7.20
22232040-000	PENINSULA AT WINDING BROOK	STRATHAM	03/03/20	ND
22232050-501	STRATHAM GREEN CONDOS - PFAS TREATMENT	STRATHAM	04/22/21	ND
22232060-001	BALMORAL CONDOS	STRATHAM	05/01/21	6.47
22232070-511	MONTROSE CONDOS	STRATHAM	04/20/21	3.45
22232080-502	PHEASANT RUN CONDOS	STRATHAM	12/11/20	ND
22232090-000	STRATHAM WOODS	STRATHAM	12/23/20	ND
22232110-501	TURNBERRY	STRATHAM	01/08/21	ND
22232130-502	MUIRFIELD CLUSTER	STRATHAM	01/27/21	ND
22232140-501	JEWETT HILL	STRATHAM	01/13/21	4.57
22232150-512	ABERDEEN/WEST	STRATHAM	11/18/19	ND
22232160-502	BURNHAVEN	STRATHAM	05/01/21	2.03
22232190-001	VINEYARDS	STRATHAM	03/25/21	ND
22232200-501	CHISHOLM FARM	STRATHAM	03/24/21	9.51
22232210-501	ROLLINS HILL	STRATHAM	01/13/21	ND
22235010-001	ACORN SCH	STRATHAM	04/15/21	ND
22235050-501	STRATHAM MEMORIAL SCH	STRATHAM	03/10/21	8.70
22235060-501	CORNERSTONE SCHOOL	STRATHAM	05/25/21	4.74
22236010-001	KINGS HIGHWAY PLAZA	STRATHAM	03/25/21	6.04
22236040-001	BELL AND FLYNN	STRATHAM	05/25/21	ND
22236050-001	STRATHAM PLAZA	STRATHAM	03/11/21	11.50
22236070-002	NP STRATHAM	STRATHAM	05/01/21	4.11



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
2236070-501	NP STRATHAM	STRATHAM	05/01/21	4.28
2236090-002	RCN CONDOS	STRATHAM	03/24/21	12.80
2236100-001	PIPER'S LANDING	STRATHAM	05/18/20	29.50
2236120-001	MILLBROOK OFFICE PARK	STRATHAM	05/18/21	2.83
2236130-502	STRATHAM CENTRAL CONDOS	STRATHAM	05/12/21	79.90
2236140-501	STRATHAM CROSSING 7621	STRATHAM	05/01/21	33.00
2236150-501	BMW OF STRATHAM	STRATHAM	03/11/21	10.90
2236170-001	LINDT AND SPRUNGLI USA/BLDG D	STRATHAM	08/19/20	2.46
2236180-502	LINDT AND SPRUNGLI USA/BLDG E	STRATHAM	03/16/20	ND
2236190-501	149/151 PORTSMOUTH AVE	STRATHAM	03/12/21	ND
2238060-503	STRATHAM PLZ/MARKET BASKET	STRATHAM	02/10/21	ND
2239010-501	STRATHAM COMMUNITY CHURCH	STRATHAM	03/11/21	4.40
2271010-002	SUNAPEE WATER WORKS	SUNAPEE	02/13/20	ND
2271020-502	GEORGES MILLS WATER WORKS	SUNAPEE	02/13/20	ND
2272020-502	MEADOW BROOK AT SUNAPEE	SUNAPEE	03/25/20	ND
2275020-001	MOUNT ROYAL ACADEMY	SUNAPEE	12/30/20	ND
2281010-001	SURRY VILLAGE WATER	SURRY	06/10/20	ND
2285010-501	SURRY VILLAGE CHARTER SCH	SURRY	12/21/20	ND
2295010-502	KEARSARGE REGIONAL HIGH SCH	SUTTON	12/22/20	ND
2295020-501	SUTTON CENTRAL SCH	SUTTON	12/22/20	ND
2295030-502	KEARSARGE REGIONAL MIDDLE SCH	SUTTON	04/15/21	4.53
2295030-511	KEARSARGE REGIONAL MIDDLE SCH	SUTTON	03/04/20	150.00
2296010-002	LABSPHERE	SUTTON	03/09/21	3.33
2301020-501	WEST SWANZEY WATER	SWANZEY	07/15/20	ND
2302010-001	ASHUELOT RIVER APTS	SWANZEY	10/30/19	ND
2302040-505	EASTFIELD CROSSING	SWANZEY	11/05/19	ND
2302050-500	FOREST VIEW ESTATES	SWANZEY	10/30/19	ND
2303010-010	PINE GROVE MOBILE HOME PARK	SWANZEY	05/12/20	2.03
2303010-508	PINE GROVE MOBILE HOME PARK	SWANZEY	03/31/21	2.05



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
2303020-500	VIEW POINT COOP	SWANZEY	10/30/19	ND
2305050-501	MONADNOCK REGIONAL HIGH SCH	SWANZEY	11/12/19	ND
2306060-501	TOYOTA OF KEENE	SWANZEY	07/13/20	ND
2306060-501	TOYOTA OF KEENE	SWANZEY	10/14/19	ND
2311010-005	TAMWORTH WATER WORKS	TAMWORTH	03/10/20	ND
2312020-501	MOUNTAIN VIEW ESTATES	TAMWORTH	04/06/21	ND
2312030-501	WHITE LAKE ESTATES	TAMWORTH	03/10/20	ND
2312050-503	REMICK ACRES	TAMWORTH	01/27/21	ND
2312060-001	CHOCORUA WOODS	TAMWORTH	02/11/20	ND
2312070-501	CHOCORUA MEADOWS	TAMWORTH	10/23/19	ND
2312090-501	HIGHLAND PLACE	TAMWORTH	04/21/21	ND
2313010-000	TAMWORTH MOBILE HOME PARK	TAMWORTH	10/23/19	ND
2313020-000	TAMWORTH PINES	TAMWORTH	05/10/21	2.79
2315010-501	KENNETH A BRETT SCH	TAMWORTH	03/15/21	ND
2315020-001	TAMWORTH PRESCHOOL	TAMWORTH	12/29/20	ND
2315030-501	COMMUNITY SCH	TAMWORTH	01/08/21	ND
2318090-503	NORTHWAY APTS/DAYS INN	TAMWORTH	03/16/20	ND
2342010-512	175 ESTATES	THORNTON	02/18/20	ND
2342020-502	NORTHPOINTE WATER	THORNTON	04/22/21	5.41
2342030-001	MOUNTAIN RIVER CONDOS	THORNTON	04/02/21	ND
2342040-000	MOUNTAIN RIVER CONDOS EAST	THORNTON	04/02/21	ND
2342060-002	WHITE MOUNTAIN RESORT/GATEWAY	THORNTON	02/18/20	ND
2342070-002	WATERVILLE ACRES CONDOS	THORNTON	02/11/20	ND
2342080-000	STAR RIDGE	THORNTON	02/03/21	ND
2342090-001	BIRCH BEND	THORNTON	01/08/20	ND
2342100-001	CONE RIDGE APTS	THORNTON	01/20/21	ND
2342110-505	MILL BROOK VILLAGE	THORNTON	03/09/21	ND
2348110-500	OWLS NEST GC AND CONDOS	THORNTON	01/20/21	ND
2345010-002	THORNTON CENTRAL SCH	THORNTON	02/12/20	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
2351010-503	TILTON NORTHLAND WATER DIST	NORTHLAND	03/27/21	ND
2351010-504	TILTON NORTHLAND WATER DIST	NORTHLAND	03/27/21	ND
2351020-501	LOCHMERE VILLAGE DIST	TILTON	04/06/21	ND
2352010-002	WINNISQUAM RESORT CONDOS	TILTON	02/03/21	ND
2352020-001	PEU/NORTHERN SHORES	TILTON	01/19/21	ND
2352040-501	WINNISQUAM VILLAGE CONDOS	TILTON	05/01/21	ND
2353010-501	RODGERS DEV	TILTON	11/06/19	ND
2353020-501	WINDY HILL/NORTH	TILTON	04/02/21	ND
2353040-502	COUNTRY MEADOWS	TILTON	02/26/21	ND
2353090-002	WINDY HILL/SOUTH	TILTON	04/02/21	ND
2356010-001	3M TILTON	TILTON	03/17/21	ND
2356020-001	TOWN LINE PLAZA	TILTON	03/12/21	2.45
2356060-501	TANGER OUTLET CENTER	TILTON	11/06/19	ND
2356080-001	BJS WHOLESALE CLUB 309	TILTON	03/31/21	ND
2356100-001	AUTOSERV OF TILTON	TILTON	11/06/19	ND
2356110-001	EVERSOURCE ENERGY TILTON AWC	TILTON	4/8/2021	ND
2361010-503	TROY WATER WORKS	TROY	03/16/21	ND
2361010-504	TROY WATER WORKS	TROY	03/16/21	ND
2361010-505	TROY WATER WORKS	TROY	03/16/21	ND
2361010-512	TROY WATER WORKS	TROY	03/16/21	ND
2372020-002	HIDDEN VALLEY/MASON	TUFTONBORO	03/12/20	ND
2372020-006	HIDDEN VALLEY/MASON	TUFTONBORO	03/12/20	ND
23272050-501	WINMIR CONDOS	TUFTONBORO	04/01/21	ND
2373010-000	NORTH COUNTRY VILLAGE	TUFTONBORO	01/13/21	ND
2375010-502	TUFTONBORO CENTRAL SCH	TUFTONBORO	03/24/21	2.06
2376010-003	PAK 2000 OFFICE	TUFTONBORO	08/29/16	ND
2384010-003	SULLIVAN COUNTY COMPLEX	UNITY	02/18/21	ND
2384010-507	SULLIVAN COUNTY COMPLEX	UNITY	02/18/21	ND
2384010-514	SULLIVAN COUNTY COMPLEX	UNITY	02/22/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
2385010-511	UNITY ELEMENTARY SCH	UNITY	03/12/21	ND
2391010-502	SANBORNVILLE WATER DEPT	WAKEFIELD	04/21/21	ND
2391010-503	SANBORNVILLE WATER DEPT	WAKEFIELD	02/26/21	ND
2392010-501	BEVERLY HILLS WATER	WAKEFIELD	04/14/21	ND
2392020-001	WAKEFIELD ACRES	WAKEFIELD	02/10/21	ND
2392030-500	MICHAWANIC VILLAGE CONDOS	WAKEFIELD	03/12/20	ND
2395020-001	LEARNING WITH LOVE	WAKEFIELD	10/03/19	ND
2395030-501	PINE RIVER POND CNTRY DAYCARE	WAKEFIELD	04/14/21	ND
2401010-001	WALPOLE WATER DEPT	WALPOLE	07/14/20	ND
2401010-502	WALPOLE WATER DEPT	WALPOLE	07/14/20	ND
2401020-507	N WALPOLE VILLAGE DISTRICT/LOW	WALPOLE	01/13/21	ND
2401020-508	N WALPOLE VILLAGE DISTRICT/LOW	WALPOLE	02/10/21	ND
2401030-501	N WALPOLE VILLAGE DIST/HIGH	WALPOLE	01/13/21	ND
2405010-501	DREWSVILLE CARRIAGE HOUSE	WALPOLE	01/20/21	ND
2406010-101	BENSON WOODWORKING	WALPOLE	03/12/21	ND
2411010-503	WARNER VILLAGE WATER DIST	WARNER	04/28/21	ND
2411010-504	WARNER VILLAGE WATER DIST	WARNER	04/28/21	ND
2413010-502	PLEASANT LAKE MHP	WARNER	03/08/21	ND
2415010-501	NORTHEAST CATHOLIC COLLEGE	WARNER	10/03/19	ND
2415010-501	MAGDALEN COLLEGE	WARNER	11/25/20	ND
2421010-002	GLENCLIFF IMPROVEMENT	WARREN	03/17/21	ND
2422010-502	SOUTH MAIN STREET WATER DIST	WARREN	03/18/21	ND
2435020-001	WASHINGTON ELEMENTARY SCH	WASHINGTON	01/25/21	ND
2441010-502	WATERVILLE VALLEY WATER DIST	WATERVILLE VALLEY	03/03/20	ND
2441010-503	WATERVILLE VALLEY WATER DIST	WATERVILLE VALLEY	03/03/20	ND
2441010-504	WATERVILLE VALLEY WATER DIST	WATERVILLE VALLEY	03/03/20	ND
2452010-501	PEU/DANIELS LAKE	WEARE	04/14/21	2.41
2452030-514	SOUTH WEARE WATER	WEARE	11/05/19	ND
2452030-515	SOUTH WEARE WATER	WEARE	11/20/19	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
2452040-501	COLLINS LANDING	WEARE	01/25/21	ND
2453010-005	SUGAR HILL MANOR MHP	WEARE	12/18/20	ND
2453020-000	KUNCANOWET HILLS MHP	WEARE	03/31/21	ND
2455020-001	WEARE MIDDLE SCHOOL	WEARE	11/03/16	ND
2455040-003	JOHN STARK REG HIGH SCH	WEARE	04/07/21	3.70
2455060-501	CENTER WOOD ELEM SCH	WEARE	04/07/21	ND
2455080-001	WEARE MIDDLE SCH	WEARE	11/06/19	ND
2456010-003	GRANITE STATE TELEPHONE	WEARE	08/05/16	ND
2458030-002	COUNTRY THREE CORNERS	WEARE	08/09/18	ND
2458060-001	WEARE CENTER PLAZA	WEARE	03/30/21	ND
2458070-501	LANCTOTS CENTER	WEARE	01/23/20	ND
2459010-001	TOWN OFFICES	WEARE	04/06/21	ND
2462040-003	PILLSBURY LAKE/FRANKLIN PIERCE	WEBSTER	04/28/21	ND
2462040-500	PILLSBURY LAKE/FRANKLIN PIERCE	WEBSTER	04/28/21	ND
2462050-502	PILLSBURY LAKE/PENINSULA	WEBSTER	04/28/21	ND
2465010-001	WEBSTER ELEMENTARY SCH	WEBSTER	12/30/20	ND
2475010-001	WENTWORTH ELEMENTARY SCH	WENTWORTH	02/12/20	ND
2494010-006	CHESHIRE COUNTY COMPLEX	WESTMORELAND	10/08/19	ND
2494010-007	CHESHIRE COUNTY COMPLEX	WESTMORELAND	10/08/19	ND
2495030-001	WESTMORELAND ELEMENTARY SCH	WESTMORELAND	12/21/20	ND
2501010-001	WHITEFIELD WATER	WHITEFIELD	04/28/21	ND
2501010-008	WHITEFIELD WATER	WHITEFIELD	04/28/21	ND
2501010-009	WHITEFIELD WATER	WHITEFIELD	04/28/21	ND
2501010-010	WHITEFIELD WATER	WHITEFIELD	04/28/21	ND
2501010-012	WHITEFIELD WATER	WHITEFIELD	04/28/21	ND
2501010-514	WHITEFIELD WATER	WHITEFIELD	04/28/21	ND
2505010-002	WHITE MTN REG HS	WHITEFIELD	03/31/21	ND
2512010-001	POUND ROAD WATER WORKS	WILMOT	04/08/21	ND
2521010-505	WILTON WATER WORKS	WILTON	09/16/20	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
2521010-506	WILTON WATER WORKS	WILTON	12/22/20	ND
2525010-512	HIGH MOWING SCH	WILTON	04/28/21	ND
2525020-502	PINE HILL WALDORF SCH	WILTON	10/22/19	ND
2525030-501	PINE HILL WALDORF CHLD VILLAGE	WILTON	10/22/19	ND
2526040-501	KIMBALL PHYSICS	WILTON	02/12/20	ND
2531010-501	WINCHESTER WATER DEPT	WINCHESTER	01/14/21	ND
2531010-502	WINCHESTER WATER DEPT	WINCHESTER	01/14/21	ND
2531010-503	WINCHESTER WATER DEPT	WINCHESTER	01/15/21	ND
2533010-501	SOUTH PARRISH	WINCHESTER	07/13/20	ND
2533020-000	GREEN VALLEY MOBILE HOME PARK	WINCHESTER	04/15/21	ND
2542010-501	PEU/GOLDEN BROOK	WINDHAM	04/13/21	3.07
2542030-003	PEU/W AND E	WINDHAM	04/12/21	8.03
2542030-504	PEU/W AND E	WINDHAM	04/12/21	7.06
2542060-503	PEU/HARDWOOD HTS BIRCH HILL	WINDHAM	04/12/21	8.75
2542070-501	VILLAGES OF WINDHAM	WINDHAM	04/27/21	7.00
2542080-500	WYNRIDGE CONDOS	WINDHAM	03/12/21	ND
2542130-001	MCAULEY COMMONS	WINDHAM	01/27/21	ND
2542140-501	PEU/CASTLE REACH	WINDHAM	04/12/21	10.90
2542150-502	PEU/FLETCHER CORNER ESTATES	WINDHAM	02/04/20	ND
2542160-502	HADLEIGH WOODS	WINDHAM	05/18/21	8.14
2542170-500	PEU/LAMPLIGHTER VILLAGE	WINDHAM	04/12/21	ND
2542180-501	PEU/SPRUCE POND ESTS	WINDHAM	04/12/21	8.20
2542190-003	CAMELOT III	WINDHAM	01/21/21	8.17
2542200-501	WOOD MEADOW ESTATES	WINDHAM	01/20/21	ND
2544010-501	WARDE REHABILITATION/NURSING	WINDHAM	04/27/21	7.20
2544020-501	WINDHAM TERRACE	WINDHAM	04/20/21	8.36
2545010-002	WINDHAM CENTER SCH - PFAS TREATMENT INSTALLED	WINDHAM	04/06/21	12.30
2545020-501	GOLDEN BROOK SCH	WINDHAM	01/04/21	ND
2545030-501	WINDHAM MIDDLE SCH	WINDHAM	04/07/21	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
2545040-501	WINDHAM CROSSING LEARNING CTR	WINDHAM	04/06/21	2.68
2545080-501	KIDDIE ACADEMYU	WINDHAM	03/17/21	7.38
2545090-001	WINDHAM COOPTVE KINDERGARTEN	WINDHAM	11/05/19	ND
2545100-501	WINDHAM HIGH SCH	WINDHAM	04/29/21	2.29
2545110-501	WEE CARE LEARNING CTR	WINDHAM	02/26/21	9.92
2546020-001	AP DAILEY	WINDHAM	03/17/21	9.45
2546030-502	WINDHAM PLAZA	WINDHAM	03/10/21	ND
2546070-501	WINDHAM ACADEMY	WINDHAM	03/25/21	7.68
2546080-501	CASTLE COMMONS	WINDHAM	03/31/21	5.00
2546090-001	COMMONS AT WINDHAM 1/WEST BLDG	WINDHAM	07/20/17	7.00
2546110-001	WINDHAM VILLAGE GREEN	WINDHAM	05/17/21	3.26
2546110-001	COBBETTS PROF PARK	WINDHAM	04/06/21	2.04
2546160-001	COMMONS AT WINDHAM 2/EAST BLDG	WINDHAM	03/12/21	14.5
2546170-001	CAPITAL TRANSPORTATION	WINDHAM	04/02/21	8.40
2546180-001	KAHUNA	WINDHAM	02/04/20	ND
2546190-502	SHAWS SUPERMARKET 686	WINDHAM	04/20/21	7.62
2546200-501	CYR LUMBER	WINDHAM	03/25/21	3.41
2546220-501	FIVE INDUSTRIAL DR	WINDHAM	05/18/21	5.04
2546230-501	MEDICUS OFFICES	WINDHAM	01/12/21	8.07
2546240-501	183 ROCKINGHAM ROAD	WINDHAM	03/24/21	2.97
2546250-502	GATEWAY PARK	WINDHAM	04/22/21	2.57
2546260-001	INDIAN ROCK OFFICE PARK II	WINDHAM	05/04/21	5.64
2547060-501	WINDHAM WOODS SCH	WINDHAM	03/30/21	ND
2548150-001	DUNKIN DONUTS /PC 346676 TREATED	WINDHAM	07/20/17	ND
2548150-001	DUNKIN DONUTS /PC 346676 UNTREATED	WINDHAM	07/20/17	27.00
2548170-001	HOWIE GLYNN AND SONS CONV STRE	WINDHAM	07/31/17	6.00
2548180-001	WINDHAM TOWNE SHOPPES	WINDHAM	08/24/17	10.90
2549010-001	TOWN HALL/PLANNING/DEV/TV STAT	WINDHAM	06/07/17	8.00
2549020-001	SENIOR CITIZENS CENTER	WINDHAM	05/02/18	6.80



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	TOWN	DATE SAMPLED	Max PFOA Detected (ng/L) MCL/AGQS = 12
2549050-001	NESMITH LIBRARY	WINDHAM	04/09/18	6.40
2552010-501	WEDIKO SCHOOL	WINDSOR	04/26/21	3.73
2552010-502	WEDIKO SCHOOL	WINDSOR	02/03/21	ND
2552010-513	WEDIKO SCHOOL	WINDSOR	02/03/21	ND
2557060-501	WEDIKO KITCHEN	WINDSOR	02/03/21	ND
2561010-002	WOLFEBORO WATER AND SEWER	WOLFEBORO	08/19/20	ND
2562010-001	WENTWORTH ESTATES	WOLFEBORO	04/14/21	ND
2562030-001	POINT BREEZE CONDOS	WOLFEBORO	01/13/21	ND
2562050-502	SHERWOOD FOREST	WOLFEBORO	01/08/20	ND
2563010-000	BIRCH OF WOLFBORO COOP	WOLFEBORO	03/03/21	2.14
2571020-502	WOODSTOCK WATER DEPT	WOODSTOCK	11/14/19	ND
2571020-503	WOODSTOCK WATER DEPT	WOODSTOCK	11/14/19	ND
2572010-501	JACK O LANTERN CONDOS	WOODSTOCK	02/03/20	ND

Notes:

1. Concentrations shown are in parts per trillion (ppt) or nanograms per liter (ng/L).
2. Cells that are shaded gray indicate an exceedance of the current Maximum Contaminant Level (MCL) and the Ambient Groundwater Quality Standards (AGQS) included in Env-Or 600 Contaminated Site Management.
3. NH's four regulated PFAS compounds include: perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), perfluorohexane sulfonic acid (PFHxS), and perfluorononanoic acid (PFNA).
4. 'ND' indicates the analyzed PFAS was not detected above the laboratory reporting limit.
5. Data represents highest concentration detected at the Site.



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0015010-001	ACWORTH PRIMARY SCH	ND	ND	ND
0022010-501	WILDWOOD DEV	ND	ND	ND
0023010-001	PIPER MEADOWS PRIVATE COMMUNITY	ND	ND	ND
0032010-501	LEDGES AT NEWFOUND LAKE	ND	ND	ND
0052010-001	PAPERMILL VILLAGE	ND	ND	ND
0053010-504	WELL HILL	ND	ND	ND
0055010-501	ALSTEAD VILAS SCH	ND	ND	ND
0055020-001	ALSTEAD PRIMARY SCH	ND	ND	ND
0055030-001	ORCHARD SCHOOL	ND	ND	ND
0059010-001	MOLE HILL THEATRE/LEAF CHARTER	ND	ND	ND
0061010-502	ALTON WATER WORKS	ND	ND	ND
0061010-503	ALTON WATER WORKS	4.79	5.79	ND
0062010-501	EAGLES REST MHP	ND	ND	ND
0062050-501	LAKESIDE AT WINNIPESAUKEE	ND	ND	ND
0063020-501	MERRYMEETING MHP	ND	ND	ND
0065020-501	PROSPECT MOUNTAIN HIGH SCH	ND	ND	ND
0072070-501	SOUHEGAN WOODS	ND	ND	ND
0072080-001	GOWING WOODS	ND	ND	ND
0072090-501	CONNOR COURT	ND	ND	ND
0073030-000	RIDGEWOOD ESTATES	ND	ND	ND
0075060-501	AMHERST MEDICAL CENTER	ND	ND	ND
0075070-001	CHRISTS CHURCH OF AMHERST	ND	ND	ND
0076040-002	SALZBURG SQUARE AMHERST	4.96	ND	ND
0076070-001	MC SQUARE	ND	ND	ND
0076130-501	COLONIAL PARK	ND	5.21	ND
0078090-501	MEETING PLACE	3.45	8.86	ND
0081010-002	ANDOVER VILLAGE DIST	ND	ND	ND
0086030-001	BELLETETES	ND	ND	ND
0091010-501	ANTRIM SEWER AND WATER DEPT	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0092010-001	STEELE POND DEV	ND	ND	ND
0095010-001	OVERSEAS UNITED EDUC FNDTN	ND	ND	ND
0101010-504	ASHLAND WATER DEPT	ND	ND	ND
0101010-505	ASHLAND WATER DEPT	ND	ND	ND
0102010-500	ROPEWALK SERVICES	ND	ND	ND
0102020-000	VILLAGE AT RIVERBEND	ND	ND	ND
0112030-501	WRIGHT FARM CONDOS	ND	4.62	ND
0112060-501	COMMONS OF ATKINSON	5.00	3.39	ND
0112070-501	WATER WHEEL ESTATES	ND	ND	ND
0112080-001	WALNUT RIDGE/BRYANT WDS	1.60	2.10	ND
0112080-003	WALNUT RIDGE/BRYANT WDS	1.40	1.50	0.26
0112080-004	WALNUT RIDGE/BRYANT WDS	3.90	3.50	0.74
0112080-009	WALNUT RIDGE/BRYANT WDS	1.10	0.88	ND
0112080-011	WALNUT RIDGE/BRYANT WDS	0.89	0.70	ND
0112080-012	WALNUT RIDGE/BRYANT WDS	ND	0.80	ND
0112080-013	WALNUT RIDGE/BRYANT WOODS	ND	ND	ND
0112080-021	WALNUT RIDGE/BRYANT WDS	1.80	1.80	ND
0112090-501	DEARBORN RIDGE	ND	ND	ND
0112100-502	ATKINSON WOODS	2.24	ND	ND
0115010-502	ATKINSON ACADEMY SCH	9.51	3.33	ND
0115060-001	LEARNING PATH CHILD CARE CTR	ND	ND	ND
0116010-501	PEU/PIONEER COMMERCE PARK	ND	ND	ND
0116020-501	GEX	ND	ND	ND
0116040-501	PALMER GAS	2.95	ND	ND
0135010-502	AUBURN VILLAGE SCH	ND	ND	ND
0135020-001	AUBURN CHILDRENS HOUSE	ND	ND	ND
0135030-501	ITS A CHILDS WORLD	ND	ND	ND
0142010-019	PEU LOCKE LAKE	ND	ND	ND
0142010-510	PEU/LOCKE LAKE	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0142010-517	PEU/LOCKE LAKE	ND	ND	ND
0145010-502	BARNSTEAD ELEMENTARY SCH	ND	ND	ND
0146040-501	BARNSTEAD BUSINESS PARK	ND	ND	ND
0151010-503	SWAINS LAKE VILLAGE WATER	ND	ND	ND
0152010-001	ELLISON FARM APARTMENTS	ND	ND	ND
0152020-501	OLD STAGE COACH ARMS	3.46	ND	ND
0152030-001	BARRINGTON HILLS APTS/LOWER	ND	ND	ND
0152050-001	BARRINGTON HILLS APTS/UPPER	ND	ND	ND
0152060-003	OYSTER RIVER APTS EAST/WEST	ND	ND	ND
0152090-501	PEPPERIDGE WOODS	ND	ND	ND
0153020-501	HALCYON HILL	8.19	ND	ND
0153030-502	BARRINGTON OAKS	ND	ND	ND
0153030-503	BARRINGTON OAKS	ND	ND	ND
0153040-501	LEE OAK COOPERATIVE	ND	ND	ND
0153050-506	BARRINGTON MOBILE HOME ESTATES	ND	ND	ND
0153060-503	EMERALD ACRES	ND	ND	ND
0155020-501	EARLY CHILDHOOD LEARNING CTR	ND	ND	ND
0155050-501	BARRINGTON ELEMENTARY SCHOOL	2.77	7.16	ND
0155070-501	FRISBIE HEALTH SERVICES	ND	ND	ND
0155080-500	BARRINGTON MIDDLE SCH	ND	ND	ND
0155100-001	BARRINGTON VLG ENRICHMENT CTR	1.80	1.80	1.80
0156020-501	FOCUS HOLDINGS	21.10	2.62	ND
0156030-501	ASSOCIATED BUYERS	ND	ND	ND
0156040-004	TURBOCAM/PHASE I	ND	ND	ND
0156040-005	TURBOCAM/PHASE I	ND	ND	ND
0156060-001	MIDPOINT PROPERTIES	ND	ND	ND
0156070-001	TURBOCAM B2	ND	ND	ND
0161010-003	BARTLETT VILLAGE PCT	ND	ND	ND
0161020-001	LOWER BARTLETT WATER PCT	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0161020-003	LOWER BARTLETT WATER PCT	ND	ND	ND
0162050-502	NORTH LEDGE	ND	ND	ND
0162070-000	LINDERHOF PROP OWN'R ASSN	ND	ND	ND
0162100-002	RIVERSBEND	ND	ND	ND
0162140-502	RIVERSIDE COBB FARM	ND	ND	ND
0162160-001	COW HILL WELLHOUSE	ND	ND	ND
0162160-503	COW HILL WELLHOUSE	3.26	ND	ND
0162170-511	RIVER RUN CONDOS	4.36	ND	ND
0162180-001	BLUEBERRY VILLAGE CONDOS	ND	ND	ND
0162190-502	CRAWFORD HILLS	ND	ND	ND
0162200-503	TOP NOTCH CONDOS	ND	ND	ND
0162210-502	MOUNTAININSIDE ON ATTITASH	ND	ND	ND
0162250-504	BARTLETT PLACE	ND	ND	ND
0162260-001	VILLAGGIO BIANCO	ND	ND	ND
0162270-505	NORDIC VILLAGE	ND	ND	ND
0162310-502	WHISPERING BROOK	ND	ND	ND
0162330-501	CRAWFORD POND	ND	ND	ND
0162340-001	BEAR VILLAGE SOUTH	ND	ND	ND
0162350-000	GOODRICH PROPERTY	ND	ND	ND
0162390-501	SUGARWOOD ON THE SACO	6.39	ND	ND
0162400-501	EAGLE RIDGE RESORT	ND	ND	ND
0162400-501	EAGLE RIDGE RESORT	ND	ND	ND
0162410-508	STILLINGS GRANT	ND	ND	ND
0162410-508	STILLINGS GRANT	ND	ND	ND
0162430-501	BEARFOOT CREEK	ND	ND	ND
0162430-501	BEARFOOT CREEK	ND	ND	ND
0167010-501	MT ATTITASH SKI AREA/LODGE	ND	ND	ND
0167010-501	MT ATTITASH SKI AREA/LODGE	ND	ND	ND
0168460-001	BEAR PEAK AT ATTITASH	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0168460-001	BEAR PEAK AT ATTITASH	ND	ND	ND
0171010-503	BATH VILLAGE WATER WORKS	ND	ND	ND
0192060-501	ENGLISH WOODS	ND	ND	ND
0192070-321	CABOT PRESERVE	2.72	ND	ND
0195010-002	MONTESSOR SCH OF BEDFORD	ND	ND	ND
0195020-501	KELLOGG CHRISTIAN SCHOOL	2.63	2.31	ND
0195090-001	BETHANY COVENANT CHURCH	ND	ND	ND
0155100-501	BEDFORD VILLAGE MORNING SCHOOLE	ND	ND	ND
0196020-501	101 PLAZA	ND	ND	ND
0196170-001	PINE TREE PLACE CONDOS	ND	ND	ND
0196210-501	288 ROUTE 101	ND	ND	ND
0196270-501	EVERSOURCE ENERGY BEDFORD AWC	ND	ND	ND
0196280-501	292 ROUTE 101	ND	ND	ND
0196310-001	FRENCH ATWOOD MARKETPLACE	ND	ND	ND
0196320-501	FAMILY MEDICAL CENTER	4.57	3.47	ND
0196330-501	124 BEDFORD CENTER RD	17.50	ND	ND
0197020-001	CAMP FOSTER	ND	3.00	ND
0197030-001	CAMP KETTLEFORD	ND	ND	ND
0198010-001	OLDE ROAD II	2.60	1.30	0.80
0201010-501	BELMONT WATER DEPT	ND	ND	ND
0201010-502	BELMONT WATER DEPT	ND	ND	ND
0201010-503	BELMONT WATER DEPT	ND	ND	ND
0202010-005	ABENAKI WATER /LAKELAND	ND	ND	ND
0202010-5041	ABENAKI WATER /LAKELAND	ND	ND	ND
0202010-504	ABENAKI WATER /LAKELAND	ND	ND	ND
0202020-500	SUNRAY SHORES WATER DIST	ND	ND	ND
0202060-501	SUN LAKE VILLAGE	ND	ND	ND
0203010-001	CATES MOBILE HOME PARK	ND	ND	ND
0203020-501	LADD HILL MHP	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0203030-001	NORTHBROOK MHP	9.05	2.32	ND
0203030-501	NORTHBROOK MHP	6.92	9.16	ND
0203040-000	PINE GARDENS MHP	ND	ND	ND
0203060-504	SOLAR VILLAGE	ND	ND	ND
0203070-502	GRANITE STATE CAMPGROUND	4.76	ND	ND
0203080-000	MALLARDS LANDING	ND	ND	ND
0203090-505	LAKES REGION MHP COOP II	ND	ND	ND
0205010-501	LAKES REGION DAYCARE	2.65	ND	ND
0206020-501	BELMONT BUSINESS PARK	ND	ND	ND
0206040-501	AFL TELECOMMUNICATIONS LLC	4.22	ND	ND
0206050-501	EASTGATE PARK	ND	ND	ND
0209040-501	BELMONT MEDICAL CENTER	ND	ND	ND
0211010-502	BENNINGTON WATER DEPT	ND	ND	ND
0212010-501	SOUTH FACE CONDOS	ND	ND	ND
0212030-000	BIRCHES OF BENNINGTON	ND	ND	ND
0212020-501	MOUNTAINSIDE AT CROTCHED MTN	ND	ND	ND
0224010-004	GLENCLIFF HOME FOR THE ELDERLY	ND	ND	ND
0224010-504	GLENCLIFF HOME FOR THE ELDERLY	ND	ND	ND
0231010-004	BERLIN WATER WORKS	ND	ND	ND
0231010-008	BERLIN WATER WORKS	ND	ND	ND
0231010-009	BERLIN WATER WORKS	ND	ND	ND
0241010-003	BETHLEHEM VILLAGE DIST	ND	ND	ND
0245010-502	PROFILE HIGH SCH	ND	ND	ND
0251010-002	PENACOOK BOSCAWEN WATER PCT	ND	ND	ND
0251010-003	PENACOOK BOSCAWEN WATER PCT	ND	ND	ND
0251010-004	PENACOOK BOSCAWEN WATER PCT	ND	ND	ND
0261010-511	BOW MUNICIPAL WATER SYSTEM	5.02	ND	ND
0262010-501	EVERGREEN DRIVE WATER	ND	ND	ND
0262020-501	ABENAKI WATER/WHITE ROCK	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0262030-502	BELA BROOK WATER	ND	ND	ND
0262040-502	COTTAGES AT WINDCHIMES	ND	ND	ND
0262050-501	PEU/WHITE ROCK SENIOR LIVING	ND	ND	ND
0262060-501	PEU/STONE SLED FARM	ND	ND	ND
0262060-502	PEU/STONE SLED FARM	ND	ND	ND
0265010-502	BOW MEMORIAL SCHOOL	ND	ND	ND
0265020-502	BOW ELEMENTARY SCHOOL	ND	ND	ND
0265030-502	BOW HIGH SCHOOL	ND	ND	ND
0265040-001	JOYFUL NOISE	ND	ND	ND
0265040-501	JOYFUL NOISE	ND	ND	ND
0265050-001	BOW YOUTH CENTER	ND	ND	ND
0265060-501	MEETING HOUSE MONTESSORI	ND	ND	ND
0266010-000	GSP/MERRIMACK STATION	6.33	2.92	ND
0266020-001	BOVIE SCREEN PRINTING	ND	ND	ND
0266050-002	GRAPPONE FORD COMPLEX	10.5	4.28	ND
0266090-001	PITCO FRIALATOR	17.2	12.2	ND
0266110-501	BOW TECHNOLOGIES	2.18	ND	ND
0266130-002	RUGGLES III OFFICE BLDG	ND	ND	ND
0266140-501	NH AUTO DEALERS ASSN	ND	ND	ND
0266150-502	CONCORD GROUP	ND	ND	ND
0266200-500	GRAPPONE TOYOTA	ND	4.56	ND
0266220-001	501 SOUTH STREET	ND	ND	ND
0266240-001	GRAPPONE HONDA	10.6	4.16	ND
0266250-501	BOW SAFETY BLDG	ND	ND	ND
0269010-501	BOW MUNICIPAL BUILDING	ND	ND	ND
0272010-001	FISHERFIELD TOWNHOUSES	ND	ND	ND
0275070-001	KEARSARGE REG ELEM SCH/BRADFRD	ND	ND	ND
0275080-501	NFI NORTH TRNS HSING	ND	ND	ND
0275090-501	CHILDRENS CTR FOR CREATIVE LRNG	2.00	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0282010-002	MILL POND CROSSING	ND	ND	ND
0284010-502	ROCKINGHAM COUNTY COMPLEX	4.9	7.04	ND
0284010-503	ROCKINGHAM COUNTY COMPLEX	3.39	7.86	ND
0285010-502	SWASEY CENTRAL SCH	ND	ND	ND
0285040-501	A PLACE TO GROW	ND	ND	ND
0286020-501	OWENS CORNING	94.30	32.70	ND
0286060-500	ROCKINGHAM COUNTY COURTHOUSE	ND	ND	ND
0292010-000	WHITTEMORE SHORES	ND	ND	ND
0293010-002	NEWFOUND ACRES MHP	ND	ND	ND
0295010-001	BRIDGEWATER/HEBON VIL SCH	ND	ND	ND
0297020-512	WHIP O WHILL CONDOS	ND	ND	ND
0298040-001	NEWFOUND GROCERY	ND	ND	ND
0301010-501	BRISTOL WATER WORKS	ND	ND	ND
0301010-502	BRISTOL WATER WORKS	ND	ND	ND
0301010-503	BRISTOL WATER WORKS	ND	ND	ND
0305010-501	NEWFOUND REGIONAL HS	ND	ND	ND
0305020-001	PB AND JS FAMILY CHILDCARE	ND	ND	ND
0325010-001	RICHARD MAGHAKIAN MEMORIAL SCH	ND	ND	ND
0325050-501	CAPT SAMUEL DOUGLASS ACADEMY	ND	ND	ND
0325060-001	STONEY LEDGE PLAZA	ND	ND	ND
0326020-501	DECCO	ND	ND	ND
0341010-508	CAMPION VILLAGE PCT	ND	ND	ND
0341010-509	CAMPION VILLAGE PCT	ND	ND	ND
0341030-502	WATERVILLE ESTATES VLG DIST	ND	ND	ND
0342010-512	BEEBE RIVER	ND	ND	ND
0342020-001	TRIPPLEWOOD RESORT CONDOS	ND	ND	ND
0342050-000	DEER RUN	ND	ND	ND
0342060-002	BECKET HOUSE AT CAMPION	ND	ND	ND
0342080-000	VALLEY VIEW CONDOS	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0342090-001	RED SLEIGH CONDOS	ND	ND	ND
0342100-000	COACHMAN CONDOS	ND	ND	ND
0343010-000	CHESLEYS MHP	ND	ND	ND
0343020-502	SIX FLAGS MHP	ND	ND	ND
0346030-501	USFS WMNF ADMIN CMPLX	1.90	1.90	1.90
0351010-501	CANAAN WATER DEPT	ND	ND	ND
0353010-001	COUNTRY VILLAGE MHP	ND	ND	ND
0353010-002	COUNTRY VILLAGE MHP	ND	ND	ND
0353020-001	MASCOMA VALLEY COOP	ND	ND	ND
0354010-503	CARDIGAN MOUNTAIN SCH	ND	ND	ND
0355030-001	MASCOMA VALLEY REG HIGH SCH	15.00	ND	ND
0355060-001	INDIAN RIVER SCH	9.66	ND	ND
0355070-001	MACOMA COMM HEALTH CARE	ND	ND	ND
0356020-001	BARKER STEEL	ND	ND	ND
0362010-501	HILLCREST MANOR APTS	ND	ND	ND
0363010-503	COUNTRY LANE MANOR	ND	ND	ND
0365010-503	HENRY W MOORE SCH	ND	ND	ND
0365020-501	M AND C CHILDRENS LEARNING PL	ND	ND	ND
0365040-001	REMINGTON EDUC CENTER	4.42	ND	ND
0366040-001	BIRCHWOOD PLAZA	ND	ND	ND
0374010-102	CANTERBURY SPRUCES HOUSING	ND	ND	ND
0375010-002	CANTERBURY ELEMENTARY SCH	ND	ND	ND
0381010-514	CARROLL WATER WORKS	ND	ND	ND
0382010-001	ROSEBROOK WATER	ND	ND	ND
0382010-002	ROSEBROOK WATER	ND	ND	ND
0396020-000	SENTERS MARKET CONDOS	ND	ND	ND
0398030-001	CENTER HARBOR INN	ND	ND	ND
0411010-004	CHARLESTOWN WATER WORKS	ND	ND	ND
0411010-005	CHARLESTOWN WATER WORKS	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0411010-502	CHARLESTOWN WATER WORKS	ND	ND	ND
0411020-511	NORTH CHARLESTOWN WATER DEPT	ND	ND	ND
0411020-512	NORTH CHARLESTOWN WATER DEPT	ND	ND	ND
0412010-000	MEADOWVIEW APTS	ND	ND	ND
0413020-504	CONNECTICUT RIVER MHP	ND	ND	ND
0413030-501	WINDY ACRES	ND	ND	ND
0419010-501	LIFE FLLWSHP FOURESQRE CHURCH	ND	ND	ND
043020-511	OLDE TOWNE	ND	ND	ND
043040-505	CATAMOUNT HILL	ND	ND	ND
0432010-501	VILLAGES AT CHESTER CONDOS	ND	ND	ND
0432020-502	OAK HILL	ND	ND	ND
0432030-502	CHESTER BROOK	ND	ND	ND
0432040-501	PEU/SHAKER HEIGHTS	ND	ND	ND
0435060-501	CHESTER ACADEMY	ND	7.02	ND
0435070-001	PLAY LAUGH N GROW	ND	ND	ND
0435080-501	CHESTERBROOK SCH OF NTRL LRNG	ND	ND	ND
0437020-503	WASON POND COMMUNITY CENTER	ND	ND	ND
0438010-001	SHAKER HEIGHTS PROF PLAZA	ND	ND	ND
0445010-004	CHESTERFIELD CENTRAL SCH	ND	ND	ND
0446020-502	UNITED NATURAL FOODS	ND	ND	ND
0446030-501	NORTHEAST HOME LOAN	ND	ND	ND
0449040-001	FEDEX FACILITY	ND	ND	ND
04653020-001	ROBINSONS MHP/UPPER	ND	ND	ND
0455010-501	CHICHESTER CENTRAL SCH	ND	ND	ND
0456010-502	CAMPING WORLD OF NEW HAMPSHIRE	ND	ND	ND
0461010-002	CLAREMONT WATER DEPT	ND	ND	ND
0461010-002	CLAREMONT WATER DEPT	ND	ND	ND
0481010-503	COLEBROOK WATER WORKS	ND	ND	ND
0481010-504	COLEBROOK WATER WORKS	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0493020-002	MOUNTAIN VIEW PARK ESTATES	2.15	ND	ND
0505010-002	SHAKER RD SCH	ND	ND	ND
0501010-002	CONCORD WATER DEPT	ND	ND	ND
0501010-504	CONCORD WATER DEPT	ND	ND	ND
0501010-505	CONCORD WATER DEPT	ND	ND	ND
0501010-506	CONCORD WATER DEPT	ND	ND	ND
0501010-507	CONCORD WATER DEPT	ND	ND	ND
0511010-501	CONWAY VILLAGE FIRE DIST	ND	ND	ND
0511010-502	CONWAY VILLAGE FIRE DIST	ND	ND	ND
0511030-503	NORTH CONWAY WATER PCT	ND	ND	ND
0511030-508	NORTH CONWAY WATER PCT	ND	ND	ND
0511030-509	NORTH CONWAY WATER PCT	ND	ND	ND
0511030-510	NORTH CONWAY WATER PCT	ND	ND	ND
0512030-500	CATHEDRAL LEDGE	ND	ND	ND
0512050-000	ECHO LAKE WOODS	ND	ND	ND
0512060-501	FOREST EDGE	ND	ND	ND
0512070-001	FOREST PARK VILLAGE	ND	ND	ND
0512080-501	REBECCA LANE WATER SYS	ND	ND	ND
0512110-502	NORTH PINES	ND	ND	ND
0512120-501	SACO RIVER FOREST	ND	ND	ND
0512130-501	WOODLAND GROVE	ND	ND	ND
0512140-002	SOUTH PINES	ND	ND	ND
0512150-501	DEERBROOK CONDOS	2.49	ND	ND
0512170-501	OAKWOOD HEIGHTS	ND	ND	ND
0512180-502	SACO PINES	ND	ND	ND
0512190-001	BROOK VIEW VILLAGE	2.24	3.38	ND
0512200-503	CEDAR CREEK	ND	ND	ND
0512200-503	CEDAR CREEK	ND	ND	ND
0512210-501	NEAR LEDGE	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0512230-502	MELODY PINES CONDOS	ND	ND	ND
0512240-506	ROCKHOUSE MOUNTAIN	ND	ND	ND
0512240-508	ROCKHOUSE MOUNTAIN	ND	ND	ND
0512250-501	SACO WOODS CONDOS	ND	ND	ND
0512260-502	DAVIS HILL	ND	ND	ND
0512270-501	HALE ESTATES	ND	ND	ND
0513100-501	MOUNTAIN VALE VILLAGE MHP	ND	ND	ND
0515010-001	CONWAY COMMUNITY BLDG	ND	ND	ND
0515020-001	NEW PINE TREE SCH	ND	ND	ND
0515040-501	LITTLE HANDS BIG DREAMS	ND	ND	ND
0516020-501	NORTHERN HUMAN SVCS	ND	ND	ND
0516030-001	CONWAY MUNICIPAL CENTER	ND	ND	ND
0516040-001	LUPINE	ND	ND	ND
0519020-002	CONWAY TOWN HALL	ND	ND	ND
0525010-502	CORNISH ELEM SCH	ND	8.05	ND
0545010-001	CROYDON VILLAGE SCH	ND	ND	ND
0575010-001	DANBURY ELEMENTARY SCH	ND	ND	ND
0578060-001	DANBURY COUNTRY STORE	ND	ND	ND
0582010-501	COLBY POND	ND	ND	ND
0583010-502	SPRUCE VALLEY MHP	2.04	ND	ND
0583020-005	IRON WHEEL MHP	10	5.17	ND
0583020-006	IRON WHEEL MHP	11.2	7.98	ND
0583020-501	IRON WHEEL MHP	3.18	ND	ND
0583030-506	COTTON FARMS MHP	ND	ND	ND
0583030-510	COTTON FARMS MHP	6.02	2.09	ND
0583050-505	ROCK RIMMON COOPERATIVE	ND	ND	ND
0585010-502	DANVILLE ELEMENTARY	ND	ND	ND
0594010-003	CORNERSTONE PLACE	3.33	ND	ND
0594020-501	INN AT DEERFIELD	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0594030-001	SHERBURN WOODS	ND	ND	ND
0595010-501	GEORGE B WHITE BLDG	4.95	2.05	ND
0595020-501	DEERFIELD COMMUNITY SCH	ND	ND	ND
0595040-001	LONGVIEW SCH	ND	ND	ND
0603010-502	LONGWOODS MHP	ND	ND	ND
0603020-001	JOHNSON CITY MHP	ND	ND	ND
0605010-501	ROBIN HILL FARM/BLUE HOUSE	ND	ND	ND
0607030-503	HIS MANSION DIN HALL	ND	ND	ND
0609010-501	HIS MANSION NEW BEGINNING	ND	ND	ND
0612040-501	BARKLAND ACRES	3.34	ND	ND
0612050-000	MORNINGSIDE DRIVE	4.53	4.71	ND
0612070-502	GLEN RIDGE DEV	ND	ND	ND
0612110-501	PEU/FARMSTEAD ACRES	ND	ND	ND
0612140-004	HI AND LO ESTATES	2.79	2.82	ND
0612150-504	DREW WOODS	ND	ND	ND
0612160-001	WOODLAND AT DERRY	ND	ND	ND
0612170-502	MAPLE HAVEN	ND	ND	ND
0612210-503	OLD COACH VILLAGE	5.45	ND	ND
0612220-501	AUTUMN WOODS	ND	ND	ND
0612230-501	RAND SHEPARD HILL	ND	ND	ND
0612240-501	WILLOW BEND	ND	ND	ND
0613010-001	ANNIE OAKLEY	2.07	2.47	ND
0613030-501	RUNNING BROOK	2.16	3.77	ND
0613060-513	CENTENNIAL ESTATES	ND	ND	ND
0615060-501	E DERRY MEMORIAL ELEM SCH	8.74	22	ND
0616040-511	BROOKSTONE PARK/EAST	ND	ND	ND
0618150-501	COWBELL CORNERS	ND	ND	ND
0651010-003	DOVER WATER DEPT	ND	ND	ND
0651010-005	DOVER WATER DEPT - WELL NOT IN USE	160.00	35.00	6.20



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0651010-007	DOVER WATER DEPT - WELL NOT IN USE	173.00	50.70	ND
0651010-502	DOVER WATER DEPT	ND	ND	ND
0651010-505	DOVER WATER DEPT	ND	ND	ND
0651010-515	DOVER WATER DEPT	ND	ND	ND
0651010-517	DOVER WATER DEPT	ND	ND	ND
0655030-501	MISS PATTYS CHILDCARE	ND	ND	ND
0664010-502	DUBLIN CHRISTIAN ACADEMY	ND	ND	ND
0664010-503	DUBLIN CHRISTIAN ACADEMY	ND	ND	ND
0664020-501	DUBLIN SCHOOL	ND	ND	ND
0665010-501	DUBLIN CONSOLIDATED SCH	2.06	ND	ND
0665030-501	PHOENIX HOUSE DUBLIN CENTER	ND	ND	ND
0665050-501	MOUNTAIN SHADOWS SCH	ND	ND	ND
0666010-501	YANKEE PUBLISHING	ND	ND	ND
0666030-501	DUBLIN VILLAGE PARK	ND	ND	ND
0685010-502	DUNBARTON ELEMENTARY SCH	ND	ND	ND
0691010-002	UNH/DURHAM WATER SYS	ND	ND	ND
0691010-003	UNH/DURHAM WATER SYS	ND	ND	ND
0691010-005	UNH/DURHAM WATER SYS	ND	ND	ND
0691010-501	UNH/DURHAM WATER SYS	ND	ND	ND
0691010-502	UNH/DURHAM WATER SYS	ND	ND	ND
0692010-501	JOHNSON CREEK	ND	ND	ND
0692020-501	STAGECOACH FARMS	ND	ND	ND
0694010-501	BROOKDALE SPRUCE WOOD	ND	ND	ND
0702010-003	BARTON MHP	ND	ND	ND
0702020-003	BRANDYWINE	ND	ND	ND
0702020-501	BRANDYWINE	ND	ND	ND
0702030-502	MAPLEVALE AND CRICKET HILL	ND	ND	ND
0702040-504	COUNTRY HILLS OF EAST KINGSTON	ND	ND	ND
0705020-502	E KINGSTON ELEMENTARY SCH	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0708040-501	POWWOW JUNCTION	ND	ND	ND
0732020-502	GREEN MOUNTAIN TREATMENT CTR	ND	ND	ND
0732030-000	LOST VALLEY	ND	ND	ND
0732040-503	18 HUGHES LN	ND	ND	ND
0735030-001	EFFINGHAM ELEMENTARY SCH	ND	ND	ND
0751010-002	ENFIELD WATER DEPT	ND	ND	ND
0751010-003	ENFIELD WATER DEPT	ND	ND	ND
0751010-005	ENFIELD WATER DEPT	ND	ND	ND
0751010-504	ENFIELD WATER DEPT	ND	ND	ND
0752020-001	LAKEVIEW CONDOS	ND	ND	ND
0752020-002	LAKEVIEW CONDOS	ND	ND	ND
0753010-001	WILSONS MHP	ND	ND	ND
0753020-502	DANIELS ACRES	ND	ND	ND
0753030-501	LOWER SHAKER VILLAGE	ND	ND	ND
0753030-501	LOWER SHAKER VILLAGE	ND	ND	ND
0761010-507	EPPING WATER AND SEWER DEPT	ND	ND	ND
0761010-514	EPPING WATER AND SEWER DEPT	ND	ND	ND
0762040-501	MELLING GLEN	ND	ND	ND
0762050-502	GOVERNORS GREEN	ND	ND	ND
0762070-502	PLUMER COURT	ND	ND	ND
0762080-501	VILLAGES ON THE LAMPREY	2.7	2.84	ND
0762120-502	WOODLANDS	ND	ND	ND
0763010-501	EVANS TRAILER PARK	ND	ND	ND
0771010-501	EPSOM VILLAGE DIST	ND	ND	ND
0771010-502	EPSOM VILLAGE DIST	ND	3.26	ND
0771020-500	KINGS GRANT	ND	ND	ND
0773010-504	KINGS TOWNE MHP	ND	ND	ND
0773020-002	COLBY BROOK ESTATES	3.12	2.55	ND
0773020-504	COLBY BROOK ESTATES	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0773030-504	SHELTERING PINES MHP	ND	2.18	ND
0774010-001	EPSOM HEALTHCARE CTR	ND	ND	ND
0774030-002	MEADOW BROOK	ND	ND	ND
0775020-511	EPSOM MED CTR	ND	ND	ND
0781010-501	ERROL WATER WORKS	ND	ND	ND
0801010-002	EXETER WATER DEPT	1.13	ND	ND
0801010-003	EXETER WATER DEPT	4.37	2.01	ND
0801010-004	EXETER WATER DEPT	ND	ND	ND
0801010-507	EXETER WATER DEPT	ND	ND	ND
0802010-001	PICKPOCKET WOODS	1.90	1.80	1.80
0802020-001	EXETER HIGHLANDS	ND	ND	ND
0802030-000	LOUISBURG CIRCLE	3.21	ND	ND
0802040-501	PEU/FOREST RIDGE	ND	ND	ND
0803020-502	EXETER RIVER MOBILE HOME PARK	3.46	ND	ND
0803030-501	LANDING AT EXETER RIVER	ND	ND	ND
0803040-501	BEECH HILL PARK	5.91	2.4	ND
0803050-501	ICEY HILL COOPERATIVE	3.39	ND	ND
0804010-001	EXETER HOSPITAL/SLEEP MED - WELL NOT IN USE	15.00	34.00	19.00
0804010-001	EXETER HOSPITAL/SLEEP MED - WELL NOT IN USE	15.00	34.00	19.00
0804020-001	EXETER HOSPITAL	8.00	24.00	3.00
0805010-501	BUILDING BLOCK COMMONS	ND	ND	ND
0805030-501	EXETER UNITED METHODIST CHURCH	ND	ND	ND
0805040-501	EXETER HIGH SCH	ND	ND	ND
0811010-504	FARMINGTON WATER DEPT	ND	ND	ND
0811010-506	FARMINGTON WATER DEPT	ND	ND	ND
0821010-501	FITZWILLIAM VILLAGE/PRIGGE	2.04	ND	ND
0821010-511	FITZWILLIAM VILLAGE/LAUGHNER	ND	ND	ND
0821010-512	FITZWILLIAM VILLAGE/LAUGHNER	ND	ND	ND
0821010-511	FITZWILLIAM VILLAGE/MASSIN	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0823010-001	20 JAFFREY RD	5.11	ND	ND
0825010-501	GEORGE S EMERSON ELEM SCH	5.02	ND	ND
0827070-001	MEADOWOOD ASSEMBLY HALL	15.00	7.00	ND
0831010-505	FRANCESTOWN VILLAGE WATER	ND	ND	ND
0832010-501	CROTCHED MOUNTAIN MNTNC	ND	ND	ND
0835010-501	FRANCESTOWN ELEMENTARY SCH	ND	ND	ND
0841010-501	FRANCONIA VILLAGE WATER	ND	ND	ND
0841020-004	MITTERSILL WATER DEPT	ND	ND	ND
0841020-005	MITTERSILL WATER DEPT	ND	ND	ND
0851010-001	FRANKLIN WATER WORKS	ND	ND	ND
0851010-002	FRANKLIN WATER WORKS	ND	ND	ND
0851010-003	FRANKLIN WATER WORKS	ND	ND	ND
0851010-004	FRANKLIN WATER WORKS	ND	ND	ND
0861010-501	FREEDOM VILLAGE WATER PRECINCT	ND	ND	ND
0862010-501	LOV WATER	ND	ND	ND
0862020-501	PINE LANDING CONDOS	ND	ND	ND
0862030-503	FREEDOM VILLAGE CONDOS	ND	ND	ND
0872010-501	GOVERNORS FOREST	ND	ND	ND
0872020-501	BLACKROCKS VILLAGE	ND	ND	ND
0874020-501	COLONIAL POPLIN NURSING HOME	15.2	3.48	ND
0875010-502	ELLIS SCHOOL - BEFORE TREATMENT WAS INSTALLED	15.80	15.80	34.90
0875010-503	ELLIS SCHOOL - AFTER TREATMENT WAS INSTALLED	ND	ND	ND
0875030-501	COUNTRY CLUB FOR KIDS	2.11	ND	ND
0875040-001	BARNYARD BUDDIES	ND	ND	ND
0876030-001	COOPERS CORNER/EAST	ND	ND	ND
0878020-001	FREMONT PIZZERIA RESTAURANT	28.00	5.00	0.50
0881010-003	GILFORD VILLAGE WATER DIST	ND	ND	ND
0881010-004	GILFORD VILLAGE WATER DIST	ND	ND	ND
0881010-005	GILFORD VILLAGE WATER DIST	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0881010-503	ABENAKI WATER/GILFORD VILLAGE	ND	ND	ND
0881020-010	GUNSTOCK ACRES VILL DIST	ND	ND	ND
0881020-505	GUNSTOCK ACRES VILL DIST	ND	ND	ND
0882010-001	CHALET VILLAGE	ND	ND	ND
0882020-501	GILFORD FOREST ESTATES	ND	ND	ND
0882040-002	LIBERTY HIGHLANDS WATER	ND	ND	ND
0882050-001	BRAKE HILL ACRES	ND	ND	ND
0882050-002	BRAKE HILL ACRES	ND	ND	ND
0882060-502	WINNSTOCK CONDOS	ND	ND	ND
0882080-001	CHERRY VALLEY CONDOS	ND	ND	ND
0882090-001	GUNSTOCK GLEN WATER	ND	ND	ND
0882100-511	BELKNAP HEIGHTS WATER	ND	ND	ND
0882130-503	BROADVIEW CONDOS	ND	ND	ND
0882140-003	MARINA BAY CONDOS I AND II	ND	ND	ND
0882150-502	LAKE SHORE PARK	ND	ND	ND
0882160-500	SAMOSET AT WINNI	ND	ND	ND
0882170-001	COUNTRY VILLAGE WAY	ND	ND	ND
0882180-502	BROOKSIDE CROSSING	ND	ND	ND
0882190-502	DOCKHAM SHORES ESTATES	ND	ND	ND
0882220-101	BRETTON WOODS DEV	ND	ND	ND
0882410-501	HAMPSHIRE VILLAGE	ND	ND	ND
0882420-501	STONEWALL VILLAGE	ND	ND	ND
0882210-502	GILFORD MEADOWS	ND	ND	ND
0883010-501	OLD LAKE SHORE	ND	ND	ND
0883030-505	MOUNTAIN VIEW HOUSING	ND	ND	ND
0883040-503	LRMHV	ND	ND	ND
0883060-501	EDGE OF WOODS	ND	ND	ND
0885010-001	GILFORD ELEMENTARY SCH	ND	ND	ND
0885020-003	GILFORD MIDDLE AND HIGH SCH	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0885050-501	GILFORD PROFESSIONAL PARK	ND	ND	ND
0886040-001	UNDER HIS WING PRESCHOOL	ND	ND	ND
0886120-002	VILLAGE WEST I	ND	ND	ND
0886150-501	GILFORD MUNICIPAL BLDG COMPLEX	38.4	17.8	3.21
0886170-501	VILLAGE WEST II	ND	ND	ND
0886190-501	NHDOS MARINE PATROL	ND	ND	ND
0887050-001	GUNSTOCK AREA	ND	ND	ND
0887050-002	GUNSTOCK AREA	ND	ND	ND
0887150-001	MEADOWBROOK/CONFERENCE CENTER	ND	ND	ND
0888390-001	AIRPORT COUNTRY STORE	ND	ND	ND
0895010-002	GILMANTON ELEMENTARY SCH	ND	ND	ND
0905010-001	GILSUM ELEMENTARY SCH	ND	ND	ND
0906010-501	WS BADGER CO	ND	ND	ND
0911010-004	GOFFSTOWN VILLAGE PCT	ND	ND	ND
0911010-501	GOFFSTOWN VILLAGE PCT	ND	ND	ND
0911010-502	GOFFSTOWN VILLAGE PCT	ND	ND	ND
0912020-502	ORCHARD HIGHLANDS	ND	ND	ND
0912040-501	BRIAR COURT ESTATES	ND	ND	ND
0912050-502	MT LAUREL ESTATES	ND	ND	ND
0915020-501	LEARN AS WE PLAY CHLD CARE CTR	ND	ND	ND
0921010-005	GORHAM WATER AND SEWER DEPT	ND	ND	ND
0921010-501	GORHAM WATER AND SEWER DEPT	ND	ND	ND
0921020-501	GORHAM HILL SPRING	ND	ND	ND
0926010-502	ANDRO RANGER STATION	1.80	1.80	1.80
0951010-506	VILLAGE DIST OF EASTMAN	ND	ND	ND
0952020-001	GRAY LEDGES	ND	ND	ND
0955010-001	GRANTHAM VILLAGE SCH	ND	ND	ND
0956040-001	GRANTHAM GREENWAY	ND	ND	ND
0972010-010	CROTCHED MOUNTAIN REHAB CENTER	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
0972010-011	CROTCHED MOUNTAIN REHAB CENTER	ND	ND	ND
0972010-512	CROTCHED MOUNTAIN REHAB CENTER	ND	ND	ND
0972010-517	CROTCHED MOUNTAIN REHAB CENTER	ND	5.88	ND
0974010-502	GREENFIELD COMMONS	ND	ND	ND
0975020-501	GREENFIELD ELEMENTARY SCH	ND	ND	ND
0987050-001	BREAKFAST HILL GOLF CLUB	ND	ND	ND
0991010-001	GREENVILLE WATER DEPT	ND	ND	ND
0993030-501	FROST TRAILER PARK	ND	ND	ND
1021010-501	HALES LOCATION	ND	ND	ND
1031010-007	HAMPSTEAD AREA WATER	ND	ND	ND
1031010-013	HAMPSTEAD AREA WATER	ND	ND	ND
1031010-020	HAMPSTEAD AREA WATER	ND	ND	ND
1031010-502	HAMPSTEAD AREA WATER	4.64	2.47	ND
1031010-504	HAMPSTEAD AREA WATER	18.8	ND	ND
1031010-510	HAMPSTEAD AREA WATER	ND	ND	ND
1031010-512	HAMPSTEAD AREA WATER	4.22	ND	ND
1031010-515	HAMPSTEAD AREA WATER	ND	ND	ND
1031010-522	HAMPSTEAD AREA WATER	2.4	ND	ND
1031010-523	HAMPSTEAD AREA WATER	2.32	2.91	ND
1031010-524	HAMPSTEAD AREA WATER	ND	ND	ND
1031010-525	HAMPSTEAD AREA WATER	ND	ND	ND
1031010-526	HAMPSTEAD AREA WATER	ND	ND	ND
1031010-527	HAMPSTEAD AREA WATER	ND	ND	ND
1031010-528	HAMPSTEAD AREA WATER	ND	ND	ND
1031010-529	HAMPSTEAD AREA WATER	ND	ND	ND
1031010-530	HAMPSTEAD AREA WATER	ND	ND	ND
1032070-001	COACH RUN CONDOS	7.24	10.7	ND
1032090-501	GLENWOOD NORTH	ND	ND	ND
1034010-501	HAMPSTEAD HOSPITAL	ND	3.60	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1035020-501	AGES AND STAGES HAMPSTEAD	2.31	2.59	ND
1035040-501	HAMPSTEAD MIDDLE SCH - PFAS TREATMENT INSTALLED	ND	ND	ND
1035050-001	HAMPSTEAD ACADEMY	2.88	ND	ND
1035110-501	HAZEL DRIVE KIDS	4.93	2.68	ND
1036010-501	HAMPSTEAD SHOPPERS VILLAGE	9.97	2.02	ND
1036040-001	STAGE ROAD JUNCTION	ND	ND	ND
1036080-001	RAM PRINTING	2.62	ND	ND
1036090-002	THUNDERLINE Z	11.6	ND	2.22
1042010-501	MEADOWS AT GRAPEVINE RUN	ND	ND	ND
1045010-001	LINCOLN AKERMAN SCH	2.24	ND	ND
1045040-501	HERONFIELD ACADEMY	ND	ND	ND
1046050-502	CRN REALTY	ND	ND	ND
1048120-002	153 LAFAYETTE RD WATER SYSTEM	22.00	8.00	2.00
1051010-504	AQUARION WATER/NH	2.28	ND	ND
1051010-508	AQUARION WATER/NH	ND	ND	ND
1051010-511	AQUARION WATER/NH	ND	ND	ND
1051010-521	AQUARION WATER/NH	ND	ND	ND
1051010-529	AQUARION WATER/NH	3.22	ND	ND
1051010-531	AQUARION WATER/NH	ND	ND	ND
1051010-536	AQUARION WATER/NH	3.03	ND	ND
1053010-002	FOUR SEASONS MOBILE HOME PARK	ND	ND	ND
1053020-504	HEMLOCK HAVEN	ND	ND	ND
1053030-502	TAYLOR RIVER ESTATES	5.38	2.73	ND
106010-502	ROCHESTER SHOE TREE	ND	ND	ND
1061010-501	HANCOCK WATER WORKS	ND	ND	ND
1071010-511	HANOVER WATER DEPT	ND	ND	ND
1075010-001	HAMPSHIRE COOP NURSERY SCH	ND	ND	ND
1075020-501	MONTESSORI CHILDRENS SCH	ND	ND	ND
1085010-001	WELLS MEMORIAL SCH	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1085020-502	CHESHIRE MILLS BOARDING HOUSE	7.17	ND	ND
1086010-502	HISTORIC HARRISVILLE	22.10	ND	ND
1097020-002	CNSP DRY RIVER CAMPGROUND	ND	ND	ND
1101010-501	PRECINCT OF HAVERHILL CORNER	ND	ND	ND
1101020-501	NO HAVERHILL WATER AND LIGHT	ND	ND	ND
1101040-002	WOODSVILLE WATER AND LIGHT	ND	ND	ND
1101050-001	MOUNTAIN LAKES WATER DEPT	ND	ND	ND
1101050-004	MOUNTAIN LAKES WATER DEPT	ND	ND	ND
1102020-001	FRENCH POND ESTATES	ND	ND	ND
1105010-511	OLIVERIAN EAST CAMPUS	ND	ND	ND
1155020-001	BECKET HOUSE AT HALL FARM	ND	ND	ND
1107030-001	OLIVERIAN SCH	ND	ND	ND
1112010-002	STONEGATE ACRES	ND	ND	ND
1113010-503	HILLSIDE INN CONDOS	ND	ND	ND
1113010-504	HILLSIDE INN CONDOS	ND	ND	ND
1121010-004	COGSWELL SPRINGS WATER WORKS	ND	ND	ND
1121010-005	COGSWELL SPRINGS WATER WORKS	ND	ND	ND
1123020-503	WOOD HILL VILLAGE	ND	ND	ND
1123020-504	WOOD HILL VILLAGE	ND	ND	ND
1126030-001	HHP	ND	ND	ND
1127030-503	PATS PEAK	ND	ND	ND
1131010-001	HILL WATER WORKS	ND	ND	ND
1131010-002	HILL WATER WORKS	ND	ND	ND
1141010-002	HILLSBOROUGH WATER WORKS	ND	ND	ND
1141020-001	EMERALD LAKE	ND	ND	ND
1141020-506	EMERALD LAKE	ND	ND	ND
1141020-512	EMERALD LAKE	ND	ND	ND
1145010-501	ROSEWALD FARM	ND	ND	ND
1145020-001	HILLSBORO BAPTIST CH	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1151010-503	NORTH HINSDALE WATER DEPT	ND	ND	ND
1151010-506	NORTH HINSDALE WATER DEPT	ND	ND	ND
1151020-501	HINSDALE WATER DEPT/DOWNTOWN	ND	ND	ND
1156010-001	GEORGES FIELD WATER SYSTEM	ND	ND	ND
1162010-500	HIGHLAND COLONY	ND	ND	ND
1163010-001	TOWN LINE VILLAGE	ND	ND	ND
1163010-503	TOWN LINE VILLAGE	ND	ND	ND
1165010-501	WHITE MTN MONT SCH	ND	ND	ND
1165020-501	HOLDERNESS CENTRAL SCH	ND	ND	ND
1167190-001	SLNSC BLUE HERON SCH	ND	ND	ND
1172020-500	RUNNELLS LANDING	ND	ND	ND
1172030-501	SILVER LAKE ESTATES	ND	ND	ND
1173010-501	PITARYS MOBILE HOME PARK/EAST	6.92	ND	ND
1173020-503	PITARYS MOBILE HOME PARK/WEST	4.17	ND	ND
1175030-501	HOLLIS SCH DIST	ND	ND	ND
1175050-503	HOLLIS BROOKLINE HS	ND	ND	ND
1175060-001	HOLLIS MONT SCH	4.45	ND	ND
1176010-502	HOLLIS VILLAGE MARKET PLACE	ND	ND	ND
1176020-501	26 CLINTON DRIVE BLDG	ND	ND	ND
1176030-001	HOLLIS LINE MACHINE	ND	ND	ND
1176060-501	DIAMOND CASTING MACHINE	ND	ND	ND
1176070-001	ULTRASOURCE	ND	ND	ND
1176080-501	PURITAN PRESS	3.51	ND	ND
1176090-501	FARM DESIGN	ND	ND	ND
1176100-001	18 CLINTON DR BLDG	ND	ND	ND
1181020-503	HOOKSETT VILLAGE WATER PCT	ND	ND	ND
1181020-504	HOOKSETT VILLAGE WATER PCT	ND	ND	ND
1181020-506	HOOKSETT VILLAGE WATER PCT	ND	ND	ND
1181020-507	HOOKSETT VILLAGE WATER PCT	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1185010-501	PLACES YOULL GROW	ND	ND	ND
1186010-002	198 LONDONDERRY TURNPIKE	ND	ND	ND
1889030-501	NHDOT BURUAU TURNPIKE	ND	ND	ND
1191010-501	CONTOOCOOK VILLAGE PCT	ND	ND	ND
1191020-001	HOPKINTON VILLAGE PCT	ND	ND	ND
1191020-002	HOPKINTON VILLAGE PCT	ND	1.80	ND
1191020-003	HOPKINTON VILLAGE PCT	ND	ND	ND
1191020-502	HOPKINTON VILLAGE PCT	ND	ND	ND
1192010-001	E PENACOOK RD WATER SYS	13.40	ND	ND
1193010-501	MEADOWS THE	ND	ND	ND
1193020-501	ELM BROOK VILLAGE	ND	ND	ND
1193030-000	DEER MEADOWS	ND	ND	ND
1195040-001	BEECH HILL SCH	ND	ND	ND
1196030-001	MCLANE NORTHEAST	ND	ND	ND
1196050-502	YANKEE BOOK PEDDLER	ND	ND	ND
1201010-008	HUDSON WATER DEPT	ND	2.98	ND
1201010-501	HUDSON WATER DEPT	ND	ND	ND
1201010-502	HUDSON WATER DEPT	ND	ND	ND
1202010-503	FRANCOEUR APT/HUDSON MOTOR INN	ND	ND	ND
1203010-522	HUDSON MOBILE HOME ESTS	ND	ND	ND
1205060-001	KIDDIE KONNECTION	14.4	ND	2.69
1205070-501	EARLY START LEARNING ACAD	11.8	ND	ND
1211010-501	JACKSON WATER PCT	ND	ND	ND
1212030-501	WILDCAT TOWNHOUSE RESORT	ND	ND	ND
1212050-511	MT JEFFERSON/WASHINGTON CONDOS	ND	ND	ND
1212060-002	ELLIS RIVER VILLAGE	ND	ND	ND
1212080-512	BLACK MOUNTAIN MEADOW CONDOS	ND	ND	ND
1212090-501	HIGH PASTURES AT BLACK MTN	ND	ND	ND
1212110-501	EAGLE MOUNTAIN HOUSE	15.9	5.1	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1212130-501	EAGLE BROOK	ND	ND	ND
1212140-001	TYROL WELL A	ND	ND	ND
1212140-001	TYROL WELL A	ND	ND	ND
1218010-001	DANA PLACE	ND	ND	ND
1221010-502	JAFFREY WATER WORKS	ND	ND	ND
1221010-505	JAFFREY WATER WORKS	3.92	ND	ND
1221010-506	JAFFREY WATER WORKS	ND	ND	ND
1221010-511	JAFFREY WATER WORKS	19.3	7.7	ND
1241010-005	KEENE WATER DEPT	ND	ND	ND
1241010-006	KEENE WATER DEPT	ND	ND	ND
1241010-501	KEENE WATER DEPT	ND	ND	ND
1241010-502	KEENE WATER DEPT	ND	ND	ND
1241010-503	KEENE WATER DEPT	ND	ND	ND
1241010-504	KEENE WATER DEPT	ND	ND	ND
1245010-001	MONADNOCK WALDORF SCH	ND	ND	ND
1255010-502	KENSINGTON ELEMENTARY SCH	ND	ND	ND
1256010-003	UNITIL ENERGY SYS	16.2	3.16	2.66
1256010-503	UNITIL ENERGY SYS	7.18	ND	ND
1272010-501	KINGSTON PINES ELDERLY HOUSING	ND	ND	ND
1272020-501	ANNS LANDING	ND	ND	ND
1272030-501	LAMPLIGHTER ESTATES	ND	ND	ND
1272040-500	ROWELL ESTATES	ND	ND	ND
1272050-501	COOPERS GROVE	ND	ND	ND
1272060-501	VILLAGE AT GRAN FIELDS	ND	ND	ND
1272070-502	KINGS LANDING	ND	ND	ND
1272080-501	ALL AMERICAN AL	ND	ND	ND
1275010-501	DANIEL J BAKIE SCH	ND	ND	ND
1275060-501	SANBORN REGIONAL HIGH SCH	ND	ND	ND
1276020-501	266 ROUTE 125	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1277090-001	COUNTRY SHORE CAMPGROUND	ND	ND	ND
1277090-002	COUNTRY SHORE CAMPGROUND	2.39	ND	ND
1278060-501	CARRIAGE TOWN PLAZA	ND	12.60	ND
1279010-511	KINGSTON CHILDREN CENTER	ND	ND	ND
1279040-001	KINGSTON TOWN HALL	ND	ND	ND
1281010-001	LACONIA WATER WORKS	ND	ND	ND
1282010-501	MOUNTAIN VIEW APTS	ND	ND	ND
1282020-001	WENTWORTH COVE ESTATES	ND	ND	ND
1282030-001	PENDLETON COVE	ND	ND	ND
1282050-500	WINDEMERE RIDGE	ND	ND	ND
1285010-502	LACONIA CHRISTIAN SCH	ND	ND	ND
1289010-002	PRESKOTT FARM ENVIRON ED CTR	ND	ND	ND
1291010-002	LANCASTER WATER DEPT	ND	ND	ND
1296010-001	EASTER SEALS YOUTH RES	ND	ND	ND
1305020-501	LANDAFF BLUE SCH	ND	ND	ND
1315010-002	FALL MOUNTAIN REGIONAL HS	ND	ND	ND
1315020-002	SARAH PORTER SCH	ND	ND	ND
1321010-002	LEBANON WATER DEPT	ND	ND	ND
1323020-001	MASCOMA MEADOWS	ND	ND	ND
1323030-002	OLYMPIC MOBILE HOME VILL/UPPER	ND	ND	ND
1323040-002	CURRIERS MHP	ND	ND	ND
1323050-001	OLYMPIC MOBILE HOME VILL/LOWER	ND	ND	ND
1332010-001	OYSTER RIVER CONDOS	ND	ND	ND
1332020-502	DARBY FIELD COMMONS	ND	ND	ND
1332030-501	GREYSTONE COMMONS	ND	ND	ND
1332040-001	CEDAR WOOD ESTATES	ND	ND	ND
1332050-501	PEU/THURSTON WOODS	ND	ND	ND
1333010-501	HILL ACRES TRAILER PARK	ND	ND	ND
1333020-000	PINE KNOLL VILLAGE	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1333030-501	EVERGREEN TERRACE	ND	ND	ND
1333060-501	PACKERS FALLS VILLAGE	ND	ND	ND
1334010-501	KIRKWOOD CORNERS SENIOR LIVING	ND	ND	ND
1335010-501	MAST WAY ELEMENTARY SCH	ND	ND	ND
1335020-001	LIVE AND LEARN DAY CARE	ND	ND	ND
1335030-002	GROWING PLACES	ND	ND	ND
1336020-001	LEE MARKETPLACE	ND	ND	ND
1336020-002	LEE MARKETPLACE	ND	ND	ND
1336020-003	LEE MARKETPLACE	ND	ND	ND
1336030-001	BENUCK AND RAINY	ND	ND	ND
1339010-501	LEE CONGREGATIONAL CH	ND	ND	ND
1339030-001	WENTWORTH DOUGLASS MED OFFICE	ND	ND	ND
1345010-503	LEMPSTER COMMUNITY SCH	ND	ND	ND
1351010-004	LINCOLN WATER WORKS	ND	ND	ND
1351010-005	LINCOLN WATER WORKS	ND	ND	ND
1351010-506	LINCOLN WATER WORKS	ND	ND	ND
1361010-502	LISBON WATER DEPT	ND	ND	ND
1361010-503	LISBON WATER DEPT	ND	ND	ND
1372020-001	LITCHFIELD APARTMENTS - WELL NOT IN USE	ND	ND	ND
1376010-001	LITCHFIELD TECHNOLOGY PARK - WELL NOT IN USE	ND	ND	ND
1377020-001	MELS FUNWAY PARK - WELL NOT IN USE	ND	ND	ND
1378010-001	CROFTERS PUB - WELL NOT IN USE	ND	ND	ND
1378030-001	LITCHFIELD PLAZA - WELL NOT IN USE	ND	ND	ND
1378050-001	ROMANOS PIZZA - WELL NOT IN USE	ND	ND	ND
1378060-001	NATICOOK GRILL - WELL NOT IN USE	ND	ND	ND
1378070-001	LOBSTER BOAT PLZ	ND	ND	ND
1379010-502	TABERNACLE CHRISTIION CH	ND	ND	ND
1381010-002	LITTLETON WATER AND LIGHT DEPT	ND	ND	ND
1381010-501	LITTLETON WATER AND LIGHT DEPT	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1386010-501	PEAK THREE	ND	ND	ND
1392010-500	OAKRIDGE CONDOS	3.46	ND	ND
1392030-512	OLDE COUNTRY VILLAGE	5.7	3.66	ND
1392040-501	PEU/PINEHAVEN WATER TRUST	3.23	3.3	ND
1392050-501	BOUMIL GROVE CONDOS	ND	ND	ND
1392070-501	MIDRIDGE CONDOS	4.17	3.07	ND
1392130-512	STONEHENGE APARTMENTS	ND	ND	ND
1392180-502	CENTURY VILLAGE CONDOS	8.02	3.23	ND
1392200-501	ROLLING MEADOWS CONDOS I	8.33	3.74	ND
1392220-501	ROLLING MEADOWS CONDOS III	10.3	5.07	ND
1392230-501	ROLLING MEADOWS CONDOS IV	6.05	2.42	ND
1392290-501	PEU/HARVEST VILLAGE	ND	ND	ND
1392300-001	SOUTHVIEW CONDOS	3.21	ND	ND
1392310-501	PEU/MINISTERIAL/PARRISH HILLS	ND	ND	ND
1392320-001	BITIM APARTMENTS	ND	2.00	ND
1393050-512	WAGON WHEEL	ND	ND	ND
1393060-502	PONDEROSA MHP	3.21	ND	ND
1395090-501	CREATIVE LITTLE ANGELS	ND	ND	ND
1395110-501	28 BUTTRICK RD PROPERTY	ND	ND	ND
1395140-501	VICTORY BAPTIST SCH	ND	ND	ND
1396060-501	HOLTON	2.19	ND	ND
1396060-501	ZOHL WPS INC	2.12	ND	ND
1696070-003	TOWNE SQUARE PROF CONDOS	ND	ND	ND
1396110-501	REEDS FERRY SMALL BLDG	ND	ND	ND
1402010-001	FLINTLOCK APTS	ND	ND	ND
1402020-501	VILLAGES AT LOUDON	ND	ND	ND
1402030-001	VOA/NNE SENIOR HOUSING	ND	ND	ND
1403010-501	KOS MANUFACTURED HOUSING CMNTY	ND	ND	ND
1403030-001	FREEDOM HILL/PINE RIDGE	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1403020-501	PRESIDENTIAL PINES/UPPER	ND	ND	ND
1403040-001	PRESIDENTIAL PINES/LOWER	4.40	ND	ND
1405010-002	LOUDON ELEMENTARY SCH	ND	ND	ND
1407020-001	NH MOTOR SPEEDWAY	4.18	ND	ND
1407060-001	NH MOTOR SPEEDWAY/MAIN OFFICE	ND	ND	ND
1431010-001	LYME WATER	ND	ND	ND
1431010-003	LYME WATER	ND	ND	ND
1431010-004	LYME WATER	ND	ND	ND
1432010-001	POUND VIEW APTS	ND	ND	ND
1435030-501	CROSSROADS ACADEMY	ND	ND	ND
1435040-001	CROSSROADS ACADEMY/NORTH	ND	ND	ND
1435050-001	LYME NURSERY SCHL	2.30	ND	ND
1436020-501	PATHWAYS ORFORD ROAD RESIDENCE	ND	ND	ND
1445010-001	LYNDEBOROUGH CENTRAL SCH	8.11	6.24	ND
1455010-501	MOHARIMET SCH	ND	ND	ND
1456020-501	MADBURY WOODS APARTMENTS	ND	ND	ND
1456030-501	CARRIAGE HILL AL	ND	ND	ND
1458010-002	LITTLE TREE ED CTR	ND	ND	ND
1461010-011	VILLAGE DISTRICT OF EIDELWEISS	ND	ND	ND
1461010-510	VILLAGE DISTRICT OF EIDELWEISS	ND	ND	ND
1462040-501	SILVER LAKE LANDING SR HOUSING	ND	ND	ND
1463010-001	BROOKWOOD PARK	ND	ND	ND
1465010-002	MADISON ELEMENTARY SCH	ND	ND	ND
1466020-000	MADISON LUMBER MILL	ND	ND	ND
1466050-002	MACLEAN PRECISION MACHINE	22.3	64.6	ND
1471010-001	MANCHESTER WATER WORKS	ND	ND	ND
1471010-003	MANCHESTER WATER WORKS	ND	ND	ND
1472030-501	ROCKWOOD TERRACE CONDOS	2.28	ND	ND
1481010-001	MARLBOROUGH WATER WORKS	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1481010-504	MARLBOROUGH WATER WORKS	ND	ND	ND
1482010-501	MARLBOROUGH ESTATES	ND	ND	ND
1495010-001	JOHN D PERKINS SR ELEM SCH - NO TREATMENT INSTALLED	84.4	24	ND
1495010-501	JOHN D PERKINS SR ELEM SCH - PFAS TREATMENT INSTALLED	ND	ND	ND
1515010-501	MASON PUBLIC SCH	ND	ND	ND
1521010-003	MEREDITH WATER DEPT	ND	ND	ND
1522010-502	PATRICIAN SHORES	ND	ND	ND
1522020-501	EAST BLUFF HIGHLAND CONDOS	ND	ND	ND
1522030-001	EAST BLUFF VILLAGE CONDOS	ND	ND	ND
1522040-002	SANDS OF BROOKHURST	2.62	ND	ND
1522070-500	PINE HILL COMMUNITY ASSN	ND	ND	ND
1522090-500	GROUSE POINT CLUB	ND	ND	ND
1524010-000	FORESTVIEW MANOR	ND	ND	ND
1525010-001	INTER LAKES HIGH SCH	ND	ND	ND
1525020-502	INTER LAKES ELEMENTARY SCH	ND	ND	ND
1531010-003	MERRIMACK VILLAGE DIST	2.08	ND	ND
1531010-005	MERRIMACK VILLAGE DIST	ND	2.12	ND
1531010-007	MERRIMACK VILLAGE DIST	3.28	ND	ND
1531010-008	MERRIMACK VILLAGE DIST	ND	ND	ND
1531010-009	MERRIMACK VILLAGE DIST	ND	ND	ND
1531010-011	MERRIMACK VILLAGE DIST	4.38	2.65	ND
1531010-504	MERRIMACK VILLAGE DIST	2.10	ND	ND
1531010-505	MERRIMACK VILLAGE DIST	ND	ND	ND
1531010-508	MERRIMACK VILLAGE DIST	2.35	ND	0.53
1531010-509	MERRIMACK VILLAGE DIST	ND	ND	ND
1542030-500	PEU/SUNRISE ESTATES	ND	ND	ND
1545010-501	MIDDLETON ELEM SCH	ND	ND	ND
1553010-001	DEER ESTATES	ND	ND	ND
1555010-501	MILAN VILLAGE SCH	1.70	1.70	1.70



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1561010-504	MILFORD WATER UTILITIES DEPT	ND	ND	ND
1561010-509	MILFORD WATER UTILITIES DEPT	ND	ND	ND
1562030-503	BADGER HILL	ND	ND	ND
1562040-501	HERITAGE WAY	ND	ND	ND
1563020-101	FAIRHAVEN MOBILE HOME PARK	ND	ND	ND
1565010-501	LITTLE ARROWS CC SVS	ND	11.10	ND
1566020-001	MILFORD TECHNOLOGY CENTER	ND	2.61	ND
1566040-501	115/119 EMERSON RD	ND	ND	ND
1581010-502	MILTON WATER DIST	ND	ND	ND
1581010-504	MILTON WATER DIST	ND	ND	ND
1582010-501	SHORTRIDGE ACADEMY	ND	ND	ND
1583010-502	PINELAND PARK	ND	ND	ND
1585030-001	MILTON CHILDRENS CENTER	ND	ND	ND
1586040-001	INDEX PACKAGING	ND	ND	ND
1591010-511	MONROE WATER DEPT	ND	ND	ND
1591010-512	MONROE WATER DEPT	ND	ND	ND
1603010-516	ROLLING ACRES MHP	ND	ND	ND
1605010-501	MONT VERNON VILLAGE SCH	ND	ND	ND
1612010-501	PARADISE SHORES	ND	ND	ND
1612010-508	PARADISE SHORES	ND	ND	ND
1612030-501	FAR ECHO HARBOR	6.29	5.80	ND
1612040-500	WEST POINT	ND	ND	ND
1612080-501	WEST WYNDE VILLAGE	ND	ND	ND
1612170-000	JONATHANS LANDING CONDOS	ND	ND	ND
1612200-000	LANDS END	ND	ND	ND
1612210-501	WINDWARD HARBOR CONDOS	ND	ND	ND
1612220-000	HARBOURSIDE ON WINNI	20.50	24.00	2.61
1612230-001	KILNWOOD ON KANASATKA	ND	ND	ND
1612250-511	WENTWORTH ACRES	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1612260-001	CROSSWINDS	ND	ND	ND
1612270-501	STANYAN ROAD	ND	ND	ND
1615010-503	MOULTONBOROUGH CENTRAL SCH	ND	ND	ND
1615020-501	MOULTONBOROUGH ACADEMY	ND	ND	ND
1615030-002	A CHILDS PLACE	ND	ND	ND
1615050-001	RED HILL BUSINESS CENTER	ND	ND	ND
1616010-000	HARBOR PINES ON LAKE SHORE DR	2.11	ND	ND
1616040-501	CRUCON CRUISE OUTLET	ND	ND	ND
1618240-001	HARBOR SQUARE SHOPPING CENTER	ND	ND	ND
1621010-001	PENNICHUCK WATER WORKS	ND	ND	ND
1621010-508	PENNICHUCK WATER WORKS	ND	ND	ND
1622010-501	PWW/FARLEY RD ESTATES	ND	ND	ND
1625020-001	SECOND NATURE ACADEMY	ND	ND	ND
1635010-501	NELSON ELEMENTARY SCH	ND	ND	ND
1645010-001	NEW BOSTON ELEMENTARY SCH	ND	ND	ND
1645020-501	STRONG FOUNDATIONS	ND	ND	ND
1645030-501	CHESTNUT CHRISTIAN PRESCH	ND	ND	ND
1645040-501	ROSE MEADOW ACRES	ND	ND	ND
1646020-001	USAF NH SATELLITE TRACKING STN	7.5	4.95	ND
1646020-002	USAF NH SATELLITE TRACKING STN	5.69	4.98	ND
1652020-506	CHALK POND WATER	ND	ND	ND
1652020-506	CHALK POND WATER	ND	ND	ND
1652050-001	NEWBURY ELDERLY HOUSING	ND	ND	ND
1656010-001	NEWBURY HARBOR PLAZA	ND	ND	ND
1672010-501	MANITOOS SHORES	ND	ND	ND
1672020-504	COPPLE CROWN VILL DIST	ND	ND	ND
1675010-501	NEW DURHAM ELEMENTARY SCH	ND	ND	ND
1675020-001	7 DEPOT ROAD BEING COOL	ND	ND	ND
1681010-501	NEWFIELDS VLG WATER AND SEWER	ND	2.98	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1681010-501	NEWFIELDS VLG WATER AND SEWER	ND	3.09	ND
1691010-002	NEW HAMPTON VILLAGE PCT	ND	ND	ND
1691010-003	NEW HAMPTON VILLAGE PCT	ND	ND	ND
1692030-501	MANSFIELD WOODS	ND	ND	ND
1712010-501	APPLETON GARDENS	ND	ND	ND
1712040-511	WILDER VILLAGE CLUSTER	ND	ND	ND
1713010-504	FREEDOM POND	5.82	ND	ND
1715020-501	MASCENIC REGIONAL HIGH SCH	2.97	ND	ND
1715040-500	BOYNTON MIDDLE SCH	ND	ND	ND
1715060-501	HIGHBRIDGE HILL ELEM SCH	2.45	ND	ND
1716050-501	VANGUARD MANUFACTURING	ND	ND	ND
1716060-001	APPLETON BUSINESS CENTER	ND	ND	ND
1716080-001	WARWICK MILLS	2.21	ND	ND
1721010-008	NEW LONDON SPRINGFIELD WATER	ND	ND	ND
1722010-001	SEASONS AT LAKE SUNAPEE	ND	ND	ND
1722020-502	SLOPE N SHORE CLUB	ND	ND	ND
1731010-506	NEWMARKET WATER WORKS	ND	ND	ND
1731010-507	NEWMARKET WATER WORKS	ND	ND	ND
1731010-508	NEWMARKET WATER WORKS	ND	ND	ND
1732010-001	MOODY POINT	ND	ND	ND
1732020-511	WADE FARM CONDOS	ND	ND	ND
1732030-514	GREAT BAY WATER SYSTEM	ND	ND	ND
1741010-502	NEWPORT WATER WORKS	ND	ND	ND
1741010-503	NEWPORT WATER WORKS	ND	ND	ND
1742010-001	CARY AND ALLEN ST DEV	ND	ND	ND
1746020-001	LATVA MACHINE	ND	ND	ND
1749010-001	KIDS WORLD ACADEMY OF NH	ND	ND	ND
1752020-501	MEADOWVIEW APARTMENTS	ND	ND	ND
1752030-511	PACKER MEADOWS	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1752070-501	SARGENT WOODS	ND	ND	ND
1753010-502	WILLOW GROVE TRAILER PARK	ND	ND	ND
1755010-001	SANBORN MEM SCH/SEACOST LRNG	ND	ND	ND
1755010-001	SANBORN REGIONAL MIDDLE SCH	ND	ND	ND
1755050-004	NEWTON LEARNING CENTER	ND	ND	ND
1756040-503	TEREX ENVIRONMENTAL EQUIPMENT	ND	ND	ND
1756050-501	RAVENSBURGER USA	8.42	18.30	ND
1762010-501	HIGHLANDS VILLAGE DIST	ND	ND	ND
1763010-502	SODA BROOK	ND	ND	ND
1764010-502	SPAULDING YOUTH CENTER - PFAS TREATMENT	ND	2.09	ND
1766030-001	YOUNG ENTERPRISES NH	ND	ND	ND
1767020-001	CANTERBURY CROSSING	ND	ND	ND
1773020-001	SEACOAST CAMPING AND RV RESORT	ND	ND	ND
1773020-002	SEACOAST CAMPING AND RV RESORT	ND	ND	ND
1773020-102	SEACOAST CAMPING AND RV RESORT	ND	ND	ND
1777020-001	SAGAMORE/HAMPTON GOLF CLUB	ND	ND	ND
1777040-001	SAGAMORE GOLF CLUB/DWELLBUB 79	ND	ND	ND
1781010-502	GROVETON WATER SYS	ND	ND	ND
1781030-502	LOST NATION WATER	ND	ND	ND
1792030-001	VLG OF NORTHWOOD RDG WTR DIST	ND	ND	ND
1792030-002	VLG OF NORTHWOOD RDG WTR DIST	ND	ND	ND
1792040-001	VILLAGE AT MEAD FIELD	ND	ND	ND
1792050-001	THE MEADOW AT NORTHWOOD	ND	ND	ND
1793010-501	TOWER VIEW	ND	ND	ND
1793020-103	LOON ESTATES	ND	ND	ND
1793030-501	NORTHWOOD MOUNTAIN VIEW MHP	6.76	6.80	ND
1795020-001	COE BROWN NORTHWOOD ACADEMY	ND	ND	ND
179+5040-001	COE BROWN NORTHWOOD ACADEMY	ND	ND	ND
1796010-001	HANNAFORD NORTHWOOD 8160	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1798030-002	JOHNSONS SEAFOOD AND STEAK	ND	ND	ND
1798060-502	COOPER HILL PIZZERIA	ND	ND	ND
1802020-501	CAMELOT COURT	ND	ND	ND
1805050-501	NOTTINGHAM COMMUNITY SCH	ND	ND	ND
1805060-001	ALL ABOARD PRESCH AND CHLD CARE	ND	ND	ND
1809020-002	NOTTINGHAM COMMUNITY CHURCH	5.88	ND	ND
1831010-505	ORFORD VILLAGE DIST	ND	ND	ND
1835010-002	RIVENDELL INTERSTATE SCH	ND	ND	ND
1841010-501	OSSIPEE WATER DEPT	ND	ND	ND
1842010-505	BLUFFS AT OSSIPEE LAKE	ND	ND	ND
1842020-505	INDIAN MOUND SHOPPING CTR	ND	ND	ND
1842030-503	INDIAN MOUND GOLF CLUB	ND	ND	ND
1842050-001	POLAND BROOK WOODS	ND	ND	ND
1842060-501	DEER COVE WATER	ND	ND	ND
1843010-000	OSSIPEE MTN ESTATES	ND	ND	ND
1843020-503	SANDY RIDGE ESTATES	ND	ND	ND
1844010-501	CARROL COUNTY COMPLEX	ND	ND	ND
1844010-505	CARROL COUNTY COMPLEX	ND	ND	ND
1845020-001	CORNERSTONE CHRISTIAN ACADEMY	ND	ND	ND
1846090-501	HANNAFORD OSSIPEE 8159	ND	ND	ND
1851010-501	PEU/WILLIAMSBURG	ND	ND	ND
1852020-501	PEU/GAGE HILL	2.43	ND	ND
1852040-002	PROLYN TOWNHOUSE APARTMENTS - NO TREATMENT	9.81	6.74	2.60
1852040-503	PROLYN TOWNHOUSE APARTMENTS - PFAS TREATMENT	5.98	4.84	ND
1852060-511	HIGHLANDS ESTATES	2.46	ND	ND
1852080-542	OLD LAWRENCE ROAD	6.53	9.68	ND
1852090-501	SIMPSON MILL ROAD	ND	ND	ND
1852100-501	BOULDER HILLS	ND	ND	ND
1852110-501	PARADISE ESTATES CONDOS	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1852120-501	PEU/SKY VIEW ESTATES	ND	ND	ND
1852130-501	GARLAND WOODS	ND	ND	ND
1852140-502	LONG POND WOODS	ND	ND	ND
1855060-001	PERFECT PLACE	7.15	2.39	ND
1855070-001	DYNAMIC FOUNDATION FOR CHLDREN	ND	ND	ND
1855080-001	COLONIAL WAY PLAZA	ND	ND	ND
1855090-001	KINGS KIDS CHILD CARE CENTER	5.07	ND	ND
1856010-502	PELHAM PLAZA	ND	ND	ND
1856040-501	HANNAFORD PELHAM 8015	ND	ND	ND
1856040-501	HANNAFORD PELHAM 8015	ND	ND	ND
1856050-501	AMERICAN FOODS	8.39	4.45	2.69
1856070-502	PELHAM INDUSTRIAL PARK I	ND	ND	ND
1859040-001	CROSSROADS BAPTIST CHURCH	ND	ND	ND
1861010-006	PEMBROKE WATER WORKS	ND	ND	ND
1861010-502	PEMBROKE WATER WORKS	19.20	6.69	ND
1861010-503	PEMBROKE WATER WORKS	ND	ND	ND
1861010-504	PEMBROKE WATER WORKS	ND	ND	ND
1861010-507	PEMBROKE WATER WORKS	ND	ND	ND
1861010-509	PEMBROKE WATER WORKS	9.80	2.58	ND
1862010-001	MEETING HOUSE WATER	ND	ND	ND
1862030-501	BOROUGH RD APARTMENTS	ND	ND	ND
1866030-501	NEW ENGLADN FLOWER FARM	ND	ND	ND
1871010-501	PETERBOROUGH WATER WORKS	ND	ND	ND
1871010-503	PETERBOROUGH WATER WORKS	ND	ND	ND
1871010-504	PETERBOROUGH WATER WORKS	ND	ND	ND
1879020-001	PETERBOROUGH PLAYERS THEATRE	ND	ND	ND
1875010-501	HAPPY VALLEY SCH	ND	ND	ND
1875020-001	WELL SCHOOL	ND	ND	ND
1875030-511	MONADNOCK COMM EARLY LNGCTR	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1885010-503	PIERMONT VILLAGE SCH	ND	ND	ND
1897020-501	AMC PINKHAM NOTCH CAMP	ND	ND	ND
1901010-506	PITTSBURG WATER DEPT	ND	ND	ND
1911010-501	PITTSFIELD AQUEDUCT	ND	ND	ND
1913010-001	GRIGGS MOBILE HOMES	ND	ND	ND
1921010-506	PLAINFIELD VILLAGE WATER DIST	ND	ND	ND
1921010-507	PLAINFIELD VILLAGE WATER DIST	ND	ND	ND
1921020-001	MERIDEN VILLAGE WATER DIST	ND	ND	ND
1921020-002	MERIDEN VILLAGE WATER DIST	ND	ND	ND
1921020-003	MERIDEN VILLAGE WATER DIST	ND	ND	ND
1926010-501	TOWNLINE EQUIP	ND	ND	ND
1932020-502	GOLDEN HILL	15.60	2.10	ND
1932030-502	WEST VIEW PARK CONDOS	ND	2.49	ND
1932040-501	FOREST GLEN CONDOS	ND	2.34	ND
1932050-008	TWIN RIDGE CONDOS	3.67	ND	ND
1932050-512	TWIN RIDGE CONDOS	3.53	ND	ND
1932060-501	MOONGATE FARM	7.32	ND	ND
1932070-501	VALLEY FIELD APTS NORTHLAND	3.65	ND	ND
1932080-503	STONEBRIDGE VILLAGE	ND	ND	ND
1932090-501	GREENFIELD HILL ESTATES	2.90	ND	ND
1932100-502	STRAWBERRY HILL	3.38	ND	ND
1932110-001	BRYANT BROOK	ND	ND	ND
1932120-501	CROSS RIDGE ESTATES	2.94	ND	ND
1932130-503	26 CHANDLER AVE CONDOS	ND	ND	ND
1932140-001	RUTLEDGE PLACE	9.11	2.91	ND
1932150-501	BLUEBERRY KNOLL ESTATES	ND	ND	ND
1932170-501	RAINBOW RIDGE	ND	ND	ND
1932180-501	TUXBURY MEADOWS	ND	ND	ND
1932190-502	CHANDLER TERRACE	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1932200-511	SWEET HILL ESTATES	ND	ND	ND
1932210-500	WEST PINE CONDOS	7.26	ND	ND
1932220-501	SHADY LANE APARTMENTS	3.52	10.70	ND
1932230-501	LITTLE RIVER VILLAGE	ND	ND	ND
1932240-501	THE RESERVE AT SNOWS BROOK	ND	ND	ND
1932250-501	CHANDLER PLACE APTS	2.30	ND	ND
1935010-003	POLLARD ELEMENTARY SCH	5.65	3.20	ND
1935020-001	TIMBERLANE MIDDLE SCH	ND	ND	ND
1935030-511	TIMBERLANE REGIONAL HS	ND	ND	ND
1935070-001	LITTLE EXPLORERS	ND	ND	ND
1936040-002	PLAZA 125	5.56	4.92	ND
1936070-501	144 MAIN STREET	ND	ND	ND
1936100-501	PENTUCKET SHOPPING CENTER	2.37	ND	ND
1936110-001	SCANDIA PLASTICS	ND	3.88	ND
1936130-001	PLAISTOW COMMONS	ND	ND	ND
1936150-502	MARKET BASKET	37.60	2.97	3.49
1936160-001	FITZGERALD SAFETY COMPLEX	ND	16.00	73.00
1936230-523	3 / 11 PLAISTOW RD PLAZA	25.10	14.70	8.14
1936270-001	FIELDSTONE INDUSTRIAL PARK	ND	ND	ND
1936280-001	SPARTON BECKWOOD	ND	ND	ND
1936300-001	BARONS CONDOS	12.60	16.80	ND
1936310-511	ETHAN ALLEN PLAZA	3.96	3.78	ND
1938040-501	PLAISTOW REG HEALTHCARE	4.38	ND	ND
1938090-501	BRICKYARD PLAZA	2.91	2.62	ND
1938190-511	GREAT ELM PLAZA	ND	ND	ND
1938240-002	PLAISTOW COMM YMCA	ND	ND	ND
1941010-501	PLYMOUTH VLG WATER AND SEWER	ND	ND	ND
1941010-502	PLYMOUTH VLG WATER AND SEWER	ND	ND	ND
1942010-003	TENNEY BROOK II	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1942010-501	TENNEY BROOK II	ND	ND	ND
1942020-001	TENNEY BROOK CONDOS	ND	ND	ND
1943010-007	WHIP O WILL	ND	ND	ND
1943010-106	WHIP O WILL	ND	ND	ND
1943010-501	WHIP O WILL	ND	ND	ND
1945010-001	MOUNTAIN VILLAGE SCH	ND	ND	ND
1949030-001	PLYMOUTH COMMERCE PARK	ND	ND	ND
1951010-501	PORTSMOUTH WATER WORKS	ND	ND	ND
1951010-502	PEASE TRADE PORT - WELL NOT IN USE	2400.00	830.00	14.00
1951010-503	PORTSMOUTH WATER WORKS	4.65	6.86	ND
1951010-504	PORTSMOUTH WATER WORKS	3.18	2.01	ND
1951010-506	PORTSMOUTH WATER WORKS	ND	ND	ND
1951010-507	PORTSMOUTH WATER WORKS	ND	ND	ND
1951010-508	PORTSMOUTH WATER WORKS	ND	ND	ND
1951010-510	PEASE TRADE PORT - PFAS TREATMENT INSTALLED	ND	ND	ND
1951010-516	PORTSMOUTH WATER WORKS	4.19	2.42	ND
1971010-504	RAYMOND WATER DEPT	ND	ND	ND
1971010-505	RAYMOND WATER DEPT	ND	ND	ND
1971010-506	RAYMOND WATER DEPT	ND	ND	ND
1972010-505	PEU/LIBERTY TREE ACRES	ND	ND	ND
1972020-501	RIVERVIEW MANOR CONDOS	2.17	2.17	ND
1972040-502	BRANCH RIVER APARTMENTS	3.77	5.75	ND
1972050-501	PAWTUCKAWAY FARMS	ND	ND	ND
1972060-500	WESTGATE ESTATES	ND	ND	ND
1972070-501	PEU/CLEARWATER ESTATES	ND	ND	ND
1972080-501	BLACKSTONE RESERVE	ND	ND	ND
1973050-502	HILL TOP	ND	3.58	ND
1973060-503	LEISURE VILLAGE	ND	ND	ND
1975010-001	RAYMOND HIGH SCH	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
1985010-002	ST BENEDICT CENTER MONASTERY	ND	ND	ND
1992020-106	DUNBAR PROPERTIES	ND	ND	ND
1992040-502	HAMPSHIRE COURT WATER	ND	ND	ND
1992050-001	CARRIAGE APTS	ND	ND	ND
1992070-501	PAYSON VILLAGE	ND	ND	ND
1993010-511	MONADNOCK TENANTS	ND	ND	ND
1994010-502	FRANKLIN PIERCE UNIVERSITY	ND	ND	ND
1995010-001	RINDGE MEMORIAL SCH	2.13	ND	ND
1995030-501	HAMPSHIRE COUNTRY SCH	ND	ND	ND
1995050-501	HERITAGE CHRISTIAN SCH	ND	ND	ND
1996010-501	CHESHIRE MARKET PLACE	2.19	ND	ND
1996020-001	WAL MART STORE 2057	ND	ND	8.00
1996040-504	HANNAFORD RINDGE 8180	21.60	3.10	69.60
1996060-001	PHASE 10	ND	ND	ND
2001010-001	ROCHESTER WATER DEPT	ND	ND	ND
2001010-002	ROCHESTER WATER DEPT	ND	ND	ND
2001010-503	ROCHESTER WATER DEPT	2.19	ND	ND
2001020-001	COUNTRY RIDGE MHP	ND	ND	ND
2002020-501	PROFILE APARTMENTS	ND	ND	ND
2002030-504	DUSTIN HOMESTEAD	6.08	2.29	ND
2002040-501	MEADOWBROOK VILLAGE	ND	ND	ND
2002050-500	GRANDVIEW ESTATES	ND	ND	ND
2003020-506	ACORN TERRACE	ND	ND	ND
2003020-508	ACORN TERRACE	ND	ND	ND
2003030-511	PARADISE ESTATES	7.86	2.89	ND
2003040-000	STONY BROOK	ND	ND	ND
2003090-001	WESTWIND ESTATES II	ND	ND	ND
2004010-503	INN AT SECRETARIAT	ND	ND	ND
2006020-501	CORNERSTONE VNA ROCHESTER	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
2011010-509	ROLLINSFORD WATER SEWER DIST	4.68	2.22	ND
2011010-514	ROLLINSFORD WATER SEWER DIST	ND	ND	ND
2032010-002	HAWTHORNE VILLAGE	ND	ND	ND
2035010-501	RUSSELL ELEMENTARY SCH	ND	ND	ND
2036010-001	STONEWALL CABLE	ND	ND	ND
2041010-006	RYE WATER DIST	ND	ND	ND
2041010-008	RYE WATER DIST	ND	ND	ND
2041010-501	RYE WATER DIST	5.76	ND	ND
2051010-009	SALEM WATER DEPT	2.16	ND	ND
2051010-510	SALEM WATER DEPT	ND	ND	ND
2052010-002	MILLVILLE CIRCLE/SOUTH	ND	ND	ND
2052030-503	LANCASTER FARMS	2.20	2.23	ND
2052060-001	MILLVILLE CIRCLE/NORTH	ND	ND	ND
2052070-501	AUTUMN WOODS	ND	ND	ND
2053020-501	ACKERMAN RETIREMENT PARK	7.91	5.44	ND
2053030-001	SHADOW LAKE MOBILE HOME PARK	ND	ND	ND
2055010-502	NORTH SALEM ELEMENTARY SCH	5.02	3.82	3.23
2055020-501	MERRIMACK VALLEY MONTESSORI SCH	3.55	ND	ND
2056010-501	KLEIN MARINE SYSTEMS	4.95	ND	ND
2056040-001	NORTH SALEM VILLAGE	ND	ND	ND
2057060-001	SCOTTISH HIGHLAND GOLF COURSE	ND	ND	ND
2065010-001	SALISBURY ELEMENTARY SCH	ND	ND	ND
2075010-501	SAINT BANI UPPER BLDG	ND	ND	ND
2075020-002	SANBORNTON CENTRAL SCH	ND	ND	ND
2075030-501	SAINT BANI MIDDLE BLDG	5.09	ND	ND
2075070-001	SAPLINGS PRESCHOOL	ND	ND	ND
2078010-503	STEELE HILL RESORT	2.96	ND	ND
2078010-505	STEELE HILL RESORT	ND	ND	ND
2082010-503	PEU/BEAVER HOLLOW	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
2082020-001	FAIRFIELD	ND	ND	ND
2082020-502	FAIRFIELD	ND	ND	ND
2082030-001	REEDS CROSSING	ND	ND	ND
2082040-501	PINE ACRES CONDOS	6.35	5.25	ND
2082050-501	STONEFORD	ND	ND	ND
2082060-501	CORNERSTONE ESTATES	ND	ND	ND
2082070-500	MILL PINE VILLAGE	ND	ND	ND
2082080-501	LITTLE MILL WOODS	ND	ND	ND
2082090-501	WATERFORD VILLAGE ESTATES	ND	ND	ND
2082110-501	TOWNHOUSES AT WELLS VILLAGE	ND	ND	ND
2085020-501	PLAYMATES LEARNING CENTER	ND	ND	ND
2085040-001	SANDOWN NORTH ELEMENTARY SCH	ND	ND	ND
2095020-001	SANDWICH CENTRAL SCH	ND	ND	ND
2095030-001	SANDWICH CHILDRENS CTR	ND	ND	ND
2111010-501	SEABROOK WATER DEPT	5.22	ND	ND
2111010-503	SEABROOK WATER DEPT	ND	ND	ND
2111010-512	SEABROOK WATER DEPT	ND	ND	ND
2111010-514	SEABROOK WATER DEPT	ND	ND	ND
2111010-516	SEABROOK WATER DEPT	ND	ND	ND
2151010-005	SOMERSWORTH WATER WORKS	ND	ND	ND
2151010-506	SOMERSWORTH WATER WORKS	ND	ND	ND
2165020-501	BARNARD SCH	ND	ND	ND
2185010-002	STARK VILLAGE SCH	ND	ND	ND
2192020-001	NORTHERN VIEW APTS	ND	ND	ND
2195020-001	STEWARTSTOWN COMM SCH	ND	ND	ND
2205010-002	JAMES FAULKNER MEM SCH	ND	ND	ND
2205010-502	CARLISLE WIDE PLANK FLOORS	ND	ND	ND
2212010-501	BOW LAKE ESTATES	ND	ND	ND
2215010-502	STRAFFORD SCH	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
2215040-501	WHITEHOUSE EARLY LRNG CTR	ND	ND	ND
2221010-502	NORTH STRATFORD WATER DEPT	ND	ND	ND
2221010-503	NORTH STRATFORD WATER DEPT	ND	ND	ND
2223010-001	PLEASANT VALLEY PARK ESTATES	ND	ND	ND
2223020-001	NORTH STRATFORD MHP	ND	ND	ND
2232010-504	GLENDARRY CONDOS	4.83	2.56	ND
2232020-502	THORNHILL CONDOS	ND	ND	ND
2232030-501	SALT RIVER CONDOS	5.40	2.60	ND
2232040-000	PENINSULA AT WINDING BROOK	ND	ND	ND
2232050-501	STRATHAM GREEN CONDOS - PFAS TREATMENT	ND	ND	ND
2232060-001	BALMORAL CONDOS	2.97	ND	ND
2232070-511	MONTROSE CONDOS	ND	ND	ND
2232080-502	PHEASANT RUN CONDOS	ND	ND	ND
2232090-000	STRATHAM WOODS	ND	ND	ND
2232110-501	TURNBERRY	ND	ND	ND
2232130-502	MUIRFIELD CLUSTER	ND	ND	ND
2232140-501	JEWETT HILL	3.44	ND	ND
2232150-512	ABERDEEN/WEST	ND	ND	ND
2232160-502	BURNHAVEN	ND	ND	ND
2232190-001	VINEYARDS	ND	ND	ND
2232200-501	CHISHOLM FARM	ND	ND	ND
2232210-501	ROLLINS HILL	ND	ND	ND
2235010-001	ACORN SCH	ND	ND	ND
2235050-501	STRATHAM MEMORIAL SCH	2.96	1.70	0.58
2235060-501	CORNERSTONE SCHOOL	3.13	ND	ND
2236010-001	KINGS HIGHWAY PLAZA	2.94	ND	ND
2236040-001	BELL AND FLYNN	ND	2.54	ND
2236050-001	STRATHAM PLAZA	5.48	ND	ND
2236070-002	NP STRATHAM	3.40	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
2236070-501	NP STRATHAM	3.47	ND	ND
2236090-002	RCN CONDOS	7.60	ND	ND
2236100-001	PIPERS LANDING	27.00	48.00	ND
2236120-001	MILLBROOK OFFICE PARK	ND	ND	ND
2236130-502	STRATHAM CENTRAL CONDOS	165.00	200.00	ND
2236140-501	STRATHAM CROSSING 7621	9.62	ND	ND
2236150-501	BMW OF STRATHAM	2.25	ND	ND
2236170-001	LINDT AND SPRUNGLI USA/BLDG D	ND	ND	ND
2236180-502	LINDT AND SPRUNGLI USA/BLDG E	ND	ND	ND
2236190-501	149/151 PORTSMOUTH AVE	ND	ND	ND
2238060-503	STRATHAM PLZ/MARKET BASKET	ND	ND	ND
2239010-501	STRATHAM COMMUNITY CHURCH	ND	ND	ND
2271010-002	SUNAPEE WATER WORKS	ND	ND	ND
2271020-502	GEORGES MILLS WATER WORKS	ND	ND	ND
2272020-502	MEADOW BROOK AT SUNAPEE	ND	ND	ND
2275020-001	MOUNT ROYAL ACADEMY	ND	ND	ND
2281010-001	SURRY VILLAGE WATER	ND	ND	ND
2285010-501	SURRY VILLAGE CHARTER SCH	ND	ND	ND
2295010-502	KEARSARGE REGIONAL HIGH SCH	ND	ND	ND
2295020-501	SUTTON CENTRAL SCH	ND	ND	ND
2295030-502	KEARSARGE REGIONAL MIDDLE SCH	ND	ND	ND
2295030-511	KEARSARGE REGIONAL MIDDLE SCH	ND	ND	6.34
2296010-002	LABSPHERE	3.59	ND	ND
2301020-501	WEST SWANZEY WATER	ND	ND	ND
2302010-001	ASHUELLOT RIVER APTS	ND	ND	ND
2302040-505	EASTFIELD CROSSING	ND	ND	ND
2302050-500	FOREST VIEW ESTATES	ND	ND	ND
2303010-010	PINE GROVE MOBILE HOME PARK	ND	ND	ND
2303010-508	PINE GROVE MOBILE HOME PARK	2.16	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
2303020-500	VIEW POINT COOP	ND	ND	ND
2305050-501	MONADNOCK REGIONAL HIGH SCH	ND	ND	ND
2306060-501	TOYOTA OF KEENE	ND	ND	ND
2306060-501	TOYOTA OF KEENE	ND	ND	ND
2311010-005	TAMWORTH WATER WORKS	ND	ND	ND
2312020-501	MOUNTAIN VIEW ESTATES	ND	ND	ND
2312030-501	WHITE LAKE ESTATES	ND	ND	ND
2312050-503	REMICK ACRES	ND	ND	ND
2312060-001	CHOCORUA WOODS	ND	ND	ND
2312070-501	CHOCORUA MEADOWS	ND	ND	ND
2312090-501	HIGHLAND PLACE	ND	ND	ND
2313010-000	TAMWORTH MOBILE HOME PARK	ND	ND	ND
2313020-000	TAMWORTH PINES	ND	ND	ND
2315010-501	KENNETH A BRETT SCH	ND	ND	ND
2315020-001	TAMWORTH PRESCHOOL	ND	ND	ND
2315030-501	COMMUNITY SCH	ND	ND	ND
2318090-503	NORTHWAY APTS/DAYS INN	ND	ND	ND
2342010-512	175 ESTATES	ND	ND	ND
2342020-502	NORTHPOINTE WATER	ND	ND	ND
2342030-001	MOUNTAIN RIVER CONDOS	ND	ND	ND
2342040-000	MOUNTAIN RIVER CONDOS EAST	ND	ND	ND
2342060-002	WHITE MOUNTAIN RESORT/GATEWAY	ND	ND	ND
2342070-002	WATERVILLE ACRES CONDOS	ND	ND	ND
2342080-000	STAR RIDGE	ND	ND	ND
2342090-001	BIRCH BEND	ND	ND	ND
2342100-001	CONE RIDGE APTS	ND	ND	ND
2342110-505	MILL BROOKE VILLAGE	ND	ND	ND
2348110-500	OWLS NEST GC AND CONDOS	ND	ND	ND
2345010-002	THORNTON CENTRAL SCH	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
2351010-503	TILTON NORTHLAND WATER DIST	ND	ND	ND
2351010-504	TILTON NORTHLAND WATER DIST	ND	ND	ND
2351020-501	LOCHMERE VILLAGE DIST	6.45	21.10	ND
2352010-002	WINNISQUAM RESORT CONDOS	ND	ND	ND
2352020-001	PEU/NORTHERN SHORES	ND	ND	ND
2352040-501	WINNISQUAM VILLAGE CONDOS	ND	ND	ND
2353010-501	RODGERS DEV	ND	ND	ND
2353020-501	WINDY HILL/NORTH	ND	ND	ND
2353040-502	COUNTRY MEADOWS	ND	ND	ND
2353090-002	WINDY HILL/SOUTH	ND	ND	ND
2356010-001	3M TILTON	ND	ND	ND
2356020-001	TOWN LINE PLAZA	3.44	3.08	ND
2356060-501	TANGER OUTLET CENTER	ND	ND	ND
2356080-001	BJS WHOLESALE CLUB 309	ND	ND	ND
2356100-001	AUTOSERV OF TILTON	ND	ND	ND
2356110-001	EVERSOURCE ENERGY TILTON AWC	ND	ND	ND
2361010-503	TROY WATER WORKS	ND	ND	ND
2361010-504	TROY WATER WORKS	ND	ND	ND
2361010-505	TROY WATER WORKS	ND	ND	ND
2361010-512	TROY WATER WORKS	ND	ND	ND
2372020-002	HIDDEN VALLEY/MASON	ND	ND	ND
2372020-006	HIDDEN VALLEY/MASON	ND	ND	ND
23272050-501	WINMIR CONDOS	ND	ND	ND
2373010-000	NORTH COUNTRY VILLAGE	ND	ND	ND
2375010-502	TUFTONBORO CENTRAL SCH	2.58	ND	ND
2376010-003	PAK 2000 OFFICE	ND	ND	ND
2384010-003	SULLIVAN COUNTY COMPLEX	ND	ND	ND
2384010-507	SULLIVAN COUNTY COMPLEX	ND	ND	ND
2384010-514	SULLIVAN COUNTY COMPLEX	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
2385010-511	UNITY ELEMENTARY SCH	ND	ND	ND
2391010-502	SANBORNVILLE WATER DEPT	ND	ND	ND
2391010-503	SANBORNVILLE WATER DEPT	ND	ND	ND
2392010-501	BEVERLY HILLS WATER	ND	ND	ND
2392020-001	WAKEFIELD ACRES	ND	ND	ND
2392030-500	MICHAWANIC VILLAGE CONDOS	ND	ND	ND
2395020-001	LEARNING WITH LOVE	ND	ND	ND
2395030-501	PINE RIVER POND CNTRY DAYCARE	ND	ND	ND
2401010-001	WALPOLE WATER DEPT	ND	ND	ND
2401010-502	WALPOLE WATER DEPT	ND	ND	ND
2401020-507	N WALPOLE VILLAGE DISTRICT/LOW	ND	ND	ND
2401020-508	N WALPOLE VILLAGE DISTRICT/LOW	ND	ND	ND
2401030-501	N WALPOLE VILLAGE DIST/HIGH	ND	ND	ND
2405010-501	DREWSVILLE CARRIAGE HOUSE	ND	ND	ND
2406010-101	BENSON WOODWORKING	ND	ND	ND
2411010-503	WARNER VILLAGE WATER DIST	ND	ND	ND
2411010-504	WARNER VILLAGE WATER DIST	ND	ND	ND
2413010-502	PLEASANT LAKE MHP	ND	ND	ND
2415010-501	NORTHEAST CATHOLIC COLLEGE	ND	ND	ND
2415010-501	MAGDALEN COLLEGE	ND	ND	ND
2421010-002	GLENCLIFF IMPROVEMENT	ND	ND	ND
2422010-502	SOUTH MAIN STREET WATER DIST	ND	ND	ND
2435020-001	WASHINGTON ELEMENTARY SCH	ND	ND	ND
2441010-502	WATERVILLE VALLEY WATER DIST	ND	ND	ND
2441010-503	WATERVILLE VALLEY WATER DIST	ND	ND	ND
2441010-504	WATERVILLE VALLEY WATER DIST	ND	ND	ND
2452010-501	PEU/DANIELS LAKE	ND	ND	ND
2452030-514	SOUTH WEARE WATER	ND	ND	ND
2452030-515	SOUTH WEARE WATER	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
2452040-501	COLLINS LANDING	ND	ND	ND
2453010-005	SUGAR HILL MANOR MHP	ND	ND	ND
2453020-000	KUNCANOWET HILLS MHP	ND	ND	ND
2455020-001	WEARE MIDDLE SCHOOL	ND	ND	ND
2455040-003	JOHN STARK REG HIGH SCH	1.00	ND	ND
2455060-501	CENTER WOOD ELEM SCH	ND	ND	ND
2455080-001	WEARE MIDDLE SCH	ND	ND	ND
2456010-003	GRANITE STATE TELEPHONE	ND	ND	ND
2458030-002	COUNTRY THREE CORNERS	ND	ND	ND
2458060-001	WEARE CENTER PLAZA	ND	ND	ND
2458070-501	LANCTOTS CENTER	ND	ND	ND
2459010-001	TOWN OFFICES	2.68	ND	ND
2462040-003	PILLSBURY LAKE/FRANKLIN PIERCE	ND	ND	ND
2462040-500	PILLSBURY LAKE/FRANKLIN PIERCE	ND	ND	ND
2462050-502	PILLSBURY LAKE/PENINSULA	ND	ND	ND
2465010-001	WEBSTER ELEMENTARY SCH	ND	ND	ND
2475010-001	WENTWORTH ELEMENTARY SCH	ND	ND	ND
2494010-006	CHESHIRE COUNTY COMPLEX	ND	ND	ND
2494010-007	CHESHIRE COUNTY COMPLEX	ND	ND	ND
2495030-001	WESTMORELAND ELEMENTARY SCH	ND	ND	ND
2501010-001	WHITEFIELD WATER	ND	ND	ND
2501010-008	WHITEFIELD WATER	ND	ND	ND
2501010-009	WHITEFIELD WATER	ND	ND	ND
2501010-010	WHITEFIELD WATER	ND	ND	ND
2501010-012	WHITEFIELD WATER	ND	ND	ND
2501010-514	WHITEFIELD WATER	ND	ND	ND
2505010-002	WHITE MTN REG HS	ND	ND	ND
2512010-001	POUND ROAD WATER WORKS	ND	ND	ND
2521010-505	WILTON WATER WORKS	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
2521010-506	WILTON WATER WORKS	ND	ND	ND
2525010-512	HIGH MOWING SCH	ND	ND	ND
2525020-502	PINE HILL WALDORF SCH	ND	ND	ND
2525030-501	PINE HILL WALDORF CHLD VILLAGE	ND	ND	ND
2526040-501	KIMBALL PHYSICS	ND	ND	ND
2531010-501	WINCHESTER WATER DEPT	ND	ND	ND
2531010-502	WINCHESTER WATER DEPT	ND	ND	ND
2531010-503	WINCHESTER WATER DEPT	ND	ND	ND
2533010-501	SOUTH PARRISH	ND	ND	ND
2533020-000	GREEN VALLEY MOBILE HOME PARK	ND	ND	ND
2542010-501	PEU/GOLDEN BROOK	ND	ND	ND
2542030-003	PEU/W AND E	2.87	3.22	ND
2542030-504	PEU/W AND E	3.24	2.64	ND
2542060-503	PEU/HARDWOOD HTS BIRCH HILL	4.43	2.09	ND
2542070-501	VILLAGES OF WINDHAM	2.17	ND	ND
2542080-500	WYNRIDGE CONDOS	ND	ND	ND
2542130-001	MCAULEY COMMONS	ND	ND	ND
2542140-501	PEU/CASTLE REACH	ND	ND	ND
2542150-502	PEU/FLETCHER CORNER ESTATES	ND	ND	ND
2542160-502	HADLEIGH WOODS	ND	ND	ND
2542170-500	PEU/LAMPLIGHTER VILLAGE	ND	ND	ND
2542180-501	PEU/SPRUCE POND ESTS	ND	ND	ND
2542190-003	CAMELOT III	ND	ND	ND
2542200-501	WOOD MEADOW ESTATES	ND	ND	ND
2544010-501	WARDE REHABILITATION/NURSING	4.36	ND	ND
2544020-501	WINDHAM TERRACE	9.18	5.02	ND
2545010-002	WINDHAM CENTER SCH - PFAS TREATMENT INSTALLED	15.00	3.00	2.81
2545020-501	GOLDEN BROOK SCH	ND	ND	ND
2545030-501	WINDHAM MIDDLE SCH	ND	ND	ND



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
2545040-501	WINDHAM CROSSING LEARNING CTR	ND	ND	ND
2545080-501	KIDDIE ACADEMYU	ND	ND	ND
2545090-001	WINDHAM COOPTVE KINDERGARTEN	ND	ND	ND
2545100-501	WINDHAM HIGH SCH	ND	ND	ND
2545110-501	WEE CARE LEARNING CTR	3.08	5.61	ND
2546020-001	AP DAILEY	2.24	ND	ND
2546030-502	WINDHAM PLAZA	ND	ND	ND
2546070-501	WINDHAM ACADEMY	8.06	18.90	ND
2546080-501	CASTLE COMMONS	5.15	4.28	ND
2546090-001	COMMONS AT WINDHAM 1/WEST BLDG	6.00	10.00	ND
2546110-001	WINDHAM VILLAGE GREEN	3.68	ND	ND
2546110-001	COBBETTS PROF PARK	ND	ND	ND
2546160-001	COMMONS AT WINDHAM 2/EAST BLDG	10.3	3.75	2.92
2546170-001	CAPITAL TRANSPORTATION	ND	ND	ND
2546180-001	KAHUNA	ND	ND	ND
2546190-502	SHAWS SUPERMARKET 686	4.18	ND	ND
2546200-501	CYR LUMBER	4.58	ND	ND
2546220-501	FIVE INDUSTRIAL DR	ND	7.28	ND
2546230-501	MEDICUS OFFICES	2.85	2.81	ND
2546240-501	183 ROCKINGHAM ROAD	ND	ND	ND
2546250-502	GATEWAY PARK	ND	ND	ND
2546260-001	INDIAN ROCK OFFICE PARK II	2.42	ND	ND
2547060-501	WINDHAM WOODS SCH	2.40	ND	ND
2548150-001	DUNKIN DONUTS /PC 346676 TREATED	ND	ND	ND
2548150-001	DUNKIN DONUTS /PC 346676 UNTREATED	100.00	159.00	ND
2548170-001	HOWIE GLYNN AND SONS CONV STRE	27.00	40.00	ND
2548180-001	WINDHAM TOWNE SHOPPES	7.79	ND	ND
2549010-001	TOWN HALL/PLANNING/DEV/TV STAT	16.00	8.00	ND
2549020-001	SENIOR CITIZENS CENTER	31.00	10.00	1.80



Table 1 – Public Water System
PFAS Water Quality Summary

WATER SOURCE NAME	WATER SYSTEM NAME	Max PFOS Detected (ng/L) MCL/AGQS = 15	Max PFNA Detected (ng/L) MCL/AGQS = 11	Max PFHxS Detected (ng/L) MCL/AGQS = 18
2549050-001	NESMITH LIBRARY	ND	0.99	ND
2552010-501	WEDIKO SCHOOL	5.75	ND	ND
2552010-502	WEDIKO SCHOOL	ND	ND	ND
2552010-513	WEDIKO SCHOOL	ND	ND	ND
2557060-501	WEDIKO KITCHEN	ND	ND	ND
2561010-002	WOLFEBORO WATER AND SEWER	ND	ND	ND
2562010-001	WENTWORTH ESTATES	ND	3.58	ND
2562030-001	POINT BREEZE CONDOS	ND	ND	ND
2562050-502	SHERWOOD FOREST	ND	ND	ND
2563010-000	BIRCH OF WOLFBORO COOP	ND	ND	ND
2571020-502	WOODSTOCK WATER DEPT	ND	ND	ND
2571020-503	WOODSTOCK WATER DEPT	ND	ND	ND
2572010-501	JACK O LANTERN CONDOS	ND	ND	ND



Table 2 – Solid Waste Facility
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12
198400001	ACWORTH TOWN LANDFILL	LAND/UNLN	ACWORTH	90.6
198802002	KANCAMAGUS LANDFILL	LAND/UNLN	ALBANY	ND
198705017	INDECK ALEXANDRIA ENERGY CTR	LWW/LAG	ALEXANDRIA	ND
199012032	TOWN OF ALLENSTOWN	LAND/UNLN	ALLENSTOWN	25.3
198400006	ALTON TOWN LANDFILL	LAND/UNLN	ALTON	63
198704029	SOUHEGAN REG LANDFILL	LAND/UNLN	AMHERST	20
198704047	ANDOVER TOWN LANDFILL	LAND/UNLN	ANDOVER	9.54
198904068	WASTEWATER TRT FACILITY	LWW/LAG	ANTRIM	17.6
198705020	ASHLAND MUNICIPAL LANDFILL	LAND/UNLN	ASHLAND	ND
198400026	GODIN SITE	LAND/UNLN	ATKINSON	11
199002015	AUBURN TOWN LANDFILL	LAND/UNLN	AUBURN	59
198806003	BARRINGTON LANDFILL	LAND/UNLN	BARRINGTON	11.4
198704084	BEDFORD LANDFILL	LAND/UNLN	BEDFORD	48
198704071	HURRICANE ROAD STUMP DUMP	LAND/UNLN	BELMONT	ND
198704042	BENNINGTON TRI-TOWN LANDFILL	LAND/UNLN	BENNINGTON	11
198400054	BERLIN TOWN LANDFILL I	LAND/UNLN	BERLIN	116
198400055	CATES HILL LANDFILL	LAND/UNLN	BERLIN	89.1
198704035	DUMMER YARD LANDFILL - JAMES RIVER	LAND/UNLN	BERLIN	424
198400057	BETHLEHEM TOWN LANDFILL (OLD)	LAND/UNLN	BETHLEHEM	75
198400060	WASTE WATER TREATMENT PLANT	LWW/LAG	BETHLEHEM	ND
198704033	NORTH COUNTRY ENVIRONMENTAL SERVICES LF	LAND/LN	BETHLEHEM	64
198901021	CORN HILL ROAD LANDFILL	LAND/UNLN	BOSCAWEN	118
199101052	CALIFORNIA FIELDS	LAND/UNLN	BOSCAWEN	17
198400064	BOW TOWN LANDFILL	LAND/UNLN	BOW	3.7
198400065	MERRIMACK STATION AND ASH LANDFILL	LAND/LN	BOW	ND
198400069	FMR NAUGHTON LANDFILL & AUTOCRAFT SITE	LAND/UNLN	BRADFORD	57
199101059	BRIDGEWATER DUMP/INCINERATOR	LAND/UNLN	BRIDGEWATER	7.81
198704078	NEW HAMPTON LANDFILL	LAND/UNLN	BRISTOL	ND
198400082	CANDIA TOWN LANDFILL	LAND/UNLN	CANDIA	78.5



Table 2 – Solid Waste Facility
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12
198400084	CANTERBURY TOWN LANDFILL	LAND/UNLN	CANTERBURY	196
198705080	CARROLL TOWN LANDFILL	LAND/UNLN	CARROLL	89.3
198809009	CENTER HARBOR LANDFILL	LAND/UNLN	CENTER HARBOR	11.2
198400087	CHARLESTOWN LANDFILL/TRANSFER STATION	LAND/UNLN	CHARLESTOWN	63.3
198704036	CHESTER MUNICIPAL LF	LAND/UNLN	CHESTER	25.3
198706002	CLAREMONT LANDFILL	LAND/UNLN	CLAREMONT	666
198400096	COLEBROOK MUNICIPAL LANDFILL	LAND/UNLN	COLEBROOK	229
198401001	CONCORD CITY LANDFILL/TRANSFER STATION	LAND/UNLN	CONCORD	16.2
198406038	OLD SUNCOOK ROAD LANDFILL (1)	LAND/UNLN	CONCORD	186
198401017	CONWAY LANDFILL/SEPTAGE LAGOONS	LAND/UNLN	CONWAY	82.3
198908068	LOWER MT WASHINGTON VALLEY LANDFILL	LAND/LN	CONWAY	40.6
199103019	CROYDON LANDFILL	LAND/UNLN	CROYDON	7.9
198810003	OLD LANDFILL/X-FER STATION	LAND/UNLN	DALTON	58.9
198401031	DEERFIELD LANDFILL	LAND/UNLN	DEERFIELD	14.4
198706001	DERRY MUNICIPAL LANDFILL	LAND/UNLN	DERRY	21.4
198401060	DUBLIN SANITARY LANDFILL	LAND/UNLN	DUBLIN	26.4
199006011	DURHAM LANDFILL	LAND/UNLN	DURHAM	28
198805021	EFFINGHAM TOWN LANDFILL	LAND/UNLN	EFFINGHAM	35.1
198401071	BULKY WASTE LANDFILL & OLD DUMP SITE	LAND/UNLN	EPPING	505
198406000	ERROL LANDFILL	LAND/UNLN	ERROL	20.6
198401081	CROSS ROAD LANDFILL/STUMP DUMP (TOWN)	LAND/UNLN	EXETER	7.53
198401085	FARMINGTON MUNICIPAL LANDFILL	LAND/UNLN	FARMINGTON	407
198401090	OLD FRANKLIN LANDFILL	LAND/UNLN	FRANKLIN	9.59
198401092	CONCORD REG COOP RESIDUE LANDFILL	LAND/LN	FRANKLIN	ND
199101056	FREEDOM LANDFILL	LAND/UNLN	FREEDOM	24.9
198906002	GILMANTON LANDFILL	LAND/UNLN	GILMANTON	387
198402003	GILSUM LANDFILL/SEPTAGE PIT	LAND/UNLN	GILSUM	56.1
198402005	GOFFSTOWN MUNICIPAL LANDFILL	LAND/UNLN	GOFFSTOWN	12.4
198705009	GOSHEN SANITARY LANDFILL/TRANSFER STA	LAND/UNLN	GOSHEN	317



Table 2 – Solid Waste Facility
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12
199102037	GRAFTON OLD LANDFILL	LAND/UNLN	GRAFTON	42.1
199103005	GRANTHAM LANDFILL	LAND/UNLN	GRANTHAM	17.2
198708004	CROTCHED MOUNTAIN FOUNDATION	LAND/UNLN	GREENFIELD	ND
199102032	GROTON TOWN DUMP	LAND/UNLN	GROTON	8.15
198402023	HAMPTON MUNICIPAL LANDFILL	LAND/UNLN	HAMPTON	72.5
198705010	HANCOCK TOWN LANDFILL	LAND/UNLN	HANCOCK	140
198708010	HARRISVILLE TOWN LANDFILL	LAND/UNLN	HARRISVILLE	76
198402028	HENNIKER TOWN LANDFILL/TRANSFER STATION	LAND/UNLN	HENNIKER	ND
198704004	HILLSBORO WWTF	LWW/LAG	HILLSBOROUGH	1.7
198704088	HILLSBORO TOWN LANDFILL/X-FER STATION	LAND/UNLN	HILLSBOROUGH	430
198402033	HINSDALE MUNICIPAL LANDFILL	LAND/UNLN	HINSDALE	826
198402035	HINSDALE PRODUCTS LANDFILL	LAND/UNLN	HINSDALE	18.6
199009014	HOLDERNES LANDFILL	LAND/UNLN	HOLDERNES	89.5
198402043	HOOKSETT TRANSFER/HIGHWAY	LAND/UNLN	HOOKSETT	62.2
198705021	HOPKINTON/WEBSTER LANDFILL	LAND/UNLN	HOPKINTON	19.3
198402057	HUDSON TOWN LANDFILL	LAND/UNLN	HUDSON	186
199204002	BENSON PARK (FORMER BENSONS ANIMAL PARK)	LAND/UNLN	HUDSON	29.2
198712013	JACKSON OLD LANDFILL	LAND/UNLN	JACKSON	7.66
198402073	JAFFREY LANDFILL & WWTF / ULWW LAGOONS	LAND/UNLN	JAFFREY	1.9
198402076	JEFFERSON TOWN LANDFILL	LAND/UNLN	JEFFERSON	0.46
198402082	KEENE OLD CITY LANDFILL	LAND/UNLN	KEENE	6.83
199009001	KEENE MUNICIPAL LANDFILL	LAND/UNLN	KEENE	221
198705089	KINGSTON TOWN LANDFILL	LAND/UNLN	KINGSTON	4.99
198709021	LACONIA DISPOSAL GARDENS	LAND/UNLN	LACONIA	ND
200308076	FRANK BEAN ROAD SITE	OLD DUMP	LACONIA	6.6
198705056	LANCASTER DISPOSAL FACILITY	LAND/UNLN	LANCASTER	20.8
198710039	LEBANON LANDFILL	LAND/LN	LEBANON	65.5
198403011	LEMPSTER TOWN LANDFILL	LAND/UNLN	LEMPSTER	ND
198704025	LISBON TOWN LANDFILL AND LAGOONS	LAND/UNLN	LISBON	110



Table 2 – Solid Waste Facility
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12
198704045	LITTLETON TOWN LANDFILL	LAND/UNLN	LITTLETON	564
199001001	NORTON CO LANDFILL	LAND/UNLN	LITTLETON	11
198804014	SPARTAN CONSOLIDATED	LAND/UNLN	LONDONDERRY	210
198809007	FORMER LECLAIR PROPERTY	OLD DUMP	LONDONDERRY	48.9
198801025	LOUDON LANDFILL/X-FER STATION	LAND/UNLN	LOUDON	282
199208010	ENVIRONMENTAL SOILS MANAGEMENT	GWRELDET	LOUDON	ND
198403039	MADISON LANDFILL	LAND/UNLN	MADISON	2.8
198403055	MANCHESTER MUNICIPAL LANDFILL	LAND/UNLN	MANCHESTER	532
198403071	MARLBOROUGH MUNICIPAL LANDFILL	LAND/UNLN	MARLBOROUGH	28.4
199103022	MARLOW MUNICIPAL LANDFILL	LAND/UNLN	MARLOW	139
198403073	MEREDITH MUNICIPAL LANDFILL	LAND/UNLN	MEREDITH	90
198403083	MERRIMACK TOWN LANDFILL	LAND/UNLN	MERRIMACK	2450
198508002	HITCHINER MANUFACTURING LANDFILL	LAND/LN	MILFORD	4.8
198708009	MILFORD SLUDGE DISPOSAL LAND (WWTF)	LAND/LN	MILFORD	60.3
198908012	MILFORD TRANSFER STATION	LAND/UNLN	MILFORD	47.8
198403092	TOWN W W T P	LWW/LAG	MILTON	ND
198403093	MILTON TOWN LANDFILL	LAND/UNLN	MILTON	10.9
198705087	FORMER MOULTONBOROUGH TOWN LANDFILL	LAND/UNLN	MOULTONBOROUGH	277
198403099	FOUR HILLS LANDFILL NASHUA RECYCL CTR	LAND/UNLN	NASHUA	246
198705083	SHADY LANE LANDFILL (FORMER ADS 309)	LAND/UNLN	NASHUA	59.3
198904055	BLUE LINE EXPRESS (WEBSTER SQUARE)	LAND/UNLN	NASHUA	53.2
200009057	NASHUA RIVERSIDE LANDFILL	LAND/UNLN	NASHUA	23.6
200202018	ROUSSEL PARK	LAND/UNLN	NASHUA	253
200203021	LINCOLN PARK/COLISEUM AVE. (FMR ADS 207)	LAND/UNLN	NASHUA	90.4
198404014	NEW BOSTON TRANSFER STATION	LAND/UNLN	NEW BOSTON	15.4
198811009	NEW DURHAM HIGHWAY DEPT	LAND/UNLN	NEW DURHAM	ND
198404017	NEW IPSWICH TOWN LANDFILL	LAND/UNLN	NEW IPSWICH	719
198404020	NEW LONDON OLD TOWN LANDFILL	LAND/UNLN	NEW LONDON	39.5
198710013	NEW LONDON STUMP DUMP	LAND/UNLN	NEW LONDON	8.73



Table 2 – Solid Waste Facility
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12
198806028	NEWBURY DEMO DEBRIS LANDFILL	LAND/UNLN	NEWBURY	48
198704049	NEWMARKET LANDFILL	LAND/UNLN	NEWMARKET	12
198404027	NH/VT SOLID WASTE PROJECT	LAND/LN	NEWPORT	ND
198705052	NEWPORT MUNICIPAL LANDFILL	LAND/UNLN	NEWPORT	35.7
198908037	NEWPORT WWTF	LWW/LAG	NEWPORT	ND
199101029	NEWTON MUNICIPAL LANDFILL	LAND/UNLN	NEWTON	101
198704070	NORTHFIELD HIGHWAY GARAGE	LAND/UNLN	NORTHFIELD	20.7
198404034	PIKE INDUSTRIES INC 700	LAND/UNLN	NORTHFIELD	4
198801023	GROVETON LANDFILL	LAND/UNLN	NORTHUMBERLAND	107
199001014	NOTTINGHAM MUNICIPAL SOLID WASTE FAC	LAND/UNLN	NOTTINGHAM	2360
198809004	ORFORD LANDFILL	LAND/UNLN	ORFORD	55
198404045	OSSIPEE LANDFILL/INCINERATOR	LAND/UNLN	OSSIPEE	25.8
198404052	ROKETENETZ LANDFILL	LAND/UNLN	PELHAM	900
198404049	PEMBROKE LANDFILL	LAND/UNLN	PEMBROKE	15.3
198404057	PETERBOROUGH TOWN LANDFILL	LAND/UNLN	PETERBOROUGH	39
198905054	EMS PARCEL B SITE (OLD TOWN DUMP)	LAND/UNLN	PETERBOROUGH	ND
198903064	PIERMONT TOWN LANDFILL	LAND/UNLN	PIERMONT	7.87
199004019	PITTSBURG TRANSFER STATION LF	LAND/UNLN	PITTSBURG	ND
198901008	SW INCIN & TRSFR STA (BCEP)	LAND/UNLN	PITTSFIELD	12.8
199105022	MERIDEN WASTEWATER TREATMENT FACILITY	LWW/LAG	PLAINFIELD	9.53
198404075	PLAISTOW MUNICIPAL LANDFILL	LAND/UNLN	PLAISTOW	47.9
198404078	PLYMOUTH INCINERATOR/ASH LF	LAND/UNLN	PLYMOUTH	17.6
198404087	JONES AVE LANDFILL & ASH CONTAINMENT	LAND/UNLN	PORTSMOUTH	33
198404088	PSNH SCHILLER STATION	LAND/UNLN	PORTSMOUTH	ND
198808007	RANDOLPH LANDFILL OLD	LAND/UNLN	RANDOLPH	4
198404092	RAYMOND LANDFILL	LAND/UNLN	RAYMOND	230
198705045	ROCHESTER LANDFILL	LAND/UNLN	ROCHESTER	1100
198706006	TLR-II	LAND/LN	ROCHESTER	41
198706010	TLR-I (PHASES I-IV)	LAND/LN	ROCHESTER	350



Table 2 – Solid Waste Facility
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12
198808005	RUMNEY LANDFILL	LAND/UNLN	RUMNEY	26.8
198704080	RYE GROVE ROAD LANDFILL	LAND/UNLN	RYE	60.1
198705029	RYE MUNICIPAL LANDFILL	LAND/UNLN	RYE	67
198405024	LL & S LANDFILL	LAND/UNLN	SALEM	680
198405030	SHANNON RD LANDFILL	LAND/UNLN	SALEM	452
198405034	SALISBURY TOWN LANDFILL	LAND/UNLN	SALISBURY	22.1
198405036	SANBORNTON TOWN LANDFILL	LAND/UNLN	SANBORNTON	12.4
198405037	SANDWICH LANDFILL	LAND/UNLN	SANDWICH	4.98
198910015	SHELBOURNE LANDFILL	LAND/UNLN	SHELBOURNE	7.93
198405054	LAMPREY REGIONAL COOP/SLUDGE ASH LF	LAND/LN	SOMERSWORTH	16
198405050	SPRINGFIELD POWER FMR HEMPHILL POWER	LWW/LAG	SPRINGFIELD	10.3
198500040	STARK MUNICIPAL LANDFILL	LAND/UNLN	STARK	ND
198705031	JAMES RIVER BARK PILE	LAND/UNLN	STARK	7.1
198500020	STRAFFORD LANDFILL	LAND/UNLN	STRAFFORD	48.4
199102024	STRATFORD MUNICIPAL LANDFILL	LAND/UNLN	STRATFORD	ND
198909004	STRATHAM LANDFILL	LAND/UNLN	STRATHAM	95.5
198706016	MT CARBERRY LANDFILL	LAND/LN	SUCCESS	240
199103006	SUNAPEE LANDFILL	LAND/UNLN	SUNAPEE	306
199105015	W SWANZEY VILLAGE AREA WWTF	LWW/LAG	SWANZEY	ND
198704017	TAMWORTH TOWN LANDFILL	LAND/UNLN	TAMWORTH	337
199101060	THORNTON LANDFILL	LAND/UNLN	THORNTON	13.9
198405081	TOWN OF TROY LANDFILL	LAND/UNLN	TROY	62.9
198405083	TUFTONBORO TOWN LANDFILL	LAND/UNLN	TUFTONBORO	173
198809016	UNITY MUNICIPAL LANDFILL	LAND/UNLN	UNITY	3700
198704018	WAKEFIELD TOWN LANDFILL	LAND/UNLN	WAKEFIELD	610
198705026	WALPOLE LANDFILL	LAND/UNLN	WALPOLE	54.1
199102030	WARREN DUMP #1	LAND/UNLN	WARREN	ND
198806031	WASHINGTON LANDFILL	LAND/UNLN	WASHINGTON	14
198704005	WEARE LF/SEPTAGE LAG/TOWN GARAGE	LAND/UNLN	WEARE	7.41



Table 2 – Solid Waste Facility
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12
199102031	WENTWORTH LANDFILL	LAND/UNLN	WENTWORTH	47.3
198806027	WESTMORELAND LANDFILL	LAND/UNLN	WESTMORELAND	82.3
199105008	CHESHIRE COUNTY HOME WWTF & JAIL	LWW/LAG	WESTMORELAND	ND
198406001	SEWAGE TREATMENT FAC	LWW/LAG	WHITEFIELD	ND
198801018	DG WHITEFIELD LLC (FMR POWER & LIGHT CO)	LWW/LAG	WHITEFIELD	ND
200111035	MOUNTAIN VIEW GRAND RESORT & SPA	LAND/UNLN	WHITEFIELD	74.4
199102009	WHITEFIELD LANDFILL	LAND/UNLN	WHITEFIELD	18.1
198704087	WILTON SANITARY LANDFILL	LAND/UNLN	WILTON	20.7
198704085	WINCHESTER TOWN LANDFILL	LAND/UNLN	WINCHESTER	ND
198801019	WINDHAM TOWN LANDFILL	LAND/UNLN	WINDHAM	17
198406014	WOLFEBORO ASH LANDFILL	LAND/UNLN	WOLFEBORO	242
199101048	WOLFEBORO ABANDONED DUMP	LAND/UNLN	WOLFEBORO	13
199105019	HOPKINTON WASTEWATER TREATMENT FACILITY	LWW/LAG	HOPKINTON	5.92

Notes:

1. Concentrations shown are in parts per trillion (ppt) or nanograms per liter (ng/L).
2. Cells that are shaded gray indicate an exceedance of the current Ambient Groundwater Quality Standards (AGQS) included in Env-Or 600 Contaminated Site Management.
3. NH's four regulated PFAS compounds include: perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), perfluorohexane sulfonic acid (PFHxS), and perfluorononanoic acid (PFNA).
4. 'ND' indicates the analyzed PFAS was not detected above the laboratory reporting limit.
5. Data represents highest concentration detected at the Site.



Table 2 – Solid Waste Facility
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198400001	ACWORTH TOWN LANDFILL	7.24	ND	15.6
198802002	KANCAMAGUS LANDFILL	ND	ND	ND
198705017	INDECK ALEXANDRIA ENERGY CTR	ND	ND	ND
199012032	TOWN OF ALLENSTOWN	219	2	146
198400006	ALTON TOWN LANDFILL	15.1	ND	12.9
198704029	SOUHEGAN REG LANDFILL	3.58	0.328	6.12
198704047	ANDOVER TOWN LANDFILL	ND	ND	ND
198904068	WASTEWATER TRT FACILITY	7.26	ND	13.8
198705020	ASHLAND MUNICIPAL LANDFILL	ND	ND	ND
198400026	GODIN SITE	20.8	ND	ND
199002015	AUBURN TOWN LANDFILL	97	3.04	7
198806003	BARRINGTON LANDFILL	ND	ND	ND
198704084	BEDFORD LANDFILL	34	ND	34.7
198704071	HURRICANE ROAD STUMP DUMP	ND	ND	ND
198704042	BENNINGTON TRI-TOWN LANDFILL	ND	ND	ND
198400054	BERLIN TOWN LANDFILL I	90.9	ND	7.37
198400055	CATES HILL LANDFILL	ND	ND	5.54
198704035	DUMMER YARD LANDFILL - JAMES RIVER	740	13.2	21.6
198400057	BETHLEHEM TOWN LANDFILL (OLD)	99.6	8.4	24.1
198400060	WASTE WATER TREATMENT PLANT	ND	ND	ND
198704033	NORTH COUNTRY ENVIRONMENTAL SERVICES LF	12.6	8.72	11.3
198901021	CORN HILL ROAD LANDFILL	49	4.27	71.4
199101052	CALIFORNIA FIELDS	10	ND	6
198400064	BOW TOWN LANDFILL	ND	ND	ND
198400065	MERRIMACK STATION AND ASH LANDFILL	ND	ND	ND
198400069	FMR NAUGHTON LANDFILL & AUTOCRAFT SITE	56.7	ND	36.3
199101059	BRIDGEWATER DUMP/INCINERATOR	ND	ND	4.6
198704078	NEW HAMPTON LANDFILL	ND	ND	ND
198400082	CANDIA TOWN LANDFILL	56.6	1.99	7.3



Table 2 – Solid Waste Facility
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198400084	CANTERBURY TOWN LANDFILL	1337	4	791
198705080	CARROLL TOWN LANDFILL	ND	ND	28
198809009	CENTER HARBOR LANDFILL	20.8	ND	ND
198400087	CHARLESTOWN LANDFILL/TRANSFER STATION	ND	ND	ND
198704036	CHESTER MUNICIPAL LF	9.12	ND	4.5
198706002	CLAREMONT LANDFILL	477	38.6	54.9
198400096	COLEBROOK MUNICIPAL LANDFILL	21.2	8.7	51.6
198401001	CONCORD CITY LANDFILL/TRANSFER STATION	19.8	ND	5.34
198406038	OLD SUNCOOK ROAD LANDFILL (1)	22.9	ND	29.1
198401017	CONWAY LANDFILL/SEPTAGE LAGOONS	5.05	ND	14.9
198908068	LOWER MT WASHINGTON VALLEY LANDFILL	ND	4.79	7.11
199103019	CROYDON LANDFILL	13	ND	ND
198810003	OLD LANDFILL/X-FER STATION	9	828	ND
198401031	DEERFIELD LANDFILL	4.47	ND	ND
198706001	DERRY MUNICIPAL LANDFILL	15.2	ND	5.6
198401060	DUBLIN SANITARY LANDFILL	81	ND	1.87
199006011	DURHAM LANDFILL	41	0.66	26
198805021	EFFINGHAM TOWN LANDFILL	388	5.89	92.2
198401071	BULKY WASTE LANDFILL & OLD DUMP SITE	130	23.7	330
198406000	ERROL LANDFILL	5.08	ND	ND
198401081	CROSS ROAD LANDFILL/STUMP DUMP (TOWN)	7.04	ND	ND
198401085	FARMINGTON MUNICIPAL LANDFILL	312	ND	98.4
198401090	OLD FRANKLIN LANDFILL	ND	ND	ND
198401092	CONCORD REG COOP RESIDUE LANDFILL	ND	ND	ND
199101056	FREEDOM LANDFILL	54.1	ND	ND
198906002	GILMANTON LANDFILL	212	8.34	57.9
198402003	GILSUM LANDFILL/SEPTAGE PIT	653	6.52	ND
198402005	GOFFSTOWN MUNICIPAL LANDFILL	10.9	ND	1.6
198705009	GOSHEN SANITARY LANDFILL/TRANSFER STA	1400	5.7	29



Table 2 – Solid Waste Facility
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199102037	GRAFTON OLD LANDFILL	382	ND	77.1
199103005	GRANTHAM LANDFILL	9.15	ND	ND
198708004	CROTCHED MOUNTAIN FOUNDATION	ND	ND	ND
199102032	GROTON TOWN DUMP	17.6	ND	ND
198402023	HAMPTON MUNICIPAL LANDFILL	91.5	6	8.71
198705010	HANCOCK TOWN LANDFILL	1330	9.02	261
198708010	HARRISVILLE TOWN LANDFILL	65	2	9
198402028	HENNIKER TOWN LANDFILL/TRANSFER STATION	55.4	ND	ND
198704004	HILLSBORO WWTF	ND	ND	ND
198704088	HILLSBORO TOWN LANDFILL/X-FER STATION	370	110	11
198402033	HINSDALE MUNICIPAL LANDFILL	1550	380	33
198402035	HINSDALE PRODUCTS LANDFILL	ND	ND	ND
199009014	HOLDERNESS LANDFILL	107	712	16
198402043	HOOKSETT TRANSFER/HIGHWAY	2.19	ND	28.7
198705021	HOPKINTON/WEBSTER LANDFILL	ND	ND	9.88
198402057	HUDSON TOWN LANDFILL	3.33	2.61	7.42
199204002	BENSON PARK (FORMER BENSONS ANIMAL PARK)	16.6	ND	ND
198712013	JACKSON OLD LANDFILL	9.5	ND	ND
198402073	JAFFREY LANDFILL & WWTF / ULWW LAGOONS	ND	ND	ND
198402076	JEFFERSON TOWN LANDFILL	2.8	ND	0.66
198402082	KEENE OLD CITY LANDFILL	9.78	ND	4.52
199009001	KEENE MUNICIPAL LANDFILL	274	7.51	57.9
198705089	KINGSTON TOWN LANDFILL	ND	ND	ND
198709021	LACONIA DISPOSAL GARDENS	ND	ND	ND
200308076	FRANK BEAN ROAD SITE	5.01	ND	ND
198705056	LANCASTER DISPOSAL FACILITY	27.9	ND	5.03
198710039	LEBANON LANDFILL	15.1	ND	28.5
198403011	LEMPSTER TOWN LANDFILL	ND	ND	ND
198704025	LISBON TOWN LANDFILL AND LAGOONS	18.1	ND	23.6



Table 2 – Solid Waste Facility
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198704045	LITTLETON TOWN LANDFILL	59	47.4	32.6
199001001	NORTON CO LANDFILL	ND	ND	ND
198804014	SPARTAN CONSOLIDATED	200	6.8	29
198809007	FORMER LECLAIR PROPERTY	12.6	ND	ND
198801025	LOUDON LANDFILL/X-FER STATION	51.9	8.39	33.8
199208010	ENVIRONMENTAL SOILS MANAGEMENT	ND	ND	ND
198403039	MADISON LANDFILL	ND	ND	ND
198403055	MANCHESTER MUNICIPAL LANDFILL	53.4	11	35.7
198403071	MARLBOROUGH MUNICIPAL LANDFILL	34.4	ND	8.03
199103022	MARLOW MUNICIPAL LANDFILL	1600	ND	6.6
198403073	MEREDITH MUNICIPAL LANDFILL	36	3.7	12
198403083	MERRIMACK TOWN LANDFILL	1600	30	285
198508002	HITCHINER MANUFACTURING LANDFILL	ND	ND	ND
198708009	MILFORD SLUDGE DISPOSAL LAND (WWTF)	78.8	6.37	15.4
198908012	MILFORD TRANSFER STATION	34.4	2	27.7
198403092	TOWN W W T P	ND	ND	ND
198403093	MILTON TOWN LANDFILL	25	ND	ND
198705087	FORMER MOULTONBOROUGH TOWN LANDFILL	601	19.4	342
198403099	FOUR HILLS LANDFILL NASHUA RECYCL CTR	111	8.38	108
198705083	SHADY LANE LANDFILL (FORMER ADS 309)	47.7	ND	9.73
198904055	BLUE LINE EXPRESS (WEBSTER SQUARE)	14.2	ND	11.7
200009057	NASHUA RIVERSIDE LANDFILL	43.9	ND	5.14
200202018	ROUSSEL PARK	ND	ND	11.4
200203021	LINCOLN PARK/COLISEUM AVE. (FMR ADS 207)	21.8	5.61	7.02
198404014	NEW BOSTON TRANSFER STATION	4.21	1.55	2.46
198811009	NEW DURHAM HIGHWAY DEPT	ND	ND	ND
198404017	NEW IPSWICH TOWN LANDFILL	206	104	156
198404020	NEW LONDON OLD TOWN LANDFILL	42.3	2.7	2.2
198710013	NEW LONDON STUMP DUMP	13.7	ND	ND



Table 2 – Solid Waste Facility
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198806028	NEWBURY DEMO DEBRIS LANDFILL	240	2.04	150
198704049	NEWMARKET LANDFILL	12	ND	4
198404027	NH/VT SOLID WASTE PROJECT	ND	ND	ND
198705052	NEWPORT MUNICIPAL LANDFILL	20	ND	4.81
198908037	NEWPORT WWTF	ND	ND	ND
199101029	NEWTON MUNICIPAL LANDFILL	111	2.32	13.2
198704070	NORTHFIELD HIGHWAY GARAGE	570	ND	262
198404034	PIKE INDUSTRIES INC 700	ND	ND	ND
198801023	GROVETON LANDFILL	232	ND	300
199001014	NOTTINGHAM MUNICIPAL SOLID WASTE FAC	239	354	87.6
198809004	ORFORD LANDFILL	12	6	7
198404045	OSSIPEE LANDFILL/INCINERATOR	31	9.74	21.2
198404052	ROKETENETZ LANDFILL	3100	170	92
198404049	PEMBROKE LANDFILL	19.5	ND	4.65
198404057	PETERBOROUGH TOWN LANDFILL	87	2.6	3.5
198905054	EMS PARCEL B SITE (OLD TOWN DUMP)	ND	ND	ND
198903064	PIERMONT TOWN LANDFILL	16.1	ND	63.2
199004019	PITTSBURG TRANSFER STATION LF	ND	ND	ND
198901008	SW INCIN & TRSFR STA (BCEP)	10.8	ND	ND
199105022	MERIDEN WASTEWATER TREATMENT FACILITY	6.9	ND	ND
198404075	PLAISTOW MUNICIPAL LANDFILL	170	5	13
198404078	PLYMOUTH INCINERATOR/ASH LF	29.5	3.08	4.6
198404087	JONES AVE LANDFILL & ASH CONTAINMENT	21.8	ND	12.8
198404088	PSNH SCHILLER STATION	7.51	ND	ND
198808007	RANDOLPH LANDFILL OLD	11	ND	ND
198404092	RAYMOND LANDFILL	2000	7.1	150
198705045	ROCHESTER LANDFILL	311	24.9	148
198706006	TLR-II	5.6	ND	ND
198706010	TLR-I (PHASES I-IV)	70	ND	ND



Table 2 – Solid Waste Facility
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198808005	RUMNEY LANDFILL	28.7	ND	7.48
198704080	RYE GROVE ROAD LANDFILL	110	ND	25
198705029	RYE MUNICIPAL LANDFILL	36	21.8	14
198405024	LL & S LANDFILL	1100	55	230
198405030	SHANNON RD LANDFILL	631	ND	50.3
198405034	SALISBURY TOWN LANDFILL	ND	ND	ND
198405036	SANBORNTON TOWN LANDFILL	ND	ND	4.49
198405037	SANDWICH LANDFILL	7.67	ND	ND
198910015	SHELBURNE LANDFILL	12.1	ND	2.34
198405054	LAMPREY REGIONAL COOP/SLUDGE ASH LF	19.8	ND	10
198405050	SPRINGFIELD POWER FMR HEMPHILL POWER	7.05	ND	ND
198500040	STARK MUNICIPAL LANDFILL	ND	ND	ND
198705031	JAMES RIVER BARK PILE	ND	ND	ND
198500020	STRAFFORD LANDFILL	150	ND	11
199102024	STRATFORD MUNICIPAL LANDFILL	ND	ND	ND
198909004	STRATHAM LANDFILL	37.2	ND	66.1
198706016	MT CARBERRY LANDFILL	29.5	30.4	88.4
199103006	SUNAPEE LANDFILL	148	78.8	18.3
199105015	W SWANZEY VILLAGE AREA WWTF	ND	ND	ND
198704017	TAMWORTH TOWN LANDFILL	121	95.4	12.1
199101060	THORNTON LANDFILL	ND	ND	ND
198405081	TOWN OF TROY LANDFILL	57.9	65	18
198405083	TUFTONBORO TOWN LANDFILL	1.96	5.24	45.8
198809016	UNITY MUNICIPAL LANDFILL	92	410	40
198704018	WAKEFIELD TOWN LANDFILL	124	130	66.1
198705026	WALPOLE LANDFILL	126	ND	15.1
199102030	WARREN DUMP #1	ND	ND	ND
198806031	WASHINGTON LANDFILL	27.7	ND	ND
198704005	WEARE LF/SEPTAGE LAG/TOWN GARAGE	8.19	ND	ND



Table 2 – Solid Waste Facility
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199102031	WENTWORTH LANDFILL	ND	ND	8.73
198806027	WESTMORELAND LANDFILL	145	ND	7.19
199105008	CHESHIRE COUNTY HOME WWTF & JAIL	ND	ND	ND
198406001	SEWAGE TREATMENT FAC	ND	ND	ND
198801018	DG WHITEFIELD LLC (FMR POWER & LIGHT CO)	ND	ND	ND
200111035	MOUNTAIN VIEW GRAND RESORT & SPA	47.8	41	8.6
199102009	WHITEFIELD LANDFILL	ND	ND	ND
198704087	WILTON SANITARY LANDFILL	12.3	ND	ND
198704085	WINCHESTER TOWN LANDFILL	ND	ND	ND
198801019	WINDHAM TOWN LANDFILL	10.5	ND	6.25
198406014	WOLFEBORO ASH LANDFILL	91	7.28	107
199101048	WOLFEBORO ABANDONED DUMP	13	ND	8.4
199105019	HOPKINTON WASTEWATER TREATMENT FACILITY	ND	ND	7



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12
199907011	IRVING OIL CORPORATION	HAZWASTE	ALTON	346
201605022	FORMER TCI FACILITY	HAZWASTE	AMHERST	18000
201701004	CENTRAL PORTION OF HOWE DRIVE AREA	SITEEVALHW	AMHERST	965
201701005	SOUTHERN PORTION OF CALDWELL DRIVE AREA	SITEEVALHW	AMHERST	1090
200009045	L W PACKARD & CO INC	SITEEVALHW	ASHLAND	44.4
200210001	EMERY DRIVE SITE	HAZWASTE	ATKINSON	10.7
199608027	FORMER INSURANCE SALVAGE AUCTION	HAZWASTE	AUBURN	3
199707009	28 COMMERCIAL COURT (FMR 8 PRISCILLA LN)	HAZWASTE	AUBURN	3
198406023	TIBBETTS ROAD DRUM SITE	CERCLA	BARRINGTON	2.46
200602025	NASHUA ROAD PROPERTY	HAZWASTE	BEDFORD	23.7
199709046	CHLOR ALKALI FACILITY (CROWN VANTAGE)	CERCLA	BERLIN	201
201703005	FORMER SINCLAIR HOTEL PROPERTY	HAZWASTE	BETHLEHEM	ND
198400061	ALLIED LEATHER CORP./QUEEN ST. LANDFILL	HAZWASTE	BOSCAWEN	ND
198708008	FORMER GRAPHIC PACKAGING	HAZWASTE	BOW	8.1
198906062	ROCKINGHAM COUNTY COMPLEX	HAZWASTE	BRENTWOOD	3800
200610095	OMNI TECHNOLOGIES CORPORATION	HAZWASTE	BRENTWOOD	ND
198706012	FREUDENBERG NOK	HAZWASTE	BRISTOL	2920
199902022	FMR BEEBE RIVER MILL LAGOON	HAZWASTE	CAMPTON	ND
198400091	BARNEY BASS COMPANY	HAZWASTE	CLAREMONT	1.4
199601023	FORMER SYNERGY GAS (ALLSTAR GAS)	HAZWASTE	CLAREMONT	19
200308070	T BIRD MINI MART	HAZWASTE	CLAREMONT	6
200911039	101 MULBERRY STREET PROPERTY	HAZWASTE	CLAREMONT	7.46
201805030	NORTH ST AND WASHINGTON ST AREA	SITEEVALHW	CLAREMONT	19
198401012	BEDE ELECTRICAL INSTRUMENTS	HAZWASTE	CONCORD	1.93
198605043	FORMER ALLIED LEATHER TANNERY	HAZWASTE	CONCORD	18
198711003	ELECTROPAC WORLDWIDE (FMR VISHAY SPRAGUE	HAZWASTE	CONCORD	12.8
199104009	FORMER JOHNSON & DIX BULK FUEL	HAZWASTE	CONCORD	2.9
199212014	EXIT 13 COAL TAR POND	HAZWASTE	CONCORD	21.8
199811043	DOT GULLY HILL STORAGE SHED	HAZWASTE	CONCORD	10.7



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12
200011034	CONCORD CLEANERS	HAZWASTE	CONCORD	67.9
201710012	RICHARD FLYNN FIRE ACADEMY	HAZWASTE	CONCORD	2200
198708002	KEARSARGE METALLURGICAL CORP	CERCLA	CONWAY	20
199110087	WHITE MOUNTAIN LAUNDRY & DRY CLEANERS	HAZWASTE	CONWAY	6.11
201511011	FORMER NH MARBLE & FIBERGLASS	HAZWASTE	DERRY	111
198401037	HADCO PRINTED CIRCUIT	HAZWASTE	DERRY	170
200109011	WEBER AUTO & TRUCK PARTS INC	HAZWASTE	DERRY	133
201802004	24 SCOBIE POND ROAD PROPERTY	SITEEVALHW	DERRY	59
198401046	FMR ELLIOTT & WILLIAMS ROSES	HAZWASTE	DOVER	42.3
198401047	DOVER GAS WORKS	HAZWASTE	DOVER	200
198705067	ELECTROCRAFT NEW HAMPSHIRE	HAZWASTE	DOVER	ND
198710022	85 INDUSTRIAL PARK II LLC	HAZWASTE	DOVER	13.5
198803019	DOVER LANDFILL SUPERFUND SITE	CERCLA	DOVER	1100
198907059	ONE WASHINGTON CENTER INC	HAZWASTE	DOVER	28.1
199011005	HEIDELBERG WEB SYSTEMS INC (FRMLY HARRIS	HAZWASTE	DOVER	9.7
199202044	DOVER PUBLIC WORKS GARAGE	HAZWASTE	DOVER	320
199203042	MOORE BUSINESS EQUIPMENT (FORMER)	HAZWASTE	DOVER	8.3
200410018	16 INDUSTRIAL PARK DRIVE LLC	HAZWASTE	DOVER	7.56
200701053	COCHECO PARK	HAZWASTE	DOVER	12.5
200707072	VARNEY'S CLEANERS	HAZWASTE	DOVER	6.46
198710024	KEEFE ENVIR.	CERCLA	EPPING	306
199812012	BUXTON OIL CO INC	HAZWASTE	EPPING	4.8
198401083	TEXTRON'S CARDINAL LANDFILL	HAZWASTE	FARMINGTON	6.42
198603048	UNION TELEPHONE COMPANY	HAZWASTE	FARMINGTON	16.4
200009052	MEADOWOOD ASSEMBLY HALL	HAZWASTE	FITZWILLIAM	35
198705001	ACME STAPLE COMPANY	HAZWASTE	FRANKLIN	ND
199306026	FRANKLIN FIRE STATION	HAZWASTE	FRANKLIN	480
201704004	FMR CIAO PASTA	SITEEVALHW	FRANKLIN	120
198402001	GILFORD FIRE TRAINING SITE	HAZWASTE	GILFORD	6.1



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12
200411113	LOWER LIBERTY HILL ROAD SITE	HAZWASTE	GILFORD	ND
198908003	NUTTER CONSTRUCTION	HAZWASTE	GILMANTON	4.51
200110023	FORMER GOFFSTOWN DPW GARAGE	HAZWASTE	GOFFSTOWN	8.6
201705038	FLETCHER MOUNTAIN - 14 DEPOT ST	SITEEVALHW	GOFFSTOWN	130
200001038	JOHNSON AND JOHNSTON ASSOCIATES, INC.	HAZWASTE	HAMPSTEAD	11
198804018	HAMPTON FOREIGN AUTO	HAZWASTE	HAMPTON	22
198904009	HAMPTON MAIN TOLL PLAZA	HAZWASTE	HAMPTON	12
201811034	610 LAFAYETTE ROAD	HAZWASTE	HAMPTON	26
200007006	HANCOCK FORMER DUMP SITE	HAZWASTE	HANCOCK	5.07
198802009	HANOVER CONSUMERS COOP SOCIETY	HAZWASTE	HANOVER	127
199101025	COLD REGIONS RESEARCH & ENGINEERING LAB	HAZWASTE	HANOVER	8.2
199705006	HYPERTHERM INC	HAZWASTE	HANOVER	6
201111109	RENNIE FARM PROJECT	HAZWASTE	HANOVER	ND
198904023	EVERSOURCE ENERGY (FMR PSNH)	HAZWASTE	HILLSBOROUGH	434
199104013	CONTINENTAL INDUSTRIES	HAZWASTE	HINSDALE	2.74
199606069	MCGOLDRICK PAPER CO INC	SITEEVALHW	HINSDALE	23.6
198709008	GE AVIATION	HAZWASTE	HOOKSETT	11.3
199210027	AUTO WHOLESALER OF HOOKSETT/NAULT SUBARU	HAZWASTE	HOOKSETT	61.1
199407009	FORMER AL LAMBERTS GARAGE	HAZWASTE	HOOKSETT	213
201801035	MARTIN'S FERRY	HAZWASTE	HOOKSETT	560
198708005	MARKLIN CANDLE CO FMR AEROTRONIC FAC	HAZWASTE	HOPKINTON	221
198402070	BURNS HILL RD SITE	HAZWASTE	HUDSON	ND
198805019	COMPUTER OPTICS	HAZWASTE	HUDSON	41
198806099	HUDSON LANDFILL (BURNS HILL RD)	HAZWASTE	HUDSON	63.7
199805041	MELBA BURTON PROPERTY	HAZWASTE	HUDSON	7.94
198708007	WW CROSS TACK PILE	HAZWASTE	JAFFREY	2.6
199108021	HADLEY PROPERTIES	HAZWASTE	JAFFREY	ND
199908001	FMR BUSSIERE PROPERTY (ELITE LAUNDRY)	HAZWASTE	JAFFREY	16
198402080	FINDINGS INC.	HAZWASTE	KEENE	7.75



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12
198801029	CENTRAL SCREW/KEENE MILL	HAZWASTE	KEENE	ND
198909019	FORMER ZINN'S BOWLING LANES	HAZWASTE	KEENE	7
198910006	TIMKEN SUPER PRECISION	HAZWASTE	KEENE	ND
199101014	MAIN STREET SUNOCO	HAZWASTE	KEENE	ND
199103010	RIVERSIDE PLAZA	HAZWASTE	KEENE	9.73
199412009	PSNH 227 EMERALD ST	HAZWASTE	KEENE	10
199802052	PEOPLES LAUNDRY INC	HAZWASTE	KEENE	12
200104006	AUBUCHON/MARTIAL ARTS CENTER	HAZWASTE	KEENE	27.5
200108004	ACHILLE AGWAY	HAZWASTE	KEENE	8.5
200401019	COLONY MILL MARKETPLACE	HAZWASTE	KEENE	ND
201310007	32 WASHINGTON STREET SITE	HAZWASTE	KEENE	97.6
199004006	OTTATTI & GOSS/GREAT LAKES CONTAINER CORP	CERCLA	KINGSTON	3200
199103103	KINGSTON FIRE DEPT	HAZWASTE	KINGSTON	400
198910016	FRED FULLER OIL CO INC (FMR ELECTRO-CIR)	HAZWASTE	LACONIA	150
199312038	MESSER STREET COAL TAR SITE	HAZWASTE	LACONIA	18
199506014	BARON MACHINE COMPANY	HAZWASTE	LACONIA	2
199906039	LAKES REGION LINEN	HAZWASTE	LACONIA	14
200404044	FORMER VERNITRON PROPERTY	HAZWASTE	LACONIA	5.86
201207059	FMR ABC FABRICATORS, INC.	HAZWASTE	LACONIA	15.7
198705054	TIMKEN AEROSPACE (FMR SPLIT BALLBEARING)	HAZWASTE	LEBANON	4.94
199204007	BOND OPTICS	HAZWASTE	LEBANON	14
199501031	BONNIE PLANTS (FOMERLY JOLLY FARMER)	SITEEVALHW	LEMPSTER	2.28
198902003	FMR FRAMATONE CONNECTORS USA(BURNDY LLC)	HAZWASTE	LINCOLN	61.2
198705068	PLAZA 28	HAZWASTE	LONDONDERRY	33
198802020	FLIGHT ONE OWNERS ASSOC. SITE	HAZWASTE	LONDONDERRY	52.4
198803007	AUBURN ROAD LANDFILL	CERCLA	LONDONDERRY	201
199004008	TINKHAM'S GARAGE	CERCLA	LONDONDERRY	831
199104012	TOWN OF LONDONDERRY (FORMER LAMONT LABS)	HAZWASTE	LONDONDERRY	77.6
200009020	MANCHESTER AIRPORT SOUTH REGIONAL	HAZWASTE	LONDONDERRY	180



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12
200410259	COOKSON ELECTRONICS	HAZWASTE	LONDONDERRY	147
201501009	IMPACTED WATER SUPPLY WELLS	HAZWASTE	LONDONDERRY	29.9
201708017	APPLETREE MALL	HAZWASTE	LONDONDERRY	401
201803016	SANBORN ROAD AREA SITE	HAZWASTE	LONDONDERRY	117
198909017	NH MOTOR SPEEDWAY	HAZWASTE	LOUDON	38.7
198705022	NE METAL RECYCLING (FMR MADBURY METALS)	HAZWASTE	MADBURY	1700
198403040	UNIVERSITY CENTER AS (AMOSKEAG MACHINE)	HAZWASTE	MANCHESTER	24
198403058	RR DONNELLEY CO FMRMOORE BUSINESS FORMS	HAZWASTE	MANCHESTER	129
198612003	E & R LAUNDRY	HAZWASTE	MANCHESTER	87
198904041	ALLTEX UNIFORM RENTAL SERVICE INC	HAZWASTE	MANCHESTER	120
198912008	MILL WEST FMR ELBES ASSOCIATES	HAZWASTE	MANCHESTER	15.2
199307019	JCM MANAGEMENT	HAZWASTE	MANCHESTER	500
199310024	RAY'S CHEVRON STATION	SITEEVALHW	MANCHESTER	28
199402007	MANCHESTER PLACE	HAZWASTE	MANCHESTER	34.4
199702009	122 MCGREGOR STREET	HAZWASTE	MANCHESTER	11
199712026	MANCHESTER TRANSIT AUTHORITY	HAZWASTE	MANCHESTER	25.1
200102004	SUNSHINE FABRICARE	HAZWASTE	MANCHESTER	33.5
200305008	COMCAST OF NEW HAMPSHIRE	HAZWASTE	MANCHESTER	451
201808024	CINTAS CORP - 341 TAYLOR ST FACILITY	HAZWASTE	MANCHESTER	150
198403080	LONGA DISPOSAL AREA	SITEEVALHW	MERRIMACK	130
198406030	N.H. PLATING CO.	CERCLA	MERRIMACK	196
198611001	MERRIMACK WELL #6 & #7 VILLAGE H2O DIST	SITEEVALHW	MERRIMACK	99
198711006	NASHUA CORP	HAZWASTE	MERRIMACK	120
198901022	HARCROS CHEMICAL GROUP	HAZWASTE	MERRIMACK	120
199712055	SAINT GOBAIN PERFORMANCE PLASTICS	HAZWASTE	MERRIMACK	69500
201610175	TROWBRIDGE DR AREA PFC DETECTS	SITEEVALHW	MERRIMACK	35
198506001	FLETCHERS PAINT/ELM STREET	CERCLA	MILFORD	7.27
198506002	FLETCHERS PAINT/MILL STREET SITE	CERCLA	MILFORD	11
198505002	OK TOOL CO (OU-1)	CERCLA	MILFORD	ND



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12
199109008	SPEAR NH (FORMERLY GAR-DOC)	HAZWASTE	MILFORD	18.2
199202008	OLD MILTON DUMP	SITEEVALHW	MILTON	30.2
199810020	CAMP WINAUKEE	HAZWASTE	MOULTONBOROUGH	1.97
198106005	ELEXSYS INTERNATIONAL INC	HAZWASTE	NASHUA	46.4
198404000	FIMBEL DOOR (GRANITE ST LEATHER)	SITEEVALHW	NASHUA	16.2
198404001	ACT (FORMER SHELDahl, FORMER IRI)	HAZWASTE	NASHUA	15
198406029	GILSON ROAD SITE	CERCLA	NASHUA	470
198603002	BRONZE CRAFT CORP	HAZWASTE	NASHUA	19
198604324	FAB BRAZE CORP	HAZWASTE	NASHUA	39
198605230	CLOCKTOWER PLACE	HAZWASTE	NASHUA	46
198704027	HAMPSHIRE CHEMICAL CORP	HAZWASTE	NASHUA	28
198904062	GL & V PULP GROUP (FMR INGERSOLL-RAND)	HAZWASTE	NASHUA	20
199410039	NASHUA MOTOR EXPRESS INC	HAZWASTE	NASHUA	120
199612010	FORMER KOLLMAN FACILITY	HAZWASTE	NASHUA	ND
199810022	ENERGY NORTH NATURAL GAS	HAZWASTE	NASHUA	15
200409215	SCRAP METALS, INC.	HAZWASTE	NASHUA	370
200807038	323 DANIEL WEBSTER HIGHWAY	HAZWASTE	NASHUA	242
198710027	NEW BOSTON AIR FORCE STATION	HAZWASTE	NEW BOSTON	150
198605228	NEW LONDON CLEANERS INC	HAZWASTE	NEW LONDON	ND
199505034	NEWFIELDS LIGHT INDUSTRIAL PRK	HAZWASTE	NEWFIELDS	4.1
198404025	PAFB REMEDIATION UST GENERAL	HAZWASTE	NEWINGTON	130000
198705051	SPRAGUE - RIVER ROAD TERMINAL	HAZWASTE	NEWINGTON	33
199001012	DEFENSE FUELS	HAZWASTE	NEWINGTON	453
198708011	FMR ESSEX MILLS	HAZWASTE	NEWMARKET	7.73
201708036	41 EXETER RD. SITE	HAZWASTE	NEWMARKET	78
199805019	AMBARGIS PROPERTY	HAZWASTE	NEWPORT	2.36
200104007	STURM RUGER & CO INC (FMR DORR MILL)	HAZWASTE	NEWPORT	1860
198712001	COAKLEY LANDFILL	CERCLA	NORTH HAMPTON	914
198906065	PROWASH CARWASH AND LUBE	HAZWASTE	NORTH HAMPTON	188



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12
201904026	227/227A ATLANTIC AVENUE AREA SITE	SITEEVALHW	NORTH HAMPTON	139
200006031	WYMAN-GORDON INV CASTINGS INC	HAZWASTE	NORTHFIELD	18.1
198404038	HARDING METALS	HAZWASTE	NORTHWOOD	334
198404058	BROWN'S SEPTAGE PITS	HAZWASTE	PETERBOROUGH	61
198404060	SOUTH MUNICIPAL WELL STUDY	CERCLA	PETERBOROUGH	4.29
198404061	PITTSFIELD WEAVING (FRMLY CAMBION)	HAZWASTE	PITTSFIELD	9
199710020	PITTSFIELD PUBLIC WORKS DEPT	SITEEVALHW	PITTSFIELD	5.53
201612039	FRESE PROPERTIES INC	SITEEVALHW	PITTSFIELD	24.6
198404067	STATE LINE PLAZA	HAZWASTE	PLAISTOW	61
198404068	BEDE WASTE OIL CORP(AKA CASH OIL SALES)	CERCLA	PLAISTOW	410
198404076	CHART INDUSTRIES	HAZWASTE	PLAISTOW	6.32
198404081	ALLTEX UNIFORM/COLONIAL SERVICES	HAZWASTE	PORTSMOUTH	160
198905023	PLAZA 800	HAZWASTE	PORTSMOUTH	100
199408047	FORMER COUNTRY MOTOR SALES	SITEEVALHW	PORTSMOUTH	15
199006049	FORMER PHILIP SINGER REVOCABLE TRUST	HAZWASTE	PORTSMOUTH	27
199605033	PORTSMOUTH USED CAR CENTER	HAZWASTE	PORTSMOUTH	29.4
199801091	BENGAL CLEANERS FACILITY	HAZWASTE	PORTSMOUTH	7.9
200512019	WENTWORTH SCRAP METAL PROPERTY	HAZWASTE	PORTSMOUTH	27.3
201005026	150 MIRONA ROAD PROPERTY	SITEEVALHW	PORTSMOUTH	47.9
201010003	FMR BOURNIVAL KIA SITE	HAZWASTE	PORTSMOUTH	17
201801004	HANSCOM'S TRUCK STOP, INC.	HAZWASTE	PORTSMOUTH	6
198704094	MOTTOLO WASTE SITE	CERCLA	RAYMOND	484
198705081	FORMER REGIS TANNERY (AKA REX LEATHER)	HAZWASTE	RAYMOND	1230
201110061	FORMER REGIS TANNERY - LOT 120	HAZWASTE	RAYMOND	ND
199108024	DICK POULIN CHEVROLET OLDS	SITEEVALHW	ROCHESTER	131
198405005	GONIC MILL	HAZWASTE	ROCHESTER	11.5
198405009	LYDALL INC	HAZWASTE	ROCHESTER	21000
199705019	OFF PRICE OUTLET STORE	SITEEVALHW	ROCHESTER	131
199306038	SWD PROPERTY MANAGEMENT PARCEL	HAZWASTE	ROCHESTER	ND



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12
199611022	PEIRCE FORD	HAZWASTE	ROCHESTER	100
200309133	FMR ADVANCED RECYCLING	HAZWASTE	ROCHESTER	63
198909002	JANCO	HAZWASTE	ROLLINSFORD	14
200101009	FOYE'S CORNER MARKET & VACANT PARCEL	HAZWASTE	RYE	52.3
200108010	DAISY CLEANERS	HAZWASTE	SALEM	100
198405033	OLD SALEM WASTEWATER FACILITY	HAZWASTE	SALEM	209
199309056	KEY PACKAGING INDUSTRIES CORP	HAZWASTE	SALEM	24.5
198405027	KEEWAYDIN DRIVE	HAZWASTE	SALEM	62.6
201812014	23 BUS ROAD SITE	HAZWASTE	SALEM	67.4
199202001	FOGG AUTO SALVAGE PROPERTY	HAZWASTE	SEABROOK	18.7
198405038	K J QUINN & CO INC	HAZWASTE	SEABROOK	11.1
198705069	DDR SEABROOK (FORMER VENTURE INDUSTRIES)	HAZWASTE	SEABROOK	4.6
199211045	139 FOLLY MILL RD	HAZWASTE	SEABROOK	3.22
198405055	SOMERSWORTH SANITARY LANDFILL	CERCLA	SOMERSWORTH	280
200411112	BRETON CLEANERS PROPERTY	HAZWASTE	SOMERSWORTH	52.9
198705075	ANTIQUE REPAIR COMPANY	HAZWASTE	STRATHAM	85
199507007	STRATHAM FIRE DEPT	DOHERTY	STRATHAM	84.1
199901071	T BIRD MINI MART	SITEEVAL	SWANZEY	4
199106008	BIG APPLE CONVENIENCE STORE	HAZWASTE	TILTON	15
198405082	TROY MILLS ROCKWOOD BROOK LANDFILL	CERCLA	TROY	2140
199607014	PAK 2000	HAZWASTE	TUFTONBORO	108
199806071	CENTRAL PLATING & CO.	HAZWASTE	WALPOLE	1070
199103001	WS PACKAGING GROUP INC FMR LABEL ART	HAZWASTE	WILTON	2.7
198406006	A C LAWRENCE LEATHER	HAZWASTE	WINCHESTER	95.8
200110005	WINDHAM MARINE SITE	HAZWASTE	WINDHAM	17.9
201704035	CENTRAL METAL FINISHING	HAZWASTE	WINDHAM	32.7
201709003	WINDHAM SR. CENTER AREA	HAZWASTE	WINDHAM	61
199408043	WOLFEBORO POWER EQUIPMENT INC.	SITEEVALHW	WOLFEBORO	5.66
198405032	UNIVEX CORP.	HAZWASTE	SALEM	9.22



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12
198605555	FMR. HUNT'S AUTO REPAIR	HAZWASTE	FRANCONIA	127
198705014	COLLINS & AIKMAN PLANT (FMR TEXTRON)	CERCLA	FARMINGTON	34.5
198708042	CORONIS CLEANERS INC	HAZWASTE	NASHUA	101
198805025	HESS 29202-LUCIER HOLDINGS	HAZWASTE	HAMPTON	22.8
198904063	CONCORD COAL GAS SITE	HAZWASTE	CONCORD	14.6
198910020	CLOCKTOWER PLACE/FMR SPRAGUE SITE	HAZWASTE	NASHUA	11
199110029	PARK & ROYAL CLNRS (WEST SIDE SALVAGE)	HAZWASTE	MANCHESTER	15.8
199411051	FAIRBANKS PLAZA	HAZWASTE	KEENE	18.3
199704003	HONDA MOTORCAR	HAZWASTE	SALEM	21.8
199807063	FORMER POWERAY INFRARED CORP.	HAZWASTE	CLAREMONT	2.43
200205010	MORGAN SELF STORAGE SITE	HAZWASTE	MANCHESTER	44
199404022	UNITIL ENERGY SYSTEMS INC.	HAZWASTE	KENSIGNTON	ND
199902045	PERFECT FIT INDUSTRIES FMRTHOMAS HODGSON	HAZWASTE	ALLENSTOWN	25
202005042	ROYAL T CARWASH	HAZWASTE	DERRY	ND
199707014	DEMOULAS / MARKET BASKET	SITEEVALHW	STRATHAM	144
200210068	GH EVARTS & CO INC	HAZWASTE	SPRINGFIELD	ND
199809034	88 PRISCILLA LANE PROPERTY	SITEEVALHW	AUBURN	24
202103016	MADISON TOWN MUNICIPAL COMPLEX	SITEEVALHW	MADISON	26.3

Notes:

1. Concentrations shown are in parts per trillion (ppt) or nanograms per liter (ng/L).
2. Cells that are shaded gray indicate an exceedance of the current Ambient Groundwater Quality Standards (AGQS) included in Env-Or 600 Contaminated Site Management.
3. NH's four regulated PFAS compounds include: perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), perfluorohexane sulfonic acid (PFHxS), and perfluorononanoic acid (PFNA).
4. 'ND' indicates the analyzed PFAS was not detected above the laboratory reporting limit.
5. Data represents highest concentration detected at the Site.



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199907011	IRVING OIL CORPORATION	39500	47.4	3180
201605022	FORMER TCI FACILITY	50	9.3	9.7
201701004	CENTRAL PORTION OF HOWE DRIVE AREA	29.8	ND	ND
201701005	SOUTHERN PORTION OF CALDWELL DRIVE AREA	13	ND	ND
200009045	L W PACKARD & CO INC	12.4	ND	ND
200210001	EMERY DRIVE SITE	11.2	1.82	2.81
199608027	FORMER INSURANCE SALVAGE AUCTION	ND	ND	ND
199707009	28 COMMERCIAL COURT (FMR 8 PRISCILLA LN)	2.38	ND	ND
198406023	TIBBETTS ROAD DRUM SITE	2.71	0.385J	0.576JB
200602025	NASHUA ROAD PROPERTY	8.75	ND	ND
199709046	CHLOR ALKALI FACILITY (CROWN VANTAGE)	70.1	ND	8.99
201703005	FORMER SINCLAIR HOTEL PROPERTY	ND	ND	ND
198400061	ALLIED LEATHER CORP./QUEEN ST. LANDFILL	ND	ND	ND
198708008	FORMER GRAPHIC PACKAGING	5.49	ND	ND
198906062	ROCKINGHAM COUNTY COMPLEX	46000	4500	15000
200610095	OMNI TECHNOLOGIES CORPORATION	ND	ND	ND
198706012	FREUDENBERG NOK	534	48.3	75.2
199902022	FMR BEEBE RIVER MILL LAGOON	ND	ND	ND
198400091	BARNEY BASS COMPANY	1.3	ND	ND
199601023	FORMER SYNERGY GAS (ALLSTAR GAS)	62	ND	98
200308070	T BIRD MINI MART	4	ND	ND
200911039	101 MULBERRY STREET PROPERTY	9.38	4.56	2.85
201805030	NORTH ST AND WASHINGTON ST AREA	62	ND	ND
198401012	BEEDE ELECTRICAL INSTRUMENTS	3.39	ND	ND
198605043	FORMER ALLIED LEATHER TANNERY	57	0.9	8.9
198711003	ELECTROPAC WORLDWIDE (FMR VISHAY SPRAGUE	158	ND	16.2
199104009	FORMER JOHNSON & DIX BULK FUEL	12	ND	3.9
199212014	EXIT 13 COAL TAR POND	3.6	ND	2.88
199811043	DOT GULLY HILL STORAGE SHED	42.4	ND	52.4



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
200011034	CONCORD CLEANERS	177	21.2	9.55
201710012	RICHARD FLYNN FIRE ACADEMY	35000	25000	5100
198708002	KEARSARGE METALLURGICAL CORP	2.9	2	2.9
199110087	WHITE MOUNTAIN LAUNDRY & DRY CLEANERS	ND	ND	ND
201511011	FORMER NH MARBLE & FIBERGLASS	748	5.86	37
198401037	HADCO PRINTED CIRCUIT	850	7	150
200109011	WEBER AUTO & TRUCK PARTS INC	640	8	140
201802004	24 SCOBIE POND ROAD PROPERTY	24	2	38
198401046	FMR ELLIOTT & WILLIAMS ROSES	110	ND	10.5
198401047	DOVER GAS WORKS	23	78	21
198705067	ELECTROCRAFT NEW HAMPSHIRE	ND	ND	ND
198710022	85 INDUSTRIAL PARK II LLC	5.76	ND	1.84
198803019	DOVER LANDFILL SUPERFUND SITE	890	430	1500
198907059	ONE WASHINGTON CENTER INC	101	9.7	8.52
199011005	HEIDELBERG WEB SYSTEMS INC (FRMLY HARRIS)	5.9	2	3.1
199202044	DOVER PUBLIC WORKS GARAGE	16	53	5
199203042	MOORE BUSINESS EQUIPMENT (FORMER)	6.77	ND	25.3
200410018	16 INDUSTRIAL PARK DRIVE LLC	29.5	ND	ND
200701053	COCHECO PARK	74.5	ND	ND
200707072	VARNEY'S CLEANERS	11.6	ND	5.01
198710024	KEEFE ENVIR.	46	2.6	12.5
199812012	BUXTON OIL CO INC	28	ND	ND
198401083	TEXTRON'S CARDINAL LANDFILL	5.44	ND	2.38
198603048	UNION TELEPHONE COMPANY	11.6	ND	3
200009052	MEADOWOOD ASSEMBLY HALL	1100	ND	370
198705001	ACME STAPLE COMPANY	ND	ND	ND
199306026	FRANKLIN FIRE STATION	10000	480	1500
201704004	FMR CIAO PASTA	200	16	76
198402001	GILFORD FIRE TRAINING SITE	85.1	ND	ND



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
200411113	LOWER LIBERTY HILL ROAD SITE	ND	ND	ND
198908003	NUTTER CONSTRUCTION	ND	ND	ND
200110023	FORMER GOFFSTOWN DPW GARAGE	2.5	1.8	1.5
201705038	FLETCHER MOUNTAIN - 14 DEPOT ST	680	15	160
200001038	JOHNSON AND JOHNSTON ASSOCIATES, INC.	45	ND	7
198804018	HAMPTON FOREIGN AUTO	52	3	ND
198904009	HAMPTON MAIN TOLL PLAZA	2	ND	ND
201811034	610 LAFAYETTE ROAD	31	4.9	2.3
200007006	HANCOCK FORMER DUMP SITE	140	ND	25.7
198802009	HANOVER CONSUMERS COOP SOCIETY	49.1	60.7	10.3
199101025	COLD REGIONS RESEARCH & ENGINEERING LAB	5.9	1.8	10
199705006	HYPERTHERM INC	16	ND	ND
201111109	RENNIE FARM PROJECT	ND	ND	ND
198904023	EVERSOURCE ENERGY (FMR PSNH)	235	161	7.88
199104013	CONTINENTAL INDUSTRIES	ND	ND	ND
199606069	MCGOLDRICK PAPER CO INC	280	13	ND
198709008	GE AVIATION	8.88	ND	4.37
199210027	AUTO WHOLESALER OF HOOKSETT/NAULT SUBARU	13.5	ND	6.32
199407009	FORMER AL LAMBERTS GARAGE	3900	51.8	1100
201801035	MARTIN'S FERRY	ND	ND	81
198708005	MARKLIN CANDLE CO FMR AEROTRONIC FAC	1530	14.2	497
198402070	BURNS HILL RD SITE	ND	ND	ND
198805019	COMPUTER OPTICS	54	ND	6
198806099	HUDSON LANDFILL (BURNS HILL RD)	28.5	ND	4.16
199805041	MELBA BURTON PROPERTY	ND	ND	ND
198708007	WW CROSS TACK PILE	14	ND	7.4
199108021	HADLEY PROPERTIES	ND	ND	ND
199908001	FMR BUSSIERE PROPERTY (ELITE LAUNDRY)	110	1.6	13
198402080	FINDINGS INC.	3.03	ND	ND



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198801029	CENTRAL SCREW/KEENE MILL	14.6	ND	18
198909019	FORMER ZINN'S BOWLING LANES	ND	ND	6
198910006	TIMKEN SUPER PRECISION	6.13	ND	ND
199101014	MAIN STREET SUNOCO	ND	ND	ND
199103010	RIVERSIDE PLAZA	5.93	ND	3.47
199412009	PSNH 227 EMERALD ST	5.9	0.91	2
199802052	PEOPLES LAUNDRY INC	23	ND	4
200104006	AUBUCHON/MARTIAL ARTS CENTER	8.44	ND	ND
200108004	ACHILLE AGWAY	2.6	1.1	2.6
200401019	COLONY MILL MARKETPLACE	ND	ND	ND
201310007	32 WASHINGTON STREET SITE	30.1	ND	21.1
199004006	OTTATTI & GOSS/GREAT LAKES CONTAINER CORP	4750	28.8	61.8
199103103	KINGSTON FIRE DEPT	110	130	32
198910016	FRED FULLER OIL CO INC (FMR ELECTRO-CIR)	180	2.2	470
199312038	MESSER STREET COAL TAR SITE	8.1	960	4.4
199506014	BARON MACHINE COMPANY	ND	ND	ND
199906039	LAKES REGION LINEN	160	5	5
200404044	FORMER VERNITRON PROPERTY	7.6	ND	ND
201207059	FMR ABC FABRICATORS, INC.	27.1	ND	ND
198705054	TIMKEN AEROSPACE (FMR SPLIT BALLBEARING)	18.7	ND	ND
199204007	BOND OPTICS	ND	110	ND
199501031	BONNIE PLANTS (FOMERLY JOLLY FARMER)	3.55	ND	ND
198902003	FMR FRAMATONE CONNECTORS USA(BURNDY LLC)	296	31.2	37.8
198705068	PLAZA 28	27	ND	9.7
198802020	FLIGHT ONE OWNERS ASSOC. SITE	17.2	2.68	11.8
198803007	AUBURN ROAD LANDFILL	38.9	6.16	14.4
199004008	TINKHAM'S GARAGE	758	15.8	97
199104012	TOWN OF LONDONDERRY (FORMER LAMONT LABS)	9.13	ND	6.13
200009020	MANCHESTER AIRPORT SOUTH REGIONAL	35	3	280



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
200410259	COOKSON ELECTRONICS	1310	14.9	1.26
201501009	IMPACTED WATER SUPPLY WELLS	44.2	2.94	3.02
201708017	APPLETREE MALL	164	568	27
201803016	SANBORN ROAD AREA SITE	377	ND	1540
198909017	NH MOTOR SPEEDWAY	240	31.1	229
198705022	NE METAL RECYCLING (FMR MADBURY METALS)	1440	99.8	630
198403040	UNIVERSITY CENTER AS (AMOSKEAG MACHINE)	15.7	ND	8.15
198403058	RR DONNELLEY CO FMRMOORE BUSINESS FORMS	35.1	7.07	11.5
198612003	E & R LAUNDRY	160	7.6	46
198904041	ALLTEX UNIFORM RENTAL SERVICE INC	1800	29	98
198912008	MILL WEST FMR ELBES ASSOCIATES	39.3	ND	11.9
199307019	JCM MANAGEMENT	674	15.9	89.9
199310024	RAY'S CHEVRON STATION	10	ND	11
199402007	MANCHESTER PLACE	14.6	ND	ND
199702009	122 MCGREGOR STREET	14	ND	18
199712026	MANCHESTER TRANSIT AUTHORITY	10.1	ND	8.1
200102004	SUNSHINE FABRICARE	ND	ND	6.95
200305008	COMCAST OF NEW HAMPSHIRE	317	107	220
201808024	CINTAS CORP - 341 TAYLOR ST FACILITY	17	ND	6.5
198403080	LONGA DISPOSAL AREA	8.7	0.8	7
198406030	N.H. PLATING CO.	8.68	3.4	15
198611001	MERRIMACK WELL #6 & #7 VILLAGE H2O DIST	85	ND	5.3
198711006	NASHUA CORP	2000	12	74
198901022	HARCROS CHEMICAL GROUP	12	ND	3.5
199712055	SAINT GOBAIN PERFORMANCE PLASTICS	2560	2960	200
201610175	TROWBRIDGE DR AREA PFC DETECTS	102	2.12	4
198506001	FLETCHERS PAINT/ELM STREET	14.7	ND	8.68
198506002	FLETCHERS PAINT/MILL STREET SITE	3.11	ND	1.15
198505002	OK TOOL CO (OU-1)	ND	ND	ND



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199109008	SPEAR NH (FORMERLY GAR-DOC)	60	2.23	ND
199202008	OLD MILTON DUMP	96.9	ND	9.34
199810020	CAMP WINAUKEE	2.53	ND	ND
198106005	ELEXSYS INTERNATIONAL INC	60.7	13	3.2
198404000	FIMBEL DOOR (GRANITE ST LEATHER)	3.61	ND	ND
198404001	ACT (FORMER SHELDahl, FORMER IRI)	37	ND	ND
198406029	GILSON ROAD SITE	1190	11.1	7.43
198603002	BRONZE CRAFT CORP	5	0.54	25
198604324	FAB BRAZE CORP	4.02	ND	ND
198605230	CLOCKTOWER PLACE	38	12	4
198704027	HAMPSHIRE CHEMICAL CORP	24	ND	ND
198904062	GL & V PULP GROUP (FMR INGERSOLL-RAND)	59	0.68	4.3
199410039	NASHUA MOTOR EXPRESS INC	80	3.6	110
199612010	FORMER KOLLMAN FACILITY	ND	ND	ND
199810022	ENERGY NORTH NATURAL GAS	9.5	ND	5.3
200409215	SCRAP METALS, INC.	560	77	66
200807038	323 DANIEL WEBSTER HIGHWAY	405	18.5	68.6
198710027	NEW BOSTON AIR FORCE STATION	260	17	110
198605228	NEW LONDON CLEANERS INC	ND	ND	ND
199505034	NEWFIELDS LIGHT INDUSTRIAL PRK	2.7	ND	ND
198404025	PAFB REMEDIATION UST GENERAL	490000	290	31000
198705051	SPRAGUE - RIVER ROAD TERMINAL	ND	7.4	ND
199001012	DEFENSE FUELS	2380	133	313
198708011	FMR ESSEX MILLS	13.1	ND	ND
201708036	41 EXETER RD. SITE	50	1.8	330
199805019	AMBARGIS PROPERTY	2.92	ND	ND
200104007	STURM RUGER & CO INC (FMR DORR MILL)	16	373	ND
198712001	COAKLEY LANDFILL	819	774	110
198906065	PROWASH CARWASH AND LUBE	44.9	102	41



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
201904026	227/227A ATLANTIC AVENUE AREA SITE	660	2	290
200006031	WYMAN-GORDON INV CASTINGS INC	175	13.3	ND
198404038	HARDING METALS	1030	22.9	83.1
198404058	BROWN'S SEPTAGE PITS	120	ND	ND
198404060	SOUTH MUNICIPAL WELL STUDY	8.33	ND	ND
198404061	PITTSFIELD PUBLIC WORKS DEPT	125	ND	ND
199710020	PITTSFIELD PUBLIC WORKS DEPT	1.86	ND	0.7
201612039	FRESE PROPERTIES INC	5.22	ND	2.31
198404067	STATE LINE PLAZA	35	12	5.3
198404068	BEDE WASTE OIL CORP(AKA CASH OIL SALES)	1700	11	600
198404076	CHART INDUSTRIES	ND	ND	2.97
198404081	ALLTEX UNIFORM/COLONIAL SERVICES	800	13	30
198905023	PLAZA 800	340	13	4.2
199408047	FORMER COUNTRY MOTOR SALES	200	ND	66
199006049	FORMER PHILIP SINGER REVOCABLE TRUST	11	4.1	3.9
199605033	PORTSMOUTH USED CAR CENTER	60.6	ND	ND
199801091	BENGAL CLEANERS FACILITY	2.59	10.2	3.91
200512019	WENTWORTH SCRAP METAL PROPERTY	78.7	3.9	23.1
201005026	150 MIRONA ROAD PROPERTY	119	4.7	12.8
201010003	FMR BOURNIVAL KIA SITE	25	3	4
201801004	HANSCOM'S TRUCK STOP, INC.	7.4	2	10
198704094	MOTTOLO WASTE SITE	187	12	118
198705081	FORMER REGIS TANNERY (AKA REX LEATHER)	2410	4.31	769
201110061	FORMER REGIS TANNERY - LOT 120	ND	ND	ND
199108024	DICK POULIN CHEVROLET OLDS	662	11.5	20.6
198405005	GONIC MILL	16.7	ND	ND
198405009	LYDALL INC	7600	320	2400
199705019	OFF PRICE OUTLET STORE	662	11.5	20.6
199306038	SWD PROPERTY MANAGEMENT PARCEL	ND	ND	ND



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199611022	PEIRCE FORD	1100	2.3	67
200309133	FMR ADVANCED RECYCLING	17	2.1	21
198909002	JANCO	18.9	ND	ND
200101009	FOYE'S CORNER MARKET & VACANT PARCEL	7.36	ND	3.06
200108010	DAISY CLEANERS	618	44.4	17.9
198405033	OLD SALEM WASTEWATER FACILITY	337	8.32	46.6
199309056	KEY PACKAGING INDUSTRIES CORP	12.5	10.4	3.66
198405027	KEEWAYDIN DRIVE	13.2	3.06	13
201812014	23 BUS ROAD SITE	45	5.82	8.09
199202001	FOGG AUTO SALVAGE PROPERTY	26	ND	ND
198405038	K J QUINN & CO INC	4.2	ND	ND
198705069	DDR SEABROOK (FORMER VENTURE INDUSTRIES)	2.3	1.1	ND
199211045	139 FOLLY MILL RD	3.11	ND	ND
198405055	SOMERSWORTH SANITARY LANDFILL	108	24.1	34.9
200411112	BRETON CLEANERS PROPERTY	17	8.26	13.7
198705075	ANTIQUE REPAIR COMPANY	57	5.9	ND
199507007	STRATHAM FIRE DEPT	206	2.11	222
199901071	T BIRD MINI MART	4	ND	3
199106008	BIG APPLE CONVENIENCE STORE	ND	ND	ND
198405082	TROY MILLS ROCKWOOD BROOK LANDFILL	10.9	57.3	22.5
199607014	PAK 2000	5540	54	1100
199806071	CENTRAL PLATING & CO.	7080	0.72	806
199103001	WS PACKAGING GROUP INC FMR LABEL ART	2.4	ND	ND
198406006	A C LAWRENCE LEATHER	212	ND	17.6
200110005	WINDHAM MARINE SITE	ND	ND	5.89
201704035	CENTRAL METAL FINISHING	700	4.28	8
201709003	WINDHAM SR. CENTER AREA	160	6.8	274
199408043	WOLFEBORO POWER EQUIPMENT INC.	20.6	ND	ND
198405032	UNIVEX CORP.	13.2	ND	2.59



Table 3 – Hazardous Waste Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198605555	FMR. HUNT'S AUTO REPAIR	734	15	108
198705014	COLLINS & AIKMAN PLANT (FMR TEXTRON)	94	4.29	8.32
198708042	CORONIS CLEANERS INC	41	3	11
198805025	HESS 29202-LUCIER HOLDINGS	10.3	9.79	9.63
198904063	CONCORD COAL GAS SITE	144	ND	5.1
198910020	CLOCKTOWER PLACE/FMR SPRAGUE SITE	23	ND	12
199110029	PARK & ROYAL CLNRS (WEST SIDE SALVAGE)	82	3.31	2.26
199411051	FAIRBANKS PLAZA	36.8	ND	4.63
199704003	HONDA MOTORCAR	28.7	1.4	4.8
199807063	FORMER POWERAY INFRARED CORP.	ND	ND	ND
200205010	MORGAN SELF STORAGE SITE	31	2.9	14
199404022	UNITIL ENERGY SYSTEMS INC.	ND	ND	ND
199902045	PERFECT FIT INDUSTRIES FMRTHOMAS HODGSON	26	10	60
202005042	ROYAL T CARWASH	ND	ND	ND
199707014	DEMOULAS / MARKET BASKET	115	17.3	ND
200210068	GH EVARTS & CO INC	2.5	ND	ND
199809034	88 PRISCILLA LANE PROPERTY	100	2.7	33
202103016	MADISON TOWN MUNCIPAL COMPLEX	2.49	429	14.2



Table 4 – Oil Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15
198402084	JOHNS TRUCK & AUTO	ETHER	KINGSTON	7.23	5.84
198605555	FMR. HUNT'S AUTO REPAIR	ETHER	FRANCONIA	127	200
198903004	FORMER FLUFFYS CONVENIENCE STORE	LUST	TILTON	2.4	5.4
199203034	MOBIL 13052	ETHER	LEE	28	38
199209012	N HAVERHILL CONV INC FMR GARYS FUEL	MOST	HAVERHILL	376	ND
199210004	WAKEFIELD GENERAL STORE INC	ETHER	WAKEFIELD	4.27	4.3
199312032	BROOKSIDE MINI MART	LUST	WILTON	7.36	13.2
199409033	ALTON IRVING BULK TERMINAL	LAST	ALTON	31.5	240
199502055	YEATON OIL CO INC	LAST	PLYMOUTH	ND	ND
199503033	LAMPREY BROS BULK STORAGE	FUEL	NORTH HAMPTON	110	660
199506011	FORMER MIDWAY EXCAVATORS INC	MOST	SOUTH HAMPTON	16	11.8
199607056	ROWELL AND WATSON CO INC	LAST	ROLLINSFORD	8.23	3.94
200009053	ESSLINGER OIL UNDERCOATING	MOST	ALSTEAD	ND	5.25
200203023	BROOKS PROPERTY	ETHER	WINDSOR	9.2	36
200203024	TRI-STATE CAR CRUSHING (FRMR BROOKS PROP)	ETHER	LEMPSTER	3	6
200309090	KAPOTIS PROPERTY	LAST	HAVERHILL	ND	24
200412055	TIM & JONIS TOWING/AUTO RECYCLING	ETHER	EPPING	8.2	3.1
200702049	MAJESTIC MOTORS	ETHER	MERRIMACK	650	34
201410048	SILVER RESIDENCE	OPUF	GILFORD	ND	ND
201507027	FARAN PROPERTY	OPUF	BRIDGEWATER	5.35	ND
201507028	MARCIANO RESIDENCE	OPUF	HAMPSTEAD	6.03	ND
201612036	P & H TRANSPORTATION TANKER SPILL	SPILL/RLS	LONDONDERRY	278	18.6
201701036	CULLEN RESIDENCE	OPUF	DOVER	39	16



Table 4 – Oil Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15
201703001	JANVRIN PROPERTY	OPUF	BARTLETT	ND	ND

Notes:

1. Concentrations shown are in parts per trillion (ppt) or nanograms per liter (ng/L).
2. Cells that are shaded gray indicate an exceedance of the current Ambient Groundwater Quality Standards (AGQS) included in Env-Or 600 Contaminated Site Management.
3. NH's four regulated PFAS compounds include: perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), perfluorohexane sulfonic acid (PFHxS), and perfluorononanoic acid (PFNA).
4. 'ND' indicates the analyzed PFAS was not detected above the laboratory reporting limit.
5. Data represents highest concentration detected at the Site.



Table 4 – Oil Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198402084	JOHNS TRUCK & AUTO	ND	3.98
198605555	FMR. HUNT'S AUTO REPAIR	12.5	39.3
198903004	FORMER FLUFFYS CONVENIENCE STORE	1.5	2
199203034	MOBIL 13052	ND	ND
199209012	N HAVERHILL CONV INC FMR GARYS FUEL	ND	745
199210004	WAKEFIELD GENERAL STORE INC	ND	ND
199312032	BROOKSIDE MINI MART	ND	ND
199409033	ALTON IRVING BULK TERMINAL	4.48	72
199502055	YEATON OIL CO INC	ND	ND
199503033	LAMPREY BROS BULK STORAGE	2	290
199506011	FORMER MIDWAY EXCAVATORS INC	2.46	2.76
199607056	ROWELL AND WATSON CO INC	2.38	ND
200009053	ESSLINGER OIL UNDERCOATING	ND	ND
200203023	BROOKS PROPERTY	1.5	20
200203024	TRI-STATE CAR CRUSHING (FRMR BROOKS PROP	ND	ND
200309090	KAPOTIS PROPERTY	ND	ND
200412055	TIM & JONIS TOWING/AUTO RECYCLING	ND	17
200702049	MAJESTIC MOTORS	10	42
201410048	SILVER RESIDENCE	ND	ND
201507027	FARAN PROPERTY	ND	ND
201507028	MARCIANO RESIDENCE	ND	2.04
201612036	P & H TRANSPORTATION TANKER SPILL	15.9	21.3
201701036	CULLEN RESIDENCE	3.7	6.2



Table 4 – Oil Remediation Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
201703001	JANVRIN PROPERTY	ND	ND



Table 5 – Groundwater Discharge Permit Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15
198400008	CEDAR COVE SEPTIC	SEPTIC	ALTON	55	ND
200506037	MEADOW BROOK CROSSING	SEPTIC	AMHERST	52	ND
199705002	ASHLAND WWTF UWW LAGOON	UWWLAG	ASHLAND	11	13.7
200011029	ATKINSON COUNTRY CLUB	SPRAYIRR	ATKINSON	17.8	ND
200403086	BLUEBERRY STATION CAR WASH	SEPTIC	BARNSTEAD	5.13	9.82
199008008	WMNF HARTS LOCATION	RIB	BARTLETT	ND	ND
198812003	STILLINGS GRANT	SEPTIC	BARTLETT	ND	ND
199009032	STORYLAND	SEPTIC	BARTLETT	2.73	ND
199512013	GRAND SUMMIT AT ATTITASH	SEPTIC	BARTLETT	ND	5
198400051	MONADNOCK PAPER MILL	UWW/LAG	BENNINGTON	8.7	6.7
19910510	GLENCLIFF HOME	SEPTIC	BENTON	5.24	36.8
199105012	MERRIMACK COUNTY COMPLEX UWW LAGOON	UWW/LAG	BOSCAWEN	9.9	4.7
198906062	ROCKINGHAM COUNTY COMPLEX SPRAY IRRIG	SPRAYIRR	BRENTWOOD	11	ND
198711013	CANAAN WWTF	RIB	CANAAN	8.2	ND
198400085	BRETTON WOODS RIB	RIB	CARROL	16.9	12.2
198710018	MT WASHINGTON HOTEL RESORT	RIB	CARROL	9.14	4.6
199105007	CHARLESTOWN WWTF	UWW/LAG	CHARLESTOWN	17.4	72.2
198907055	NORTH CONWAY RIB	RIB	CONWAY	27.4	292
198912004	CONWAY VILLAGE FIRE DISTRICT	UWW/LAG	CONWAY	16.2	10.9
198706001	DERRY UWW LAGOON	UWWLAG	DERRY	38.1	119
198401040	BALSAMS UWW LAGOON	UWW/LAG	DIXVILLE	8.76	ND
198401070	EPPING WWTF	UWW/LAG	EPPING	61.1	34.4
198401079	EXETER WWTF UWW/LAG	UWWLAG	EXETER	75	54.4
200012033	FARMINGTON RIB SITE MW-14	RIB	FARMINGTON	19.9	5
198803020	CROTCHED MOUNTAIN RESORT	SPRAYIRR	FRANCESTOWN	ND	ND
198908055	GORHAM PAPER MILL UWW LAGOONS	UWW/LAG	GORHAM	21.4	43
198801026	EASTMAN	UWW/LAG	GRANTHAM	5	7
198708004	CROTCHED MTN REHAB - TRENCH SEPT PLUS DRIP	SEPTIC	GREENFIELD	3.38	ND
200403117	GROVETON WWTF	UWW/LAG	GROVETON	9.53	12
199807009	SARGENT CAMP NATURE CLASSROOM WW LAG	UWW/LAG	HANCOCK	9.38	6.4



Table 5 – Groundwater Discharge Permit Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15
199008008	USDA-FS	SEPTAGE-LAG	HARTS LOCATION	ND	ND
198402027	BOUDREAU SEPTAGE LAGOON	SEPTAGE-LAG	HAVERHILL	98	14.7
199406035	BROX GRAVEL PIT	SPRAYIRR	HOOKSET	ND	ND
198705021	HOPKINTON/WEBSTER LANDFILL & LAGOONS	SEPTAGE-LAG	HOPKINTON	200	106
199505004	MCLANE NORTHEAST TRUCK WASH	SEPTIC	HOPKINTON	4	ND
198402073	TOWN OF JAFFREY UWW/LAG	UWW/LAG	JAFFREY	20.6	26.3
199103013	LANCASTER WWTF	UWW/LAG	LANCASTER	ND	ND
198705050	CARDIGAN MOUNTAIN	SEPTIC	LEBANON	9	ND
198704055	LINCOLN WWTF UWW LAGOON	UWW/LAG	LINCOLN	8.2	29.3
199009018	SCHOFIELD SEPTAGE	SEPTAGE	LISBON	9.85	ND
198801025	LOUDON LANDFILL SEPTAGE LAGOON	SEPTAGE-LAG	LOUDON	282	46.3
198909017	NH MOTOR SPEEDWAY	SEPTIC	LOUDON	38.7	240
199403026	DARTMOUTH SKIWAY MW-1	UWWLAG	LYME	ND	ND
199907040	CAMP LAWRENCE	UWWLAG	MEREDITH	ND	ND
199907043	CAMP NOKOMIS	UWW/LAG	MEREDITH	ND	ND
199007020	BAY DISTRICT	UWW/LAG	MOULTONBOROUGH	5.21	ND
199810020	CAMP WINAUKEE	UWW/LAG	MOULTONBOROUGH	1.97	2.53
199103016	NEW HAMPTON WWTF MONITORING	UWWLAG	NEW HAMPTON	292	21.3
199812019	WARWICK MILLS SEPTIC	SEPTIC	NEW IPSWICH	25	6
198704058	MT SUNNAPEE LAGOON PLUS SPRAY IRRIG	UWW/LAG - SPRAYIRR	NEWBURY	ND	ND
198908064	BLODGETT LAING WWTF	RIB	NEWBURY	9.23	18.4
199806017	HIGHLANDS VIL DIST.	SEPTIC	NORTHFIELD	ND	ND
198909013	NORTHUMBERLA OVERLA FLOW	SEPTIC	NORTHUMBERLA	61.7	44.8
198404040	NORTHWOOD SEPTAGE FACILITY	SEPTAGE	NORTHWOOD	102	39.6
198404044	CARROL COUNTY COMPLEX OVERLA FLOW	SEPTIC	OSSIPEE	7.45	25.5
198404046	OSSIPEE TOWN SEPTIC LEACHFIELDS	SEPTIC	OSSIPEE	14.3	ND
199103017	PETERBOROUGH WWTF	UWW/LAG	PETERBOROUGH	ND	ND
198712010	PITTSBURG SEPTAGE LAGOON	SEPTAGE	PITTSBURG	51.1	10.9
198604204	PITTSBURG WWTF UWW LAGOON	UWW/LAG	PITTSBURG	59.2	ND
198712011	PITTSBURG RIB SITE	RIB	PITTSBURG	49.5	ND



Table 5 – Groundwater Discharge Permit Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	PROJECT TYPE	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15
199105022	MERIDAN WWTF RIB	RIB	PLAINFIELD	9.53	6.9
199606073	WALMART DISTRIB CENTER SEPTIC	SEPTIC	RAYMOND	4.72	5.7
199601006	CAMP TAKODAH YMCA	UWW/LAG	RICHMOND	29	23
199312051	FRANKLIN PIERCE	RIB	RINDGE	2.9	ND
198712014	JARVIS CUTTING TOOLS	SEPTIC	ROCHESTER	3.53	ND
198405011	ROCHESTER WWTF UWW LAGOON	UWW/LAG	ROCHESTER	197	23
201004021	EVOLVE HEALTH CARE	SEPTIC	RYE	ND	ND
199706032	97 SHOPPES - COMMERC SEPTIC SYSTEM	SEPTIC	SALEM	7.73	8.19
199907047	CAMP HALE UWW LAGOON	UWW/LAG	SAWICH	ND	8.13
199007007	MT WASHINGTON OBSERVATORY	SEPTIC	SARGENTS PURCHASE	ND	ND
199907046	MANCHESTER YMCA CAMP FOSS	UWW/LAG	STRAFFORD	5	ND
198910049	STRATFORD SEPTAGE FACILITY	SEPTAGE	STRATFORD	ND	ND
200304015	SEWALL FARM COO ASSSOC SEPTIC LEACHFIELD	SEPTIC	STRATHAM	ND	ND
200210028	TRICKET STRATHAM IRVING CAR WASH	SEPTIC	STRATHAM	2.39	3.69
198704011	SUTTON SEPTAGE FACILITY	SEPTAGE	SUTTON	445	94.1
199105014	TROY WASTEWATER TP	UWW/LAG	TROY	ND	ND
198907053	WAKEFIELD WWTF RIB PLUS SEPTIC	RIB - SEPTAGE	WAKEFIELD	7.31	ND
199009012	WATERVILLE VALLEY WWTF UWW LAGOON	UWW/LAG	WATERVILLE VALLEY	13	4
199007031	WARDE HEALTH CTR SISTERS OF MERCY LEACHFIELD	SEPTIC	WINDHAM	15.5	11.3
198705015	WOLFEBORO SPRAY	SPRAYIRR	WOLFEBORO	7.23	11.8
200707014	WOLFEBORO RIB SITE	RIB	WOLFEBORO	6.19	8.37

Notes:

1. Concentrations shown are in parts per trillion (ppt) or nanograms per liter (ng/L).
2. Cells that are shaded gray indicate an exceedance of the current Ambient Groundwater Quality Standards (AGQS) included in Env-Or 600 Contaminated Site Management.
3. NH's four regulated PFAS compounds include: perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), perfluorohexane sulfonic acid (PFHxS), and perfluorononanoic acid (PFNA).
4. 'ND' indicates the analyzed PFAS was not detected above the laboratory reporting limit.
5. Data represents highest concentration detected at the Site.



Table 5 – Groundwater Discharge Permit Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198400008	CEDAR COVE SEPTIC	ND	ND
200506037	MEADOW BROOK CROSSING	ND	ND
199705002	ASHLAND WWTF UWW LAGOON	13.6	ND
200011029	ATKINSON COUNTRY CLUB	ND	ND
200403086	BLUEBERRY STATION CAR WASH	ND	ND
199008008	WMNF HARTS LOCATION	ND	ND
198812003	STILLINGS GRANT	ND	ND
199009032	STORYLAND	ND	ND
199512013	GRAND SUMMIT AT ATTITASH	ND	ND
198400051	MONADNOCK PAPER MILL	ND	ND
19910510	GLENCLIFF HOME	4.49	ND
199105012	MERRIMACK COUNTY COMPLEX UWW LAGOON	ND	ND
198906062	ROCKINGHAM COUNTY COMPLEX SPRAY IRRIG	ND	ND
198711013	CANAAN WWTF	ND	ND
198400085	BRETTON WOODS RIB	ND	ND
198710018	MT WASHINGTON HOTEL RESORT	ND	ND
199105007	CHARLESTOWN WWTF	9.63	ND
198907055	NORTH CONWAY RIB	6.71	178
198912004	CONWAY VILLAGE FIRE DISTRICT	5.1	ND
198706001	DERRY UWW LAGOON	9.88	7.66
198401040	BALSAMS UWW LAGOON	ND	ND
198401070	EPPING WWTF	35.3	ND
198401079	EXETER WWTF UWW/LAG	8.1	18
200012033	FARMINGTON RIB SITE MW-14	ND	5.63
198803020	CROTCHED MOUNTAIN RESORT	ND	ND
198908055	GORHAM PAPER MILL UWW LAGOONS	ND	5.13
198801026	EASTMAN	ND	ND
198708004	CROTCHED MTN REHAB - TRENCH SEPT PLUS DRIP	ND	ND
200403117	GROVETON WWTF	4.50	ND
199807009	SARGENT CAMP NATURE CLASSROOM WW LAG	6.14	ND



Table 5 – Groundwater Discharge Permit Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199008008	USDA-FS	ND	ND
198402027	BOUDREAU SEPTAGE LAGOON	7.90	14.90
199406035	BROX GRAVEL PIT	ND	ND
198705021	HOPKINTON/WEBSTER LANDFILL & LAGOONS	18.90	44.00
199505004	MCLANE NORTHEAST TRUCK WASH	ND	ND
198402073	TOWN OF JAFFREY UWW/LAG	7.62	4
199103013	LANCASTER WWTF	ND	ND
198705050	CARDIGAN MOUNTAIN	ND	13.00
198704055	LINCOLN WWTF UWW LAGOON	ND	ND
199009018	SCHOFIELD SEPTAGE	ND	ND
198801025	LOUDON LANDFILL SEPTAGE LAGOON	8.39	25.50
198909017	NH MOTOR SPEEDWAY	31.10	229.00
199403026	DARTMOUTH SKIWAY MW-1	ND	ND
199907040	CAMP LAWRENCE	ND	ND
199907043	CAMP NOKOMIS	ND	ND
199007020	BAY DISTRICT	ND	ND
199810020	CAMP WINAUKEE	ND	ND
199103016	NEW HAMPTON WWTF MONITORING	ND	14.70
199812019	WARWICK MILLS SEPTIC	4.00	ND
198704058	MT SUNAPEE LAGOON PLUS SPRAY IRRIG	ND	ND
198908064	BLODGETT LAING WWTF	ND	ND
199806017	HIGHLANDS VIL DIST.	ND	ND
198909013	NORTHUMBERLA OVERLA FLOW	54.90	6.37
198404040	NORTHWOOD SEPTAGE FACILITY	96.90	14.40
198404044	CARROL COUNTY COMPLEX OVERLA FLOW	5.43	ND
198404046	OSSIPEE TOWN SEPTIC LEACHFIELDS	ND	4.58
199103017	PETERBOROUGH WWTF	ND	ND
198712010	PITTSBURG SEPTAGE LAGOON	ND	6.48
198604204	PITTSBURG WWTF UWW LAGOON	ND	4.77
198712011	PITTSBURG RIB SITE	7.99	ND



Table 5 – Groundwater Discharge Permit Sites
PFAS Water Quality Summary

NHDES SITE #	SITE NAME	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199105022	MERIDAN WWTF RIB	ND	ND
199606073	WALMART DISTRIB CENTER SEPTIC	ND	ND
199601006	CAMP TAKODAH YMCA	ND	ND
199312051	FRANKLIN PIERCE	ND	ND
198712014	JARVIS CUTTING TOOLS	ND	ND
198405011	ROCHESTER WWTF UWW LAGOON	18.00	11.30
201004021	EVOLVE HEALTH CARE	ND	ND
199706032	97 SHOPPES - COMMERC SEPTIC SYSTEM	ND	ND
199907047	CAMP HALE UWW LAGOON	ND	ND
199007007	MT WASHINGTON OBSERVATORY	ND	ND
199907046	MANCHESTER YMCA CAMP FOSS	ND	ND
198910049	STRATFORD SEPTAGE FACILITY	ND	ND
200304015	SEWALL FARM COO ASSSOC SEPTIC LEACHFIELD	ND	ND
200210028	TRICKET STRATHAM IRVING CAR WASH	ND	ND
198704011	SUTTON SEPTAGE FACILITY	21.10	62.20
199105014	TROY WASTEWATER TP	ND	ND
198907053	WAKEFIELD WWTF RIB PLUS SEPTIC	ND	ND
199009012	WATERVILLE VALLEY WWTF UWW LAGOON	6.00	ND
199007031	WARDE HEALTH CTR SISTERS OF MERCY LEACHFIELD	ND	ND
198705015	WOLFEBORO SPRAY	ND	20.80
200707014	WOLFEBORO RIB SITE	4.49	9.49