



# New Hampshire Clean Power Act Allowances Tracking System

## Annual Sulfur Dioxide and Nitrogen Oxides Allowances Held Report

Total=> 17,921,209

Account ID	Plant Name	Authorized Acct. Rep.	Allow. Year	Pollutant	Serial Start	Serial End	Total
00800200001	GSP Newington	Lynn Tillotson	2007	CO <sub>2</sub>	1	170048	170,048
999900000296	GSP General	Lynn Tillotson	2007	CO <sub>2</sub>	18075653	34374935	16,299,283
00800200001	GSP Newington	Lynn Tillotson	2008	CO <sub>2</sub>	1	817000	817,000
002364000001	GSP Merrimack	Lynn Tillotson	2008	CO <sub>2</sub>	915335	1036582	121,248
002364000002	GSP Merrimack	Lynn Tillotson	2008	CO <sub>2</sub>	1948213	2397697	449,485
002367000004	GSP Schiller	Lynn Tillotson	2008	CO <sub>2</sub>	4598182	4606379	8,198
002367000006	GSP Schiller	Lynn Tillotson	2008	CO <sub>2</sub>	5002448	5003340	893
999900000296	GSP General	Lynn Tillotson	2007	NOx	4417	9513	5,097
008002000001	GSP Newington	Lynn Tillotson	2010	NOx	116	139	24
008002000001	GSP Newington	Lynn Tillotson	2011	NOx	21	108	88
008002000001	GSP Newington	Lynn Tillotson	2012	NOx	1	161	161
002367000004	GSP Schiller	Lynn Tillotson	2012	NOx	2484	2500	17
002367000006	GSP Schiller	Lynn Tillotson	2012	NOx	2594	2756	163
008002000001	GSP Newington	Lynn Tillotson	2013	NOx	1	168	168
002364000002	GSP Merrimack	Lynn Tillotson	2013	NOx	2267	2433	167
002367000004	GSP Schiller	Lynn Tillotson	2013	NOx	2434	2670	237
002367000006	GSP Schiller	Lynn Tillotson	2013	NOx	2671	2906	236
008002000001	GSP Newington	Lynn Tillotson	2014	NOx	1	161	161
002364000001	GSP Merrimack	Lynn Tillotson	2014	NOx	710	839	130
002364000002	GSP Merrimack	Lynn Tillotson	2014	NOx	840	2743	1,904
002367000004	GSP Schiller	Lynn Tillotson	2014	NOx	2744	2997	254
002367000006	GSP Schiller	Lynn Tillotson	2014	NOx	2998	3250	253
008002000001	GSP Newington	Lynn Tillotson	2015	NOx	1	176	176
002364000001	GSP Merrimack	Lynn Tillotson	2015	NOx	177	930	754
002364000002	GSP Merrimack	Lynn Tillotson	2015	NOx	931	3045	2,115
002367000004	GSP Schiller	Lynn Tillotson	2015	NOx	3046	3201	156
002367000006	GSP Schiller	Lynn Tillotson	2015	NOx	3202	3356	155
002364000001	GSP Merrimack	Lynn Tillotson	2014	Hg	1	45.5	45.5
008002000001	GSP Newington	Lynn Tillotson	2016	NOx	1	236	236
002364000001	GSP Merrimack	Lynn Tillotson	2016	NOx	237	966	730
002364000002	GSP Merrimack	Lynn Tillotson	2016	NOx	967	3014	2,048
002367000004	GSP Schiller	Lynn Tillotson	2016	NOx	3015	3219	205
002367000006	GSP Schiller	Lynn Tillotson	2016	NOx	3220	3424	205
008002000001	GSP Newington	Lynn Tillotson	2017	NOx	1	349	349
002364000001	GSP Merrimack	Lynn Tillotson	2017	NOx	350	1064	715
002364000002	GSP Merrimack	Lynn Tillotson	2017	NOx	1065	3072	2,008
002367000004	GSP Schiller	Lynn Tillotson	2017	NOx	3073	3315	243
002367000006	GSP Schiller	Lynn Tillotson	2017	NOx	3316	3558	243
008002000001	GSP Newington	Lynn Tillotson	2018	NOx	1	373	373
002364000001	GSP Merrimack	Lynn Tillotson	2018	NOx	374	1039	666



# New Hampshire Clean Power Act Allowances Tracking System Annual Sulfur Dioxide and Nitrogen Oxides Allowances Held Report

002364000002	GSP Merrimack	Lynn Tillotson	2018	NOx	1040	2907	1,868
002367000004	GSP Schiller	Lynn Tillotson	2018	NOx	2908	3160	253
002367000006	GSP Schiller	Lynn Tillotson	2018	NOx	3161	3413	253
008002000001	GSP Newington	Lynn Tillotson	2019	NOx	1	398	398
002364000001	GSP Merrimack	Lynn Tillotson	2019	NOx	399	1034	636
002364000002	GSP Merrimack	Lynn Tillotson	2019	NOx	1035	2942	1,908
002367000004	GSP Schiller	Lynn Tillotson	2019	NOx	2943	3226	284
002367000006	GSP Schiller	Lynn Tillotson	2019	NOx	3227	3510	284
008002000001	GSP Newington	Lynn Tillotson	2020	NOx	1	489	489
002364000001	GSP Merrimack	Lynn Tillotson	2020	NOx	490	1093	604
002364000002	GSP Merrimack	Lynn Tillotson	2020	NOx	1094	2906	1,813
002367000004	GSP Schiller	Lynn Tillotson	2020	NOx	2907	3173	267
002367000006	GSP Schiller	Lynn Tillotson	2020	NOx	3174	3440	267
008002000001	GSP Newington	Lynn Tillotson	2021	NOx	1	371	371
002364000001	GSP Merrimack	Lynn Tillotson	2021	NOx	372	1025	654
002364000002	GSP Merrimack	Lynn Tillotson	2021	NOx	1026	2986	1,961
002367000004	GSP Schiller	Lynn Tillotson	2021	NOx	2987	3237	251
002367000006	GSP Schiller	Lynn Tillotson	2021	NOx	3238	3487	250
008002000001	GSP Newington	Lynn Tillotson	2022	SO <sub>2</sub>	1	321	321
002364000001	GSP Merrimack	Lynn Tillotson	2022	SO <sub>2</sub>	322	1867	1,546
002364000002	GSP Merrimack	Lynn Tillotson	2022	SO <sub>2</sub>	1868	6507	4,640
002367000004	GSP Schiller	Lynn Tillotson	2022	SO <sub>2</sub>	6508	6898	391
002367000006	GSP Schiller	Lynn Tillotson	2022	SO <sub>2</sub>	6899	7289	391
008002000001	GSP Newington	Lynn Tillotson	2022	NOx	1	158	158
002364000001	GSP Merrimack	Lynn Tillotson	2022	NOx	159	921	763
002364000002	GSP Merrimack	Lynn Tillotson	2022	NOx	922	3210	2,289
002367000004	GSP Schiller	Lynn Tillotson	2022	NOx	3211	3403	193
002367000006	GSP Schiller	Lynn Tillotson	2022	NOx	3404	3596	193
008002000001	GSP Newington	Lynn Tillotson	2023	SO <sub>2</sub>	1	1118	1,118
002364000001	GSP Merrimack	Lynn Tillotson	2023	SO <sub>2</sub>	1119	3516	2,398
002364000002	GSP Merrimack	Lynn Tillotson	2023	SO <sub>2</sub>	3517	7261	3,745
002367000004	GSP Schiller	Lynn Tillotson	2023	SO <sub>2</sub>	7262	7275	14
002367000006	GSP Schiller	Lynn Tillotson	2023	SO <sub>2</sub>	7276	7289	14
008002000001	GSP Newington	Lynn Tillotson	2023	NOx	1	550	550
002364000001	GSP Merrimack	Lynn Tillotson	2023	NOx	551	1730	1,180
002364000002	GSP Merrimack	Lynn Tillotson	2023	NOx	1731	3572	1,842
002367000004	GSP Schiller	Lynn Tillotson	2023	NOx	3573	3579	7
002367000006	GSP Schiller	Lynn Tillotson	2023	NOx	3580	3586	7