

# **STATUS REPORT ON THE OCCURRENCE OF PER- AND POLYFLUOROALKYL SUBSTANCE (PFAS) CONTAMINATION IN NEW HAMPSHIRE**

*This report has been developed to satisfy the requirements of the*

*Laws of New Hampshire*

*January Session of 2018, Chapter 306:2 (HB 1766)*

Prepared by

New Hampshire Department of Environmental Services

Robert R. Scott, Commissioner

December 2023



PO Box 95, Concord, NH 03302-0095

[www.des.nh.gov](http://www.des.nh.gov)

## Table of Contents

1. Introduction .....	3
2. Coakley Landfill Superfund Site .....	4
3. Former Pease Air Force Base Superfund Site.....	7
4. Statewide Public Water Supplies .....	11
5. Statewide PFAS Data .....	12
5.1 Solid Waste Facilities.....	12
5.2 Hazardous Waste Remediation Sites .....	12
5.3 Oil Remediation Sites.....	13
5.4 Groundwater Discharge Permit Sites (Wastewater Disposal to Groundwater) .....	13

## APPENDICES

### Appendix 1

House Bill 1766-FN - Final Version

## TABLES

Table 1 – Public Water System PFAS Water Quality Summary

Table 2 – Solid Waste Facility PFAS Water Quality Summary

Table 3 – Hazardous Waste Remediation Sites PFAS Water Quality Summary

Table 4 – Oil Remediation Sites PFAS Water Quality Summary

Table 5 – Groundwater Discharge Permit Sites PFAS Water Quality Summary

## LIST OF COMMON ACRONYMS

AGQS – Ambient Groundwater Quality Standard

EPA – United States Environmental Protection Agency

MCL – Maximum Contaminant Levels

NHDES – New Hampshire Department of Environmental Services

PFAS – Per- and Polyfluoroalkyl Substances

PFOA – Perfluorooctanoic Acid

PFOS – Perfluorooctane Sulfonic Acid

PFHxS – Perfluorohexane Sulfonic Acid

PFNA – Perfluorononanoic Acid

PWS – Public Water System

## 1. Introduction

The New Hampshire Department of Environmental Services (NHDES) is engaged in an ongoing investigation into per- and polyfluoroalkyl substances (PFAS) in New Hampshire drinking water. New Hampshire and several other Northeast states are dealing with several sites where there have been widespread PFAS impacts on drinking water supplies. In recognition of public concern regarding the issue of water quality in the Seacoast area and at areas of environmental interest across the state relative to PFAS, the Laws of New Hampshire, January Session of 2018 Chapter 306:2 (House Bill 1766) require NHDES to report to the general court regarding bedrock testing and PFAS contamination in the Seacoast area and at other landfills and hazardous waste sites. This status report reflects an update to NHDES' June 2023 report and has been developed to satisfy the twice-yearly reporting requirements established in Chapter 306:2 (House Bill 1766).

PFAS are a family of over 5,000 synthetic chemicals, some of which have been [more widely used and studied than others](#)<sup>1</sup>. PFAS have been widely used since the 1940s in commercial, industrial and household products and applications, including production of water-resistant materials, fire suppression foams, non-stick cookware, stain removers, etc. PFAS are used for their properties to resist heat, oil, grease and water. Once released to the environment, PFAS are persistent, and some do not biodegrade or break down.

In 2019, NHDES adopted administrative rules that establish health-based Maximum Contaminant Levels (MCLs) and Ambient Groundwater Quality Standards (AGQS) for four PFAS that include: 12 parts per trillion (ppt) for perfluorooctanoic acid (PFOA); 15 ppt for perfluorooctane sulfonic acid (PFOS); 18 ppt for perfluorohexane sulfonic acid (PFHxS); and 11 ppt for perfluorononanoic acid (PFNA). While enforcement of these standards was temporarily stayed by a court injunction, the MCLs and AGQS were established as a matter of law by House Bill 1264, which became effective July 23, 2020. MCLs are drinking water quality standards that non-transient public water systems (water systems serving the same 25 people more than six months per year) must comply with. An AGQS is the standard used to require site investigations and remedial action at and around contamination sites. AGQS are also used to identify where the provision of alternate drinking water is required when waste sites have contaminated private and/or public water supply wells. Please note that these rules do not require testing by owners of private water wells. NHDES does recommend for health reasons that private wells meet the AGQS.

This status report provides a brief summary of PFAS information available to date at the Coakley Landfill and former Pease Air Force Base Superfund sites, both of which are located in the Seacoast area of New Hampshire. This information includes a description of recent investigations at the Coakley site, and efforts to treat groundwater and drinking water at the Pease site. The report also presents PFAS data for public drinking water supplies and groundwater data compiled from known PFAS sites statewide.

NHDES notes that its PFAS data are contained in several different databases, which impacts the ease with which PFAS information can be queried. Data provided in this status report generally is current for most NHDES programs through fall 2023, depending on the availability of program-specific information. Since new data are continuously provided to NHDES, readers may wish to access more up-to-date information using the following resources:

---

<sup>1</sup> <https://www.fda.gov/food/chemicals-and-polyfluoroalkyl-substances-pfas>

- PFOA and PFOS sampling results using the data viewer on the [PFAS Response Website](#).
- An online, searchable database referred to as “[OneStop](#)” comprised of environmental information and data compiled by select NHDES programs. OneStop does not provide access to all existing PFAS NHDES data, however, it is a valuable resource.

This status report is required to be updated every six months and provided to the legislature. NHDES anticipates updates to the report will be available June and December of each year.

## 2. Coakley Landfill Superfund Site

The Coakley Landfill Superfund Site (Site) is a closed 27-acre former municipal/industrial solid waste disposal facility located in North Hampton. The landfill operated from 1972 to 1982 and received incinerator ash from the Portsmouth Refuse-to-Energy Facility through 1985. The Site was listed on the National Priorities List (Superfund) in 1983 and construction of selected remedies was completed in 1999. Sampling for the emerging contaminants 1,4-dioxane in 2009 and PFAS in 2016, confirmed their presence and prompted extensive follow-on investigations. Currently, the Coakley Landfill Group (CLG), a consortium of the parties responsible for the contamination, is preparing work plans to further investigate data gaps identified in an approved “Deep Bedrock Investigation Final Report.” These investigative efforts will further develop the conceptual site model, and refine the source, fate, and transport of these emerging contaminants.

The following section provides an update regarding ongoing activities and submittals, in part related to the investigation of PFAS at Coakley Landfill, generally through October 2023. For additional site-specific information and site documents, please visit [NHDES’ OneStop database](#)<sup>2</sup> or [EPA’s website](#)<sup>3</sup>. The NHDES Site ID associated with Coakley is #198712001. Upon entering the Site ID and pressing enter, select “Superfund site” then select “Site Documents.” The “Submitted Date,” as referenced in document citations to follow, should then be located on the right side of the screen.

- [Deep Bedrock Investigation Final Report](#)<sup>4</sup> – This investigation was undertaken to identify groundwater flow paths in bedrock and the extent of contaminant migration in those flow paths to evaluate potential impacts to receptors (local area private bedrock supply wells). The Deep Bedrock Investigation Final Report and supporting documents were submitted to NHDES on September 26, 2022, and were uploaded as three separate volumes; Volume 1: Text and Tables, Volume 2: Figures, and Volume 3: Appendices. The investigation confirmed that migration of contaminants from the landfill via groundwater in bedrock pathways is occurring. The primary pathway for contaminant migration is west from the landfill where groundwater flow turns north and south along primary bedrock fracture pathways that align with an existing bedrock trough. The bedrock trough is beneath a wetland complex where surface water flow is bifurcated with the northern portion of the wetland complex forming the headwaters of Berrys Brook and the southern portion forming the headwaters of Little River. Two private bedrock and one overburden water supply wells have been confirmed to be impacted by Site-related PFAS

---

<sup>2</sup> <https://www.des.nh.gov/onestop-navigation>

<sup>3</sup> <https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0101107>

contamination that migrated northward along the bedrock trough. Point-of-entry treatment systems have been installed for the two bedrock water supplies and a public water connection is being provided to the residence with the overburden water supply. A fourth private well sourced from the bedrock aquifer and located south of the Site was confirmed to be impacted by Site related contaminants and has been connected to public water. There is some uncertainty as to contaminant fate and transport and hydrogeologic mechanisms that caused this well to become impacted that will be further evaluated, along with several other areas of uncertainty, in data gap assessments as further described below.

In November 2022, [EPA issued a conditional approval](#)<sup>5</sup> (submitted to NHDES on January 9, 2023) of the “Deep Bedrock Investigation Final Report” that directed CLG to perform further data gap assessments at the Site. Specifically, EPA is requiring CLG to develop three work plans to further investigate areas of uncertainty where additional data are needed to refine specific conceptual site model components and confirm compliance boundary locations.

1. [Bedrock Well Completion Work Plan](#)<sup>6</sup> – CLG submitted this work plan on March 15, 2023, to perform well completions on existing open boreholes and installation of two new overburden wells near the northwest Groundwater Management Zone (GMZ) boundary. The purpose of this work is to complete permanent groundwater monitoring wells in existing open bedrock boreholes at the Site to monitor groundwater quality within discrete bedrock intervals, eliminate the potential for vertical migration of contamination between fractures within the open boreholes, and allow for characterization of vertical groundwater gradients. In addition, two new overburden monitoring wells have been installed near an adjusted northwest GMZ boundary to monitor overburden groundwater compliance at that location.
2. Eastern Flow and Contaminant Fate and Transport Work Plan – CLG will prepare a work plan that will define actions to further characterize the hydrologic flow dynamic and the extent of contamination in groundwater east of the landfill and assess the nature and extent of contamination in marine deposits, as well as the potential for back diffusion and transport of contaminants in groundwater east of the landfill. Elements of this work plan will include revaluation of the eastern groundwater flow paths in bedrock and overburden using higher resolution mapping of groundwater contours; confirming the lateral extent and thickness of a marine unit within the overburden extending from the eastern edge of the landfill, east to Lafayette Road, and between monitoring wells FPC-9B and 178A LR; planning for the sampling and analysis of soil samples from the marine deposits in this area; and the assessment of hydrologic conditions that would cause the back diffusion of contaminants from the marine deposits into groundwater, the fate and transport of the contaminated groundwater, and the potential for impacts to receptors.

---

<sup>5</sup> <https://www4.des.state.nh.us/DocViewer/?ContentId=5053975>

<sup>6</sup> <https://www4.des.state.nh.us/DocViewer/?ContentId=5069283>

3. [Revised Surface Water-Groundwater Interaction Work Plan<sup>7</sup>](#) – CLG submitted a revised work plan to NHDES on April 27, 2023 and EPA provided comments in a letter submitted on [September 12, 2023<sup>8</sup>](#). The work plan provides an approach and investigation protocols for the collection and analysis of additional data relative to the migration of contaminants from stormwater originating from the landfill cap materials and shallow groundwater discharge to Berrys Brook. This work effort will refine the conceptual site model as it relates to the interaction between surface water, stormwater discharge from the landfill, and shallow groundwater.
- **Southern Plume Compliance Boundary Verification** – Prior to the completion of the Deep Bedrock Investigation Final Report, [NHDES issued a letter on March 18, 2022 \(Letter re: Groundwater Management Permit Application 18-Mar-2022\)<sup>9</sup>](#), under the authority of Env-Or 607 (Groundwater Management Permits), requiring CLG to submit a work plan to further investigate the extent of site-related contaminants migrating south of the Site within the Little River drainage basin. [CLG submitted a Bedrock Well Installation Work Plan on July 12, 2022<sup>10</sup>](#) and has made attempts to gain access to a 103-acre parcel that lies between the Little River / Berrys Brook flow divide to the north and North Road to the south. Access has not been granted to this parcel, which presents logistical challenges to investigate local geologic features and fate and transport of Site contaminants in this critical area. CLG has successfully gained access to private lots located south of North Road. A surface geophysical survey was performed to support siting of a new bedrock monitoring well targeting a hydraulically active area of the bedrock trough in the area south of North Road. The new well is scheduled to be installed in November 2023 followed by collection of borehole geophysical data that will guide interval packer sampling that will in turn support well construction design. Data collected from this effort will be used to evaluate the appropriateness of the existing southern GMZ boundary and the potential for further migration and impact to receptors south of North Road.
- **Site-Specific Surface Water Screening Levels** – EPA released new Regional Screening Levels (RSLs) for PFOA, PFOS, PFBS, PFNA and PFHxS in soil and groundwater in May 2022. The new RSLs were calculated using updated toxicity data for these contaminants from the Agency for Toxic Substances and Disease Registry (ATSDR). Using the new RSLs and toxicity data, [EPA updated the site-specific screening levels \(SSSLs\) for surface water and sediment \(NHDES OneStop submittal on September 20, 2022\)<sup>11</sup>](#) for PFOA, PFOS and PFBS that were initially developed in 2017 and calculated new SSSLs for PFNA and PFHxS. Because the toxicity information is specific to the ingestion of these contaminants, EPA calculated the SSSLs based on the scenario that assumes an adult or child may ingest some amount of water or sediment while wading in surface water at the Site (Berrys Brook, Little River, and associated wetlands). The

---

<sup>7</sup> <https://www4.des.state.nh.us/DocViewer/?ContentId=5129303>

<sup>8</sup> <https://www4.des.state.nh.us/DocViewer/?ContentId=5116568>

<sup>9</sup> <https://www4.des.state.nh.us/DocViewer/?ContentId=4980967>

<sup>10</sup> <https://www4.des.state.nh.us/DocViewer/?ContentId=5011581>

<sup>11</sup> <https://www4.des.state.nh.us/DocViewer/?ContentId=5030197>

calculation also assigns an exposure frequency (number of days in contact with surface water). The default exposure is set at 45 days per year. To generate a more conservative estimate, EPA also calculated SSSLs using an exposure of 120 days per year.

Based on the new toxicity data and RSLs for these contaminants, and subsequently the new SSSLs for the Site, the agencies determined that additional data needed to be collected to assess the potential for these contaminants to pose an unacceptable risk for human exposure. Specifically, there are areas of Berrys Brook that are proximate to residences that have not been sampled. Accordingly, EPA directed CLG to collect surface water samples from at least two locations in the channelized section of Berrys Brook between the crossing at Breakfast Hill Road and behind the Stone Meadow Way residential properties. Two sampling rounds of these new locations were collected during fall 2022 and spring 2023 and analyzed for PFAS compounds, 1,4-dioxane, dissolved metals, and field parameters in accordance with the approved Sampling and Analysis Plan. The analytical results from the fall 2022 round showed PFAS concentrations below the most conservative 120-day revised SSSLs for these new sample locations. However, spring 2023 results from these two new sampling locations had PFOS concentrations just above the 120-day SSSL ([Updated Surface Water Sampling Table and Figure Through Spring 2023 submitted to NHDES on 10/27/2023](#)<sup>12</sup>). These and other surface water sample locations will continue to be monitored in the biannual sampling program.

On September 7, 2022, EPA issued a [Risk Screening and Evaluation of PFAS Concentrations in Surface Water](#) for the Recreational Pathway at the Coakley Landfill NPL Site<sup>13</sup> concerning exposure risk to surface waters impacted by specific PFAS compounds. It is important to note that this evaluation is not a full risk assessment and does not document any risk management decisions. PFAS at levels above the SSSLs is present in surface water near Coakley Landfill which is justification for the signage established near the site to advise people of the presence of PFAS and for the continued sampling and analysis of surface waters going forward.

- **Multi-Media Sampling** – CLG continues to conduct sampling of Site monitoring wells, surface water, and 24 private water supply wells twice a year. As soon as private well sampling data is finalized it is provided to each individual private well owner. Site sampling data is summarized and assessed in an annual report submitted to the agencies.

### 3. Former Pease Air Force Base Superfund Site

The following provides an update regarding ongoing activities specific to the investigation and remediation of PFAS at the former Pease Air Force Base Superfund Site (Pease). NHDES notes that the Air Force maintains the official Administrative Record for Pease. Reports summarizing investigations and other site-specific documents are public record on the [U.S. Air Force Civil Engineering Center \(AFCEC\) Administrative Record website](#)<sup>14</sup>. Once there, select *BRAC (see Search Criteria) > Pease AFB (see Installation List) > OU-9 PFC Operable Unit* > then click “Search” to view the document listing.

---

<sup>12</sup> <https://www4.des.state.nh.us/DocViewer/?ContentId=5129822>

<sup>13</sup> <https://www4.des.state.nh.us/DocViewer/?ContentId=5129302>

<sup>14</sup> <https://ar.afcec-cloud.af.mil/Search>

- Pease Tradeport Municipal Water Supply** – The Haven well, the most productive of the three municipal supply wells on the Tradeport, was taken off-line immediately upon the discovery of PFAS in samples collected in April 2014 (including PFOS and PFOA at concentrations above the then applicable EPA Provisional Health Advisory levels). The other two Tradeport municipal supply wells (Smith and Harrison wells) did not have PFAS impacts above actionable concentrations and, therefore, remained on-line. The City of Portsmouth, under an agreement with the Air Force, installed a preliminary filtration system at its existing Grafton Road Treatment Plant for the Smith and Harrison wells in September 2016 using granular activated carbon (GAC). Regular monitoring for the presence of PFAS has been continuously conducted on the four municipal water supply wells that actively draw groundwater from the Pease aquifer (Smith well, Harrison well, and two off-base wells Portsmouth #1 well and Collins well) and also on a network of sentry monitoring wells distributed throughout the southern portion of the Pease aquifer. The City of Portsmouth completed construction of a full-scale treatment plant using state-of-the-art ion-exchange resin in conjunction with GAC at their Grafton Road site in spring 2021 that allows for operation and treatment of the Smith, Harrison, and Haven wells. Since bringing the Haven well back online in summer 2021, monitoring results of the Haven well and surrounding monitoring wells show marked decreases in PFAS concentrations from 2014 levels, demonstrating positive impacts of the aquifer restoration efforts described below. The City of Portsmouth posts the drinking water quality water supply well monitoring results and other pertinent information on its website.

NHDES notes the City of Portsmouth [Public Works Water Operations](https://www.cityofportsmouth.com/publicworks/water)<sup>15</sup> webpage includes [information on the Pease Tradeport Water System](#) including comprehensive sampling results, [Supply Status updates](#) and [Water Quality reports](#).

- Off-Site Private Wells** – In June 2014, the Air Force began an inventory and sampling program for private off-site supply wells within 1-mile of Pease in the towns of Newington, Greenland and Portsmouth. To date, 45 residential drinking water wells have been sampled, five of which were documented to have PFOS/PFOA at concentrations near or above the original 2016 AGQS. All five were initially supplied with bottled water; four were provided with point-of-entry treatment (POET) systems, one was taken out of use. Of the four wells provided with POET systems, a permanent solution was agreed upon between the Air Force and three property owners to connect to Portsmouth’s municipal supply system that already services parts of Newington. Two of those wells were successfully connected to the municipal system in December 2019; the Air Force is still seeking resolution with the third owner. The owner of the fourth well opted to take over operation and maintenance of their POET system from the Air Force rather than connect to the municipal supply.

In October 2019, NHDES sent letters to six additional private supply well owners to notify them of the development of the new AGQS for four PFAS because at least one PFAS concentration was detected in a past water quality sample above one or more of the new more stringent PFAS standards. The letters were intended to ensure the residents were aware of the new standards and to provide them with updated information and resources relative to PFAS. One of those six

---

<sup>15</sup> <https://www.cityofportsmouth.com/publicworks/water>



wells is on the Great Bay National Wildlife Refuge; U.S. Fish and Wildlife Service subsequently confirmed that it is not used for potable purposes.

Following reestablishment of the AGQS, as signed into law in July 2020, NHDES requested Air Force compliance with our standards and response actions including providing bottled water and permanent mitigation for affected private well owners. In correspondence dated September 2, 2020, the Air Force responded to NHDES that it would not take corrective action on private well issues unless detected concentrations exceed the EPA's Lifetime Health Advisory levels (70 ppt for PFOS/PFOA). Subsequent entreaties from New Hampshire's Congressional representatives and from Governor Sununu for the Air Force to take actions based on AGQS violations were met with the same response.

As a result, NHDES coordinated bottled water delivery to four of the residences (the fifth had a filtration system installed). NHDES subsequently contracted permanent mitigation actions at two of the properties: connection to the municipal supply at one and installation of a POET system at another. A third owner declined NHDES' offer to connect them to the municipal supply. In April 2022, the Air Force, following revised DoD policy, took over bottled water delivery. As of September 2023, the Air Force completed connecting two of the homes to the municipal system. The Air Force will maintain and monitor the POET system at the particular residence serviced by one.

Since 2014, long-term monitoring has occurred on a regular basis for all residential wells where the owners have elected to participate. The long-term monitoring plan is continually evaluated and modified, as appropriate, based on the results. All sampling results are provided to each individual well owner.

- **Base-wide Hydrogeological Investigation** – Concurrent with initial response actions and completion of a CERCLA Preliminary Assessment for PFAS to identify areas where fluorinated Aqueous Film-Forming Foam (AFFF) was released, the source of the widespread PFAS at Pease, the Air Force conducted a base-wide PFAS site investigation (SI) to better understand the nature and extent of PFAS in soil, overburden and bedrock groundwater. The SI was completed in 2016. This information was used to develop a conceptual site model of PFAS contamination and to develop a groundwater remediation plan called the Airfield Interim Mitigation System (AIMS).

A supplemental PFAS investigation, designated as Expanded Site Inspection (ESI), was conducted in 2018 and 2019 to further refine the relationship between overburden and bedrock groundwater and surface waters, both base-wide and with particular focus in Newington, north of Site 8. The ESI also included PFAS characterization and an exposure assessment of other media (soil, sediment, surface water and shellfish). Results of the ESI were shared with the public at the 2019 Pease Restoration Advisory Board (RAB) meetings. Key conclusions of the ESI include additional investigation and risk assessment is warranted and will occur as part of the next CERCLA phase, a Remedial Investigation (RI); and though PFAS were detected in shellfish collected from various locations, the detected concentrations did not exceed the Screening Levels (SLs) established for three PFAS by EPA. Because of the detection, NHDES' Environmental Health Program conducted a site-specific evaluation of PFAS in shellfish and concluded that a shellfish consumption advisory for PFAS was not warranted. The Final ESI report was published in March 2020 and is posted on the AFCEC Administrative Record website.

The Air Force has begun the Pease PFAS RI. A comprehensive outreach effort to property owners in the vicinity of Pease was conducted in fall 2020 to gather additional information about the presence of surface waters, springs, seeps, and non-potable wells on off-base properties as well as agricultural practices in the community to better inform the development of the Human Health Risk Assessment and Ecological Risk Assessment being conducted as part of the RI. Several technical sessions were held in early 2021 to seek input from Pease stakeholders including concerned community members as well as the City of Portsmouth and Pease Development Authority. This information was considered during the development of the RI Work Plan. The RI requires multiple phases of field investigations to collect data, evaluate the results and address identified data gaps to ensure the most complete RI effort possible. Subsequent field mobilizations will occur beginning in November 2023 and throughout 2024 with a Draft RI report expected to be submitted for regulatory review in early 2025. Once complete, the RI will lead to Feasibility Studies to evaluate the interim mitigation systems and alternative remedial options to inform the Proposed Plan(s) and Record(s) of Decision for Pease PFAS.

- **Airfield Interim Mitigation System (AIMS)** – The AIMS objectives include intercepting PFAS-impacted groundwater upgradient of the Haven Well through a network of groundwater extraction wells; treatment of the intercepted water in a centrally located treatment plant using best available technology; reinjection of the treated groundwater back into the Pease aquifer to restore the aquifer, supporting the City of Portsmouth’s reactivation of the Haven Well, and providing hydraulic protection of the southern Pease aquifer supply wells. Installation of the AIMS extraction and infiltration wells was completed in 2018. Construction of the AIMS treatment plant was completed, and the Air Force started operation in April 2019. Since startup, the AIMS has treated over 660 million gallons of groundwater.
- **Former Fire Training Area No. 2 (Site 8)** – Concurrent with the base-wide PFAS Site Investigation, a separate investigation was conducted at the former fire training area where AFFF was known to have been used by the Air Force beginning in the early 1970s up through the late 1980s. Extensive investigations in the 1990s were conducted to address petroleum and solvent contamination. A remedy including a hydraulic containment system had been operated since 1995 and was demonstrated to have mitigated off-site migration of those contaminants. Based on the Site 8 PFAS investigation, a design was developed to augment the hydraulic containment system to better mitigate PFAS migration. That interim mitigation system (IMS) and its associated state-of-the-art PFAS treatment plant began operating in spring 2018. System design and operations are regularly evaluated to optimize performance. Due to the presence of elevated iron concentrations in several of the Site 8 IMS extraction wells, the Air Force augmented the Site 8 IMS with an iron mitigation pre-treatment phase. Operation, optimization and performance monitoring of the Site 8 IMS is ongoing. Since operation began, the Site 8 IMS has treated over 80 million gallons of groundwater.
- **Community Involvement.** Since discovery of PFAS in the municipal supply wells in May 2014, the community has been actively engaged and has participated in numerous public meetings hosted by NHDES and New Hampshire Department of Health and Human Services (NHDHHS). In addition, the following community groups have been developed for Pease PFAS-related issues:

- Restoration Advisory Board (RAB): In 2015, NHDES requested the Air Force re-establish Pease’s RAB, a stakeholder group that meets quarterly to discuss ongoing environmental restoration of Pease. The RAB provides community members an open forum to talk with the Air Force and regulatory agencies about environmental restoration activities. The Pease RAB consists of local volunteer community members (including the NH Air National Guard) and appointed members representing the Air Force, regulatory agencies, the Pease Development Authority, and the City of Portsmouth. Information regarding the Pease RAB is available on the [Air Force Civil Engineering Center website](#)<sup>16</sup>.
- Community Assistance Panel (CAP): The initial forum that was created for community input on PFAS-related health concerns was the Community Advisory Board. To build on the community involvement started with the Board, the Agency for Toxic Substances and Disease Registry (ATSDR) formed the Pease CAP as a way for the community to participate directly in ATSDR’s health activities. The following information is available on the [ASTDR Pease Community Assistance Panel \(CAP\) website](#).
  - Information on the [Pease Health Study](#)<sup>17</sup>, the first-in-the-nation health study to better understand the effects of PFAS exposure.
  - ATSDR’s [Pease Public Water System Health Consultation from March 20, 2020](#) for PFAS in the Pease Tradeport Public Water System.
  - ATSDR’s [Pease Private Water Well Health Consultation from February 24, 2022](#)<sup>18</sup> for PFAS in the Private Residential Drinking Water Wells.

## 4. Statewide Public Water Supplies

NHDES began a statewide initiative to test drinking water from all community water supplies for PFAS in 2016. Of the 1,868 sources of drinking water that supply public water systems in New Hampshire, as of April 2023<sup>19</sup>, approximately 81% (1,519 sources) have been sampled for PFAS with approximately 29% of wells having detections of PFOA, PFOS, PFHxS and PFNA. Information included on the attached Table 1 summarizes sampling results for PFOA, PFOS, PFHxS and PFNA. NHDES notes that exceedances of the current MCLs for the four PFAS compounds occurred at 94 water supplies, which have or may require that the owners of these supplies install treatment or take the sources of water out of service.

Table 1 presents the most recent concentration of PFOA, PFOS, PFHxS and PFNA detected. Given the fact that treatment systems for PFAS removal have been, and are in-process of, being installed at some PFAS-impacted water systems, some of the sampling results shown in Table 1 reflect low or no presence of PFAS due to operation of these systems. Treatment system installation or water system interconnections have occurred at approximately 75 public water systems to address PFAS

---

<sup>16</sup> <https://www.afcec.af.mil/Home/BRAC/Pease.aspx>

<sup>17</sup> <https://www.atsdr.cdc.gov/pfas/activities/pease.html>

<sup>18</sup> <https://wwwn.cdc.gov/TSP/PHA/PHALanding.aspx>

<sup>19</sup> PFAS data for the statewide public water systems was only available through April 2023 at the time of publication of this report and reflects information presented in the June 2023 Report. NHDES anticipates that the July 2024 report will reflect updated State-wide public water supply PFAS data summaries.

contamination. The approximate population served by a public water system (community, institutional or commercial) that has either interconnected with another water system or installed treatment due to PFAS at the time of this summary is 80,000. The approximate population served by a public water system that is not treating for PFAS removal but is conducting water quality sampling for PFAS at a higher frequency due to presence of PFAS in its drinking water is 95,000.

## **5. Statewide PFAS Data**

The following summarizes PFAS information that NHDES has compiled to date from various sources at existing solid waste facilities, hazardous waste remediation sites, oil remediation sites and groundwater discharge sites. Please refer to the additional resources referenced in Section 1 above for up-to-date and/or additional site-specific information.

### **5.1 Solid Waste Facilities**

There are roughly 200 unlined/lined solid waste disposal facilities or synthetic lined wastewater treatment lagoons in New Hampshire for which the owner/operator is responsible for monitoring water quality. These sites have either a groundwater release detection permit (GDP) or groundwater management permit (GMP) that have been issued by NHDES, in accordance with applicable administrative rules. These permits and NHDES rules prescribe programs for periodic groundwater quality monitoring and reporting, provide for groundwater remediation either through active measures or natural attenuation, specify performance standards for remedies, and describe procedures for performing site investigations and implementing remedial action plans.

NHDES has required groundwater sampling for PFAS at all these sites. As of September 2023, 88% of active sites have sampled, and of those sites sampled, approximately 87% have PFAS detections, and 74% have exceedances of the AGQS for PFOA, PFOS, PFHxS and/or PFNA. Refer to Table 2 for a summary of maximum PFOA, PFOS, PFHxS and PFNA concentrations at each of these sites where data has been compiled by NHDES.

### **5.2 Hazardous Waste Remediation Sites**

Hazardous waste remediation sites include all sites where a hazardous substance or waste has been released, and which often have a long-term remediation and management component prescribed and regulated through a NHDES-issued groundwater management permit or remedial action plan. There are 669 waste sites, including State-listed hazardous waste, Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), and Brownfields sites, that have an open status and are currently regulated by NHDES, in accordance with its administrative rules.

As outlined in a letter to responsible parties, site owners and/or permittees dated May 18, 2017, and clarified in a follow-up letter dated October 19, 2017, NHDES is requiring waste sites that meet certain criteria to complete an initial screening for the presence of PFAS per the provisions of the New Hampshire Code of Administrative Rules, Chapters Env-Or 600 and Env-Or 700, as applicable. As of September 2023, 40% have sampled and of those sites sampled, approximately 94% have detected PFAS and 76% of active sites have exceedances of the AGQS for PFOA, PFOS, PFHxS and/or PFNA. Refer to Table 3 for a summary of maximum PFOA, PFOS, PFHxS and PFNA concentrations at each of these sites where data has been compiled by NHDES.

### **5.3 Oil Remediation Sites**

Oil remediation sites include all sites where long-term remediation and management of petroleum contamination occurs primarily through a NHDES-issued GMP or remedial action plan. There are roughly 1,500 active petroleum sites, including, but not limited to, leaking underground/above ground storage tank sites, motor vehicle salvage yards, and spills that have an open status and are currently regulated by NHDES in accordance with the administrative rules.

NHDES undertook an initiative in 2018 requesting a small initial subset of these petroleum sites to voluntarily complete an initial screening for the presence of PFAS. As of September 2023, less than 1% of all petroleum sites have sampled and reported data to NHDES for PFAS. Of the sites sampled, several have exceedances of the AGQS for PFOA, PFOS, PFHxS and/or PFNA. NHDES notes however, that in all cases to date, it has been concluded that the source and release mechanism(s) have not been attributable to the petroleum discharge. PFAS exceedances in groundwater were observed in the general vicinity of areas where fire suppression foam was used, and motor oil additives or other fluids were stored or discharged at motor vehicle salvage yards or unpermitted solid waste facilities. Refer to Table 4 for a summary of maximum PFOA, PFOS, PFHxS and PFNA concentrations at each of the active sites where data has been compiled by NHDES.

### **5.4 Groundwater Discharge Permit Sites (Wastewater Disposal to Groundwater)**

NHDES regulates 90 facilities that dispose of wastewater to the ground through such practices as discharges to unlined lagoons, rapid infiltration basins, spray irrigation systems, very large leach fields and septage lagoons. These sites are managed under a Groundwater Discharge Permit (GDP), which allows the discharge in accordance with administrative rules that protect against impact to other properties and drinking water supply wells. NHDES has required sampling for PFAS at all these sites. To date, 93% have sampled and of those sites sampled, approximately 85% have detected PFAS and 46% have exceedances of the AGQS for PFOA, PFOS, PFHxS and PFNA. Refer to Table 5 for a summary of maximum PFOA, PFOS, PFHxS and PFNA concentrations at each of the sites where data has been compiled by NHDES.

## **APPENDICES**

**Appendix 1**  
**House Bill 1766-FN- Final Version**

**CHAPTER 306**  
**HB 1766-FN - FINAL VERSION**

**04/26/2018 1630s**  
**23May2018... 1983-CofC**

2018 SESSION

18-2503  
08/04

HOUSE BILL      ***1766-FN***

AN ACT            requiring the department of environmental services to report to the general court regarding bedrock testing and perfluorochemical contamination in the Seacoast area and at other landfills and hazardous waste sites.

SPONSORS:       Rep. Messmer, Rock. 24; Rep. Cushing, Rock. 21; Rep. Bean, Rock. 21; Rep. Edgar, Rock. 21; Rep. T. Le, Rock. 31; Rep. P. Gordon, Rock. 29; Sen. Fuller Clark, Dist 21

COMMITTEE:      Environment and Agriculture

-----

AMENDED ANALYSIS

                 This bill requires the department of environmental services to report to the general court regarding perfluorinated chemical contamination at the Seacoast and at landfills and other hazardous waste sites.

-----

Explanation:      Matter added to current law appears in ***bold italics***.  
                         Matter removed from current law appears ~~[in brackets and struck through.]~~  
                         Matter which is either (a) all new or (b) repealed and reenacted appears  
in regular type.



**CHAPTER 306**  
**HB 1766-FN - FINAL VERSION**

04/26/2018 1630s  
23May2018... 1983-CofC

18-2503  
08/04

STATE OF NEW HAMPSHIRE

*In the Year of Our Lord Two Thousand Eighteen*

AN ACT            requiring the department of environmental services to report to the  
                         general court regarding bedrock testing and perfluorochemical  
                         contamination in the Seacoast area and at other landfills and hazardous  
                         waste sites.

*Be it Enacted by the Senate and House of Representatives in General Court convened:*

1            306:1 Findings. The general court acknowledges the public concern regarding  
2 the issue of water quality in the Seacoast area and at areas of environmental interest all  
3 over the state. The general court further finds that in view of bedrock testing due to  
4 begin in the Seacoast area during the summer of 2018, and in view of the impending  
5 first ever study of per and polyfluoroalkyl (PFAS) exposure, the general court shall be  
6 informed, on a regular basis, of contaminant monitoring and contaminant migration,  
7 and advised regarding new research on contaminant exposure and any developments  
8 in remediation technology.

9            306:2 Department of Environmental Services; Reports Required.

10            I. The department of environmental services shall submit an initial report to the  
11 general court by December 1, 2018, and shall submit interim reports every 6 months  
12 thereafter, on the results of monitoring, testing, and any other analysis or data relative to  
13 perfluorooctanesulfonic acid (PFOS) and perfluorooctanoic acid (PFOA) levels at  
14 statewide sites that it has identified as sources of those contaminants. The reports shall  
15 include preliminary results from bedrock testing conducted at the Coakley Landfill site  
16 beginning in the summer of 2018. The department shall submit interim reports on the  
17 bedrock testing by July 1, 2019 and December 1, 2019, and a final report within 6 months  
18 of when such testing is completed. Other Seacoast area sites shall include, but not be  
19 limited to, the Pease International Tradeport and its vicinity, the Hampton Landfill, the  
20 Coakley Landfill, the Rye Breakfast Hill Landfill, the Rye Grove Landfill, the Garland  
21 Well and nearby well sites, the former Cibor Airport, the Hampton Airport, and other  
22 municipal and commercial operations within the Seacoast area deemed relevant by the  
23 department. The department shall also include in such reports the PFOS and PFOA  
24 levels at any landfill, hazardous waste, and other sites statewide where it currently  
25 requires testing.

26            II. Copies of the reports required in paragraph I shall be submitted to:

27            (a) The president of the senate.

**CHAPTER 306**  
**HB 1766-FN - FINAL VERSION**

- Page 2 -

1           (b) The speaker of the house of representatives.

2           (c) The chairman of the senate energy and natural resources committee, or  
3 the successor committee with jurisdiction over energy and natural resource issues.

4           (d) The chairman of the environment and agriculture committee, or the  
5 successor committee with jurisdiction over energy and natural resource issues.

6           (e) The joint legislative fiscal committee of the general court.

7           306:3 Senate and House of Representatives Committees; Duties. The senate energy  
8 and natural resources committee and the house environment and agriculture committee,  
9 or their successor committees as specified in section 2, paragraph II of this act, shall  
10 collect and evaluate the reports required in section 2 of this act along with any other  
11 reports, data, and information the committees deem relevant. The committees shall  
12 solicit information from commissions and informed citizens in southeastern New  
13 Hampshire and shall solicit information from the United States Environmental  
14 Protection Agency regarding the reports required in section 2.

15           306:4 Effective Date. This act shall take effect July 1, 2018.

Approved: June 25, 2018

Effective Date: July 01, 2018

## Tables



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0015010-001	ACWORTH PRIMARY SCH	ACWORTH	ND	ND	ND	ND
0022010-501	WILDWOOD DEV	ALBANY	ND	ND	ND	ND
0023010-001	PIPER MEADOWS PRIVATE COMMUNITY	ALBANY	ND	ND	ND	ND
0032010-501	LEDGES AT NEWFOUND LAKE	ALEXANDRIA	ND	ND	ND	ND
043020-511	OLDE TOWNE	ALLENSTOWN	ND	ND	ND	ND
043040-505	CATAMOUNT HILL	ALLENSTOWN	ND	ND	ND	ND
0052010-001	PAPERMILL VILLAGE	ALSTEAD	ND	ND	ND	ND
0052010-503	PAPERMILL VILLAGE	ALSTEAD	ND	ND	ND	ND
0053010-504	WELL HILL	ALSTEAD	ND	ND	ND	ND
0055010-501	ALSTEAD VILAS SCH	ALSTEAD	ND	ND	ND	ND
0055020-001	ALSTEAD PRIMARY SCH	ALSTEAD	ND	ND	ND	ND
0055030-001	ORCHARD SCHOOL	ALSTEAD	ND	ND	ND	ND
0059010-001	MOLE HILL THEATRE/LEAF CHARTER	ALSTEAD	ND	ND	ND	ND
0061010-502	ALTON WATER WORKS	ALTON	ND	ND	ND	ND
0061010-503	ALTON WATER WORKS	ALTON	ND	<b>3.78</b>	ND	<b>3.85</b>
0062010-501	EAGLES REST MHP	ALTON	ND	ND	ND	ND
0062050-501	LAKESIDE AT WINNIPESAUKEE	ALTON	ND	ND	ND	ND
0063020-501	MERRYMEETING MHP	ALTON	ND	ND	ND	ND
0065020-501	PROSPECT MOUNTAIN HIGH SCH	ALTON	ND	ND	ND	ND
0072070-501	SOUHEGAN WOODS	AMHERST	<b>6.96</b>	ND	ND	ND
0072080-001	GOWING WOODS	AMHERST	<b>4.18</b>	ND	ND	ND
0072090-501	CONNOR COURT	AMHERST	<b>7.57</b>	ND	ND	ND
0073030-000	RIDGEWOOD ESTATES	AMHERST	ND	ND	ND	ND
0075060-501	AMHERST MEDICAL CENTER	AMHERST	ND	ND	ND	ND
0075070-001	CHRISTS CHURCH OF AMHERST	AMHERST	ND	ND	ND	ND
0076040-002	SALZBURG SQUARE AMHERST	AMHERST	<b>10.10</b>	<b>3.93</b>	ND	ND
0076070-001	MC SQUARE	AMHERST	<b>4.54</b>	ND	ND	ND
0076070-501	MC SQUARE	AMHERST	<b>7.50</b>	ND	ND	ND
0076130-501	COLONIAL PARK	AMHERST	<b>6.18</b>	ND	ND	<b>4.76</b>
0078090-501	MEETING PLACE	AMHERST	<b>2.20</b>	<b>2.51</b>	ND	<b>5.58</b>



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0081010-002	ANDOVER VILLAGE DIST	ANDOVER	ND	ND	ND	ND
0086030-001	BELLETETES	ANDOVER	ND	ND	ND	ND
0091010-501	ANTRIM SEWER AND WATER DEPT	ANTRIM	ND	ND	ND	ND
0092010-001	STEELE POND DEV	ANTRIM	ND	ND	ND	ND
0095010-001	OVERSEAS UNITED EDUC FNDTN	ANTRIM	ND	ND	ND	ND
0101010-504	ASHLAND WATER DEPT	ASHLAND	ND	ND	ND	ND
0101010-505	ASHLAND WATER DEPT	ASHLAND	ND	ND	ND	ND
0102010-500	ROPEWALK SERVICES	ASHLAND	ND	ND	ND	ND
0102020-000	VILLAGE AT RIVERBEND	ASHLAND	ND	ND	ND	ND
106010-502	ROCHESTER SHOE TREE	ASHLAND	ND	ND	ND	ND
0112030-501	WRIGHT FARM CONDOS	ATKINSON	4.90	ND	ND	2.65
0112060-501	COMMONS OF ATKINSON	ATKINSON	10.80	5.61	ND	2.76
0112070-501	WATER WHEEL ESTATES	ATKINSON	ND	ND	ND	ND
0112080-001	WALNUT RIDGE/BRYANT WDS	ATKINSON	5.90	1.60	2.10	ND
0112080-003	WALNUT RIDGE/BRYANT WDS	ATKINSON	4.80	1.40	1.50	0.26
0112080-004	WALNUT RIDGE/BRYANT WDS	ATKINSON	16.00	3.90	3.50	0.74
0112080-009	WALNUT RIDGE/BRYANT WDS	ATKINSON	2.60	1.10	0.88	ND
0112080-011	WALNUT RIDGE/BRYANT WDS	ATKINSON	2.10	0.89	0.70	ND
0112080-012	WALNUT RIDGE/BRYANT WDS	ATKINSON	2.70	ND	0.80	ND
0112080-013	WALNUT RIDGE/BRYANT WOODS	ATKINSON	ND	ND	ND	ND
0112080-021	WALNUT RIDGE/BRYANT WDS	ATKINSON	1.80	1.80	1.80	ND
0112090-501	DEARBORN RIDGE	ATKINSON	ND	ND	ND	ND
0112100-502	ATKINSON WOODS	ATKINSON	2.42	ND	ND	ND
0115010-502	ATKINSON ACADEMY SCH	ATKINSON	10.50	9.76	ND	2.57
0115060-001	LEARNING PATH CHILD CARE CTR	ATKINSON	6.12	ND	ND	ND
0116010-501	PEU/PIONEER COMMERCE PARK	ATKINSON	2.96	ND	ND	ND
0116020-501	GEX	ATKINSON	ND	ND	ND	ND
0116040-501	PALMER GAS	ATKINSON	6.34	3.39	ND	ND
0135010-502	AUBURN VILLAGE SCH	AUBURN	ND	ND	ND	ND
0135020-001	AUBURN CHILDRENS HOUSE	AUBURN	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0135030-501	ITS A CHILDS WORLD	AUBURN	ND	ND	ND	ND
0142010-019	PEU LOCKE LAKE	BARNSTEAD	ND	ND	ND	ND
0142010-520	PEU/LOCKE LAKE	BARNSTEAD	ND	ND	ND	ND
0145010-502	BARNSTEAD ELEMENTARY SCH	BARNSTEAD	ND	ND	ND	ND
0146040-501	BARNSTEAD BUSINESS PARK	BARNSTEAD	ND	ND	ND	ND
0151010-503	SWAINS LAKE VILLAGE WATER	BARRINGTON	ND	ND	ND	ND
0152010-001	ELLISON FARM APARTMENTS	BARRINGTON	ND	ND	ND	ND
0152020-501	OLD STAGE COACH ARMS	BARRINGTON	5.28	3.46	ND	ND
0152030-001	BARRINGTON HILLS APTS/LOWER	BARRINGTON	ND	ND	ND	ND
0152050-001	BARRINGTON HILLS APTS/UPPER	BARRINGTON	ND	ND	ND	ND
0152060-003	OYSTER RIVER APTS EAST/WEST	BARRINGTON	ND	ND	ND	ND
0152090-501	PEPPERIDGE WOODS	BARRINGTON	ND	ND	ND	ND
0152100-501	DREW POND	BARRINGTON	ND	ND	ND	ND
0153020-501	HALCYON HILL	BARRINGTON	9.92	9.63	ND	2.14
0153030-502	BARRINGTON OAKS	BARRINGTON	ND	ND	ND	ND
0153030-503	BARRINGTON OAKS	BARRINGTON	ND	ND	ND	ND
0153040-501	LEE OAK COOPERATIVE	BARRINGTON	3.94	ND	ND	ND
0153050-506	BARRINGTON MOBILE HOME ESTATES	BARRINGTON	4.27	ND	ND	ND
0153060-503	EMERALD ACRES	BARRINGTON	ND	ND	ND	ND
0155020-501	EARLY CHILDHOOD LEARNING CTR	BARRINGTON	ND	ND	ND	ND
0155050-501	BARRINGTON ELEMENTARY SCHOOL	BARRINGTON	ND	2.78	ND	6.16
0155070-501	FRISBIE HEALTH SERVICES	BARRINGTON	ND	ND	ND	ND
0155080-500	BARRINGTON MIDDLE SCH	BARRINGTON	ND	ND	ND	ND
0155100-001	BARRINGTON VLG ENRICHMENT CTR	BARRINGTON	ND	ND	ND	ND
0156020-501	FOCUS HOLDINGS	BARRINGTON	19.60	12.50	ND	2.70
0156030-501	ASSOCIATED BUYERS	BARRINGTON	ND	ND	ND	ND
0156040-004	TURBOCAM/PHASE I	BARRINGTON	ND	ND	ND	ND
0156040-005	TURBOCAM/PHASE I	BARRINGTON	ND	ND	ND	ND
0156060-001	MIDPOINT PROPERTIES	BARRINGTON	ND	ND	ND	ND
0156070-001	TURBOCAM B2	BARRINGTON	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0161010-003	BARTLETT VILLAGE PCT	BARTLETT	ND	ND	ND	ND
0161020-001	LOWER BARTLETT WATER PCT	BARTLETT	ND	ND	ND	ND
0161020-003	LOWER BARTLETT WATER PCT	BARTLETT	ND	ND	ND	ND
0162050-502	NORTH LEDGE	BARTLETT	ND	ND	ND	ND
0162070-000	LINDERHOF PROP OWNR ASSN	BARTLETT	ND	ND	ND	ND
0162100-002	RIVERSBEND	BARTLETT	ND	ND	ND	ND
0162130-001	ROLLING RIDGE	BARTLETT	ND	ND	ND	ND
0162140-502	RIVERSIDE COBB FARM	BARTLETT	ND	ND	ND	ND
0162160-001	COW HILL WELLHOUSE	BARTLETT	ND	ND	ND	ND
0162160-503	COW HILL WELLHOUSE	BARTLETT	ND	2.05	ND	ND
0162170-511	RIVER RUN CONDOS	BARTLETT	2.78	3.94	ND	ND
0162180-001	BLUEBERRY VILLAGE CONDOS	BARTLETT	ND	ND	ND	ND
0162190-502	CRAWFORD HILLS	BARTLETT	ND	ND	ND	ND
0162200-503	TOP NOTCH CONDOS	BARTLETT	ND	ND	ND	ND
0162210-502	MOUNTAINSIDE ON ATTITASH	BARTLETT	ND	ND	ND	ND
0162250-504	BARTLETT PLACE	BARTLETT	ND	ND	ND	ND
0162260-001	VILLAGGIO BIANCO	BARTLETT	ND	ND	ND	ND
0162270-505	NORDIC VILLAGE	BARTLETT	ND	ND	ND	ND
0162310-502	WHISPERING BROOK	BARTLETT	ND	ND	ND	ND
0162330-501	CRAWFORD POND	BARTLETT	ND	ND	ND	ND
0162340-001	BEAR VILLAGE SOUTH	BARTLETT	ND	ND	ND	ND
0162350-000	GOODRICH PROPERTY	BARTLETT	ND	ND	ND	ND
0162390-501	SUGARWOOD ON THE SACO	BARTLETT	4.20	7.51	ND	ND
0162400-501	EAGLE RIDGE RESORT	BARTLETT	ND	ND	ND	ND
0162410-508	STILLINGS GRANT	BARTLETT	ND	ND	ND	ND
0162410-508	STILLINGS GRANT	BARTLETT	ND	ND	ND	ND
0162430-501	BEARFOOT CREEK	BARTLETT	ND	ND	ND	ND
0162430-501	BEARFOOT CREEK	BARTLETT	ND	ND	ND	ND
0167010-501	MT ATTITASH SKI AREA/LODGE	BARTLETT	ND	ND	ND	ND
0167010-501	MT ATTITASH SKI AREA/LODGE	BARTLETT	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0168460-001	BEAR PEAK AT ATTITASH	BARTLETT	ND	ND	ND	ND
0168460-001	BEAR PEAK AT ATTITASH	BARTLETT	ND	ND	ND	ND
0171010-503	BATH VILLAGE WATER WORKS	BATH	ND	ND	ND	ND
0155100-501	BEDFORD VILLAGE MORNING SCHOOLE	BEDFORD	ND	ND	ND	ND
0192060-501	ENGLISH WOODS	BEDFORD	2.29	ND	ND	ND
0192070-321	CABOT PRESERVE	BEDFORD	14.70	2.72	ND	ND
0195010-002	MONTESSOR SCH OF BEDFORD	BEDFORD	ND	ND	ND	ND
0195020-501	KELLOGG CHRISTIAN SCHOOL	BEDFORD	40.20	2.63	2.31	ND
0195090-001	BETHANY COVENANT CHURCH	BEDFORD	6.05	ND	ND	ND
0196020-501	101 PLAZA	BEDFORD	11.7	2.02	ND	ND
0196170-001	PINE TREE PLACE CONDOS	BEDFORD	8.10	ND	ND	ND
0196210-501	288 ROUTE 101	BEDFORD	2.56	ND	ND	ND
0196270-501	EVERSOURCE ENERGY BEDFORD AWC	BEDFORD	ND	ND	ND	ND
0196280-501	292 ROUTE 101	BEDFORD	2.04	ND	ND	ND
0196310-001	FRENCH ATWOOD MARKETPLACE	BEDFORD	2.66	ND	ND	ND
0196320-501	FAMILY MEDICAL CENTER	BEDFORD	15.60	5.05	ND	3.02
0196330-501	124 BEDFORD CENTER RD	BEDFORD	6.90	15.20	ND	ND
0197020-001	CAMP FOSTER	BEDFORD	ND	ND	3.00	ND
0197030-001	CAMP KETTLEFORD	BEDFORD	ND	ND	ND	ND
0198010-001	OLDE ROAD II	BEDFORD	93.00	2.60	1.30	0.80
0201010-501	BELMONT WATER DEPT	BELMONT	ND	ND	ND	ND
0201010-502	BELMONT WATER DEPT	BELMONT	ND	ND	ND	ND
0201010-503	BELMONT WATER DEPT	BELMONT	ND	ND	ND	ND
0202010-005	ABENAKI WATER /LAKELAND	BELMONT	ND	ND	ND	ND
0202010-504	ABENAKI WATER /LAKELAND	BELMONT	ND	ND	ND	ND
0202020-500	SUNRAY SHORES WATER DIST	BELMONT	ND	ND	ND	ND
0202030-501	ABENAKI WATER/TIOGA	BELMONT	ND	ND	ND	ND
0202040-501	WESTVIEW MEADOWS	BELMONT	ND	ND	ND	ND
0202060-501	SUN LAKE VILLAGE	BELMONT	ND	ND	ND	ND
0203010-001	CATES MOBILE HOME PARK	BELMONT	ND	ND	ND	ND





Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0203020-501	LADD HILL MHP	BELMONT	ND	ND	ND	ND
0203030-001	NORTHBROOK MHP	BELMONT	9.81	9.99	ND	2.74
0203030-501	NORTHBROOK MHP	BELMONT	9.06	5.88	ND	8.49
0203040-000	PINE GARDENS MHP	BELMONT	ND	ND	ND	ND
0203060-504	SOLAR VILLAGE	BELMONT	ND	ND	ND	ND
0203070-502	GRANITE STATE CAMPGROUND	BELMONT	3.19	4.76	ND	ND
0203080-000	MALLARDS LANDING	BELMONT	ND	ND	ND	ND
0203090-505	LAKES REGION MHP COOP II	BELMONT	ND	ND	ND	ND
0205010-501	LAKES REGION DAYCARE	BELMONT	7.70	3.50	ND	ND
0206020-501	BELMONT BUSINESS PARK	BELMONT	ND	ND	ND	ND
0206040-501	AFL TELECOMMUNICATIONS LLC	BELMONT	6.46	4.22	ND	ND
0206050-501	EASTGATE PARK	BELMONT	ND	ND	ND	ND
0209040-501	BELMONT MEDICAL CENTER	BELMONT	ND	ND	ND	ND
0211010-502	BENNINGTON WATER DEPT	BENNINGTON	ND	ND	ND	ND
0212010-501	SOUTH FACE CONDOS	BENNINGTON	ND	ND	ND	ND
0212020-501	MOUNTAINSIDE AT CROTCHED MTN	BENNINGTON	ND	ND	ND	ND
0212020-502	MOUNTAINSIDE AT CROTCHED MTN	BENNINGTON	ND	ND	ND	ND
0212030-000	BIRCHES OF BENNINGTON	BENNINGTON	ND	ND	ND	ND
0224010-004	GLENCLIFF HOME FOR THE ELDERLY	BENTON	ND	ND	ND	ND
0224010-504	GLENCLIFF HOME FOR THE ELDERLY	BENTON	ND	ND	ND	ND
0231010-004	BERLIN WATER WORKS	BERLIN	ND	ND	ND	ND
0231010-008	BERLIN WATER WORKS	BERLIN	ND	ND	ND	ND
0231010-009	BERLIN WATER WORKS	BERLIN	ND	ND	ND	ND
0241010-003	BETHLEHEM VILLAGE DIST	BETHLEHEM	ND	ND	ND	ND
0245010-502	PROFILE HIGH SCH	BETHLEHEM	ND	ND	ND	ND
0251010-002	PENACOOK BOSCAWEN WATER PCT	BOSCAWEN	ND	ND	ND	ND
0251010-003	PENACOOK BOSCAWEN WATER PCT	BOSCAWEN	ND	ND	ND	ND
0251010-004	PENACOOK BOSCAWEN WATER PCT	BOSCAWEN	ND	ND	ND	ND
0261010-511	BOW MUNICIPAL WATER SYSTEM	BOW	5.67	6.07	ND	ND
0262010-501	EVERGREEN DRIVE WATER	BOW	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0262020-501	ABENAKI WATER/WHITE ROCK	BOW	ND	ND	ND	ND
0262020-503	ABENAKI WATER/WHITE ROCK	BOW	ND	ND	ND	ND
0262030-502	BELA BROOK WATER	BOW	ND	ND	ND	ND
0262040-502	COTTAGES AT WINDCHIMES	BOW	ND	ND	ND	ND
0262050-501	PEU/WHITE ROCK SENIOR LIVING	BOW	3.10	ND	ND	ND
0262060-501	PEU/STONE SLED FARM	BOW	ND	ND	ND	ND
0262060-502	PEU/STONE SLED FARM	BOW	ND	ND	ND	ND
0265010-502	BOW MEMORIAL SCHOOL	BOW	5.67	ND	ND	ND
0265020-502	BOW ELEMENTARY SCHOOL	BOW	ND	ND	ND	ND
0265030-502	BOW HIGH SCHOOL	BOW	ND	ND	ND	ND
0265040-001	JOYFUL NOISE	BOW	ND	ND	ND	ND
0265040-501	JOYFUL NOISE	BOW	ND	ND	ND	ND
0265050-511	BOW YOUTH CENTER	BOW	ND	ND	ND	ND
0265060-501	MEETING HOUSE MONTESSORI	BOW	ND	ND	ND	ND
0266010-000	GSP/MERRIMACK STATION	BOW	7.09	8.52	ND	2.03
0266020-001	BOVIE SCREEN PRINTING	BOW	ND	ND	ND	ND
0266050-002	GRAPPONE FORD COMPLEX	BOW	7.06	11.60	ND	4.41
0266090-001	PITCO FRIALATOR	BOW	17.10	17.90	ND	13.10
0266090-501	PITCO FRIALATOR	BOW	18.30	10.90	ND	16.60
0266110-501	BOW TECHNOLOGIES	BOW	2.56	2.24	ND	ND
0266130-002	RUGGLES III OFFICE BLDG	BOW	ND	ND	ND	ND
0266140-501	NH AUTO DEALERS ASSN	BOW	ND	ND	ND	ND
0266150-502	CONCORD GROUP	BOW	ND	ND	ND	ND
0266200-500	GRAPPONE TOYOTA	BOW	5.36	ND	ND	4.77
0266220-001	501 SOUTH STREET	BOW	ND	ND	ND	ND
0266240-001	GRAPPONE HONDA	BOW	4.82	6.66	ND	2.58
0266250-501	BOW SAFETY BLDG	BOW	ND	ND	ND	ND
0269010-501	BOW MUNICIPAL BUILDING	BOW	ND	ND	ND	ND
0272010-001	FISHERFIELD TOWNHOUSES	BRADFORD	ND	ND	ND	ND
0275070-001	KEARSARGE REG ELEM SCH/BRADFRD	BRADFORD	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0275080-501	NFI NORTH TRNS HSING	BRADFORD	ND	ND	ND	ND
0275090-501	CHILDRENS CTR FOR CREATIVE LRNG	BRADFORD	ND	ND	ND	ND
0282010-002	MILL POND CROSSING	BRENTWOOD	ND	ND	ND	ND
0284010-502	ROCKINGHAM COUNTY COMPLEX	BRENTWOOD	2.92	6.31	ND	9.18
0284010-503	ROCKINGHAM COUNTY COMPLEX	BRENTWOOD	ND	3.39	7.86	ND
0285010-502	SWASEY CENTRAL SCH	BRENTWOOD	2.11	ND	ND	ND
0285040-501	A PLACE TO GROW	BRENTWOOD	ND	ND	ND	ND
0286020-601	OWENS CORNING	BRENTWOOD	ND	ND	ND	ND
0286060-500	ROCKINGHAM COUNTY COURTHOUSE	BRENTWOOD	3.33	ND	ND	ND
0292010-000	WHITTEMORE SHORES	BRIDGEWATER	ND	ND	ND	ND
0293010-002	NEWFOUND ACRES MHP	BRIDGEWATER	ND	ND	ND	ND
0295010-001	BRIDGEWATER/HEBRON VIL SCH	BRIDGEWATER	ND	ND	ND	ND
0297020-512	WHIP O WHILL CONDOS	BRIDGEWATER	ND	ND	ND	ND
0298040-001	NEWFOUND GROCERY	BRIDGEWATER	ND	ND	ND	ND
0301010-501	BRISTOL WATER WORKS	BRISTOL	ND	ND	ND	ND
0301010-502	BRISTOL WATER WORKS	BRISTOL	ND	ND	ND	ND
0301010-503	BRISTOL WATER WORKS	BRISTOL	ND	ND	ND	ND
0305010-501	NEWFOUND REGIONAL HS	BRISTOL	ND	ND	ND	ND
0305020-001	PB AND JS FAMILY CHILDCARE	BRISTOL	ND	ND	ND	ND
0325010-001	RICHARD MAGHAKIAN MEMORIAL SCH	BROOKLINE	ND	ND	ND	ND
0325050-501	CAPT SAMUEL DOUGLASS ACADEMY	BROOKLINE	ND	ND	ND	ND
0325060-001	STONE LEDGE PLAZA	BROOKLINE	ND	ND	ND	ND
0326020-501	DECCO	BROOKLINE	ND	ND	ND	ND
0341010-508	CAMPTON VILLAGE PCT	CAMPTON	ND	ND	ND	ND
0341010-509	CAMPTON VILLAGE PCT	CAMPTON	ND	ND	ND	ND
0341030-502	WATERVILLE ESTATES VLG DIST	CAMPTON	ND	ND	ND	ND
0342010-512	BEEBE RIVER	CAMPTON	ND	ND	ND	ND
0342020-001	TRIPPLEWOOD RESORT CONDOS	CAMPTON	ND	ND	ND	ND
0342050-000	DEER RUN	CAMPTON	ND	ND	ND	ND
0342060-002	BECKET HOUSE AT CAMPTON	CAMPTON	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0342080-000	VALLEY VIEW CONDOS	CAMPTON	ND	ND	ND	ND
0342090-001	RED SLEIGH CONDOS	CAMPTON	ND	ND	ND	ND
0342100-000	COACHMAN CONDOS	CAMPTON	ND	ND	ND	ND
0343010-000	CHESLEYS MHP	CAMPTON	ND	ND	ND	ND
0343020-502	SIX FLAGS MHP	CAMPTON	ND	ND	ND	ND
0346030-501	USFS WMNF ADMIN CMLPX	CAMPTON	1.80	1.80	1.80	1.80
0351010-501	CANAAN WATER DEPT	CANAAN	ND	ND	ND	ND
0353010-001	COUNTRY VILLAGE MHP	CANAAN	ND	ND	ND	ND
0353010-002	COUNTRY VILLAGE MHP	CANAAN	0.50	ND	ND	ND
0353020-001	MASCOMA VALLEY COOP	CANAAN	ND	ND	ND	ND
0354010-503	CARDIGAN MOUNTAIN SCH	CANAAN	ND	ND	ND	ND
0355030-001	MASCOMA VALLEY REG HIGH SCH	CANAAN	12.00	15.00	ND	ND
0355060-001	INDIAN RIVER SCH	CANAAN	5.12	6.01	ND	ND
0355070-001	MACOMA COMM HEALTH CARE	CANAAN	ND	ND	ND	ND
0356020-001	BARKER STEEL	CANAAN	ND	ND	ND	ND
0362010-501	HILLCREST MANOR APTS	CANDIA	ND	ND	ND	ND
0362020-502	CANDIA CROSSING	CANDIA	ND	ND	ND	ND
0363010-503	COUNTRY LANE MANOR	CANDIA	3.16	ND	ND	ND
0365010-503	HENRY W MOORE SCH	CANDIA	ND	ND	ND	ND
0365020-501	M AND C CHILDRENS LEARNING PL	CANDIA	ND	ND	ND	ND
0365020-502	M AND C CHILDRENS LEARNING PL	CANDIA	6.04	ND	ND	ND
0365040-001	REMINGTON EDUC CENTER	CANDIA	4.32	5.90	ND	ND
0366040-001	BIRCHWOOD PLAZA	CANDIA	ND	ND	ND	ND
0374010-102	CANTERBURY SPRUCES HOUSING	CANTERBURY	ND	ND	ND	ND
0375010-002	CANTERBURY ELEMENTARY SCH	CANTERBURY	ND	ND	ND	ND
0377030-501	CANTERBURY SHAKER VILLAGE	CANTERBURY	ND	ND	ND	ND
0381010-514	CARROLL WATER WORKS	CARROLL	ND	ND	ND	ND
0382010-001	ROSEBROOK WATER	CARROLL	ND	ND	ND	ND
0382010-002	ROSEBROOK WATER	CARROLL	ND	ND	ND	ND
0396020-501	SENTERS MARKET CONDOS	CENTER HARBOR	8.12	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0398030-001	CENTER HARBOR INN	CENTER HARBOR	4.60	ND	ND	ND
0411010-004	CHARLESTOWN WATER WORKS	CHARLESTOWN	ND	ND	ND	ND
0411010-005	CHARLESTOWN WATER WORKS	CHARLESTOWN	ND	ND	ND	ND
0411010-502	CHARLESTOWN WATER WORKS	CHARLESTOWN	2.54	ND	ND	ND
0411020-511	NORTH CHARLESTOWN WATER DEPT	CHARLESTOWN	ND	ND	ND	ND
0411020-512	NORTH CHARLESTOWN WATER DEPT	CHARLESTOWN	ND	ND	ND	ND
0412010-000	MEADOWVIEW APTS	CHARLESTOWN	ND	ND	ND	ND
0413020-504	CONNECTICUT RIVER MHP	CHARLESTOWN	ND	ND	ND	ND
0413030-501	WINDY ACRES	CHARLESTOWN	ND	ND	ND	ND
0419010-501	LIFE FLLWSHP FOURSQRE CHURCH	CHARLESTOWN	ND	ND	ND	ND
0432010-501	VILLAGES AT CHESTER CONDOS	CHESTER	ND	ND	ND	ND
0432020-502	OAK HILL	CHESTER	ND	ND	ND	ND
0432030-502	CHESTER BROOK	CHESTER	2.90	ND	ND	ND
0432040-501	PEU/SHAKER HEIGHTS	CHESTER	ND	ND	ND	ND
0435060-501	CHESTER ACADEMY	CHESTER	2.20	ND	ND	6.40
0435070-001	PLAY LAUGH N GROW	CHESTER	ND	ND	ND	ND
0435080-501	CHESTERBROOK SCH OF NTRL LRNG	CHESTER	ND	ND	ND	ND
0437020-503	WASON POND COMMUNITY CENTER	CHESTER	ND	ND	ND	ND
0438010-001	SHAKER HEIGHTS PROF PLAZA	CHESTER	ND	ND	ND	ND
0445010-004	CHESTERFIELD CENTRAL SCH	CHESTERFIELD	ND	ND	ND	ND
0446020-502	UNITED NATURAL FOODS	CHESTERFIELD	ND	ND	ND	ND
0446030-501	NORTHEAST HOME LOAN	CHESTERFIELD	ND	ND	ND	ND
0449040-001	FEDEX FACILITY	CHESTERFIELD	ND	ND	ND	ND
0453020-001	ROBINSONS MHP/UPPER	CHICHESTER	ND	ND	ND	ND
0455010-501	CHICHESTER CENTRAL SCH	CHICHESTER	ND	ND	ND	ND
0456010-502	CAMPING WORLD OF NEW HAMPSHIRE	CHICHESTER	ND	ND	ND	ND
0461010-002	CLAREMONT WATER DEPT	CLAREMONT	ND	ND	ND	ND
0461010-002	CLAREMONT WATER DEPT	CLAREMONT	ND	ND	ND	ND
0481010-503	COLEBROOK WATER WORKS	COLEBROOK	ND	ND	ND	ND
0481010-504	COLEBROOK WATER WORKS	COLEBROOK	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0486010-501	KHEOPS INTERNATIONAL	COLEBROOK	ND	ND	ND	ND
0493020-002	MOUNTAIN VIEW PARK ESTATES	COLUMBIA	ND	ND	ND	ND
0501010-002	CONCORD WATER DEPT	CONCORD	ND	ND	ND	ND
0501010-504	CONCORD WATER DEPT	CONCORD	ND	ND	ND	ND
0501010-505	CONCORD WATER DEPT	CONCORD	2.69	ND	ND	ND
0501010-506	CONCORD WATER DEPT	CONCORD	ND	ND	ND	ND
0501010-507	CONCORD WATER DEPT	CONCORD	ND	ND	ND	ND
0505010-002	SHAKER RD SCH	CONCORD	ND	ND	ND	ND
0511010-501	CONWAY VILLAGE FIRE DIST	CONWAY	ND	ND	ND	ND
0511010-502	CONWAY VILLAGE FIRE DIST	CONWAY	ND	ND	ND	ND
0511030-503	NORTH CONWAY WATER PCT	CONWAY	ND	ND	ND	ND
0511030-508	NORTH CONWAY WATER PCT	CONWAY	ND	ND	ND	ND
0511030-509	NORTH CONWAY WATER PCT	CONWAY	ND	ND	ND	ND
0511030-510	NORTH CONWAY WATER PCT	CONWAY	ND	ND	ND	ND
0511030-517	NORTH CONWAY WATER PCT	CONWAY	ND	ND	ND	ND
0512030-500	CATHEDRAL LEDGE	CONWAY	ND	ND	ND	ND
0512050-000	ECHO LAKE WOODS	CONWAY	ND	ND	ND	ND
0512060-501	FOREST EDGE	CONWAY	ND	ND	ND	ND
0512070-001	FOREST PARK VILLAGE	CONWAY	ND	ND	ND	ND
0512080-501	REBECCA LANE WATER SYS	CONWAY	ND	ND	ND	ND
0512110-502	NORTH PINES	CONWAY	ND	ND	ND	ND
0512120-501	SACO RIVER FOREST	CONWAY	ND	ND	ND	ND
0512130-501	WOODLAND GROVE	CONWAY	4.83	3.11	ND	ND
0512140-002	SOUTH PINES	CONWAY	ND	ND	ND	ND
0512150-501	DEERBROOK CONDOS	CONWAY	6.05	3.42	ND	ND
0512170-501	OAKWOOD HEIGHTS	CONWAY	ND	ND	ND	ND
0512180-503	SACO PINES	CONWAY	ND	ND	ND	ND
0512190-001	BROOK VIEW VILLAGE	CONWAY	2.83	2.24	3.38	ND
0512200-503	CEDAR CREEK	CONWAY	ND	ND	ND	ND
0512200-503	CEDAR CREEK	CONWAY	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0512210-501	NEAR LEDGE	CONWAY	ND	ND	ND	ND
0512230-502	MELODY PINES CONDOS	CONWAY	ND	ND	ND	ND
0512240-506	ROCKHOUSE MOUNTAIN	CONWAY	ND	ND	ND	ND
0512240-508	ROCKHOUSE MOUNTAIN	CONWAY	ND	ND	ND	ND
0512250-501	SACO WOODS CONDOS	CONWAY	ND	ND	ND	ND
0512260-502	DAVIS HILL	CONWAY	ND	ND	ND	ND
0512270-501	HALE ESTATES	CONWAY	ND	ND	ND	ND
0513100-501	MOUNTAIN VALE VILLAGE MHP	CONWAY	ND	ND	ND	ND
0515010-001	CONWAY COMMUNITY BLDG	CONWAY	ND	ND	ND	ND
0515020-001	NEW PINE TREE SCH	CONWAY	ND	ND	ND	ND
0515040-501	LITTLE HANDS BIG DREAMS	CONWAY	ND	ND	ND	ND
0516020-501	NORTHERN HUMAN SVCS	CONWAY	ND	ND	ND	ND
0516030-001	CONWAY MUNICIPAL CENTER	CONWAY	ND	ND	ND	ND
0516040-001	LUPINE	CONWAY	ND	ND	ND	ND
0519020-002	CONWAY TOWN HALL	CONWAY	ND	ND	ND	ND
0525010-502	CORNISH ELEM SCH	CORNISH	ND	ND	ND	ND
0545010-001	CROYDON VILLAGE SCH	CROYDON	ND	ND	ND	ND
0575010-001	DANBURY ELEMENTARY SCH	DANBURY	ND	ND	ND	ND
0578060-001	DANBURY COUNTRY STORE	DANBURY	ND	ND	ND	ND
0582010-501	COLBY POND	DANVILLE	ND	ND	ND	ND
0583010-502	SPRUCE VALLEY MHP	DANVILLE	2.72	2.18	ND	ND
0583020-005	IRON WHEEL MHP	DANVILLE	15.60	10.20	ND	5.13
0583020-006	IRON WHEEL MHP	DANVILLE	12.00	11.00	ND	9.37
0583020-501	IRON WHEEL MHP	DANVILLE	2.97	ND	ND	ND
0583030-506	COTTON FARMS MHP	DANVILLE	3.17	ND	ND	ND
0583030-510	COTTON FARMS MHP	DANVILLE	6.15	4.47	ND	ND
0583050-505	ROCK RIMMON COOPERATIVE	DANVILLE	2.54	ND	ND	ND
0585010-502	DANVILLE ELEMENTARY	DANVILLE	2.94	ND	ND	ND
0594010-003	CORNERSTONE PLACE	DEERFIELD	3.16	2.41	ND	ND
0594020-501	INN AT DEERFIELD	DEERFIELD	ND	ND	ND	ND





Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0594030-001	SHERBURN WOODS	DEERFIELD	0.70	ND	ND	ND
0595010-501	GEORGE B WHITE BLDG	DEERFIELD	4.70	4.24	ND	ND
0595020-501	DEERFIELD COMMUNITY SCH	DEERFIELD	ND	ND	ND	ND
0595040-001	LONGVIEW SCH	DEERFIELD	ND	ND	ND	ND
0596030-502	VAN BERKUM NURSERY	DEERFIELD	2.70	ND	ND	ND
0603010-502	LONGWOODS MHP	DEERING	ND	ND	ND	ND
0603020-001	JOHNSON CITY MHP	DEERING	ND	ND	ND	ND
0605010-501	ROBIN HILL FARM/BLUE HOUSE	DEERING	ND	ND	ND	ND
0607030-503	HIS MANSION DIN HALL	DEERING	ND	ND	ND	ND
0609010-501	HIS MANSION NEW BEGINNING	DEERING	ND	ND	ND	ND
0612040-501	BARKLAND ACRES	DERRY	14.50	7.98	ND	2.12
0612050-000	MORNINGSIDE DRIVE	DERRY	21.20	4.24	ND	9.86
0612070-502	GLEN RIDGE DEV	DERRY	5.21	ND	ND	ND
0612110-501	PEU/FARMSTEAD ACRES	DERRY	ND	ND	ND	ND
0612140-004	HI AND LO ESTATES	DERRY	4.92	ND	ND	ND
0612150-504	DREW WOODS	DERRY	4.91	ND	ND	ND
0612160-001	WOODLAND AT DERRY	DERRY	ND	ND	ND	ND
0612170-502	MAPLE HAVEN	DERRY	1.90	ND	ND	ND
0612210-503	OLD COACH VILLAGE	DERRY	6.81	5.45	ND	ND
0612220-501	AUTUMN WOODS	DERRY	4.25	ND	ND	ND
0612230-501	RAND SHEPARD HILL	DERRY	9.03	2.26	ND	ND
0612240-501	WILLOW BEND	DERRY	ND	ND	ND	ND
0613010-001	ANNIE OAKLEY	DERRY	7.39	3.02	ND	ND
0613030-501	RUNNING BROOK	DERRY	6.86	2.16	3.77	ND
0613060-513	CENTENNIAL ESTATES	DERRY	11.20	ND	ND	ND
0615060-501	E DERRY MEMORIAL ELEM SCH	DERRY	3.28	8.41	ND	22.80
0616040-511	BROOKSTONE PARK/EAST	DERRY	7.68	ND	2.24	ND
0618150-501	COWBELL CORNERS	DERRY	3.98	ND	ND	ND
0651010-003	DOVER WATER DEPT	DOVER	1.91	ND	ND	ND
0651010-005	DOVER WATER DEPT - WELL NOT IN USE	DOVER	82.00	160.00	35.00	6.20





Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0651010-007	DOVER WATER DEPT - WELL NOT IN USE	DOVER	106.00	173.00	50.70	ND
0651010-502	DOVER WATER DEPT	DOVER	ND	ND	ND	ND
0651010-505	DOVER WATER DEPT	DOVER	2.06	ND	ND	ND
0651010-515	DOVER WATER DEPT	DOVER	ND	ND	ND	ND
0651010-517	DOVER WATER DEPT	DOVER	6.13	2.71	ND	4.17
0655030-501	MISS PATTYS CHILDCARE	DOVER	ND	ND	ND	ND
0655040-501	JOHNSON CREEK VILLAGE	DOVER	ND	ND	ND	ND
0664010-502	DUBLIN CHRISTIAN ACADEMY	DUBLIN	ND	ND	ND	ND
0664010-503	DUBLIN CHRISTIAN ACADEMY	DUBLIN	ND	ND	ND	ND
0664020-501	DUBLIN SCHOOL	DUBLIN	2.19	ND	ND	ND
0665010-501	DUBLIN CONSOLIDATED SCH	DUBLIN	4.44	2.50	ND	ND
0665030-501	PHOENIX HOUSE DUBLIN CENTER	DUBLIN	ND	ND	ND	ND
0665030-501	PHOENIX HOUSE DUBLIN CENTER	DUBLIN	ND	ND	ND	ND
0665050-501	MOUNTAIN SHADOWS SCH	DUBLIN	ND	ND	ND	ND
0666010-501	YANKEE PUBLISHING	DUBLIN	2.62	2.33	ND	ND
0666030-501	DUBLIN VILLAGE PARK	DUBLIN	4.11	5.54	ND	ND
0685010-502	DUNBARTON ELEMENTARY SCH	DUNBARTON	ND	ND	ND	ND
0691010-002	UNH/DURHAM WATER SYS	DURHAM	ND	ND	ND	ND
0691010-002	UNH/DURHAM WATER SYS	DURHAM	ND	ND	ND	ND
0691010-003	UNH/DURHAM WATER SYS	DURHAM	ND	ND	ND	ND
0691010-005	UNH/DURHAM WATER SYS	DURHAM	ND	ND	ND	ND
0691010-501	UNH/DURHAM WATER SYS	DURHAM	2.02	ND	ND	ND
0691010-502	UNH/DURHAM WATER SYS	DURHAM	1.95	ND	ND	ND
0692010-501	JOHNSON CREEK	DURHAM	ND	ND	ND	ND
0692020-501	STAGECOACH FARMS	DURHAM	ND	ND	ND	ND
0694010-501	BROOKDALE SPRUCE WOOD	DURHAM	2.42	ND	ND	ND
0702010-003	BARTON MHP	EAST KINGSTON	ND	ND	ND	ND
0702020-003	BRANDYWINE	EAST KINGSTON	ND	ND	ND	ND
0702020-501	BRANDYWINE	EAST KINGSTON	ND	ND	ND	ND
0702030-502	MAPLEVALE AND CRICKET HILL	EAST KINGSTON	5.52	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0702040-504	COUNTRY HILLS OF EAST KINGSTON	EAST KINGSTON	ND	ND	ND	ND
0705020-502	E KINGSTON ELEMENTARY SCH	EAST KINGSTON	ND	ND	ND	ND
0705020-503	E KINGSTON ELEMENTARY SCH	EAST KINGSTON	ND	ND	ND	ND
0708040-501	POWWOW JUNCTION	EAST KINGSTON	ND	ND	ND	ND
0732020-502	GREEN MOUNTAIN TREATMENT CTR	EFFINGHAM	ND	ND	ND	ND
0732030-000	LOST VALLEY	EFFINGHAM	ND	ND	ND	ND
0732040-503	18 HUGHES LN	EFFINGHAM	ND	ND	ND	ND
0735030-001	EFFINGHAM ELEMENTARY SCH	EFFINGHAM	ND	ND	ND	ND
0751010-002	ENFIELD WATER DEPT	ENFIELD	ND	ND	ND	ND
0751010-003	ENFIELD WATER DEPT	ENFIELD	ND	ND	ND	ND
0751010-005	ENFIELD WATER DEPT	ENFIELD	ND	ND	ND	ND
0751010-504	ENFIELD WATER DEPT	ENFIELD	ND	ND	ND	ND
0752020-001	LAKEVIEW CONDOS	ENFIELD	ND	ND	ND	ND
0752020-002	LAKEVIEW CONDOS	ENFIELD	ND	ND	ND	ND
0753010-001	WILSONS MHP	ENFIELD	ND	ND	ND	ND
0753020-502	DANIELS ACRES	ENFIELD	ND	ND	ND	ND
0753030-501	LOWER SHAKER VILLAGE	ENFIELD	ND	ND	ND	ND
0753030-501	LOWER SHAKER VILLAGE	ENFIELD	ND	ND	ND	ND
0761010-507	EPPING WATER AND SEWER DEPT	EPPING	ND	ND	ND	ND
0761010-514	EPPING WATER AND SEWER DEPT	EPPING	ND	ND	ND	ND
0762040-501	MELLING GLEN	EPPING	ND	ND	ND	ND
0762050-502	GOVERNORS GREEN	EPPING	ND	ND	ND	ND
0762070-502	PLUMER COURT	EPPING	ND	ND	ND	ND
0762080-501	VILLAGES ON THE LAMPREY	EPPING	6.08	2.70	2.84	ND
0762120-502	WOODLANDS	EPPING	ND	ND	ND	ND
0763010-501	EVANS TRAILER PARK	EPPING	ND	ND	ND	ND
0766070-501	SIG SAUER EXPERIENCE	EPPING	ND	ND	ND	ND
0771010-501	EPSOM VILLAGE DIST	EPSOM	6.22	2.07	ND	6.50
0771010-502	EPSOM VILLAGE DIST	EPSOM	8.61	ND	ND	2.50
0771020-500	KINGS GRANT	EPSOM	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0773010-504	KINGS TOWNE MHP	EPSOM	ND	ND	ND	ND
0773020-002	COLBY BROOK ESTATES	EPSOM	5.93	3.58	ND	ND
0773020-504	COLBY BROOK ESTATES	EPSOM	ND	ND	ND	ND
0773030-504	SHELTERING PINES MHP	EPSOM	2.85	ND	ND	ND
0774010-001	EPSOM HEALTHCARE CTR	EPSOM	ND	ND	ND	ND
0774030-002	MEADOW BROOK	EPSOM	ND	ND	ND	ND
0775020-511	EPSOM MED CTR	EPSOM	ND	ND	ND	ND
0775030-501	LEARNING TREE/9GAUTHIER	EPSOM	ND	ND	ND	ND
0775040-501	LEARNING TREE/46GAUTHIER	EPSOM	4.67	ND	ND	ND
0781010-501	ERROL WATER WORKS	ERROL	ND	ND	ND	ND
0801010-002	EXETER WATER DEPT	EXETER	2.35	1.13	ND	ND
0801010-003	EXETER WATER DEPT	EXETER	5.13	4.37	2.01	ND
0801010-004	EXETER WATER DEPT	EXETER	2.60	ND	ND	ND
0801010-507	EXETER WATER DEPT	EXETER	ND	ND	ND	ND
0802010-001	PICKPOCKET WOODS	EXETER	3.80	2.30	1.70	0.79
0802020-001	EXETER HIGHLANDS	EXETER	ND	ND	ND	ND
0802030-000	LOUISBURG CIRCLE	EXETER	4.80	2.25	ND	ND
0802040-501	PEU/FOREST RIDGE	EXETER	ND	ND	ND	ND
0803020-502	EXETER RIVER MOBILE HOME PARK	EXETER	2.48	3.10	ND	ND
0803030-501	LANDING AT EXETER RIVER	EXETER	2.91	ND	ND	ND
0803040-501	BEECH HILL PARK	EXETER	3.86	6.24	ND	ND
0803050-501	ICEY HILL COOPERATIVE	EXETER	3.44	3.23	ND	ND
0804010-001	EXETER HOSPITAL/SLEEP MED - WELL NOT IN USE	EXETER	7.00	15.00	34.00	19.00
0804020-001	EXETER HOSPITAL	EXETER	4.00	8.00	24.00	3.00
0805010-501	BUILDING BLOCK COMMONS	EXETER	2.12	ND	ND	ND
0805030-501	EXETER UNITED METHODIST CHURCH	EXETER	ND	ND	ND	ND
0805040-501	EXETER HIGH SCH	EXETER	ND	ND	ND	ND
0811010-504	FARMINGTON WATER DEPT	FARMINGTON	ND	ND	ND	ND
0811010-506	FARMINGTON WATER DEPT	FARMINGTON	ND	ND	ND	ND
0821010-501	FITZWILLIAM VILLAGE/PRIGGE	FITZWILLIAM	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0821010-511	FITZWILLIAM VILLAGE/LAUGHNER	FITZWILLIAM	ND	ND	ND	ND
0821010-511	FITZWILLIAM VILLAGE/MASSIN	FITZWILLIAM	ND	ND	ND	ND
0821010-512	FITZWILLIAM VILLAGE/LAUGHNER	FITZWILLIAM	ND	ND	ND	ND
0823010-001	20 JAFFREY RD	FITZWILLIAM	6.13	7.07	ND	ND
0825010-501	GEORGE S EMERSON ELEM SCH	FITZWILLIAM	6.85	7.96	ND	ND
0827070-001	MEADOWOOD ASSEMBLY HALL	FITZWILLIAM	ND	15.00	7.00	ND
0831010-505	FRANCESTOWN VILLAGE WATER	FRANCESTOWN	ND	ND	ND	ND
0832010-501	CROTCHED MOUNTAIN MNTNC	FRANCESTOWN	ND	ND	ND	ND
0835010-501	FRANCESTOWN ELEMENTARY SCH	FRANCESTOWN	ND	ND	ND	ND
0841010-501	FRANCONIA VILLAGE WATER	FRANCONIA	ND	ND	ND	ND
0841020-004	MITTERSILL WATER DEPT	FRANCONIA	ND	ND	ND	ND
0841020-005	MITTERSILL WATER DEPT	FRANCONIA	ND	ND	ND	ND
0851010-001	FRANKLIN WATER WORKS	FRANKLIN	ND	ND	ND	ND
0851010-002	FRANKLIN WATER WORKS	FRANKLIN	ND	ND	ND	ND
0851010-003	FRANKLIN WATER WORKS	FRANKLIN	ND	ND	ND	ND
0851010-004	FRANKLIN WATER WORKS	FRANKLIN	ND	ND	ND	ND
0861010-501	FREEDOM VILLAGE WATER PRECINCT	FREEDOM	ND	ND	ND	ND
0862010-501	LOV WATER	FREEDOM	ND	ND	ND	ND
0862020-501	PINE LANDING CONDOS	FREEDOM	4.02	ND	ND	ND
0862030-503	FREEDOM VILLAGE CONDOS	FREEDOM	ND	ND	ND	ND
0872010-501	GOVERNORS FOREST	FREMONT	ND	ND	ND	ND
0872020-501	BLACKROCKS VILLAGE	FREMONT	ND	ND	ND	ND
0874020-501	COLONIAL POPLIN NURSING HOME	FREMONT	10.80	13.80	2.04	2.96
0875010-502	ELLIS SCHOOL - BEFORE TREATMENT INSTALLED	FREMONT	15.50	15.80	15.80	34.90
0875010-503	ELLIS SCHOOL - AFTER TREATMENT INSTALLED	FREMONT	ND	ND	ND	ND
0875010-504	ELLIS SCHOOL - AFTER TREATMENT INSTALLED	FREMONT	ND	ND	ND	ND
0875030-501	COUNTRY CLUB FOR KIDS	FREMONT	3.72	2.40	ND	ND
0875040-001	BARNYARD BUDDIES	FREMONT	ND	ND	ND	ND
0876030-001	COOPERS CORNER/EAST	FREMONT	ND	ND	ND	ND
0878020-001	FREMONT PIZZERIA RESTAURANT	FREMONT	12.00	28.00	5.00	0.50



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0881010-003	GILFORD VILLAGE WATER DIST	GILFORD	ND	ND	ND	ND
0881010-004	GILFORD VILLAGE WATER DIST	GILFORD	ND	ND	ND	ND
0881010-005	GILFORD VILLAGE WATER DIST	GILFORD	ND	ND	ND	ND
0881010-503	ABENAKI WATER/GILFORD VILLAGE	GILFORD	ND	ND	ND	ND
0881020-010	GUNSTOCK ACRES VILL DIST	GILFORD	ND	ND	ND	ND
0881020-505	GUNSTOCK ACRES VILL DIST	GILFORD	ND	ND	ND	ND
0882010-001	CHALET VILLAGE	GILFORD	ND	ND	ND	ND
0882020-501	GILFORD FOREST ESTATES	GILFORD	ND	ND	ND	ND
0882040-002	LIBERTY HIGHLANDS WATER	GILFORD	ND	ND	ND	ND
0882050-501	BRAKE HILL ACRES	GILFORD	ND	ND	ND	ND
0882050-502	BRAKE HILL ACRES	GILFORD	ND	ND	ND	ND
0882060-502	WINNSTOCK CONDOS	GILFORD	ND	ND	ND	ND
0882080-001	CHERRY VALLEY CONDOS	GILFORD	ND	ND	ND	ND
0882090-001	GUNSTOCK GLEN WATER	GILFORD	ND	ND	ND	ND
0882100-511	BELKNAP HEIGHTS WATER	GILFORD	ND	ND	ND	ND
0882130-503	BROADVIEW CONDOS	GILFORD	ND	ND	ND	ND
0882140-003	MARINA BAY CONDOS I AND II	GILFORD	ND	ND	ND	ND
0882150-502	LAKE SHORE PARK	GILFORD	ND	ND	ND	ND
0882160-500	SAMOSET AT WINNI	GILFORD	ND	ND	ND	ND
0882170-001	COUNTRY VILLAGE WAY	GILFORD	ND	ND	ND	ND
0882180-502	BROOKSIDE CROSSING	GILFORD	ND	ND	ND	ND
0882190-502	DOCKHAM SHORES ESTATES	GILFORD	ND	ND	ND	ND
0882210-502	GILFORD MEADOWS	GILFORD	ND	ND	ND	ND
0882220-101	BRETTON WOODS DEV	GILFORD	ND	ND	ND	ND
0882410-501	HAMPSHIRE VILLAGE	GILFORD	ND	ND	ND	ND
0882420-501	STONEWALL VILLAGE	GILFORD	ND	ND	ND	ND
0883010-501	OLD LAKE SHORE	GILFORD	ND	ND	ND	ND
0883030-505	MOUNTAIN VIEW HOUSING	GILFORD	ND	ND	ND	ND
0883040-503	LRMHV	GILFORD	ND	ND	ND	ND
0883060-501	EDGE OF WOODS	GILFORD	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0885010-001	GILFORD ELEMENTARY SCH	GILFORD	ND	ND	ND	ND
0885020-003	GILFORD MIDDLE AND HIGH SCH	GILFORD	ND	ND	ND	ND
0885050-501	GILFORD PROFESSIONAL PARK	GILFORD	ND	ND	ND	ND
0886040-001	UNDER HIS WING PRESCHOOL	GILFORD	ND	ND	ND	ND
0886120-002	VILLAGE WEST I	GILFORD	ND	ND	ND	ND
0886150-501	GILFORD MUNICIPAL BLDG COMPLEX	GILFORD	4.58	31.10	2.76	14.40
0886170-501	VILLAGE WEST II	GILFORD	ND	ND	ND	ND
0886190-501	NHDOS MARINE PATROL	GILFORD	ND	ND	ND	ND
0887050-001	GUNSTOCK AREA	GILFORD	ND	ND	ND	ND
0887050-002	GUNSTOCK AREA	GILFORD	ND	ND	ND	ND
0887150-001	MEADOWBROOK/CONFERENCE CENTER	GILFORD	ND	ND	ND	ND
0888390-001	AIRPORT COUNTRY STORE	GILFORD	ND	ND	ND	ND
0895010-502	GILMANTON ELEMENTARY SCH	GILMANTON	3.13	ND	ND	ND
0905010-001	GILSUM ELEMENTARY SCH	GILSUM	ND	ND	ND	ND
0906010-501	WS BADGER CO	GILSUM	ND	ND	ND	ND
0911010-004	GOFFSTOWN VILLAGE PCT	GOFFSTOWN	ND	ND	ND	ND
0911010-501	GOFFSTOWN VILLAGE PCT	GOFFSTOWN	ND	ND	ND	ND
0911010-502	GOFFSTOWN VILLAGE PCT	GOFFSTOWN	ND	ND	ND	ND
0912020-502	ORCHARD HIGHLANDS	GOFFSTOWN	ND	ND	ND	ND
0912040-501	BRIAR COURT ESTATES	GOFFSTOWN	ND	ND	ND	ND
0912050-503	MT LAUREL ESTATES	GOFFSTOWN	5.33	ND	ND	ND
0915010-504	GAGE FARM SCHOOLHOUSE	GOFFSTOWN	ND	ND	ND	ND
0915020-501	LEARN AS WE PLAY CHLD CARE CTR	GOFFSTOWN	ND	ND	ND	ND
0921010-005	GORHAM WATER AND SEWER DEPT	GORHAM	ND	ND	ND	ND
0921010-501	GORHAM WATER AND SEWER DEPT	GORHAM	ND	ND	ND	ND
0921020-501	GORHAM HILL SPRING	GORHAM	ND	ND	ND	ND
0926010-502	ANDRO RANGER STATION	GORHAM	1.80	1.80	1.80	1.80
0951010-506	VILLAGE DIST OF EASTMAN	GRANTHAM	ND	ND	ND	ND
0952020-001	GRAY LEDGES	GRANTHAM	ND	ND	ND	ND
0955010-001	GRANTHAM VILLAGE SCH	GRANTHAM	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
0956040-001	GRANTHAM GREENWAY	GRANTHAM	ND	ND	ND	ND
0972010-010	CROTCHED MOUNTAIN REHAB CENTER	GREENFIELD	ND	ND	ND	ND
0972010-011	CROTCHED MOUNTAIN REHAB CENTER	GREENFIELD	ND	ND	ND	ND
0972010-512	CROTCHED MOUNTAIN REHAB CENTER	GREENFIELD	ND	ND	ND	ND
0972010-517	CROTCHED MOUNTAIN REHAB CENTER	GREENFIELD	ND	ND	ND	<b>4.37</b>
0974010-502	GREENFIELD COMMONS	GREENFIELD	ND	ND	ND	ND
0975020-501	GREENFIELD ELEMENTARY SCH	GREENFIELD	ND	ND	ND	ND
0987050-001	BREAKFAST HILL GOLF CLUB	GREENLAND	<b>15.00</b>	<b>2.68</b>	ND	ND
0991010-001	GREENVILLE WATER DEPT	GREENVILLE	ND	ND	ND	ND
0993030-501	FROST TRAILER PARK	GREENVILLE	ND	ND	ND	ND
1021010-501	HALES LOCATION	HALES LOCATION	<b>2.43</b>	ND	ND	ND
1031010-007	HAMPSTEAD AREA WATER	HAMPSTEAD	ND	ND	ND	ND
1031010-013	HAMPSTEAD AREA WATER	HAMPSTEAD	ND	ND	ND	ND
1031010-020	HAMPSTEAD AREA WATER	HAMPSTEAD	<b>2.82</b>	ND	ND	ND
1031010-502	HAMPSTEAD AREA WATER	HAMPSTEAD	<b>6.63</b>	<b>3.26</b>	ND	ND
1031010-504	HAMPSTEAD AREA WATER	HAMPSTEAD	ND	<b>3.34</b>	ND	ND
1031010-510	HAMPSTEAD AREA WATER	HAMPSTEAD	ND	ND	ND	ND
1031010-512	HAMPSTEAD AREA WATER	HAMPSTEAD	<b>6.22</b>	<b>3.71</b>	ND	ND
1031010-515	HAMPSTEAD AREA WATER	HAMPSTEAD	<b>4.31</b>	ND	ND	ND
1031010-522	HAMPSTEAD AREA WATER	HAMPSTEAD	<b>4.59</b>	<b>2.69</b>	ND	ND
1031010-523	HAMPSTEAD AREA WATER	HAMPSTEAD	<b>8.45</b>	<b>2.24</b>	ND	<b>2.47</b>
1031010-524	HAMPSTEAD AREA WATER	HAMPSTEAD	<b>3.30</b>	ND	ND	ND
1031010-525	HAMPSTEAD AREA WATER	HAMPSTEAD	<b>2.18</b>	ND	ND	ND
1031010-526	HAMPSTEAD AREA WATER	HAMPSTEAD	<b>5.50</b>	ND	ND	ND
1031010-527	HAMPSTEAD AREA WATER	HAMPSTEAD	ND	ND	ND	ND
1031010-528	HAMPSTEAD AREA WATER	HAMPSTEAD	ND	ND	ND	ND
1031010-529	HAMPSTEAD AREA WATER	HAMPSTEAD	<b>5.75</b>	<b>2.19</b>	ND	ND
1031010-530	HAMPSTEAD AREA WATER	HAMPSTEAD	ND	ND	ND	ND
1032070-501	COACH RUN CONDOS	HAMPSTEAD	<b>2.44</b>	<b>7.95</b>	ND	<b>12.30</b>
1032090-501	GLENWOOD NORTH	HAMPSTEAD	ND	ND	ND	ND





Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1034010-501	HAMPSTEAD HOSPITAL	HAMPSTEAD	2.21	ND	ND	3.05
1035020-501	AGES AND STAGES HAMPSTEAD	HAMPSTEAD	5.25	2.66	ND	2.09
1035040-501	HAMPSTEAD MIDDLE SCH - PFAS TREATMENT INSTALLED	HAMPSTEAD	ND	ND	ND	ND
1035050-001	HAMPSTEAD ACADEMY	HAMPSTEAD	3.81	2.88	ND	ND
1035110-501	HAZEL DRIVE KIDS	HAMPSTEAD	5.54	21.90	ND	3.25
1036010-501	HAMPSTEAD SHOPPERS VILLAGE	HAMPSTEAD	5.45	8.66	ND	ND
1036040-001	STAGE ROAD JUNCTION	HAMPSTEAD	ND	ND	ND	ND
1036080-001	RAM PRINTING	HAMPSTEAD	2.15	2.62	ND	ND
1036090-002	THUNDERLINE Z	HAMPSTEAD	3.98	4.18	ND	ND
1036090-501	THUNDERLINE Z	HAMPSTEAD	8.44	11.90	ND	ND
1051010-504	AQUARION WATER/NH	HAMPTON	3.71	2.28	ND	ND
1051010-511	AQUARION WATER/NH	HAMPTON	ND	ND	ND	ND
1051010-521	AQUARION WATER/NH	HAMPTON	2.34	ND	ND	ND
1051010-529	AQUARION WATER/NH	HAMPTON	3.08	3.22	ND	ND
1051010-531	AQUARION WATER/NH	HAMPTON	2.24	ND	ND	ND
1051010-536	AQUARION WATER/NH	HAMPTON	3.28	ND	ND	ND
1051010-537	AQUARION WATER/NH	HAMPTON	3.89	ND	ND	ND
1053010-002	FOUR SEASONS MOBILE HOME PARK	HAMPTON	ND	ND	ND	ND
1053020-504	HEMLOCK HAVEN	HAMPTON	ND	ND	ND	ND
1053030-502	TAYLOR RIVER ESTATES	HAMPTON	4.54	5.09	ND	ND
1042010-501	MEADOWS AT GRAPEVINE RUN	HAMPTON FALLS	ND	ND	ND	ND
1045010-001	LINCOLN AKERMAN SCH	HAMPTON FALLS	2.13	2.24	ND	ND
1045010-501	LINCOLN AKERMAN SCH	HAMPTON FALLS	ND	ND	ND	ND
1045040-501	HERONFIELD ACADEMY	HAMPTON FALLS	ND	ND	ND	ND
1046050-502	CRN REALTY	HAMPTON FALLS	ND	ND	ND	ND
1048120-002	153 LAFAYETTE RD WATER SYSTEM	HAMPTON FALLS	23.00	22.00	8.00	2.00
1061010-501	HANCOCK WATER WORKS	HANCOCK	ND	ND	ND	ND
1071010-511	HANOVER WATER DEPT	HANOVER	ND	ND	ND	ND
1075010-001	HAMPSHIRE COOP NURSERY SCH	HANOVER	ND	ND	ND	ND
1075020-501	MONTESORI CHILDRENS SCH	HANOVER	ND	ND	ND	ND





Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1085010-001	WELLS MEMORIAL SCH	HARRISVILLE	ND	ND	ND	ND
1085020-502	CHESHIRE MILLS BOARDING HOUSE	HARRISVILLE	3.65	6.10	ND	ND
1086010-502	HISTORIC HARRISVILLE	HARRISVILLE	5.79	18.60	ND	ND
1097020-002	CNSP DRY RIVER CAMPGROUND	HARTS LOCATION	ND	ND	ND	ND
1101010-501	PRECINCT OF HAVERHILL CORNER	HAVERHILL	ND	ND	ND	ND
1101020-501	NO HAVERHILL WATER AND LIGHT	HAVERHILL	ND	ND	ND	ND
1101040-002	WOODSVILLE WATER AND LIGHT	HAVERHILL	ND	ND	ND	ND
1101050-001	MOUNTAIN LAKES WATER DEPT	HAVERHILL	ND	ND	ND	ND
1101050-004	MOUNTAIN LAKES WATER DEPT	HAVERHILL	ND	ND	ND	ND
1102020-001	FRENCH POND ESTATES	HAVERHILL	ND	ND	ND	ND
1105010-511	OLIVERIAN EAST CAMPUS	HAVERHILL	ND	ND	ND	ND
1105020-001	BECKET HOUSE AT HALL FARM	HAVERHILL	ND	ND	ND	ND
1107030-001	OLIVERIAN SCH	HAVERHILL	ND	ND	ND	ND
1112010-002	STONEGATE ACRES	HEBRON	ND	ND	ND	ND
1113010-503	HILLSIDE INN CONDOS	HEBRON	ND	ND	ND	ND
1113010-504	HILLSIDE INN CONDOS	HEBRON	ND	ND	ND	ND
1121010-004	COGSWELL SPRINGS WATER WORKS	HENNIKER	ND	ND	ND	ND
1121010-005	COGSWELL SPRINGS WATER WORKS	HENNIKER	ND	ND	ND	ND
1123020-503	WOOD HILL VILLAGE	HENNIKER	ND	ND	ND	ND
1123020-504	WOOD HILL VILLAGE	HENNIKER	ND	ND	ND	ND
1126030-001	HHP	HENNIKER	ND	ND	ND	ND
1127030-503	PATS PEAK	HENNIKER	ND	ND	ND	ND
1131010-001	HILL WATER WORKS	HILL	ND	ND	ND	ND
1131010-002	HILL WATER WORKS	HILL	ND	ND	ND	ND
1141010-002	HILLSBOROUGH WATER WORKS	HILLSBOROUGH	ND	ND	ND	ND
1141020-001	EMERALD LAKE	HILLSBOROUGH	ND	ND	ND	ND
1141020-506	EMERALD LAKE	HILLSBOROUGH	ND	ND	ND	ND
1141020-512	EMERALD LAKE	HILLSBOROUGH	ND	ND	ND	ND
1145010-501	ROSEWALD FARM	HILLSBOROUGH	ND	ND	ND	ND
1145020-001	HILLSBORO BAPTIST CH	HILLSBOROUGH	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1151010-503	NORTH HINSDALE WATER DEPT	HINSDALE	ND	ND	ND	ND
1151010-506	NORTH HINSDALE WATER DEPT	HINSDALE	ND	ND	ND	ND
1151020-501	HINSDALE WATER DEPT/DOWNTOWN	HINSDALE	ND	ND	ND	ND
1156010-001	GEORGES FIELD WATER SYSTEM	HINSDALE	ND	ND	ND	ND
1162010-500	HIGHLAND COLONY	HOLDERNESS	ND	ND	ND	ND
1163010-001	TOWN LINE VILLAGE	HOLDERNESS	ND	ND	ND	ND
1163010-503	TOWN LINE VILLAGE	HOLDERNESS	ND	ND	ND	ND
1165010-501	WHITE MTN MONT SCH	HOLDERNESS	ND	ND	ND	ND
1165020-501	HOLDERNESS CENTRAL SCH	HOLDERNESS	ND	ND	ND	ND
1167190-001	SLNSC BLUE HERON SCH	HOLDERNESS	ND	ND	ND	ND
1172020-503	RUNNELLS LANDING	HOLLIS	11.00	ND	ND	ND
1172030-501	SILVER LAKE ESTATES	HOLLIS	ND	ND	ND	ND
1173010-501	PITARYS MOBILE HOME PARK/EAST	HOLLIS	15.10	7.28	ND	ND
1173020-503	PITARYS MOBILE HOME PARK/WEST	HOLLIS	15.20	2.24	ND	ND
1175030-501	HOLLIS SCH DIST	HOLLIS	ND	ND	ND	ND
1175050-503	HOLLIS BROOKLINE HS	HOLLIS	2.62	ND	ND	ND
1175060-501	HOLLIS MONT SCH	HOLLIS	7.67	4.80	ND	ND
1176010-503	HOLLIS VILLAGE MARKET PLACE	HOLLIS	2.18	ND	ND	ND
1176020-501	26 CLINTON DRIVE BLDG	HOLLIS	ND	ND	ND	ND
1176030-001	HOLLIS LINE MACHINE	HOLLIS	ND	ND	ND	ND
1176060-501	DIAMOND CASTING MACHINE	HOLLIS	ND	ND	ND	ND
1176070-001	ULTRASOURCE	HOLLIS	ND	ND	ND	ND
1176070-501	ULTRASOURCE	HOLLIS	ND	ND	ND	ND
1176080-501	PURITAN PRESS	HOLLIS	8.59	3.84	ND	ND
1176090-501	FARM DESIGN	HOLLIS	3.15	ND	ND	ND
1176100-001	18 CLINTON DR BLDG	HOLLIS	3.05	ND	ND	ND
1181020-503	HOOKSETT VILLAGE WATER PCT	HOOKSETT	ND	ND	ND	ND
1181020-504	HOOKSETT VILLAGE WATER PCT	HOOKSETT	ND	ND	ND	ND
1181020-506	HOOKSETT VILLAGE WATER PCT	HOOKSETT	ND	ND	ND	ND
1181020-507	HOOKSETT VILLAGE WATER PCT	HOOKSETT	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1185010-501	PLACES YOU'LL GROW	HOOKSETT	5.35	ND	ND	ND
1186010-002	198 LONDONDERRY TURNPIKE	HOOKSETT	2.65	ND	ND	ND
1889030-501	NHDOT BURUAW TURNPIKE	HOOKSETT	ND	ND	ND	ND
1191010-501	CONTOOCOOK VILLAGE PCT	HOPKINTON	ND	ND	ND	ND
1191020-001	HOPKINTON VILLAGE PCT	HOPKINTON	ND	ND	ND	ND
1191020-002	HOPKINTON VILLAGE PCT	HOPKINTON	1.00	ND	1.80	ND
1191020-003	HOPKINTON VILLAGE PCT	HOPKINTON	ND	ND	ND	ND
1191020-502	HOPKINTON VILLAGE PCT	HOPKINTON	ND	ND	ND	ND
1192010-001	E PENACOOK RD WATER SYS	HOPKINTON	19.80	13.40	ND	ND
1193010-501	MEADOWS THE	HOPKINTON	ND	ND	ND	ND
1193020-503	ELM BROOK VILLAGE	HOPKINTON	ND	ND	ND	ND
1193030-000	DEER MEADOWS	HOPKINTON	ND	ND	ND	ND
1195040-001	BEECH HILL SCH	HOPKINTON	ND	ND	ND	ND
1196030-001	MCLANE NORTHEAST	HOPKINTON	ND	ND	ND	ND
1196050-502	YANKEE BOOK PEDDLER	HOPKINTON	ND	ND	ND	ND
1201010-008	HUDSON WATER DEPT	HUDSON	23.10	ND	2.98	ND
1201010-501	HUDSON WATER DEPT	HUDSON	7.55	ND	ND	ND
1201010-502	HUDSON WATER DEPT	HUDSON	13.60	ND	ND	ND
1202010-503	FRANCOEUR APT/HUDSON MOTOR INN	HUDSON	2.95	ND	ND	ND
1203010-522	HUDSON MOBILE HOME ESTS	HUDSON	7.25	ND	ND	ND
1205060-001	KIDDIE KONNECTION	HUDSON	15.40	14.40	ND	2.69
1205070-501	EARLY START LEARNING ACAD	HUDSON	8.52	ND	ND	ND
1211010-501	JACKSON WATER PCT	JACKSON	ND	ND	ND	ND
1212030-501	WILDCAT TOWNHOUSE RESORT	JACKSON	ND	ND	ND	ND
1212050-511	MT JEFFERSON/WASHINGTON CONDOS	JACKSON	ND	ND	ND	ND
1212060-002	ELLIS RIVER VILLAGE	JACKSON	ND	ND	ND	ND
1212080-512	BLACK MOUNTAIN MEADOW CONDOS	JACKSON	ND	ND	ND	ND
1212090-501	HIGH PASTURES AT BLACK MTN	JACKSON	ND	ND	ND	ND
1212110-502	EAGLE MOUNTAIN HOUSE	JACKSON	7.39	30.00	ND	8.32
1212130-501	EAGLE BROOK	JACKSON	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1212140-001	TYROL WELL A	JACKSON	ND	ND	ND	ND
1212140-001	TYROL WELL A	JACKSON	ND	ND	ND	ND
1218010-001	DANA PLACE	JACKSON	ND	ND	ND	ND
1221010-502	JAFFREY WATER WORKS	JAFFREY	ND	ND	ND	ND
1221010-505	JAFFREY WATER WORKS	JAFFREY	3.11	13.30	ND	6.48
1221010-506	JAFFREY WATER WORKS	JAFFREY	ND	ND	ND	ND
1221010-511	JAFFREY WATER WORKS	JAFFREY	6.21	2.14	ND	8.17
1241010-005	KEENE WATER DEPT	KEENE	ND	ND	ND	ND
1241010-006	KEENE WATER DEPT	KEENE	ND	ND	ND	ND
1241010-501	KEENE WATER DEPT	KEENE	ND	ND	ND	ND
1241010-502	KEENE WATER DEPT	KEENE	ND	ND	ND	ND
1241010-503	KEENE WATER DEPT	KEENE	ND	ND	ND	ND
1241010-504	KEENE WATER DEPT	KEENE	ND	ND	ND	ND
1245010-001	MONADNOCK WALDORF SCH	KEENE	ND	ND	ND	ND
1255010-502	KENSINGTON ELEMENTARY SCH	KENSINGTON	ND	ND	ND	ND
1256010-003	UNITIL ENERGY SYS	KENSINGTON	15.70	16.20	3.16	2.66
1256010-503	UNITIL ENERGY SYS	KENSINGTON	9.25	7.18	ND	ND
1272010-501	KINGSTON PINES ELDERLY HOUSING	KINGSTON	ND	ND	ND	ND
1272020-501	ANNS LANDING	KINGSTON	ND	ND	ND	ND
1272030-501	LAMPLIGHTER ESTATES	KINGSTON	ND	ND	ND	ND
1272040-500	ROWELL ESTATES	KINGSTON	2.91	ND	ND	ND
1272050-501	COOPERS GROVE	KINGSTON	ND	ND	ND	ND
1272060-501	VILLAGE AT GRAN FIELDS	KINGSTON	ND	ND	ND	ND
1272070-502	KINGS LANDING	KINGSTON	ND	ND	ND	ND
1272080-501	ALL AMERICAN AL	KINGSTON	ND	ND	ND	ND
1275010-501	DANIEL J BAKIE SCH	KINGSTON	ND	ND	ND	ND
1275060-501	SANBORN REGIONAL HIGH SCH	KINGSTON	4.10	ND	ND	ND
1276020-501	266 ROUTE 125	KINGSTON	ND	ND	ND	ND
1277090-001	COUNTRY SHORE CAMPGROUND	KINGSTON	20.80	ND	ND	ND
1277090-002	COUNTRY SHORE CAMPGROUND	KINGSTON	22.00	2.39	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1278060-501	CARRIAGE TOWN PLAZA	KINGSTON	5.48	ND	ND	14.90
1279010-511	KINGSTON CHILDREN CENTER	KINGSTON	ND	ND	ND	ND
1279040-001	KINGSTON TOWN HALL	KINGSTON	ND	ND	ND	ND
1281010-001	LACONIA WATER WORKS	LACONIA	ND	ND	ND	ND
1282010-501	MOUNTAIN VIEW APTS	LACONIA	ND	ND	ND	ND
1282020-001	WENTWORTH COVE ESTATES	LACONIA	ND	ND	ND	ND
1282030-001	PENDLETON COVE	LACONIA	ND	ND	ND	ND
1282050-500	WINDEMERE RIDGE	LACONIA	ND	ND	ND	ND
1285010-502	LACONIA CHRISTIAN SCH	LACONIA	3.47	ND	ND	ND
1289010-002	PRESCOTT FARM ENVIRON ED CTR	LACONIA	ND	ND	ND	ND
1291010-002	LANCASTER WATER DEPT	LANCASTER	ND	ND	ND	ND
1296010-001	EASTER SEALS YOUTH RES	LANCASTER	ND	ND	ND	ND
1305020-501	LANDAFF BLUE SCH	LANDAFF	ND	ND	ND	ND
1315010-002	FALL MOUNTAIN REGIONAL HS	LANGDON	ND	ND	ND	ND
1315020-002	SARAH PORTER SCH	LANGDON	ND	ND	ND	ND
1321010-002	LEBANON WATER DEPT	LEBANON	ND	ND	ND	ND
1323020-001	MASCOMA MEADOWS	LEBANON	ND	ND	ND	ND
1323030-002	OLYMPIC MOBILE HOME VILL/UPPER	LEBANON	ND	ND	ND	ND
1323040-002	CURRIERS MHP	LEBANON	ND	ND	ND	ND
1323050-001	OLYMPIC MOBILE HOME VILL/LOWER	LEBANON	ND	ND	ND	ND
1332010-001	OYSTER RIVER CONDOS	LEE	ND	ND	ND	ND
1332020-502	DARBY FIELD COMMONS	LEE	4.25	ND	ND	ND
1332030-501	GREYSTONE COMMONS	LEE	ND	ND	ND	ND
1332040-001	CEDAR WOOD ESTATES	LEE	ND	ND	ND	ND
1332050-501	PEU/THURSTON WOODS	LEE	ND	ND	ND	ND
1333010-501	HILL ACRES TRAILER PARK	LEE	ND	ND	ND	ND
1333020-000	PINE KNOLL VILLAGE	LEE	5.49	ND	ND	ND
1333030-501	EVERGREEN TERRACE	LEE	ND	ND	ND	ND
1333060-501	PACKERS FALLS VILLAGE	LEE	ND	ND	ND	ND
1334010-501	KIRKWOOD CORNERS SENIOR LIVING	LEE	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1335010-501	MAST WAY ELEMENTARY SCH	LEE	ND	ND	ND	ND
1335020-001	LIVE AND LEARN DAY CARE	LEE	6.06	9.16	ND	ND
1335030-002	GROWING PLACES	LEE	ND	ND	ND	ND
1336020-001	LEE MARKETPLACE	LEE	ND	ND	ND	ND
1336020-002	LEE MARKETPLACE	LEE	ND	ND	ND	ND
1336020-003	LEE MARKETPLACE	LEE	ND	ND	ND	ND
1336030-001	BENUCK AND RAINEY	LEE	ND	ND	ND	ND
1339010-501	LEE CONGREGATIONAL CH	LEE	ND	ND	ND	ND
1339030-001	WENTWORTH DOUGLASS MED OFFICE	LEE	12.40	ND	ND	ND
1339030-501	WENTWORTH DOUGLASS MED OFFICE	LEE	ND	ND	ND	ND
1345010-503	LEMPSTER COMMUNITY SCH	LEMPSTER	11.20	ND	ND	ND
1351010-004	LINCOLN WATER WORKS	LINCOLN	ND	ND	ND	ND
1351010-005	LINCOLN WATER WORKS	LINCOLN	ND	ND	ND	ND
1351010-506	LINCOLN WATER WORKS	LINCOLN	ND	ND	ND	ND
1361010-502	LISBON WATER DEPT	LISBON	ND	ND	ND	ND
1361010-503	LISBON WATER DEPT	LISBON	ND	ND	ND	ND
1372020-001	LITCHFIELD APARTMENTS - WELL NOT IN USE	LITCHFIELD	87.00	ND	ND	ND
1376010-001	LITCHFIELD TECHNOLOGY PARK - WELL NOT IN USE	LITCHFIELD	34.00	ND	ND	ND
1377020-001	MELS FUNWAY PARK - WELL NOT IN USE	LITCHFIELD	57.00	ND	ND	ND
1378010-001	CROFTERS PUB - WELL NOT IN USE	LITCHFIELD	110.00	ND	ND	ND
1378030-001	LITCHFIELD PLAZA - WELL NOT IN USE	LITCHFIELD	92.00	ND	ND	ND
1378050-001	ROMANOS PIZZA - WELL NOT IN USE	LITCHFIELD	23.00	ND	ND	ND
1378060-001	NATICOOK GRILL - WELL NOT IN USE	LITCHFIELD	61.00	ND	ND	ND
1378070-001	LOBSTER BOAT PLZ	LITCHFIELD	ND	ND	ND	ND
1379010-502	TABERNACLE CHRISTIION CH	LITCHFIELD	ND	ND	ND	ND
1381010-002	LITTLETON WATER AND LIGHT DEPT	LITTLETON	ND	ND	ND	ND
1381010-501	LITTLETON WATER AND LIGHT DEPT	LITTLETON	ND	ND	ND	ND
1386010-501	PEAK THREE	LITTLETON	ND	ND	ND	ND
1392010-500	OAKRIDGE CONDOS	LONDONDERRY	6.62	2.97	ND	ND
1392030-512	OLDE COUNTRY VILLAGE	LONDONDERRY	26.10	6.56	ND	3.20



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1392040-501	PEU/PINEHAVEN WATER TRUST	LONDONDERRY	7.57	2.70	ND	2.17
1392050-502	BOUMIL GROVE CONDOS	LONDONDERRY	4.80	ND	ND	ND
1392070-501	MIDRIDGE CONDOS	LONDONDERRY	17.40	4.05	ND	2.42
1392130-512	STONEHENGE APARTMENTS	LONDONDERRY	24.40	ND	ND	ND
1392180-502	CENTURY VILLAGE CONDOS	LONDONDERRY	22.90	8.93	ND	2.73
1392200-001	ROLLING MEADOWS CONDOS I	LONDONDERRY	26.20	9.62	ND	3.21
1392220-501	ROLLING MEADOWS CONDOS III	LONDONDERRY	17.00	9.48	ND	3.81
1392230-001	ROLLING MEADOWS CONDOS IV	LONDONDERRY	20.90	5.92	ND	ND
1392290-501	PEU/HARVEST VILLAGE	LONDONDERRY	ND	ND	ND	ND
1392300-501	SOUTHVIEW CONDOS	LONDONDERRY	7.56	2.57	ND	ND
1392310-501	PEU/MINISTERIAL/PARRISH HILLS	LONDONDERRY	4.14	ND	ND	ND
1392320-001	BITIM APARTMENTS	LONDONDERRY	5.86	ND	ND	ND
1393050-512	WAGON WHEEL	LONDONDERRY	15.60	ND	ND	ND
1393060-502	PONDEROSA MHP	LONDONDERRY	4.08	ND	ND	ND
1395090-501	ARK LEARN CENTER	LONDONDERRY	2.32	ND	ND	ND
1395090-502	ARK LEARN CENTER	LONDONDERRY	6.66	3.57	ND	ND
1395110-501	28 BUTTRICK RD PROPERTY	LONDONDERRY	ND	ND	ND	ND
1395140-501	VICTORY BAPTIST SCH	LONDONDERRY	5.23	2.86	ND	4.89
1396060-501	HOLTON	LONDONDERRY	17.80	2.03	ND	2.10
1396060-501	ZOHL WPS INC	LONDONDERRY	9.74	2.12	ND	ND
1396110-501	REEDS FERRY SMALL BLDG	LONDONDERRY	16.00	ND	ND	ND
1696070-513	TOWNE SQUARE PROF CONDOS	LONDONDERRY	6.84	ND	ND	ND
1402010-001	FLINTLOCK APTS	LOUDON	ND	ND	ND	ND
1402020-501	VILLAGES AT LOUDON	LOUDON	ND	ND	ND	ND
1402030-001	VOA/NNE SENIOR HOUSING	LOUDON	ND	ND	ND	ND
1403010-501	KOS MANUFACTURED HOUSING CMNTY	LOUDON	ND	ND	ND	ND
1403020-501	PRESIDENTIAL PINES/UPPER	LOUDON	ND	ND	ND	ND
1403030-001	FREEDOM HILL/PINE RIDGE	LOUDON	ND	ND	ND	ND
1403040-001	PRESIDENTIAL PINES/LOWER	LOUDON	3.11	4.40	ND	ND
1405010-002	LOUDON ELEMENTARY SCH	LOUDON	ND	ND	ND	ND





Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1406010-001	PLEASANT VIEW GARDENS	LOUDON	2.23	ND	ND	ND
1407020-001	NH MOTOR SPEEDWAY	LOUDON	ND	4.18	ND	ND
1407060-001	NH MOTOR SPEEDWAY/MAIN OFFICE	LOUDON	ND	ND	ND	ND
1431010-001	LYME WATER	LYME	ND	ND	ND	ND
1431010-003	LYME WATER	LYME	ND	ND	ND	ND
1431010-004	LYME WATER	LYME	ND	ND	ND	ND
1432010-001	POND VIEW APTS	LYME	ND	ND	ND	ND
1435030-501	CROSSROADS ACADEMY	LYME	ND	ND	ND	ND
1435040-001	CROSSROADS ACADEMY/NORTH	LYME	ND	ND	ND	ND
1435050-001	LYME NURSERY SCHL	LYME	ND	2.30	ND	ND
1436020-501	PATHWAYS ORFORD ROAD RESIDENCE	LYME	ND	ND	ND	ND
1445010-001	LYNDEBOROUGH CENTRAL SCH	LYNDEBOROUGH	6.03	10.20	ND	5.26
1455010-501	MOHARIMET SCH	MADBURY	ND	ND	ND	ND
1456020-501	MADBURY WOODS APARTMENTS	MADBURY	ND	ND	ND	ND
1456030-501	CARRIAGE HILL AL	MADBURY	ND	ND	ND	ND
1458010-002	LITTLE TREE ED CTR	MADBURY	ND	ND	ND	ND
1461010-011	VILLAGE DISTRICT OF EIDELWEISS	MADISON	ND	ND	ND	ND
1461010-510	VILLAGE DISTRICT OF EIDELWEISS	MADISON	ND	ND	ND	ND
1462040-501	SILVER LAKE LANDING SR HOUSING	MADISON	ND	ND	ND	ND
1463010-001	BROOKWOOD PARK	MADISON	2.08	ND	ND	ND
1465010-002	MADISON ELEMENTARY SCH	MADISON	ND	ND	ND	ND
1466020-000	MADISON LUMBER MILL	MADISON	ND	ND	ND	ND
1466050-002	MACLEAN PRECISION MACHINE	MADISON	7.98	30.80	3.12	73.30
1466050-601	MACLEAN PRECISION MACHINE	MADISON	ND	ND	ND	ND
1471010-001	MANCHESTER WATER WORKS	MANCHESTER	5.17	ND	ND	ND
1471010-003	MANCHESTER WATER WORKS	MANCHESTER	4.60	ND	ND	ND
1472030-501	ROCKWOOD TERRACE CONDOS	MANCHESTER	10.90	2.28	ND	ND
1481010-001	MARLBOROUGH WATER WORKS	MARLBOROUGH	ND	ND	ND	ND
1481010-504	MARLBOROUGH WATER WORKS	MARLBOROUGH	ND	ND	ND	ND
1482010-503	MARLBOROUGH ESTATES	MARLBOROUGH	ND	ND	ND	ND





Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1495010-001	J.D. PERKINS SR ELEM SCH - NO TREATMENT INSTALLED	MARLOW	3.03	84.40	24.00	ND
1495010-501	J.D. PERKINS SR ELEM SCH - PFAS TREATMENT INSTALLED	MARLOW	ND	ND	ND	ND
1515010-501	MASON PUBLIC SCH	MASON	ND	ND	ND	ND
1521010-003	MEREDITH WATER DEPT	MEREDITH	ND	ND	ND	ND
1522010-502	PATRICIAN SHORES	MEREDITH	ND	ND	ND	ND
1522020-501	EAST BLUFF HIGHLAND CONDOS	MEREDITH	ND	ND	ND	ND
1522030-001	EAST BLUFF VILLAGE CONDOS	MEREDITH	ND	ND	ND	ND
1522040-002	SANDS OF BROOKHURST	MEREDITH	3.63	2.62	ND	ND
1522070-500	PINE HILL COMMUNITY ASSN	MEREDITH	ND	ND	ND	ND
1522090-500	GROUSE POINT CLUB	MEREDITH	ND	ND	ND	ND
1522150-501	BROOK HILL	MEREDITH	ND	ND	ND	ND
1524010-000	FORESTVIEW MANOR	MEREDITH	ND	ND	ND	ND
1525010-001	INTER LAKES HIGH SCH	MEREDITH	ND	ND	ND	ND
1525010-502	INTER LAKES HIGH SCH	MEREDITH	ND	ND	ND	ND
1525020-502	INTER LAKES ELEMENTARY SCH	MEREDITH	ND	ND	ND	ND
1531010-003	MERRIMACK VILLAGE DIST	MERRIMACK	20.50	2.08	ND	ND
1531010-005	MERRIMACK VILLAGE DIST	MERRIMACK	42.20	ND	2.12	ND
1531010-007	MERRIMACK VILLAGE DIST	MERRIMACK	29.50	3.28	ND	ND
1531010-008	MERRIMACK VILLAGE DIST	MERRIMACK	13.20	ND	ND	ND
1531010-009	MERRIMACK VILLAGE DIST	MERRIMACK	20.70	ND	ND	ND
1531010-011	MERRIMACK VILLAGE DIST	MERRIMACK	86.60	4.38	2.65	ND
1531010-504	MERRIMACK VILLAGE DIST	MERRIMACK	17.10	ND	ND	ND
1531010-505	MERRIMACK VILLAGE DIST	MERRIMACK	ND	ND	ND	ND
1531010-508	MERRIMACK VILLAGE DIST	MERRIMACK	26.20	2.74	ND	ND
1531010-509	MERRIMACK VILLAGE DIST	MERRIMACK	ND	ND	ND	ND
1531010-510	MERRIMACK VILLAGE DIST	MERRIMACK	ND	ND	ND	ND
1542030-500	PEU/SUNRISE ESTATES	MIDDLETON	ND	ND	ND	ND
1545010-501	MIDDLETON ELEM SCH	MIDDLETON	ND	ND	ND	ND
1553010-001	DEER ESTATES	MILAN	ND	ND	ND	ND
1555010-002	MILAN VILLAGE SCH	MILAN	1.70	1.70	1.70	1.70



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1561010-504	MILFORD WATER UTILITIES DEPT	MILFORD	2.93	ND	ND	ND
1561010-509	MILFORD WATER UTILITIES DEPT	MILFORD	5.02	ND	ND	ND
1562030-503	BADGER HILL	MILFORD	2.13	ND	ND	ND
1562040-501	HERITAGE WAY	MILFORD	ND	ND	ND	ND
1563020-101	FAIRHAVEN MOBILE HOME PARK	MILFORD	ND	ND	ND	ND
1565010-502	LITTLE ARROWS CC SVS	MILFORD	ND	ND	ND	ND
1566020-502	MILFORD TECHNOLOGY CENTER	MILFORD	ND	ND	ND	ND
1566040-501	115/119 EMERSON RD	MILFORD	ND	ND	ND	ND
1581010-502	MILTON WATER DIST	MILTON	ND	ND	ND	ND
1581010-504	MILTON WATER DIST	MILTON	ND	ND	ND	ND
1582010-501	SHORTRIDGE ACADEMY	MILTON	ND	ND	ND	ND
1583010-502	PINELAND PARK	MILTON	ND	ND	ND	ND
1585030-001	MILTON CHILDRENS CENTER	MILTON	ND	ND	ND	ND
1586040-001	INDEX PACKAGING	MILTON	ND	ND	ND	ND
1591010-511	MONROE WATER DEPT	MONROE	ND	ND	ND	ND
1591010-512	MONROE WATER DEPT	MONROE	ND	ND	ND	ND
1603010-516	ROLLING ACRES MHP	MONT VERNON	ND	ND	ND	ND
1605010-501	MONT VERNON VILLAGE SCH	MONT VERNON	7.54	ND	ND	ND
1612010-501	PARADISE SHORES	MOULTONBOROUGH	ND	ND	ND	ND
1612010-508	PARADISE SHORES	MOULTONBOROUGH	ND	ND	ND	ND
1612030-501	FAR ECHO HARBOR	MOULTONBOROUGH	3.18	6.29	5.80	ND
1612040-500	WEST POINT	MOULTONBOROUGH	ND	ND	ND	ND
1612080-501	WEST WYNDE VILLAGE	MOULTONBOROUGH	ND	ND	ND	ND
1612170-000	JONATHANS LANDING CONDOS	MOULTONBOROUGH	ND	ND	ND	ND
1612200-000	LANDS END	MOULTONBOROUGH	ND	ND	ND	ND
1612210-501	WINDWARD HARBOR CONDOS	MOULTONBOROUGH	ND	ND	ND	ND
1612220-502	HARBOURSIDE ON WINNI	MOULTONBOROUGH	ND	11.90	ND	17.60
1612230-001	KILNWOOD ON KANASATKA	MOULTONBOROUGH	ND	ND	ND	ND
1612250-511	WENTWORTH ACRES	MOULTONBOROUGH	ND	ND	ND	ND
1612260-000	CROSSWINDS	MOULTONBOROUGH	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1612270-501	STANYAN ROAD	MOULTONBOROUGH	ND	ND	ND	ND
1612280-001	HERMIT COVE	MOULTONBOROUGH	ND	ND	ND	ND
1615010-503	MOULTONBOROUGH CENTRAL SCH	MOULTONBOROUGH	ND	ND	ND	ND
1615020-501	MOULTONBOROUGH ACADEMY	MOULTONBOROUGH	ND	ND	ND	ND
1615030-002	A CHILDS PLACE	MOULTONBOROUGH	ND	ND	ND	ND
1615050-001	RED HILL BUSINESS CENTER	MOULTONBOROUGH	13.10	ND	ND	ND
1616010-000	HARBOR PINES ON LAKE SHORE DR	MOULTONBOROUGH	4.30	ND	ND	ND
1616040-501	CRUCON CRUISE OUTLET	MOULTONBOROUGH	ND	ND	ND	ND
1618240-001	HARBOR SQUARE SHOPPING CENTER	MOULTONBOROUGH	15.80	ND	ND	ND
1621010-001	PENNICHUCK WATER WORKS	NASHUA	ND	ND	ND	ND
1621010-508	PENNICHUCK WATER WORKS	NASHUA	ND	ND	ND	ND
1622010-501	PWW/FARLEY RD ESTATES	NASHUA	ND	ND	ND	ND
1625020-501	SECOND NATURE ACADEMY	NASHUA	4.15	ND	ND	ND
1635010-501	NELSON ELEMENTARY SCH	NELSON	ND	ND	ND	ND
1645010-001	NEW BOSTON ELEMENTARY SCH	NEW BOSTON	ND	ND	ND	ND
1645020-501	STRONG FOUNDATIONS	NEW BOSTON	2.83	ND	ND	ND
1645030-501	CHESTNUT CHRISTIAN PRESCH	NEW BOSTON	ND	ND	ND	ND
1645040-501	ROSE MEADOW ACRES	NEW BOSTON	ND	ND	ND	ND
1646020-001	USAF NH SATELLITE TRACKING STN	NEW BOSTON	9.13	10.20	ND	5.72
1646020-002	USAF NH SATELLITE TRACKING STN	NEW BOSTON	7.35	6.51	ND	5.83
1672010-501	MANITOOS SHORES	NEW DURHAM	ND	ND	ND	ND
1672020-505	COPPLE CROWN VILL DIST	NEW DURHAM	ND	ND	ND	2.85
1675010-501	NEW DURHAM ELEMENTARY SCH	NEW DURHAM	2.93	ND	ND	ND
1675020-001	7 DEPOT ROAD BEING COOL	NEW DURHAM	ND	ND	ND	ND
1691010-002	NEW HAMPTON VILLAGE PCT	NEW HAMPTON	ND	ND	ND	ND
1691010-003	NEW HAMPTON VILLAGE PCT	NEW HAMPTON	ND	ND	ND	ND
1692030-501	MANSFIELD WOODS	NEW HAMPTON	ND	ND	ND	ND
1712010-501	APPLETON GARDENS	NEW IPSWICH	ND	ND	ND	ND
1712040-511	WILDER VILLAGE CLUSTER	NEW IPSWICH	ND	ND	ND	ND
1713010-504	FREEDOM POND	NEW IPSWICH	2.92	5.20	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1715020-501	MASCENIC REGIONAL HIGH SCH	NEW IPSWICH	ND	ND	ND	ND
1715040-500	BOYNTON MIDDLE SCH	NEW IPSWICH	ND	ND	ND	ND
1715060-501	HIGHBRIDGE HILL ELEM SCH	NEW IPSWICH	8.29	10.00	2.45	ND
1716050-501	VANGUARD MANUFACTURING	NEW IPSWICH	ND	ND	ND	ND
1716060-001	APPLETON BUSINESS CENTER	NEW IPSWICH	ND	ND	ND	ND
1716080-001	WARWICK MILLS	NEW IPSWICH	3.27	ND	ND	ND
1721010-008	NEW LONDON SPRINGFIELD WATER	NEW LONDON	ND	ND	ND	ND
1722010-501	SEASONS AT LAKE SUNAPEE	NEW LONDON	ND	ND	ND	ND
1722020-502	SLOPE N SHORE CLUB	NEW LONDON	ND	ND	ND	ND
1652020-506	CHALK POND WATER	NEWBURY	ND	ND	ND	ND
1652020-506	CHALK POND WATER	NEWBURY	ND	ND	ND	ND
1652050-001	NEWBURY ELDERLY HOUSING	NEWBURY	0.40	ND	ND	ND
1656010-001	NEWBURY HARBOR PLAZA	NEWBURY	ND	ND	ND	ND
1681010-501	NEWFIELDS VLG WATER AND SEWER	NEWFIELDS	3.10	ND	2.98	ND
1681010-501	NEWFIELDS VLG WATER AND SEWER	NEWFIELDS	4.05	ND	3.09	ND
1731010-506	NEWMARKET WATER WORKS	NEWMARKET	ND	ND	ND	ND
1731010-507	NEWMARKET WATER WORKS	NEWMARKET	ND	ND	ND	ND
1731010-508	NEWMARKET WATER WORKS	NEWMARKET	ND	ND	ND	ND
1732010-001	MOODY POINT	NEWMARKET	ND	ND	ND	ND
1732020-511	WADE FARM CONDOS	NEWMARKET	ND	ND	ND	ND
1732030-514	GREAT BAY WATER SYSTEM	NEWMARKET	8.18	ND	ND	ND
1741010-502	NEWPORT WATER WORKS	NEWPORT	ND	ND	ND	ND
1741010-503	NEWPORT WATER WORKS	NEWPORT	ND	ND	ND	ND
1742010-001	CARY AND ALLEN ST DEV	NEWPORT	ND	ND	ND	ND
1746020-001	LATVA MACHINE	NEWPORT	ND	ND	ND	ND
1749010-001	KIDS WORLD ACADEMY OF NH	NEWPORT	ND	ND	ND	ND
1752020-501	MEADOWVIEW APARTMENTS	NEWTON	ND	ND	ND	ND
1752030-511	PACKER MEADOWS	NEWTON	ND	ND	ND	ND
1752070-501	SARGENT WOODS	NEWTON	ND	ND	ND	ND
1753010-502	WILLOW GROVE TRAILER PARK	NEWTON	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1755010-001	SANBORN MEM SCH/SEACOST LRNG	NEWTON	ND	ND	ND	ND
1755010-001	SANBORN REGIONAL MIDDLE SCH	NEWTON	ND	ND	ND	ND
1755050-004	NEWTON LEARNING CENTER	NEWTON	6.43	ND	ND	ND
1756040-503	TEREX ENVIRONMENTAL EQUIPMENT	NEWTON	ND	ND	ND	ND
1756050-502	ONE PUZZLE LANE	NEWTON	ND	ND	ND	ND
1773020-001	SEACOAST CAMPING AND RV RESORT	NORTH HAMPTON	1.90	ND	ND	ND
1773020-002	SEACOAST CAMPING AND RV RESORT	NORTH HAMPTON	ND	ND	ND	ND
1773020-102	SEACOAST CAMPING AND RV RESORT	NORTH HAMPTON	2.60	ND	ND	ND
1777020-001	SAGAMORE/HAMPTON GOLF CLUB	NORTH HAMPTON	ND	ND	ND	ND
1777040-001	SAGAMORE GOLF CLUB/DWELLBUB 79	NORTH HAMPTON	ND	ND	ND	ND
1762010-501	HIGHLANDS VILLAGE DIST	NORTHFIELD	ND	ND	ND	ND
1763010-502	SODA BROOK	NORTHFIELD	ND	ND	ND	ND
1764010-502	SPAULDING YOUTH CENTER - PFAS TREATMENT	NORTHFIELD	ND	ND	ND	ND
1766030-001	YOUNG ENTERPRISES NH	NORTHFIELD	ND	ND	ND	ND
1767020-001	CANTERBURY CROSSING	NORTHFIELD	ND	ND	ND	ND
2351010-503	TILTON NORTHFIELD WATER DIST	NORTHFIELD	ND	ND	ND	ND
2351010-504	TILTON NORTHFIELD WATER DIST	NORTHFIELD	ND	ND	ND	ND
1781010-502	GROVETON WATER SYS	NORTHUMBERLAND	ND	ND	ND	ND
1781030-502	LOST NATION WATER	NORTHUMBERLAND	ND	ND	ND	ND
1792030-001	VLG OF NORTHWOOD RDG WTR DIST	NORTHWOOD	ND	ND	ND	ND
1792030-002	VLG OF NORTHWOOD RDG WTR DIST	NORTHWOOD	ND	ND	ND	ND
1792040-001	VILLAGE AT MEAD FIELD	NORTHWOOD	ND	ND	ND	ND
1792050-001	THE MEADOW AT NORTHWOOD	NORTHWOOD	ND	ND	ND	ND
1793010-501	TOWER VIEW	NORTHWOOD	ND	ND	ND	ND
1793020-103	LOON ESTATES	NORTHWOOD	ND	ND	ND	ND
1793030-501	NORTHWOOD MOUNTAIN VIEW MHP	NORTHWOOD	2.99	9.64	ND	9.16
1795020-001	COE BROWN NORTHWOOD ACADEMY	NORTHWOOD	ND	ND	ND	ND
1795040-001	COE BROWN NORTHWOOD ACADEMY	NORTHWOOD	ND	ND	ND	ND
1796010-001	HANNAFORD NORTHWOOD 8160	NORTHWOOD	ND	ND	ND	ND
1798030-502	JOHNSONS SEAFOOD AND STEAK	NORTHWOOD	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1798060-502	COOPER HILL PIZZERIA	NORTHWOOD	ND	ND	ND	ND
1802020-501	CAMELOT COURT	NOTTINGHAM	ND	ND	ND	ND
1805050-501	NOTTINGHAM COMMUNITY SCH	NOTTINGHAM	ND	ND	ND	ND
1805060-001	ALL ABOARD PRESCH AND CHLDCARE	NOTTINGHAM	ND	ND	ND	ND
1809020-002	NOTTINGHAM COMMUNITY CHURCH	NOTTINGHAM	2.25	5.88	ND	ND
1831010-505	ORFORD VILLAGE DIST	ORFORD	ND	ND	ND	ND
1835010-002	RIVENDELL INTERSTATE SCH	ORFORD	ND	ND	ND	ND
1841010-501	OSSIPEE WATER DEPT	OSSIPEE	ND	ND	ND	ND
1842010-505	BLUFFS AT OSSIPEE LAKE	OSSIPEE	ND	ND	ND	ND
1842020-505	INDIAN MOUND SHOPPING CTR	OSSIPEE	ND	ND	ND	ND
1842030-503	INDIAN MOUND GOLF CLUB	OSSIPEE	2.12	ND	ND	ND
1842050-001	POLAND BROOK WOODS	OSSIPEE	ND	ND	ND	ND
1842060-501	DEER COVE WATER	OSSIPEE	ND	ND	ND	ND
1843010-000	OSSIPEE MTN ESTATES	OSSIPEE	ND	ND	ND	ND
1843020-503	SANDY RIDGE ESTATES	OSSIPEE	ND	ND	ND	ND
1844010-501	CARROL COUNTY COMPLEX	OSSIPEE	ND	ND	ND	ND
1844010-505	CARROL COUNTY COMPLEX	OSSIPEE	ND	ND	ND	ND
1845020-001	CORNERSTONE CHRISTIAN ACADEMY	OSSIPEE	ND	ND	ND	ND
1846090-501	HANNAFORD OSSIPEE 8159	OSSIPEE	ND	ND	ND	ND
1851010-501	PEU/WILLIAMSBURG	PELHAM	4.85	ND	ND	ND
1852020-501	PEU/GAGE HILL	PELHAM	8.73	2.73	ND	ND
1852040-002	PROLYN TOWNHOUSE APARTMENTS - NO TREATMENT	PELHAM	23.00	9.81	6.74	2.60
1852040-505	PROLYN TOWNHOUSE APARTMENTS - PFAS TREATMENT	PELHAM	ND	ND	ND	ND
1852060-511	HIGHLANDS ESTATES	PELHAM	9.97	ND	ND	ND
1852080-504	OLD LAWRENCE ROAD	PELHAM	ND	ND	ND	ND
1852090-501	SIMPSON MILL ROAD	PELHAM	ND	ND	ND	ND
1852100-501	BOULDER HILLS	PELHAM	ND	ND	ND	ND
1852110-501	PARADISE ESTATES CONDOS	PELHAM	2.18	ND	ND	ND
1852120-501	PEU/SKY VIEW ESTATES	PELHAM	ND	ND	ND	ND
1852130-501	GARLAND WOODS	PELHAM	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1852140-502	LONG POND WOODS	PELHAM	ND	ND	ND	ND
1852150-501	LANDMARK ESTATES CONDOS	PELHAM	ND	ND	ND	ND
1855060-001	PERFECT PLACE	PELHAM	11.90	10.10	ND	ND
1855070-001	DYNAMIC FOUNDATION FOR CHLDREN	PELHAM	ND	ND	ND	ND
1855080-001	COLONIAL WAY PLAZA	PELHAM	ND	ND	ND	ND
1855090-001	KINGS KIDS CHILD CARE CENTER	PELHAM	2.94	6.72	ND	ND
1856010-502	PELHAM PLAZA	PELHAM	3.02	ND	ND	ND
1856040-501	HANNAFORD PELHAM 8015	PELHAM	ND	ND	ND	ND
1856040-501	HANNAFORD PELHAM 8015	PELHAM	ND	ND	ND	ND
1856050-501	AMERICAN FOODS	PELHAM	12.50	10.70	2.36	3.59
1856050-601	AMERICAN FOODS	PELHAM	ND	ND	ND	ND
1856050-602	AMERICAN FOODS	PELHAM	ND	ND	ND	ND
1856070-502	PELHAM INDUSTRIAL PARK I	PELHAM	ND	ND	ND	ND
1856070-503	PELHAM INDUSTRIAL PARK I	PELHAM	ND	ND	ND	ND
1859040-001	CROSSROADS BAPTIST CHURCH	PELHAM	ND	ND	ND	ND
1861010-006	PEMBROKE WATER WORKS	PEMBROKE	ND	ND	ND	ND
1861010-502	PEMBROKE WATER WORKS	PEMBROKE	5.88	19.20	6.69	ND
1861010-503	PEMBROKE WATER WORKS	PEMBROKE	ND	ND	ND	ND
1861010-504	PEMBROKE WATER WORKS	PEMBROKE	ND	ND	ND	ND
1861010-507	PEMBROKE WATER WORKS	PEMBROKE	ND	ND	ND	ND
1861010-509	PEMBROKE WATER WORKS	PEMBROKE	2.91	8.22	ND	2.53
1862010-001	MEETING HOUSE WATER	PEMBROKE	ND	ND	ND	ND
1862030-501	BOROUGH RD APARTMENTS	PEMBROKE	ND	ND	ND	ND
1866030-501	NEW ENGLADN FLOWER FARM	PEMBROKE	ND	ND	ND	ND
1871010-501	PETERBOROUGH WATER WORKS	PETERBOROUGH	ND	ND	ND	ND
1871010-503	PETERBOROUGH WATER WORKS	PETERBOROUGH	ND	ND	ND	ND
1871010-504	PETERBOROUGH WATER WORKS	PETERBOROUGH	ND	ND	ND	ND
1875010-501	HAPPY VALLEY SCH	PETERBOROUGH	ND	ND	ND	ND
1875020-001	WELL SCHOOL	PETERBOROUGH	ND	ND	ND	ND
1875030-511	MONADNOCK COMM EARLY LNGCTR	PETERBOROUGH	ND	ND	ND	ND





Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1879020-001	PETERBOROUGH PLAYERS THEATRE	PETERBOROUGH	ND	ND	ND	ND
1885010-503	PIERMONT VILLAGE SCH	PIERMONT	ND	ND	ND	ND
1897020-501	AMC PINKHAM NOTCH CAMP	PINKHAMS GRANT	ND	ND	ND	ND
1901010-506	PITTSBURG WATER DEPT	PITTSBURG	ND	ND	ND	ND
1911010-501	PITTSFIELD AQUEDUCT	PITTSFIELD	ND	ND	ND	ND
1913010-001	GRIGGS MOBILE HOMES	PITTSFIELD	ND	ND	ND	ND
1916020-001	PODMORE MANUFACTURING	PITTSFIELD	ND	ND	ND	ND
1921010-506	PLAINFIELD VILLAGE WATER DIST	PLAINFIELD	ND	ND	ND	ND
1921010-507	PLAINFIELD VILLAGE WATER DIST	PLAINFIELD	ND	ND	ND	ND
1921020-001	MERIDEN VILLAGE WATER DIST	PLAINFIELD	ND	ND	ND	ND
1921020-002	MERIDEN VILLAGE WATER DIST	PLAINFIELD	ND	ND	ND	ND
1921020-003	MERIDEN VILLAGE WATER DIST	PLAINFIELD	ND	ND	ND	ND
1926010-501	TOWNLINE EQUIP	PLAINFIELD	ND	ND	ND	ND
1932020-502	GOLDEN HILL	PLAISTOW	11.00	15.20	ND	ND
1932030-502	WEST VIEW PARK CONDOS	PLAISTOW	11.50	ND	ND	2.74
1932040-501	FOREST GLEN CONDOS	PLAISTOW	5.51	5.62	ND	ND
1932050-008	TWIN RIDGE CONDOS	PLAISTOW	6.57	3.67	ND	ND
1932050-512	TWIN RIDGE CONDOS	PLAISTOW	3.11	ND	ND	ND
1932060-501	MOONGATE FARM	PLAISTOW	13.60	6.11	ND	ND
1932070-501	VALLEY FIELD APTS NORTHLAND	PLAISTOW	3.35	2.90	ND	ND
1932080-503	STONEBRIDGE VILLAGE	PLAISTOW	ND	ND	ND	ND
1932090-501	GREENFIELD HILL ESTATES	PLAISTOW	3.17	ND	ND	ND
1932100-502	STRAWBERRY HILL	PLAISTOW	4.50	3.38	ND	ND
1932110-001	BRYANT BROOK	PLAISTOW	ND	ND	ND	ND
1932110-502	BRYANT BROOK	PLAISTOW	ND	ND	ND	ND
1932120-501	CROSS RIDGE ESTATES	PLAISTOW	10.30	3.66	ND	ND
1932130-503	26 CHANDLER AVE CONDOS	PLAISTOW	21.00	6.27	3.74	3.95
1932140-001	RUTLEDGE PLACE	PLAISTOW	12.00	8.95	ND	3.42
1932140-501	RUTLEDGE PLACE	PLAISTOW	11.80	7.57	ND	2.91
1932150-501	BLUEBERRY KNOLL ESTATES	PLAISTOW	ND	ND	ND	ND





Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1932170-501	RAINBOW RIDGE	PLAISTOW	ND	ND	ND	ND
1932180-501	TUXBURY MEADOWS	PLAISTOW	3.03	ND	ND	ND
1932190-502	CHANDLER TERRACE	PLAISTOW	25.60	8.18	4.12	4.62
1932200-511	SWEET HILL ESTATES	PLAISTOW	ND	ND	ND	ND
1932210-501	WEST PINE CONDOS	PLAISTOW	11.50	11.80	ND	ND
1932220-501	SHADY LANE APARTMENTS	PLAISTOW	6.71	4.58	ND	8.66
1932230-501	LITTLE RIVER VILLAGE	PLAISTOW	ND	ND	ND	ND
1932240-501	THE RESERVE AT SNOWS BROOK	PLAISTOW	2.15	ND	ND	ND
1932250-501	CHANDLER PLACE APTS	PLAISTOW	4.82	2.10	ND	ND
1935010-502	POLLARD ELEMENTARY SCH	PLAISTOW	ND	ND	ND	ND
1935020-001	TIMBERLANE MIDDLE SCH	PLAISTOW	ND	ND	ND	ND
1935030-502	TIMBERLANE REGIONAL HS	PLAISTOW	ND	ND	ND	ND
1935070-001	LITTLE EXPLORERS	PLAISTOW	3.41	ND	ND	ND
1936040-002	PLAZA 125	PLAISTOW	11.80	5.56	4.92	ND
1936070-501	144 MAIN STREET	PLAISTOW	ND	ND	ND	ND
1936100-501	PENTUCKET SHOPPING CENTER	PLAISTOW	6.92	2.05	ND	ND
1936110-001	SCANDIA PLASTICS	PLAISTOW	2.71	ND	ND	ND
1936130-001	PLAISTOW COMMONS	PLAISTOW	ND	ND	ND	ND
1936150-503	MARKET BASKET	PLAISTOW	ND	ND	ND	ND
1936160-001	FITZGERALD SAFETY COMPLEX	PLAISTOW	4.00	ND	16.00	73.00
1936230-502	3 / 11 PLAISTOW RD PLAZA	PLAISTOW	ND	ND	ND	ND
1936270-001	FIELDSTONE INDUSTRIAL PARK	PLAISTOW	ND	ND	ND	ND
1936280-001	SPARTON BECKWOOD	PLAISTOW	ND	ND	ND	ND
1936300-501	BARONS CONDOS	PLAISTOW	17.50	71.00	ND	80.90
1936310-511	ETHAN ALLEN PLAZA	PLAISTOW	10.90	6.62	ND	3.60
1938040-501	PLAISTOW REG HEALTHCARE	PLAISTOW	3.99	2.74	ND	ND
1938090-501	BRICKYARD PLAZA	PLAISTOW	22.50	20.70	ND	28.50
1938190-511	GREAT ELM PLAZA	PLAISTOW	ND	ND	ND	ND
1938240-002	PLAISTOW COMM YMCA	PLAISTOW	3.39	ND	ND	ND
1941010-501	PLYMOUTH VLG WATER AND SEWER	PLYMOUTH	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1941010-502	PLYMOUTH VLG WATER AND SEWER	PLYMOUTH	ND	ND	ND	ND
1942010-003	TENNEY BROOK II	PLYMOUTH	ND	ND	ND	ND
1942010-501	TENNEY BROOK II	PLYMOUTH	ND	ND	ND	ND
1942020-001	TENNEY BROOK CONDOS	PLYMOUTH	ND	ND	ND	ND
1943010-007	WHIP O WILL	PLYMOUTH	ND	ND	ND	ND
1943010-106	WHIP O WILL	PLYMOUTH	ND	ND	ND	ND
1943010-501	WHIP O WILL	PLYMOUTH	ND	ND	ND	ND
1945010-001	MOUNTAIN VILLAGE SCH	PLYMOUTH	ND	ND	ND	ND
1945020-001	LITTLE ANTLERS LEARING CTR	PLYMOUTH	ND	ND	ND	ND
1949030-001	PLYMOUTH COMMERCE PARK	PLYMOUTH	ND	ND	ND	ND
1951010-011	PORTSMOUTH WATER WORKS	PORTSMOUTH	ND	ND	ND	ND
1951010-013	PORTSMOUTH WATER WORKS	PORTSMOUTH	3.11	ND	ND	ND
1951010-501	PORTSMOUTH WATER WORKS	PORTSMOUTH	ND	ND	ND	ND
1951010-502	PEASE TRADE PORT - WELL NOT IN USE	PORTSMOUTH	320.00	2400.00	830.00	14.00
1951010-503	PORTSMOUTH WATER WORKS	PORTSMOUTH	7.02	5.13	ND	9.08
1951010-504	PORTSMOUTH WATER WORKS	PORTSMOUTH	2.12	2.64	ND	ND
1951010-506	PORTSMOUTH WATER WORKS	PORTSMOUTH	2.38	ND	ND	ND
1951010-507	PORTSMOUTH WATER WORKS	PORTSMOUTH	3.58	ND	ND	ND
1951010-508	PORTSMOUTH WATER WORKS	PORTSMOUTH	ND	ND	ND	ND
1951010-516	PORTSMOUTH WATER WORKS	PORTSMOUTH	3.58	2.45	ND	ND
1951010-517	PORTSMOUTH WATER WORKS	PORTSMOUTH	2.02	ND	ND	ND
1951010-518	PORTSMOUTH WATER WORKS	PORTSMOUTH	3.40	ND	ND	ND
1951020-510	PEASE TRADE PORT - PFAS TREATMENT INSTALLED	PORTSMOUTH	ND	ND	ND	ND
1971010-504	RAYMOND WATER DEPT	RAYMOND	ND	ND	ND	ND
1971010-505	RAYMOND WATER DEPT	RAYMOND	ND	ND	ND	ND
1971010-506	RAYMOND WATER DEPT	RAYMOND	ND	ND	ND	ND
1972010-505	PEU/LIBERTY TREE ACRES	RAYMOND	ND	ND	ND	ND
1972020-501	RIVERVIEW MANOR CONDOS	RAYMOND	ND	2.17	2.17	ND
1972040-502	BRANCH RIVER APARTMENTS	RAYMOND	5.35	3.77	5.75	ND
1972050-501	PAWTUCKAWAY FARMS	RAYMOND	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
1972060-500	WESTGATE ESTATES	RAYMOND	ND	ND	ND	ND
1972070-501	PEU/CLEARWATER ESTATES	RAYMOND	ND	ND	ND	ND
1972080-501	BLACKSTONE RESERVE	RAYMOND	ND	ND	ND	ND
1973050-502	HILL TOP	RAYMOND	4.43	2.25	ND	5.19
1973060-503	LEISURE VILLAGE	RAYMOND	ND	ND	ND	ND
1975010-001	RAYMOND HIGH SCH	RAYMOND	ND	ND	ND	ND
1985010-002	ST BENEDICT CENTER MONASTERY	RICHMOND	ND	ND	ND	ND
1992020-106	DUNBAR PROPERTIES	RINDGE	ND	ND	ND	ND
1992040-502	HAMPSHIRE COURT WATER	RINDGE	ND	ND	ND	ND
1992050-001	CARRIAGE APTS	RINDGE	ND	ND	ND	ND
1992070-501	PAYSON VILLAGE	RINDGE	ND	ND	ND	ND
1993010-511	MONADNOCK TENANTS	RINDGE	ND	ND	ND	ND
1994010-502	FRANKLIN PIERCE UNIVERSITY	RINDGE	ND	ND	ND	ND
1995010-001	RINDGE MEMORIAL SCH	RINDGE	2.15	ND	ND	ND
1995030-501	HAMPSHIRE COUNTRY SCH	RINDGE	ND	ND	ND	ND
1995050-501	HERITAGE CHRISTIAN SCH	RINDGE	ND	ND	ND	ND
1996010-501	CHESHIRE MARKET PLACE	RINDGE	ND	2.25	ND	ND
1996020-001	WAL MART STORE 2057	RINDGE	2.01	ND	ND	ND
1996040-504	HANNAFORD RINDGE 8180	RINDGE	34.10	40.80	142.10	ND
1996040-601	HANNAFORD RINDGE 8180	RINDGE	ND	ND	ND	ND
1996060-001	PHASE 10	RINDGE	3.28	ND	ND	ND
2001010-001	ROCHESTER WATER DEPT	ROCHESTER	ND	ND	ND	ND
2001010-002	ROCHESTER WATER DEPT	ROCHESTER	ND	ND	ND	ND
2001010-503	ROCHESTER WATER DEPT	ROCHESTER	3.92	3.15	ND	ND
2001020-001	COUNTRY RIDGE MHP	ROCHESTER	ND	ND	ND	ND
2002020-501	PROFILE APARTMENTS	ROCHESTER	ND	ND	ND	ND
2002030-504	DUSTIN HOMESTEAD	ROCHESTER	7.64	5.96	ND	ND
2002040-501	MEADOWBROOK VILLAGE	ROCHESTER	ND	ND	ND	ND
2002050-500	GRANDVIEW ESTATES	ROCHESTER	ND	ND	ND	ND
2003020-506	ACORN TERRACE	ROCHESTER	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
2003020-508	ACORN TERRACE	ROCHESTER	ND	ND	ND	ND
2003030-511	PARADISE ESTATES	ROCHESTER	15.20	5.76	ND	3.18
2003040-000	STONY BROOK	ROCHESTER	ND	ND	ND	ND
2003090-001	WESTWIND ESTATES II	ROCHESTER	ND	ND	ND	ND
2004010-503	INN AT SECRETARIAT	ROCHESTER	4.86	ND	ND	ND
2006020-501	CORNERSTONE VNA ROCHESTER	ROCHESTER	ND	ND	ND	ND
2011010-509	ROLLINSFORD WATER SEWER DIST	ROLLINSFORD	6.39	4.08	ND	ND
2011010-514	ROLLINSFORD WATER SEWER DIST	ROLLINSFORD	ND	ND	ND	ND
2032010-002	HAWTHORNE VILLAGE	RUMNEY	ND	ND	ND	ND
2035010-501	RUSSELL ELEMENTARY SCH	RUMNEY	ND	ND	ND	ND
2036010-001	STONEWALL CABLE	RUMNEY	ND	ND	ND	ND
2041010-006	RYE WATER DIST	RYE	2.23	ND	ND	ND
2041010-008	RYE WATER DIST	RYE	4.33	2.27	ND	ND
2041010-501	RYE WATER DIST	RYE	8.03	5.09	ND	ND
2041010-502	RYE WATER DIST	RYE	5.40	ND	ND	ND
2041010-506	RYE WATER DIST	RYE	ND	ND	ND	ND
2051010-009	SALEM WATER DEPT	SALEM	8.02	2.30	ND	ND
2051010-510	SALEM WATER DEPT	SALEM	3.47	ND	ND	ND
2052010-002	MILLVILLE CIRCLE/SOUTH	SALEM	4.91	ND	ND	2.38
2052030-503	LANCASTER FARMS	SALEM	2.92	ND	ND	ND
2052060-001	MILLVILLE CIRCLE/NORTH	SALEM	ND	ND	ND	ND
2052070-501	AUTUMN WOODS	SALEM	ND	ND	ND	ND
2053020-501	ACKERMAN RETIREMENT PARK	SALEM	4.85	ND	ND	ND
2053030-001	SHADOW LAKE MOBILE HOME PARK	SALEM	5.24	ND	ND	ND
2055010-502	NORTH SALEM ELEMENTARY SCH	SALEM	ND	ND	ND	ND
2055020-501	MERRIMACK VALLEY MONTESSOR SCH	SALEM	6.14	3.69	ND	2.70
2056010-501	KLEIN MARINE SYSTEMS	SALEM	3.43	7.57	ND	ND
2056040-001	NORTH SALEM VILLAGE	SALEM	ND	ND	ND	ND
2057060-001	SCOTTISH HIGHLAND GOLF COURSE	SALEM	ND	ND	ND	ND
2065010-001	SALISBURY ELEMENTARY SCH	SALISBURY	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
2075010-501	SAINT BANI UPPER BLDG	SANBORNTON	ND	ND	ND	ND
2075020-002	SANBORNTON CENTRAL SCH	SANBORNTON	ND	ND	ND	ND
2075030-501	SAINT BANI MIDDLE BLDG	SANBORNTON	5.64	2.43	ND	ND
2075070-001	SAPLINGS PRESCHOOL	SANBORNTON	ND	ND	ND	ND
2078010-503	STEELE HILL RESORT	SANBORNTON	2.77	2.14	ND	ND
2078010-505	STEELE HILL RESORT	SANBORNTON	2.73	ND	ND	ND
2082010-503	PEU/BEAVER HOLLOW	SANDOWN	5.71	ND	ND	ND
2082020-001	FAIRFIELD	SANDOWN	ND	ND	ND	ND
2082020-502	FAIRFIELD	SANDOWN	ND	ND	ND	ND
2082030-001	REEDS CROSSING	SANDOWN	ND	ND	ND	ND
2082040-502	PINE ACRES CONDOS	SANDOWN	8.26	5.48	ND	3.26
2082050-501	STONEFORD	SANDOWN	2.60	ND	ND	ND
2082060-501	CORNERSTONE ESTATES	SANDOWN	ND	ND	ND	ND
2082070-500	MILL PINE VILLAGE	SANDOWN	ND	ND	ND	ND
2082080-501	LITTLE MILL WOODS	SANDOWN	ND	ND	ND	ND
2082090-501	WATERFORD VILLAGE ESTATES	SANDOWN	ND	ND	ND	ND
2082110-501	TOWNHOUSES AT WELLS VILLAGE	SANDOWN	ND	ND	ND	ND
2082120-501	FOX DEN RETIREMENT COMM	SANDOWN	3.46	2.61	ND	ND
2085020-501	PLAYMATES LEARNING CENTER	SANDOWN	5.15	ND	ND	ND
2085040-001	SANDOWN NORTH ELEMENTARY SCH	SANDOWN	ND	ND	ND	ND
2087010-504	THE DOX CONDOS	SANDOWN	3.00	2.70	ND	ND
2095020-501	SANDWICH CENTRAL SCH	SANDWICH	ND	ND	ND	ND
2095030-001	SANDWICH CHILDRENS CTR	SANDWICH	ND	ND	ND	ND
2111010-501	SEABROOK WATER DEPT	SEABROOK	8.32	3.81	ND	ND
2111010-503	SEABROOK WATER DEPT	SEABROOK	4.00	ND	ND	ND
2111010-512	SEABROOK WATER DEPT	SEABROOK	3.98	ND	ND	ND
2111010-514	SEABROOK WATER DEPT	SEABROOK	ND	ND	ND	ND
2111010-516	SEABROOK WATER DEPT	SEABROOK	ND	ND	ND	ND
2151010-005	SOMERSWORTH WATER WORKS	SOMERSWORTH	ND	ND	ND	ND
2151010-506	SOMERSWORTH WATER WORKS	SOMERSWORTH	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
2165020-501	BARNARD SCH	SOUTH HAMPTON	ND	ND	ND	ND
2185010-002	STARK VILLAGE SCH	STARK	ND	ND	ND	ND
2192020-001	NORTHERN VIEW APTS	STEWARTSTOWN	ND	ND	ND	ND
2195020-001	STEWARTSTOWN COMM SCH	STEWARTSTOWN	ND	ND	ND	ND
2205010-503	JAMES FAULKNER MEM SCH	STODDARD	ND	ND	ND	ND
2206010-502	CARLISLE WIDE PLANK FLOORS	STODDARD	ND	ND	ND	ND
2212010-501	BOW LAKE ESTATES	STRAFFORD	ND	ND	ND	ND
2215010-502	STRAFFORD SCH	STRAFFORD	ND	ND	ND	ND
2215040-501	WHITEHOUSE EARLY LRNG CTR	STRAFFORD	ND	ND	ND	ND
2221010-502	NORTH STRATFORD WATER DEPT	STRAFFORD	ND	ND	ND	ND
2221010-503	NORTH STRATFORD WATER DEPT	STRAFFORD	ND	ND	ND	ND
2223010-001	PLEASANT VALLEY PARK ESTATES	STRATFORD	ND	ND	ND	ND
2223020-001	NORTH STRATFORD MHP	STRATFORD	ND	ND	ND	ND
2232010-504	GLENDARRY CONDOS	STRATHAM	9.26	5.29	ND	2.46
2232020-502	THORNHILL CONDOS	STRATHAM	ND	ND	ND	ND
2232030-501	SALT RIVER CONDOS	STRATHAM	11.00	7.10	ND	2.44
2232040-000	PENINSULA AT WINDING BROOK	STRATHAM	ND	ND	ND	ND
2232050-501	STRATHAM GREEN CONDOS - PFAS TREATMENT	STRATHAM	5.66	ND	ND	4.31
2232060-001	BALMORAL CONDOS	STRATHAM	ND	ND	ND	ND
2232070-511	MONTROSE CONDOS	STRATHAM	3.45	ND	ND	ND
2232080-502	PHEASANT RUN CONDOS	STRATHAM	ND	ND	ND	ND
2232090-000	STRATHAM WOODS	STRATHAM	ND	ND	ND	ND
2232110-501	TURNBERRY	STRATHAM	ND	ND	ND	ND
2232130-502	MUIRFIELD CLUSTER	STRATHAM	ND	ND	ND	ND
2232140-501	JEWETT HILL	STRATHAM	4.72	3.92	ND	ND
2232150-512	ABERDEEN/WEST	STRATHAM	ND	ND	ND	ND
2232160-502	BURNHAVEN	STRATHAM	ND	ND	ND	ND
2232190-001	VINEYARDS	STRATHAM	ND	ND	ND	ND
2232200-503	CHISHOLM FARM	STRATHAM	7.98	2.02	ND	ND
2232210-501	ROLLINS HILL	STRATHAM	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
2235010-001	ACORN SCH	STRATHAM	ND	ND	ND	ND
2235050-501	STRATHAM MEMORIAL SCH	STRATHAM	11.10	4.91	ND	ND
2235060-501	CORNERSTONE SCHOOL	STRATHAM	4.74	3.13	ND	ND
2236010-001	KINGS HIGHWAY PLAZA	STRATHAM	7.09	3.55	ND	ND
2236040-001	BELL AND FLYNN	STRATHAM	ND	ND	ND	3.27
2236050-001	STRATHAM PLAZA	STRATHAM	9.76	4.82	ND	ND
2236070-002	NP STRATHAM	STRATHAM	ND	21.00	ND	ND
2236070-501	NP STRATHAM	STRATHAM	4.24	2.90	ND	ND
2236090-002	RCN CONDOS	STRATHAM	22.40	7.40	ND	ND
2236090-502	RCN CONDOS	STRATHAM	3.44	ND	ND	ND
2236100-501	PIPERS LANDING	STRATHAM	ND	ND	ND	ND
2236120-001	MILLBROOK OFFICE PARK	STRATHAM	2.83	ND	ND	ND
2236130-504	STRATHAM CENTRAL CONDOS	STRATHAM	ND	ND	ND	ND
2236140-501	STRATHAM CROSSING 7621	STRATHAM	30.20	ND	ND	ND
2236140-505	STRATHAM CROSSING 7621	STRATHAM	ND	ND	ND	ND
2236150-501	BMW OF STRATHAM	STRATHAM	6.50	2.01	ND	ND
2236170-001	LINDT AND SPRUNGLI USA/BLDG D	STRATHAM	4.53	ND	ND	ND
2236180-503	LINDT AND SPRUNGLI USA/BLDG E	STRATHAM	ND	ND	ND	ND
2236190-501	149/151 PORTSMOUTH AVE	STRATHAM	ND	ND	ND	ND
2238060-503	STRATHAM PLZ/MARKET BASKET	STRATHAM	13.80	6.21	ND	ND
2239010-501	STRATHAM COMMUNITY CHURCH	STRATHAM	3.39	ND	ND	ND
2271010-002	SUNAPEE WATER WORKS	SUNAPEE	ND	ND	ND	ND
2271020-502	GEORGES MILLS WATER WORKS	SUNAPEE	ND	ND	ND	ND
2272020-502	MEADOW BROOK AT SUNAPEE	SUNAPEE	ND	ND	ND	ND
2275020-001	MOUNT ROYAL ACADEMY	SUNAPEE	ND	ND	ND	ND
2281010-001	SURRY VILLAGE WATER	SURRY	ND	ND	ND	ND
2285010-501	SURRY VILLAGE CHARTER SCH	SURRY	ND	ND	ND	ND
2295010-502	KEARSARGE REGIONAL HIGH SCH	SUTTON	ND	ND	ND	ND
2295020-501	SUTTON CENTRAL SCH	SUTTON	ND	ND	ND	ND
2295030-502	KEARSARGE REGIONAL MIDDLE SCH	SUTTON	2.19	ND	ND	ND





Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
2295030-511	KEARSARGE REGIONAL MIDDLE SCH	SUTTON	150.00	ND	ND	6.34
2296010-002	LABSPHERE	SUTTON	3.92	4.50	ND	ND
2301020-501	WEST SWANZEY WATER	SWANZEY	ND	ND	ND	ND
2302010-001	ASHUELOT RIVER APTS	SWANZEY	ND	ND	ND	ND
2302040-505	EASTFIELD CROSSING	SWANZEY	ND	ND	ND	ND
2302050-500	FOREST VIEW ESTATES	SWANZEY	ND	ND	ND	ND
2303010-010	PINE GROVE MOBILE HOME PARK	SWANZEY	ND	ND	ND	ND
2303010-508	PINE GROVE MOBILE HOME PARK	SWANZEY	2.09	ND	ND	ND
2303020-500	VIEW POINT COOP	SWANZEY	ND	ND	ND	ND
2305050-501	MONADNOCK REGIONAL HIGH SCH	SWANZEY	ND	ND	ND	ND
2305090-001	HONEY BEE HOLLOW	SWANZEY	ND	ND	ND	ND
2306060-501	TOYOTA OF KEENE	SWANZEY	ND	ND	ND	ND
2306060-501	TOYOTA OF KEENE	SWANZEY	ND	ND	ND	ND
2311010-005	TAMWORTH WATER WORKS	TAMWORTH	ND	ND	ND	ND
2312020-501	MOUNTAIN VIEW ESTATES	TAMWORTH	ND	ND	ND	ND
2312030-501	WHITE LAKE ESTATES	TAMWORTH	ND	ND	ND	ND
2312050-503	REMICK ACRES	TAMWORTH	ND	ND	ND	ND
2312060-001	CHOCORUA WOODS	TAMWORTH	ND	ND	ND	ND
2312060-501	CHOCORUA WOODS	TAMWORTH	ND	ND	ND	ND
2312070-501	CHOCORUA MEADOWS	TAMWORTH	ND	ND	ND	ND
2312090-501	HIGHLAND PLACE	TAMWORTH	ND	ND	ND	ND
2313010-000	TAMWORTH MOBILE HOME PARK	TAMWORTH	ND	ND	ND	ND
2313020-000	TAMWORTH PINES	TAMWORTH	2.96	ND	ND	ND
2315010-501	KENNETH A BRETT SCH	TAMWORTH	ND	ND	ND	ND
2315020-001	TAMWORTH PRESCHOOL	TAMWORTH	ND	ND	ND	ND
2315030-501	COMMUNITY SCH	TAMWORTH	ND	ND	ND	ND
2318090-503	NORTHWAY APTS/DAYS INN	TAMWORTH	ND	ND	ND	ND
2342010-512	175 ESTATES	THORNTON	ND	ND	ND	ND
2342020-502	NORTHPOINTE WATER	THORNTON	5.41	ND	ND	ND
2342030-001	MOUNTAIN RIVER CONDOS	THORNTON	ND	ND	ND	ND





Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
2342040-000	MOUNTAIN RIVER CONDOS EAST	THORNTON	ND	ND	ND	ND
2342060-002	WHITE MOUNTAIN RESORT/GATEWAY	THORNTON	ND	ND	ND	ND
2342070-002	WATERVILLE ACRES CONDOS	THORNTON	ND	ND	ND	ND
2342080-000	STAR RIDGE	THORNTON	ND	ND	ND	ND
2342090-001	BIRCH BEND	THORNTON	ND	ND	ND	ND
2342100-001	CONE RIDGE APTS	THORNTON	ND	ND	ND	ND
2342110-505	MILL BROOKE VILLAGE	THORNTON	ND	ND	ND	ND
2345010-002	THORNTON CENTRAL SCH	THORNTON	ND	ND	ND	ND
2348110-500	OWLS NEST GC AND CONDOS	THORNTON	ND	ND	ND	ND
2351020-501	LOCHMERE VILLAGE DIST	TILTON	<b>2.33</b>	<b>9.81</b>	ND	<b>24.50</b>
2352010-002	WINNISQUAM RESORT CONDOS	TILTON	ND	ND	ND	ND
2352020-001	PEU/NORTHERN SHORES	TILTON	ND	ND	ND	ND
2352040-501	WINNISQUAM VILLAGE CONDOS	TILTON	ND	ND	ND	ND
2353010-501	RODGERS DEV	TILTON	ND	ND	ND	ND
2353020-501	WINDY HILL/NORTH	TILTON	ND	ND	ND	ND
2353040-502	COUNTRY MEADOWS	TILTON	ND	ND	ND	ND
2353090-002	WINDY HILL/SOUTH	TILTON	ND	ND	ND	ND
2356010-001	3M TILTON	TILTON	ND	ND	ND	ND
2356020-001	TOWN LINE PLAZA	TILTON	<b>2.09</b>	<b>3.05</b>	ND	<b>2.89</b>
2356060-501	TANGER OUTLET CENTER	TILTON	ND	ND	ND	ND
2356080-001	BJS WHOLESALE CLUB 309	TILTON	ND	ND	ND	ND
2356100-001	AUTOSERV OF TILTON	TILTON	ND	ND	ND	ND
2356110-001	EVERSOURCE ENERGY TILTON AWC	TILTON	ND	ND	ND	ND
2361010-503	TROY WATER WORKS	TROY	ND	ND	ND	ND
2361010-504	TROY WATER WORKS	TROY	ND	ND	ND	ND
2361010-505	TROY WATER WORKS	TROY	ND	ND	ND	ND
2361010-512	TROY WATER WORKS	TROY	ND	ND	ND	ND
2372020-002	HIDDEN VALLEY/MASON	TUFTONBORO	ND	ND	ND	ND
2372020-006	HIDDEN VALLEY/MASON	TUFTONBORO	ND	ND	ND	ND
2372050-501	WINMIR CONDOS	TUFTONBORO	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
2373010-000	NORTH COUNTRY VILLAGE	TUFTONBORO	ND	ND	ND	ND
2375010-502	TUFTONBORO CENTRAL SCH	TUFTONBORO	ND	ND	ND	ND
2376010-003	PAK 2000 OFFICE	TUFTONBORO	ND	ND	ND	ND
2384010-003	SULLIVAN COUNTY COMPLEX	UNITY	ND	ND	ND	ND
2384010-507	SULLIVAN COUNTY COMPLEX	UNITY	ND	ND	ND	ND
2384010-514	SULLIVAN COUNTY COMPLEX	UNITY	ND	ND	ND	ND
2385010-511	UNITY ELEMENTARY SCH	UNITY	ND	ND	ND	ND
2391010-502	SANBORNVILLE WATER DEPT	WAKEFIELD	ND	2.00	ND	ND
2391010-503	SANBORNVILLE WATER DEPT	WAKEFIELD	ND	ND	ND	ND
2392010-501	BEVERLY HILLS WATER	WAKEFIELD	ND	ND	ND	ND
2392020-001	WAKEFIELD ACRES	WAKEFIELD	ND	ND	ND	ND
2392030-502	MICHAWANIC VILLAGE CONDOS	WAKEFIELD	ND	ND	ND	ND
2395020-001	LEARNING WITH LOVE	WAKEFIELD	ND	ND	ND	ND
2395030-501	PINE RIVER POND CNTRY DAYCARE	WAKEFIELD	ND	ND	ND	ND
2401010-001	WALPOLE WATER DEPT	WALPOLE	ND	ND	ND	ND
2401010-502	WALPOLE WATER DEPT	WALPOLE	ND	ND	ND	ND
2401020-507	N WALPOLE VILLAGE DISTRICT/LOW	WALPOLE	ND	ND	ND	ND
2401020-508	N WALPOLE VILLAGE DISTRICT/LOW	WALPOLE	ND	ND	ND	ND
2401030-501	N WALPOLE VILLAGE DIST/HIGH	WALPOLE	ND	ND	ND	ND
2405010-501	DREWSVILLE CARRIAGE HOUSE	WALPOLE	ND	ND	ND	ND
2406010-101	BENSON WOODWORKING	WALPOLE	ND	ND	ND	ND
2411010-503	WARNER VILLAGE WATER DIST	WARNER	ND	ND	ND	ND
2411010-504	WARNER VILLAGE WATER DIST	WARNER	ND	ND	ND	ND
2413010-503	PLEASANT LAKE MHP	WARNER	ND	ND	ND	ND
2415010-501	NORTHEAST CATHOLIC COLLEGE	WARNER	ND	ND	ND	ND
2415010-501	MAGDALEN COLLEGE	WARNER	ND	ND	ND	ND
2421010-002	GLENCLIFF IMPROVEMENT	WARREN	ND	ND	ND	ND
2422010-502	SOUTH MAIN STREET WATER DIST	WARREN	ND	ND	ND	ND
2435020-001	WASHINGTON ELEMENTARY SCH	WASHINGTON	ND	ND	ND	ND
2441010-502	WATERVILLE VALLEY WATER DIST	WATERVILLE VALLEY	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
2441010-503	WATERVILLE VALLEY WATER DIST	WATERVILLE VALLEY	ND	ND	ND	ND
2441010-504	WATERVILLE VALLEY WATER DIST	WATERVILLE VALLEY	ND	ND	ND	ND
2452010-501	PEU/DANIELS LAKE	WEARE	ND	ND	ND	ND
2452030-514	SOUTH WEARE WATER	WEARE	ND	ND	ND	ND
2452030-515	SOUTH WEARE WATER	WEARE	ND	ND	ND	ND
2452040-501	COLLINS LANDING	WEARE	ND	ND	ND	ND
2453010-005	SUGAR HILL MANOR MHP	WEARE	ND	ND	ND	ND
2453020-000	KUNCANOWET HILLS MHP	WEARE	ND	ND	ND	ND
2455020-001	WEARE MIDDLE SCHOOL	WEARE	ND	ND	ND	ND
2455040-003	JOHN STARK REG HIGH SCH	WEARE	<b>3.70</b>	<b>1.00</b>	ND	ND
2455060-501	CENTER WOOD ELEM SCH	WEARE	ND	ND	ND	ND
2455080-001	WEARE MIDDLE SCH	WEARE	ND	ND	ND	ND
2456010-003	GRANITE STATE TELEPHONE	WEARE	ND	ND	ND	ND
2458030-002	COUNTRY THREE CORNERS	WEARE	ND	ND	ND	ND
2458060-001	WEARE CENTER PLAZA	WEARE	ND	ND	ND	ND
2458070-501	LANCTOTS CENTER	WEARE	ND	ND	ND	ND
2459010-001	TOWN OFFICES	WEARE	ND	<b>2.12</b>	ND	ND
2462040-003	PILLSBURY LAKE/FRANKLIN PIERCE	WEBSTER	ND	ND	ND	ND
2462040-500	PILLSBURY LAKE/FRANKLIN PIERCE	WEBSTER	ND	ND	ND	ND
2462050-502	PILLSBURY LAKE/PENINSULA	WEBSTER	ND	ND	ND	ND
2465010-001	WEBSTER ELEMENTARY SCH	WEBSTER	ND	ND	ND	ND
2475010-001	WENTWORTH ELEMENTARY SCH	WENTWORTH	ND	ND	ND	ND
2494010-006	CHESHIRE COUNTY COMPLEX	WESTMORELAND	ND	ND	ND	ND
2494010-007	CHESHIRE COUNTY COMPLEX	WESTMORELAND	ND	ND	ND	ND
2495030-001	WESTMORELAND ELEMENTARY SCH	WESTMORELAND	ND	ND	ND	ND
2501010-001	WHITEFIELD WATER	WHITEFIELD	ND	ND	ND	ND
2501010-008	WHITEFIELD WATER	WHITEFIELD	ND	ND	ND	ND
2501010-009	WHITEFIELD WATER	WHITEFIELD	ND	ND	ND	ND
2501010-010	WHITEFIELD WATER	WHITEFIELD	ND	ND	ND	ND
2501010-012	WHITEFIELD WATER	WHITEFIELD	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
2501010-514	WHITEFIELD WATER	WHITEFIELD	ND	ND	ND	ND
2505010-002	WHITE MTN REG HS	WHITEFIELD	ND	ND	ND	ND
2512010-001	POUND ROAD WATER WORKS	WILMOT	ND	ND	ND	ND
2521010-505	WILTON WATER WORKS	WILTON	ND	ND	ND	ND
2521010-506	WILTON WATER WORKS	WILTON	ND	ND	ND	ND
2525010-512	HIGH MOWING SCH	WILTON	4.02	ND	ND	ND
2525020-502	PINE HILL WALDORF SCH	WILTON	ND	ND	ND	ND
2525030-501	PINE HILL WALDORF CHLD VILLAGE	WILTON	ND	ND	ND	ND
2526040-501	KIMBALL PHYSICS	WILTON	ND	ND	ND	ND
2531010-501	WINCHESTER WATER DEPT	WINCHESTER	ND	ND	ND	ND
2531010-502	WINCHESTER WATER DEPT	WINCHESTER	ND	ND	ND	ND
2531010-503	WINCHESTER WATER DEPT	WINCHESTER	ND	ND	ND	ND
2533010-501	SOUTH PARRISH	WINCHESTER	ND	ND	ND	ND
2533020-000	GREEN VALLEY MOBILE HOME PARK	WINCHESTER	ND	ND	ND	ND
2542010-501	PEU/GOLDEN BROOK	WINDHAM	2.40	ND	ND	ND
2542030-003	PEU/W AND E	WINDHAM	6.59	2.36	ND	2.55
2542030-504	PEU/W AND E	WINDHAM	7.92	3.34	ND	2.72
2542060-503	PEU/HARDWOOD HTS BIRCH HILL	WINDHAM	9.99	5.49	ND	2.32
2542070-501	VILLAGES OF WINDHAM	WINDHAM	5.82	2.08	ND	ND
2542080-500	WYNRIDGE CONDOS	WINDHAM	4.21	ND	ND	ND
2542130-001	MCAULEY COMMONS	WINDHAM	ND	ND	ND	ND
2542140-501	PEU/CASTLE REACH	WINDHAM	11.5	ND	ND	ND
2542150-502	PEU/FLETCHER CORNER ESTATES	WINDHAM	ND	ND	ND	ND
2542160-502	HADLEIGH WOODS	WINDHAM	9.27	ND	ND	ND
2542160-503	HADLEIGH WOODS	WINDHAM	9.44	2.04	ND	ND
2542160-504	HADLEIGH WOODS	WINDHAM	7.05	ND	ND	ND
2542170-500	PEU/LAMPLIGHTER VILLAGE	WINDHAM	3.90	ND	ND	ND
2542180-501	PEU/SPRUCE POND ESTS	WINDHAM	7.58	2.04	ND	ND
2542190-503	CAMELOT III	WINDHAM	9.07	ND	ND	ND
2542200-501	WOOD MEADOW ESTATES	WINDHAM	ND	ND	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
2544010-501	WARDE REHABILITATION/NURSING	WINDHAM	6.32	3.92	ND	ND
2544020-501	WINDHAM TERRACE	WINDHAM	12.30	13.70	ND	6.91
2545010-501	WINDHAM CENTER SCH - PFAS TREATMENT INSTALLED	WINDHAM	ND	ND	ND	ND
2545010-503	WINDHAM CENTER SCH - PFAS TREATMENT INSTALLED	WINDHAM	ND	ND	ND	ND
2545020-501	GOLDEN BROOK SCH	WINDHAM	ND	ND	ND	ND
2545030-501	WINDHAM MIDDLE SCH	WINDHAM	ND	ND	ND	ND
2545040-501	WINDHAM CROSSING LEARNING CTR	WINDHAM	3.95	2.05	ND	ND
2545080-501	KIDDIE ACADEMYU	WINDHAM	9.10	ND	ND	3.12
2545090-001	WINDHAM COOPTVE KINDERGARTEN	WINDHAM	ND	ND	ND	ND
2545100-501	WINDHAM HIGH SCH	WINDHAM	2.46	ND	ND	ND
2545110-501	WEE CARE LEARNING CTR	WINDHAM	10.60	2.53	ND	5.82
2546020-001	AP DAILEY	WINDHAM	6.51	2.73	ND	ND
2546020-501	AP DAILEY	WINDHAM	ND	ND	ND	ND
2546030-502	WINDHAM PLAZA	WINDHAM	ND	ND	ND	ND
2546070-501	WINDHAM ACADEMY	WINDHAM	5.39	7.26	ND	8.45
2546080-501	CASTLE COMMONS	WINDHAM	4.93	5.07	ND	4.54
2546090-001	COMMONS AT WINDHAM 1/WEST BLDG	WINDHAM	7.00	6.00	10.00	ND
2546110-001	WINDHAM VILLAGE GREEN	WINDHAM	3.36	3.22	ND	ND
2546150-001	COBBETTS PROF PARK	WINDHAM	2.68	ND	ND	ND
2546160-501	COMMONS AT WINDHAM 2/EAST BLDG	WINDHAM	10.00	6.90	ND	2.69
2546170-501	CAPITAL TRANSPORTATION	WINDHAM	8.58	ND	ND	ND
2546180-001	KAHUNA	WINDHAM	ND	ND	ND	ND
2546190-502	SHAWS SUPERMARKET 686	WINDHAM	6.73	4.08	ND	ND
2546200-501	CYR LUMBER	WINDHAM	4.80	7.28	ND	ND
2546220-501	FIVE INDUSTRIAL DR	WINDHAM	6.06	ND	ND	6.59
2546230-501	MEDICUS OFFICES	WINDHAM	9.51	3.53	ND	3.28
2546240-501	183 ROCKINGHAM ROAD	WINDHAM	3.33	ND	ND	ND
2546250-502	GATEWAY PARK	WINDHAM	2.57	ND	ND	ND
2546260-501	INDIAN ROCK OFFICE PARK II	WINDHAM	6.18	2.53	ND	ND
2547060-501	WINDHAM WOODS SCH	WINDHAM	ND	2.30	ND	ND



Table 1 - Public Water System  
PFAS Water Quality Summary  
Compiled for December 2023 Report

WATER SOURCE #	WATER SYSTEM NAME	TOWN	PFOA Detected (ng/L) MCL/AGQS = 12	PFOS Detected (ng/L) MCL/AGQS = 15	PFNA Detected (ng/L) MCL/AGQS = 11	PFHxS Detected (ng/L) MCL/AGQS = 18
2548150-001	DUNKIN DONUTS /PC 346676 TREATED	WINDHAM	ND	ND	ND	ND
2548150-001	DUNKIN DONUTS /PC 346676 UNTREATED	WINDHAM	27.00	100.00	159.00	ND
2548170-001	HOWIE GLYNN AND SONS CONV STRE	WINDHAM	6.00	27.00	40.00	ND
2548180-001	WINDHAM TOWNE SHOPPES	WINDHAM	10.90	7.79	ND	ND
2549010-001	TOWN HALL/PLANNING/DEV/TV STAT	WINDHAM	8.00	16.00	8.00	ND
2549020-001	SENIOR CITIZENS CENTER	WINDHAM	6.80	31.00	10.00	1.80
2549050-001	NESMITH LIBRARY	WINDHAM	6.40	ND	0.99	ND
2552010-501	WEDIKO SCHOOL	WINDSOR	4.69	7.16	ND	ND
2552010-502	WEDIKO SCHOOL	WINDSOR	ND	ND	ND	ND
2552010-513	WEDIKO SCHOOL	WINDSOR	ND	ND	ND	ND
2557060-501	WEDIKO KITCHEN	WINDSOR	ND	ND	ND	ND
2561010-002	WOLFEBORO WATER AND SEWER	WOLFEBORO	ND	ND	ND	ND
2562010-001	WENTWORTH ESTATES	WOLFEBORO	ND	ND	ND	3.76
2562030-001	POINT BREEZE CONDOS	WOLFEBORO	ND	ND	ND	ND
2562050-502	SHERWOOD FOREST	WOLFEBORO	ND	ND	ND	ND
2563010-000	BIRCH OF WOLFEBORO COOP	WOLFEBORO	2.07	ND	ND	ND
2571020-502	WOODSTOCK WATER DEPT	WOODSTOCK	ND	ND	ND	ND
2571020-503	WOODSTOCK WATER DEPT	WOODSTOCK	ND	ND	ND	ND
2572010-501	JACK O LANTERN CONDOS	WOODSTOCK	ND	ND	ND	ND

Notes:

1. PFAS concentrations were not updated after April 2023 and were presented in the June 2023 Report.
2. Concentrations shown are in parts per trillion (ppt) or nanograms per liter (ng/L).
3. Cells that are shaded gray indicate an exceedance of the current Maximum Contaminant Level (MCL) and the Ambient Groundwater Quality Standards (AGQS) included in Env-Or 600 Contaminated Site Management.
4. NH's four regulated PFAS compounds include: perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), perfluorohexane sulfonic acid (PFHxS), and perfluorononanoic acid (PFNA).
5. 'ND' indicates the analyzed PFAS was not detected above the laboratory reporting limit.
6. Data represents the most current PFAS sampling result at the water system (as of April 2023) and may reflect post-PFAS treatment system results.



Table 2 - Solid Waste Facility  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198400001	ACWORTH TOWN LANDFILL	ACWORTH	93.00	11.20	ND	15.70
199012032	TOWN OF ALLENSTOWN	ALLENSTOWN	34.00	219.00	2.20	146.00
198400006	ALTON TOWN LANDFILL	ALTON	63.00	15.10	3.54	13.00
198704029	SOUHEGAN REG LANDFILL	AMHERST	20.00	3.58	1.80	6.12
198704047	ANDOVER TOWN LANDFILL	ANDOVER	9.54	ND	ND	ND
198904068	WASTEWATER TRT FACILITY	ANTRIM	17.60	7.26	ND	13.80
198400026	GODIN SITE	ATKINSON	11.00	20.80	ND	ND
199002015	AUBURN TOWN LANDFILL	AUBURN	97.00	99.40	3.86	31.50
198806003	BARRINGTON LANDFILL	BARRINGTON	11.40	3.52	ND	2.45
198704084	BEDFORD LANDFILL	BEDFORD	57.90	54.90	ND	78.40
198704042	BENNINGTON TRI-TOWN LANDFILL	BENNINGTON	11.00	ND	ND	ND
198400054	BERLIN TOWN LANDFILL I	BERLIN	130.00	90.90	ND	12.60
198704035	DUMMER YARD LANDFILL - JAMES RIVER	BERLIN	424.00	740.00	13.20	21.60
198400057	BETHLEHEM TOWN LANDFILL (OLD)	BETHLEHEM	7.00	99.60	8.40	24.10
198704033	NORTH COUNTRY ENVIRONMENTAL SERVICES LF	BETHLEHEM	91.40	12.60	8.72	23.90
198901021	CORN HILL ROAD LANDFILL	BOSCAWEN	325.00	89.50	6.02	138.00
199101052	CALIFORNIA FIELDS	BOSCAWEN	17.00	10.00	ND	6.00
198400064	BOW TOWN LANDFILL	BOW	3.70	3.60	ND	ND
198400069	FMR NAUGHTON LANDFILL & AUTOCRAFT SITE	BRADFORD	61.70	59.00	3.78	36.30
199101059	BRIDGEWATER DUMP/INCINERATOR	BRIDGEWATER	7.81	ND	ND	4.60
198400082	CANDIA TOWN LANDFILL	CANDIA	78.50	56.60	1.99	7.30
198400084	CANTERBURY TOWN LANDFILL	CANTERBURY	196.00	1,380.00	4.17	829.00
198705080	CARROLL TOWN LANDFILL	CARROLL	89.30	ND	ND	28.00
198809009	CENTER HARBOR LANDFILL	CENTER HARBOR	11.40	24.40	ND	ND
198400087	CHARLESTOWN LANDFILL/TRANSFER STATION	CHARLESTOWN	101.00	34.90	ND	5.11
198704036	CHESTER MUNICIPAL LF	CHESTER	42.00	110.00	7.90	7.90
198706002	CLAREMONT LANDFILL	CLAREMONT	729.00	823.00	54.00	54.90
198400096	COLEBROOK MUNICIPAL LANDFILL	COLEBROOK	229.00	22.90	12.70	59.80
201202055	TILLOTSON RUBBER LIQUID WASTE DISP AREA	COLEBROOK	196.00	8.13	ND	5.82
198401001	CONCORD CITY LANDFILL/TRANSFER STATION	CONCORD	16.20	49.10	ND	6.45





Table 2 - Solid Waste Facility  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198406038	OLD SUNCOOK ROAD LANDFILL (1)	CONCORD	186.00	22.90	ND	29.10
198401017	CONWAY LANDFILL/SEPTAGE LAGOONS	CONWAY	82.30	5.05	ND	14.90
198908068	LOWER MT WASHINGTON VALLEY LANDFILL	CONWAY	40.60	5.92	5.47	8.18
199103019	CROYDON LANDFILL	CROYDON	11.00	13.00	ND	3.20
198810003	OLD LANDFILL/X-FER STATION	DALTON	58.90	9.00	828.00	ND
198401031	DEERFIELD LANDFILL	DEERFIELD	14.40	4.47	ND	ND
198706001	DERRY MUNICIPAL LANDFILL	DERRY	21.40	15.20	ND	5.60
198401046	FMR ELLIOTT & WILLIAMS ROSES	DOVER	42.30	520.00	ND	10.50
198401060	DUBLIN SANITARY LANDFILL	DUBLIN	26.40	81.00	0.91	1.87
199006011	DURHAM LANDFILL	DURHAM	28.60	41.00	0.66	28.20
198805021	EFFINGHAM TOWN LANDFILL	EFFINGHAM	35.70	388.00	5.89	92.20
198401071	BULKY WASTE LANDFILL & OLD DUMP SITE	EPPING	631.00	174.00	25.40	749.00
198406000	ERROL LANDFILL	ERROL	20.60	6.61	ND	ND
198401081	CROSS ROAD LANDFILL/STUMP DUMP (TOWN)	EXETER	7.53	59.40	ND	2.12
198401085	FARMINGTON MUNICIPAL LANDFILL	FARMINGTON	407.00	312.00	14.60	98.40
198401090	OLD FRANKLIN LANDFILL	FRANKLIN	33.90	34.00	ND	5.90
199101056	FREEDOM LANDFILL	FREEDOM	24.90	54.10	ND	ND
198906002	GILMANTON LANDFILL	GILMANTON	387.00	227.00	9.74	58.10
198402003	GILSUM LANDFILL/SEPTAGE PIT	GILSUM	287.00	1,150.00	14.40	9.73
198402005	GOFFSTOWN MUNICIPAL LANDFILL	GOFFSTOWN	12.40	10.90	ND	1.60
198705009	GOSHEN SANITARY LANDFILL/TRANSFER STA	GOSHEN	670.00	1,900.00	13.00	54.00
199102037	GRAFTON OLD LANDFILL	GRAFTON	42.10	382.00	ND	77.10
199103005	GRANTHAM LANDFILL	GRANTHAM	17.20	11.40	ND	ND
199102032	GROTON TOWN DUMP	GROTON	8.15	17.60	0.52	0.58
198402023	HAMPTON MUNICIPAL LANDFILL	HAMPTON	77.50	95.60	6.00	8.71
198705010	HANCOCK TOWN LANDFILL	HANCOCK	140.00	1,330.00	15.00	261.00
198708010	HARRISVILLE TOWN LANDFILL	HARRISVILLE	98.00	94.00	2.00	11.00
198402028	HENNIKER TOWN LANDFILL/TRANSFER STATION	HENNIKER	10.70	55.40	ND	ND
198704004	HILLSBORO WWTF	HILLSBOROUGH	1.70	ND	ND	ND
198704088	HILLSBORO TOWN LANDFILL/X-FER STATION	HILLSBOROUGH	430.00	370.00	110.00	12.00





Table 2 - Solid Waste Facility  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198402033	HINSDALE MUNICIPAL LANDFILL	HINSDALE	826.00	1,550.00	380.00	33.00
198402035	HINSDALE PRODUCTS LANDFILL	HINSDALE	18.60	3.61	ND	ND
199009014	HOLDERNESS LANDFILL	HOLDERNESS	89.50	107.00	712.00	16.00
198402043	HOOKSETT TRANSFER/HIGHWAY	HOOKSETT	62.20	11.30	ND	28.70
198705021	HOPKINTON/WEBSTER LANDFILL	HOPKINTON	19.30	ND	ND	9.88
199105019	HOPKINTON WASTEWATER TREATMENT FACILITY	HOPKINTON	6.20	2.67	ND	7.00
198402057	HUDSON TOWN LANDFILL	HUDSON	186.00	33.50	2.61	11.10
199204002	BENSON PARK (FORMER BENSONS ANIMAL PARK)	HUDSON	29.20	16.60	ND	ND
198712013	JACKSON OLD LANDFILL	JACKSON	7.66	9.50	ND	ND
198402073	JAFFREY LANDFILL & WWTF / ULWW LAGOONS	JAFFREY	16.90	23.20	6.33	3.06
198402076	JEFFERSON TOWN LANDFILL	JEFFERSON	0.91	2.80	ND	0.66
198402082	KEENE OLD CITY LANDFILL	KEENE	22.00	93.00	ND	211.00
199009001	KEENE MUNICIPAL LANDFILL	KEENE	263.00	355.00	9.90	57.90
198705089	KINGSTON TOWN LANDFILL	KINGSTON	4.99	ND	ND	ND
198705056	LANCASTER DISPOSAL FACILITY	LANCASTER	20.80	48.10	ND	5.11
198710039	LEBANON LANDFILL	LEBANON	124.00	15.10	11.20	28.50
198704025	LISBON TOWN LANDFILL AND LAGOONS	LISBON	110.00	18.10	ND	28.00
198704045	LITTLETON TOWN LANDFILL	LITTLETON	575.00	70.20	52.40	40.00
199001001	NORTON CO LANDFILL	LITTLETON	11.00	ND	ND	ND
198804014	SPARTAN CONSOLIDATED	LONDONDERRY	210.00	322.00	8.44	29.00
198801025	LOUDON LANDFILL/X-FER STATION	LOUDON	1,160.00	63.30	55.70	49.90
198403039	MADISON LANDFILL	MADISON	2.80	ND	ND	ND
198403055	MANCHESTER MUNICIPAL LANDFILL	MANCHESTER	532.00	172.00	11.80	35.70
198403071	MARLBOROUGH MUNICIPAL LANDFILL	MARLBOROUGH	83.70	72.80	ND	22.70
199103022	MARLOW MUNICIPAL LANDFILL	MARLOW	139.00	1,600.00	4.70	7.60
198403073	MEREDITH MUNICIPAL LANDFILL	MEREDITH	91.10	27.30	ND	12.00
198403083	MERRIMACK TOWN LANDFILL	MERRIMACK	2,450.00	1,680.00	30.00	285.00
198508002	HITCHINER MANUFACTURING LANDFILL	MILFORD	4.80	ND	NA	NA
198708009	MILFORD SLUDGE DISPOSAL LAND (WWTF)	MILFORD	75.90	78.80	6.37	19.90
198908012	MILFORD TRANSFER STATION	MILFORD	47.80	34.40	2.00	27.70



Table 2 - Solid Waste Facility  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198403093	MILTON TOWN LANDFILL	MILTON	10.90	25.00	ND	ND
198705087	FORMER MOULTONBOROUGH TOWN LANDFILL	MOULTONBOROUGH	555.00	601.00	19.40	342.00
198403099	FOUR HILLS LANDFILL NASHUA RECYCL CTR	NASHUA	246.00	194.00	12.40	108.00
198705083	SHADY LANE LANDFILL (FORMER ADS 309)	NASHUA	59.30	47.70	ND	9.73
198904055	BLUE LINE EXPRESS (WEBSTER SQUARE)	NASHUA	78.40	32.50	ND	24.30
200009057	NASHUA RIVERSIDE LANDFILL	NASHUA	29.60	92.80	ND	5.61
200202018	ROUSSEL PARK	NASHUA	253.00	2.18	4.28	11.40
200203021	LINCOLN PARK/COLISEUM AVE. (FMR ADS 207)	NASHUA	90.40	21.80	5.61	7.02
198404014	NEW BOSTON TRANSFER STATION	NEW BOSTON	15.40	4.21	1.55	2.46
198404017	NEW IPSWICH TOWN LANDFILL	NEW IPSWICH	1,100.00	430.00	200.00	156.00
198404020	NEW LONDON OLD TOWN LANDFILL	NEW LONDON	39.50	42.30	2.70	1.00
198710013	NEW LONDON STUMP DUMP	NEW LONDON	8.73	13.70	ND	ND
198806028	NEWBURY DEMO DEBRIS LANDFILL	NEWBURY	48.00	240.00	2.04	150.00
198704049	NEWMARKET LANDFILL	NEWMARKET	12.00	12.00	ND	4.00
198404027	NH/VT SOLID WASTE PROJECT	NEWPORT	ND	7.44	ND	4.51
198705052	NEWPORT MUNICIPAL LANDFILL	NEWPORT	35.70	20.00	ND	4.81
199101029	NEWTON MUNICIPAL LANDFILL	NEWTON	101.00	111.00	2.32	13.20
198404034	PIKE INDUSTRIES INC 700	NORTHFIELD	4.00	ND	ND	ND
198704070	NORTHFIELD HIGHWAY GARAGE	NORTHFIELD	29.00	610.00	6.60	330.00
198801023	GROVETON LANDFILL	NORTHUMBERLAND	107.00	232.00	4.46	300.00
199001014	NOTTINGHAM MUNICIPAL SOLID WASTE FAC	NOTTINGHAM	2,360.00	239.00	425.00	87.60
198809004	ORFORD LANDFILL	ORFORD	62.30	12.00	ND	9.25
198404045	OSSIPEE LANDFILL/INCINERATOR	OSSIPEE	36.20	31.80	16.50	26.50
198404052	ROKETENETZ LANDFILL	PELHAM	900.00	3,100.00	170.00	92.00
198404049	PEMBROKE LANDFILL	PEMBROKE	15.30	19.50	ND	4.65
198404057	PETERBOROUGH TOWN LANDFILL	PETERBOROUGH	39.00	120.00	4.10	9.70
198903064	PIERMONT TOWN LANDFILL	PIERMONT	14.00	21.00	ND	63.20
198901008	SW INCIN & TRSFR STA (BCEP)	PITTSFIELD	26.00	27.60	ND	3.42
199105022	MERIDEN WASTEWATER TREATMENT FACILITY	PLAINFIELD	9.53	6.90	ND	ND
198404075	PLAISTOW MUNICIPAL LANDFILL	PLAISTOW	47.90	170.00	5.00	13.00



Table 2 - Solid Waste Facility  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198404078	PLYMOUTH INCINERATOR/ASH LF	PLYMOUTH	17.60	29.50	3.08	4.60
198404087	JONES AVE LANDFILL & ASH CONTAINMENT	PORTSMOUTH	33.00	21.80	ND	12.80
198404088	PSNH SCHILLER STATION	PORTSMOUTH	ND	7.51	ND	ND
198808007	RANDOLPH LANDFILL OLD	RANDOLPH	16.40	11.00	ND	2.40
198404092	RAYMOND LANDFILL	RAYMOND	230.00	2,000.00	7.10	150.00
198705045	ROCHESTER LANDFILL	ROCHESTER	1,320.00	340.00	24.90	164.00
198706006	TLR-II	ROCHESTER	41.00	8.30	9.20	4.10
198706010	TLR-I AND III (PHASES I-IV)	ROCHESTER	930.00	870.00	79.00	110.00
198808005	RUMNEY LANDFILL	RUMNEY	84.10	77.00	2.75	8.99
198704080	RYE GROVE ROAD LANDFILL	RYE	119.00	110.00	ND	33.00
198705029	RYE MUNICIPAL LANDFILL	RYE	90.10	36.00	ND	18.00
198405024	LL & S LANDFILL	SALEM	850.00	1,100.00	55.00	230.00
198405030	SHANNON RD LANDFILL	SALEM	458.00	631.00	2.93	66.30
198405034	SALISBURY TOWN LANDFILL	SALISBURY	22.10	4.52	ND	ND
198405036	SANBORNTON TOWN LANDFILL	SANBORNTON	12.60	ND	ND	4.49
198405037	SANDWICH LANDFILL	SANDWICH	4.98	7.67	ND	ND
198910015	SHELBURNE LANDFILL	SHELBURNE	15.40	21.40	ND	2.44
198405054	LAMPREY REGIONAL COOP/SLUDGE ASH LF	SOMERSWORTH	16.00	19.80	ND	10.00
198405050	SPRINGFIELD POWER FMR HEMPHILL POWER	SPRINGFIELD	10.30	7.05	ND	ND
198705031	JAMES RIVER BARK PILE	STARK	7.10	ND	ND	ND
198500020	STRAFFORD LANDFILL	STRAFFORD	48.40	154.00	2.01	11.00
198909004	STRATHAM LANDFILL	STRATHAM	140.00	48.40	ND	80.70
198706016	MT CARBERRY LANDFILL	SUCCESS	240.00	96.70	14.50	88.40
199103006	SUNAPEE LANDFILL	SUNAPEE	406.00	330.00	130.00	19.50
199105015	W SWANZEY VILLAGE AREA WWTF	SWANZEY	3.71	ND	ND	ND
198704017	TAMWORTH TOWN LANDFILL	TAMWORTH	337.00	130.00	98.30	12.10
199101060	THORNTON LANDFILL	THORNTON	13.90	ND	ND	ND
198405081	TOWN OF TROY LANDFILL	TROY	108.00	57.90	65.00	44.20
198405083	TUFTONBORO TOWN LANDFILL	TUFTONBORO	180.00	7.00	17.90	77.70
198809016	UNITY MUNICIPAL LANDFILL	UNITY	3,700.00	135.00	733.00	43.80



Table 2 - Solid Waste Facility  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198704018	WAKEFIELD TOWN LANDFILL	WAKEFIELD	623.00	181.00	130.00	66.10
198705026	WALPOLE LANDFILL	WALPOLE	64.70	20.40	ND	17.00
198806031	WASHINGTON LANDFILL	WASHINGTON	14.00	27.70	ND	ND
198704005	WEARE LF/SEPTAGE LAG/TOWN GARAGE	WEARE	7.41	8.19	ND	ND
199102031	WENTWORTH LANDFILL	WENTWORTH	101.00	2.51	ND	25.60
198806027	WESTMORELAND LANDFILL	WESTMORELAND	82.30	145.00	2.68	10.90
199102009	WHITEFIELD LANDFILL	WHITEFIELD	23.10	8.54	ND	2.71
200111035	MOUNTAIN VIEW GRAND RESORT & SPA	WHITEFIELD	74.40	47.80	2.20	8.58
198704087	WILTON SANITARY LANDFILL	WILTON	20.70	12.30	ND	ND
198801019	WINDHAM TOWN LANDFILL	WINDHAM	26.20	10.60	ND	7.64
198406014	WOLFEBORO ASH LANDFILL	WOLFEBORO	262.00	121.00	7.60	107.00
199101048	WOLFEBORO ABANDONED DUMP	WOLFEBORO	13.00	13.00	ND	8.40

Notes:

1. Concentrations shown are in parts per trillion (ppt) or nanograms per liter (ng/L).
2. Cells that are shaded gray indicate an exceedance of the current Ambient Groundwater Quality Standards (AGQS) included in Env-Or 600 Contaminated Site Management.
3. NH's four regulated PFAS compounds include: perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), perfluorohexane sulfonic acid (PFHxS), and perfluorononanoic acid (PFNA).
4. 'ND' indicates the analyzed PFAS was not detected above the laboratory reporting limit.
5. 'NA' indicates that the specified PFAS was not analyzed at the site.
6. Data represents highest concentration detected at the Site.



Table 3 - Hazardous Waste Remediation Sites  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199907011	IRVING OIL CORPORATION	ALTON	953.00	92,100.00	102.00	9,070.00
201605022	FORMER TCI FACILITY	AMHERST	18,000.00	120.00	13.00	43.00
201701004	CENTRAL PORTION OF HOWE DRIVE AREA	AMHERST	965.00	29.80	ND	ND
201701005	SOUTHERN PORTION OF CALDWELL DRIVE AREA	AMHERST	1,090.00	13.20	ND	ND
202004027	NORTH HOLLIS ROAD/SOUTH MERRIMACK ROAD	AMHERST	193.00	85.00	ND	5.30
202203049	AMHERST ST FIRE STATION SITE	AMHERST	27.00	540.00	0.65	410.00
200009045	L W PACKARD & CO INC	ASHLAND	44.40	12.40	ND	ND
198703020	ATKINSON FIRE DEPT	ATKINSON	1,490.00	1,510.00	109.00	2,940.00
200210001	EMERY DRIVE SITE	ATKINSON	10.70	11.20	1.82	2.81
199608027	FORMER INSURANCE SALVAGE AUCTION	AUBURN	3.00	ND	ND	ND
199707009	28 COMMERCIAL COURT (FMR 8 PRISCILLA LN)	AUBURN	3.00	2.38	ND	ND
199809034	88 PRISCILLA LANE PROPERTY	AUBURN	24.00	100.00	2.70	33.00
198406023	TIBBETTS ROAD DRUM SITE	BARRINGTON	2.46	2.71	0.39	0.58
200602025	NASHUA ROAD PROPERTY	BEDFORD	23.70	8.75	ND	ND
202004008	SO. NH FE TURNPIKE EXPANSION PROJECT	BEDFORD	223.00	14.40	7.90	6.69
202106034	FORMER BEDFORD FIRE STATION	BEDFORD	39.00	410.00	11.00	180.00
202001021	FMR ISAACSON STRUCTURAL STEEL-MAP 105-11	BERLIN	11.20	59.10	ND	4.42
202001022	FMR ISAACSON STRUCTURAL STEEL-MAP 105-14	BERLIN	307.00	698.00	ND	6.17
199709046	CHLOR ALKALI FACILITY (CROWN VANTAGE)	BERLIN	201.00	70.10	ND	8.99
198708008	FORMER GRAPHIC PACKAGING	BOW	8.84	9.52	1.08	3.78
198906062	ROCKINGHAM COUNTY COMPLEX	BRENTWOOD	3,800.00	46,000.00	33,200.00	15,000.00
198706012	FREUDENBERG NOK	BRISTOL	3,360.00	534.00	85.40	75.20
200104059	LECLAIR'S GARAGE INC	CHESTER	7.30	2.80	0.55	1.40
201208108	GBN Farms	CHESTER	104.00	131.00	13.90	30.80
198400091	BARNEY BASS COMPANY	CLAREMONT	1.40	1.30	ND	ND
199601023	FORMER SYNERGY GAS (ALLSTAR GAS)	CLAREMONT	19.00	62.00	ND	98.00
199807063	FORMER POWERAY INFRARED CORP.	CLAREMONT	2.43	ND	ND	ND
200308070	T BIRD MINI MART	CLAREMONT	6.00	4.00	1.00	0.90
200911039	101 MULBERRY STREET PROPERTY	CLAREMONT	7.46	9.38	4.56	2.83
199206033	OLD JOY MANUFACTURING FOUNDRY	CLAREMONT	3.21	2.16	ND	ND



Table 3 - Hazardous Waste Remediation Sites  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
201805030	NORTH ST AND WASHINGTON ST AREA	CLAREMONT	19.00	62.00	ND	98.00
198401012	BEEDE ELECTRICAL INSTRUMENTS	CONCORD	1.93	3.39	ND	ND
198605043	FORMER ALLIED LEATHER TANNERY	CONCORD	18.00	57.00	0.90	8.90
198711003	ELECTROPAC WORLDWIDE (FMR VISHAY SPRAGUE	CONCORD	12.80	158.00	ND	16.20
198904063	CONCORD COAL GAS SITE	CONCORD	14.60	144.00	ND	5.92
199004021	NH DOT HIGHWAY GARAGE 12	CONCORD	16.10	220.00	7.82	153.00
199212014	EXIT 13 COAL TAR POND	CONCORD	21.80	3.60	ND	2.88
199811043	DOT GULLY HILL STORAGE SHED	CONCORD	30.30	140.00	ND	178.00
200011034	CONCORD CLEANERS	CONCORD	67.90	177.00	21.20	13.10
200505038	PROLERIZED NEW ENGLAND CO	CONCORD	249.00	36.20	6.85	52.80
201710012	RICHARD FLYNN FIRE ACADEMY	CONCORD	910.00	35,000.00	25,000.00	5,100.00
199110087	WHITE MOUNTAIN LAUNDRY & DRY CLEANERS	CONWAY	6.11	ND	ND	ND
202203012	VIEWPOINT NORTH CONWAY	CONWAY	12.40	ND	ND	ND
198708002	KEARSARGE METALLURGICAL CORP	CONWAY	25.30	4.37	3.72	2.90
199504001	CORNISH ELEMENTARY SCHOOL	CORNISH	24.80	3.47	0.84	8.05
198401037	HADCO PRINTED CIRCUIT	DERRY	170.00	914.00	8.98	150.00
201511011	FORMER NH MARBLE & FIBERGLASS	DERRY	111.00	776.00	5.86	56.90
201802004	24 SCOBIE POND ROAD PROPERTY	DERRY	59.00	24.00	2.00	38.00
202005042	ROYAL T CARWASH	DERRY	266.00	103.00	110.00	9.73
198710022	FMR TEXTRON AUTOMOTIVE COMPANY PROPERTY	DOVER	13.50	5.76	ND	1.84
198401047	DOVER GAS WORKS	DOVER	208.00	23.00	78.00	21.00
198907059	ONE WASHINGTON CENTER INC	DOVER	28.10	124.00	9.70	8.52
199011005	HEIDELBERG WEB SYSTEMS INC (FRMLY HARRIS	DOVER	9.70	5.90	2.00	3.10
199202044	DOVER PUBLIC WORKS GARAGE	DOVER	475.00	16.60	167.00	5.00
199203042	MOORE BUSINESS EQUIPMENT (FORMER)	DOVER	12.50	22.70	ND	25.30
200410018	16 INDUSTRIAL PARK DRIVE LLC	DOVER	42.20	36.00	ND	ND
200701053	COCHECO PARK	DOVER	12.50	74.50	ND	ND
200707072	VARNEY'S CLEANERS	DOVER	9.33	17.90	ND	ND
201406008	456-478 CENTRAL AVE PROPERTY	DOVER	32.50	15.10	24.20	ND
202205038	HANNAFORD	DOVER	29.00	9.07	8.42	2.89





Table 3 - Hazardous Waste Remediation Sites  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198803019	DOVER LANDFILL SUPERFUND SITE	DOVER	1,100.00	890.00	430.00	1,500.00
198908063	RESOURCES WASTE SERVICES LLC	EPPING	282.00	150.00	23.00	71.80
199812012	BUXTON OIL CO INC	EPPING	12.00	28.00	0.51	2.10
198710024	KEEFE ENVIR.	EPPING	404.00	93.20	18.80	71.80
201912025	JP NOONAN GASOLINE SPILL	EPPING	3.10	2.40	ND	ND
200706050	FORMER SUNCOOK FUNERAL HOME	EPSOM	4.90	2.10	ND	7.20
198406020	ROBERT MOORE PROPERTY	EXETER	10.10	29.20	2.41	12.50
198605257	FMR. ALROSE SHOE CO., INC.	EXETER	3.43	ND	ND	7.08
198401083	TEXTRON'S CARDINAL LANDFILL	FARMINGTON	6.42	5.44	ND	2.38
198603048	UNION TELEPHONE COMPANY	FARMINGTON	16.40	11.60	ND	3.00
198705014	COLLINS & AIKMAN PLANT (FMR TEXTRON )	FARMINGTON	34.50	94.00	4.29	14.30
200009052	MEADOWOOD ASSEMBLY HALL	FITZWILLIAM	110.00	1,600.00	59.00	370.00
199306026	FRANKLIN FIRE STATION	FRANKLIN	890.00	10,000.00	480.00	1,500.00
201704004	FMR CIAO PASTA	FRANKLIN	120.00	370.00	16.00	120.00
202005019	MAIN ST/ELLIS SCHOOL AREA SITE	FREMONT	15.10	28.00	34.90	5.00
198402001	GILFORD FIRE TRAINING SITE	GILFORD	6.01	85.10	ND	ND
201908051	GILFORD MUNICIPAL COMPLEX	GILFORD	37.50	285.00	35.40	145.00
198908003	NUTTER CONSTRUCTION	GILMANTON	4.51	0.00	0.00	0.00
200108017	GOFFSTOWN FIRE DEPT	GOFFSTOWN	290.00	22.00	7.30	860.00
200110023	FORMER GOFFSTOWN DPW GARAGE	GOFFSTOWN	8.60	2.50	1.80	1.50
201705038	FLETCHER MOUNTAIN - 14 DEPOT ST	GOFFSTOWN	130.00	680.00	15.00	160.00
200001038	JOHNSON AND JOHNSTON ASSOCIATES, INC.	HAMPSTEAD	11.00	45.00	ND	7.00
198804018	HAMPTON FOREIGN AUTO	HAMPTON	22.00	52.00	3.00	2.20
198805025	HESS 29202-LUCIER HOLDINGS	HAMPTON	22.80	14.20	9.79	9.63
198904009	HAMPTON MAIN TOLL PLAZA	HAMPTON	12.00	2.64	0.80	1.40
201811034	610 LAFAYETTE ROAD	HAMPTON	27.00	31.00	4.90	2.30
200007006	HANCOCK FORMER DUMP SITE	HANCOCK	5.07	140.00	39.00	25.70
198802009	HANOVER CONSUMERS COOP SOCIETY	HANOVER	127.00	49.10	60.70	10.30
199101025	COLD REGIONS RESEARCH & ENGINEERING LAB	HANOVER	8.20	5.90	1.80	10.00
199705006	HYPERTHERM INC	HANOVER	6.00	16.00	0.00	0.00



Table 3 - Hazardous Waste Remediation Sites  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199104013	CONTINENTAL INDUSTRIES	HINSDALE	2.74	ND	ND	ND
199606069	MCGOLDRICK PAPER CO INC	HINSDALE	<b>23.60</b>	<b>280.00</b>	<b>13.00</b>	1.54
198709008	GE AVIATION	HOOKSETT	11.30	8.88	ND	4.37
199210027	AUTO WHOLESALE OF HOOKSETT/NAULT SUBARU	HOOKSETT	<b>61.10</b>	13.50	ND	8.30
201801035	MARTIN'S FERRY	HOOKSETT	<b>560.00</b>	1.00	ND	<b>81.00</b>
198708005	MARKLIN CANDLE CO FMR AEROTRONIC FAC	HOPKINTON	<b>221.00</b>	<b>1,550.00</b>	<b>14.20</b>	<b>497.00</b>
198805019	COMPUTER OPTICS	HUDSON	<b>41.00</b>	<b>54.00</b>	ND	6.00
198806099	HUDSON LANDFILL (BURNS HILL RD)	HUDSON	<b>63.70</b>	<b>107.00</b>	0.67	5.04
199805041	MELBA BURTON PROPERTY	HUDSON	7.94	ND	ND	ND
198605029	JAFFREY FIRE STATION	JAFFREY	<b>266.00</b>	<b>6,980.00</b>	<b>29.90</b>	<b>463.00</b>
198708007	WW CROSS TACK PILE	JAFFREY	11.60	<b>21.70</b>	0.75	8.28
199908001	FMR BUSSIERE PROPERTY (ELITE LAUNDRY)	JAFFREY	<b>16.00</b>	<b>110.00</b>	1.60	13.00
198402080	FINDINGS INC.	KEENE	7.75	3.03	ND	ND
198801029	CENTRAL SCREW/KEENE MILL	KEENE	ND	14.60	ND	18.00
198909019	FORMER ZINN'S BOWLING LANES	KEENE	7.00	ND	ND	6.00
198910006	TIMKEN SUPER PRECISION	KEENE	ND	6.13	ND	ND
199103010	RIVERSIDE PLAZA	KEENE	9.73	5.93	ND	3.47
199411051	FAIRBANKS PLAZA	KEENE	<b>21.00</b>	<b>41.00</b>	2.20	5.00
199412009	PSNH 227 EMERALD ST	KEENE	10.00	5.90	0.91	2.00
199802052	PEOPLES LAUNDRY INC	KEENE	<b>48.00</b>	<b>380.00</b>	<b>15.00</b>	13.00
200104006	AUBUCHON/MARTIAL ARTS CENTER	KEENE	<b>27.50</b>	13.60	ND	2.29
200108004	ACHILLE AGWAY	KEENE	8.50	2.60	1.10	2.60
199101014	MAIN STREET SUNOCO	KEENE	ND	ND	ND	0.37
201310007	32 WASHINGTON STREET SITE	KEENE	<b>100.00</b>	<b>44.00</b>	5.80	<b>21.10</b>
199103103	KINGSTON FIRE DEPT	KINGSTON	<b>400.00</b>	<b>326.00</b>	<b>130.00</b>	<b>41.60</b>
199004006	OTTATI & GOSS/GREAT LAKES CONTAINER CORP	KINGSTON	<b>3,200.00</b>	<b>4,750.00</b>	<b>28.80</b>	<b>65.00</b>
198910016	FRED FULLER OIL CO INC (FMR ELECTRO-CIR)	LACONIA	<b>150.00</b>	<b>230.00</b>	2.20	<b>480.00</b>
199212023	LACONIA STATE SCHOOL	LACONIA	3.50	2.50	ND	ND
199312038	MESSER STREET COAL TAR SITE	LACONIA	<b>120.00</b>	8.10	<b>4,340.00</b>	4.40
199506014	BARON MACHINE COMPANY	LACONIA	2.00	ND	ND	ND





Table 3 - Hazardous Waste Remediation Sites  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199906039	LAKES REGION LINEN	LACONIA	37.60	160.00	5.00	5.00
200404044	FORMER VERNITRON PROPERTY	LACONIA	5.86	7.60	ND	ND
201207059	FMR ABC FABRICATORS, INC.	LACONIA	32.20	27.10	ND	ND
198705054	TIMKEN AEROSPACE (FMR SPLIT BALLBEARING)	LEBANON	4.94	18.70	ND	ND
199204007	BOND OPTICS	LEBANON	31.60	9.21	110.00	2.64
201704036	KLEEN DRYCLEANERS RETAIL SITE	LEBANON	16.80	18.80	3.13	154.00
198801003	KLEEN LAUNDRY	LEBANON	16.80	18.80	2.69	154.00
199501031	BONNIE PLANTS (FOMERLY JOLLY FARMER)	LEMPSTER	2.28	3.55	0.00	0.00
198902003	FMR FRAMATONE CONNECTORS USA(BURNDY LLC)	LINCOLN	196.00	379.00	49.60	37.80
201801020	PROPOSED RIVERFRONT PARK	LINCOLN	15.00	21.10	ND	3.02
198705068	PLAZA 28	LONDONDERRY	33.00	29.20	4.60	20.40
198802020	FLIGHT ONE OWNERS ASSOC. SITE	LONDONDERRY	52.40	17.20	2.68	11.80
199104012	TOWN OF LONDONDERRY (FORMER LAMONT LABS)	LONDONDERRY	77.60	9.13	ND	6.13
200410259	COOKSON ELECTRONICS	LONDONDERRY	189.00	1,310.00	14.90	1.26
201501009	IMPACTED WATER SUPPLY WELLS	LONDONDERRY	29.90	44.20	2.94	3.44
201708017	APPLETREE MALL	LONDONDERRY	470.00	192.00	568.00	27.00
201803016	SANBORN ROAD AREA SITE	LONDONDERRY	117.00	377.00	ND	1,540.00
199004008	TINKHAM'S GARAGE	LONDONDERRY	831.00	758.00	19.00	99.70
198803007	AUBURN ROAD LANDFILL	LONDONDERRY	201.00	38.90	6.16	14.40
198909017	NH MOTOR SPEEDWAY	LOUDON	38.70	240.00	31.10	229.00
198705022	NE METAL RECYCLING (FMR MADBURY METALS)	MADBURY	1,700.00	1,440.00	99.80	630.00
202103016	MADISON TOWN MUNICIPAL COMPLEX	MADISON	26.30	2.49	429.00	14.20
198403040	UNIVERSITY CENTER AS (AMOSKEAG MACHINE)	MANCHESTER	27.40	20.60	ND	8.92
198403058	RR DONNELLEY CO FMRMOORE BUSINESS FORMS	MANCHESTER	129.00	35.10	7.07	11.80
198612003	E & R LAUNDRY	MANCHESTER	110.00	100.00	20.00	26.00
198904041	ALLTEX UNIFORM RENTAL SERVICE INC	MANCHESTER	150.00	1,800.00	29.00	98.00
198912008	MILL WEST FMR ELBES ASSOCIATES	MANCHESTER	15.20	39.30	ND	11.90
199110029	PARK & ROYAL CLNRS (WEST SIDE SALVAGE)	MANCHESTER	15.80	82.00	3.31	2.26
199307019	JCM MANAGEMENT	MANCHESTER	500.00	674.00	15.90	89.90
199310024	RAY'S CHEVRON STATION	MANCHESTER	28.00	10.00	0.00	11.00



Table 3 - Hazardous Waste Remediation Sites  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199402007	MANCHESTER PLACE	MANCHESTER	34.40	25.00	8.09	8.16
199712026	MANCHESTER TRANSIT AUTHORITY	MANCHESTER	25.10	10.10	ND	8.10
199801046	VELCRO USA, INC	MANCHESTER	32.00	7.40	ND	2.50
200009020	MANCHESTER AIRPORT SOUTH REGIONAL	MANCHESTER	338.00	100.00	36.00	280.00
200102004	SUNSHINE FABRICARE	MANCHESTER	33.50	ND	ND	6.95
200205010	MORGAN SELF STORAGE SITE	MANCHESTER	44.00	31.00	2.90	14.00
200211048	CATHOLIC MEDICAL CENTER	MANCHESTER	117.00	9,290.00	39.00	417.00
200305008	COMCAST OF NEW HAMPSHIRE	MANCHESTER	451.00	317.00	107.00	380.00
201808024	CINTAS CORP - 341 TAYLOR ST FACILITY	MANCHESTER	150.00	17.00	2.50	6.50
202201018	GRANITE STATE COLLISION & CAR CARE CNTR	MANCHESTER	12.90	7.45	ND	3.77
202209121	MANCHESTER CENTRAL FIRE - STATION 8	MANCHESTER	442.00	11,400.00	171.00	2,470.00
198605200	MEREDITH VILLAGE SAVINGS BANK FMR MOBIL	MEREDITH	3.43	NA	NA	7.08
198403080	LONGA DISPOSAL AREA	MERRIMACK	130.00	8.70	0.80	7.00
198611001	MERRIMACK WELL #6 & #7 VILLAGE H2O DIST	MERRIMACK	99.00	85.00	0.00	5.30
198711006	NASHUA CORP	MERRIMACK	120.00	2,000.00	12.00	74.00
198901022	HARCROS CHEMICAL GROUP	MERRIMACK	120.00	12.00	2.10	4.40
199610014	MARJAN/CORBIN SITE	MERRIMACK	61.50	18.50	ND	2.84
199712055	SAINT GOBAIN PERFORMANCE PLASTICS	MERRIMACK	69,500.00	3,300.00	2,960.00	310.00
201610175	TROWBRIDGE DR AREA PFC DETECTS	MERRIMACK	35.00	102.00	2.12	4.00
198406030	N.H. PLATING CO.	MERRIMACK	1,200.00	17.00	6.43	17.00
199109008	SPEAR NH (FORMERLY GAR-DOC)	MILFORD	18.20	60.00	2.23	NA
198506001	FLETCHERS PAINT/ELM STREET	MILFORD	7.27	14.70	0.00	8.68
198506002	FLETCHERS PAINT/MILL STREET SITE	MILFORD	11.00	3.11	0.00	1.15
199202008	OLD MILTON DUMP	MILTON	69.40	303.00	ND	17.30
199009006	UNIQUE AUTOBODY (WAKEFIELD'S AUTO SER.)	MOULTONBOROUGH	70.50	8.54	5.75	ND
199810020	CAMP WINAUKEE	MOULTONBOROUGH	1.97	2.53	ND	ND
198106005	ELEXSYS INTERNATIONAL INC	NASHUA	46.40	60.70	13.00	4.43
198404000	FIMBEL DOOR (GRANITE ST LEATHER)	NASHUA	16.20	51.80	ND	ND
198404001	ACT (FORMER SHELDAHL, FORMER IRI)	NASHUA	15.00	37.10	1.60	6.50
198603002	BRONZE CRAFT CORP	NASHUA	19.00	5.00	0.54	25.00



Table 3 - Hazardous Waste Remediation Sites  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198604324	FAB BRAZE CORP	NASHUA	39.10	30.40	2.01	5.79
198605230	CLOCKTOWER PLACE	NASHUA	46.00	38.00	12.00	4.00
198704027	HAMPSHIRE CHEMICAL CORP	NASHUA	28.00	26.00	NA	NA
198708042	CORONIS CLEANERS INC	NASHUA	101.00	41.00	3.00	11.00
198904062	GL & V PULP GROUP (FMR INGERSOLL-RAND)	NASHUA	26.00	59.00	0.68	5.00
198910020	CLOCKTOWER PLACE/FMR SPRAGUE SITE	NASHUA	46.00	38.00	12.00	12.00
199109039	NASHUA AIRPORT AUTHORITY	NASHUA	19.00	68.00	ND	54.00
199406081	25 PROGRESS AVE (FMR SPRAY TECH)	NASHUA	23.70	17.20	3.50	4.00
199410039	NASHUA MOTOR EXPRESS INC	NASHUA	120.00	80.00	3.60	110.00
199810022	ENERGY NORTH NATURAL GAS	NASHUA	110.00	800.00	24.00	3.70
200409215	SCRAP METALS, INC.	NASHUA	370.00	560.00	77.00	66.00
200807038	323 DANIEL WEBSTER HIGHWAY	NASHUA	242.00	405.00	18.50	68.60
201708011	9-11 FOSSA AVENUE, NASHUA	NASHUA	29.00	41.00	ND	8.80
198404002	GRANITE STATE LEATHER (MOHAWK TANNERY)	NASHUA	64.50	51.80	ND	10.20
198406029	GILSON ROAD SITE	NASHUA	470.00	1,190.00	11.10	7.43
198710027	NEW BOSTON SPACE FORCE STATION	NEW BOSTON	150.00	520.00	17.00	110.00
199505034	NEWFIELDS LIGHT INDUSTRIAL PRK	NEWFIELDS	4.50	2.70	ND	ND
198404025	FORMER PEASE AIR FORCE BASE	NEWINGTON	130,000.00	490,000.00	357.00	31,000.00
198705051	SPRAGUE - RIVER ROAD TERMINAL	NEWINGTON	76.00	2.16	31.70	1.87
199001012	DEFENSE FUEL SUPPORT POINT	NEWINGTON	453.00	2,380.00	133.00	313.00
198708011	FMR ESSEX MILLS	NEWMARKET	7.73	15.00	2.50	1.95
201708036	41 EXETER RD. SITE	NEWMARKET	82.00	130.00	6.20	330.00
199805019	AMBARGIS PROPERTY	NEWPORT	2.36	2.92	ND	ND
200104007	STURM RUGER & CO INC (FMR DORR MILL)	NEWPORT	1,960.00	16.50	553.00	2.44
198607029	PS MARSTON ASSOC INC (ABENAQUI CARRIERS)	NORTH HAMPTON	180.00	13.30	4.30	11.20
198906065	PROWASH CARWASH AND LUBE	NORTH HAMPTON	380.00	270.00	123.00	360.00
201103018	NORTH HAMPTON FIRE AND RESCUE	NORTH HAMPTON	139.00	660.00	4.80	332.00
201904026	227/227A ATLANTIC AVENUE AREA SITE	NORTH HAMPTON	139.00	660.00	4.80	290.00
198712001	COAKLEY LANDFILL	NORTH HAMPTON	1,240.00	1,120.00	774.00	120.00
200006031	WYMAN-GORDON INV CASTINGS INC	NORTHFIELD	18.10	175.00	13.30	3.16



Table 3 - Hazardous Waste Remediation Sites  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198404038	HARDING METALS	NORTHWOOD	334.00	1,070.00	24.30	83.10
198406041	BELLOFRAM CORP	PELHAM	320.00	60.00	44.00	7.70
199309009	TOWN OF PEMBROKE WATER WORKS	PEMBROKE	18.60	63.50	ND	12.00
198404058	BROWN'S SEPTAGE PITS	PETERBOROUGH	61.00	120.00	4.90	29.00
198404060	SOUTH MUNICIPAL WELL STUDY	PETERBOROUGH	4.29	8.33	ND	0.91
198404061	PITTSFIED WEAVING (FRMLY CAMBION)	PITTSFIELD	16.20	202.00	ND	ND
199710020	PITTSFIELD PUBLIC WORKS DEPT	PITTSFIELD	5.53	1.86	ND	0.70
201612039	FREESE PROPERTIES INC	PITTSFIELD	24.60	5.22	ND	2.31
199208006	FORMER D & J TRANSPORT CO	PLAINFIELD	0.26	0.85	ND	ND
198404067	STATE LINE PLAZA	PLAISTOW	61.00	36.00	17.00	6.30
198404076	CHART INDUSTRIES	PLAISTOW	6.32	ND	ND	2.97
201801031	PLAISTOW SAFETY COMPLEX	PLAISTOW	31.10	56.20	410.00	96.60
202004024	ELM/KINGSTON/HALE SPRING AREA SITE	PLAISTOW	584.00	2,450.00	2,830.00	3,230.00
198404068	BEEDE WASTE OIL CORP(AKA CASH OIL SALES)	PLAISTOW	410.00	1,700.00	11.00	600.00
198404081	ALLTEX UNIFORM/COLONIAL SERVICES	PORTSMOUTH	260.00	1,720.00	37.30	54.50
198905023	PLAZA 800	PORTSMOUTH	100.00	340.00	13.00	6.00
199408047	FORMER COUNTRY MOTOR SALES	PORTSMOUTH	21.00	280.00	4.40	140.00
199605033	PORTSMOUTH USED CAR CENTER	PORTSMOUTH	29.40	84.00	2.00	20.00
199801091	BENGAL CLEANERS FACILITY	PORTSMOUTH	7.90	2.59	10.20	3.91
200512019	WENTWORTH SCRAP METAL PROPERTY	PORTSMOUTH	34.00	81.00	3.90	23.10
201005026	150 MIRONA ROAD PROPERTY	PORTSMOUTH	47.90	119.00	4.70	13.00
201010003	FMR BOURNIVAL KIA SITE	PORTSMOUTH	17.00	25.00	3.00	4.00
201801004	HANSCOM'S TRUCK STOP, INC.	PORTSMOUTH	6.00	7.40	2.00	10.00
198705081	FORMER REGIS TANNERY (AKA REX LEATHER)	RAYMOND	1,230.00	2,410.00	12.40	769.00
201110061	FORMER REGIS TANNERY - LOT 120	RAYMOND	73.00	304.00	1.74	24.10
198704094	MOTTOLO WASTE SITE	RAYMOND	484.00	203.00	12.00	180.00
202111021	ROCHESTER TOYOTA	ROCESTER	16.00	54.00	ND	2.10
198405005	GONIC MILL	ROCHESTER	11.50	16.70	ND	ND
198405009	LYDALL INC	ROCHESTER	21,000.00	46,700.00	2,650.00	2,400.00
199108024	DICK POULIN CHEVROOLET OLDS	ROCHESTER	131.00	671.00	11.50	20.60



Table 3 - Hazardous Waste Remediation Sites  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
200309133	FMR ADVANCED RECYCLING	ROCHESTER	63.00	23.00	2.30	21.00
199611022	PIERCE FORD	ROCHESTER	100.00	1,100.00	2.90	67.00
199705019	OFF PRICE OUTLET STORE	ROCHESTER	131.00	662.00	11.50	20.60
198906053	Rochester DPW Garage	ROCHESTER	12.00	8.10	ND	3.30
198909002	JANCO	ROLLINSFORD	30.00	32.00	1.80	1.20
200101009	FOYE'S CORNER MARKET & VACANT PARCEL	RYE	52.30	11.10	2.86	6.97
198405027	KEEWAYDIN DRIVE	SALEM	62.60	15.10	3.06	52.40
198405032	UNIVEX CORP.	SALEM	9.22	13.20	ND	2.59
198405033	OLD SALEM WASTEWATER FACILITY	SALEM	209.00	337.00	11.00	46.60
199309056	KEY PACKAGING INDUSTRIES CORP	SALEM	50.30	18.60	10.40	9.46
199704003	HONDA MOTORCAR	SALEM	21.80	28.70	1.40	4.80
200108010	DAISY CLEANERS	SALEM	467.00	1,030.00	44.40	68.70
201812014	23 BUS ROAD SITE	SALEM	67.40	45.00	5.82	8.09
198405038	K J QUINN & CO INC	SEABROOK	19.00	10.00	ND	2.60
198705069	DDR SEABROOK (FORMER VENTURE INDUSTRIES)	SEABROOK	4.60	2.30	1.10	ND
199202001	FOGG AUTO SALVAGE PROPERTY	SEABROOK	18.70	26.00	ND	ND
199211045	139 FOLLY MILL RD	SEABROOK	3.22	3.11	0.00	0.00
198808013	JA PRINCE & SONS (PRINCES AUTOBODY)	SOMERSWORTH	11.00	4.50	ND	2.80
199708013	GENERAL ELECTRIC	SOMERSWORTH	15.00	13.00	ND	3.90
200411112	BRETON CLEANERS PROPERTY	SOMERSWORTH	52.90	17.00	8.26	13.70
198405055	SOMERSWORTH SANITARY LANDFILL	SOMERSWORTH	343.00	581.00	28.40	51.00
200210068	GH EVARTS & CO INC	SPRINGFIELD	1.20	5.90	ND	ND
198705075	ANTIQUE REPAIR COMPANY	STRATHAM	85.00	57.00	7.28	4.17
199507007	STRATHAM FIRE DEPT	STRATHAM	320.00	5,400.00	8.15	940.00
199707014	DEMOULAS / MARKET BASKET	STRATHAM	1,400.00	440.00	150.00	6.40
200609038	KEARSARGE REGIONAL MIDDLE SCHOOL	SUTTON	2,390.00	13.90	123.00	3.59
199901071	T BIRD MINI MART	SWANZEY	4.00	4.00	ND	3.00
199106008	BIG APPLE CONVENIENCE STORE	TILTON	15.00	5.45	ND	2.02
198405082	TROY MILLS ROCKWOOD BROOK LANDFILL	TROY	2,140.00	10.90	57.30	22.50
199607014	PAK 2000	TUFTONBORO	108.00	4,625.00	54.00	1,100.00



Table 3 - Hazardous Waste Remediation Sites  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199806071	CENTRAL PLATING & CO.	WALPOLE	<b>2,010.00</b>	<b>7,080.00</b>	5.38	<b>3,120.00</b>
202107008	GRAND POWER SYSTEMS	WARNER	3.54	<b>34.50</b>	ND	ND
198704006	BROWN STREET FURNITURE	WHITEFIELD	5.18	3.09	ND	ND
199103001	WS PACKAGING GROUP INC FMR LABEL ART	WILTON	2.70	2.40	ND	ND
198406006	A C LAWRENCE LEATHER	WINCHESTER	<b>95.80</b>	<b>212.00</b>	ND	17.60
199406018	JAROSKY CONSTRUCTION	WINDHAM	<b>30.00</b>	9.47	0.55	<b>53.00</b>
200110005	WINDHAM MARINE SITE	WINDHAM	<b>20.40</b>	12.90	ND	5.89
201704035	CENTRAL METAL FINISHING	WINDHAM	<b>89.00</b>	<b>730.00</b>	<b>16.00</b>	ND
201709003	WINDHAM SR. CENTER AREA	WINDHAM	<b>94.00</b>	<b>200.00</b>	<b>42.00</b>	<b>440.00</b>
199704060	FORMER KIMBALLS LUMBER	WOLFEBORO	<b>93.00</b>	ND	4.20	2.27
199408043	WOLFEBORO POWER EQUIPMENT INC.	WOLFEBORO	6.56	<b>20.60</b>	ND	ND

Notes:

1. Concentrations shown are in parts per trillion (ppt) or nanograms per liter (ng/L).
2. Cells that are shaded gray indicate an exceedance of the current Ambient Groundwater Quality Standards (AGQS) included in Env-Or 600 Contaminated Site Management.
3. NH's four regulated PFAS compounds include: perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), perfluorohexane sulfonic acid (PFHxS), and perfluorononanoic acid (PFNA).
4. 'ND' indicates the analyzed PFAS was not detected above the laboratory reporting limit.
5. 'NA' indicates that the specified PFAS was not analyzed at the site.
6. Data represents highest concentration detected at the Site.



Table 4 - Oil Remediation Sites  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199902045	PERFECT FIT INDUSTRIES FMRTHOMAS HODGSON	ALLENSTOWN	25.00	26.00	10.00	60.00
200009053	ESSLINGER OIL UNDERCOATING	ALSTEAD	ND	5.25	ND	ND
199409033	ALTON IRVING BULK TERMINAL	ALTON	31.50	240.00	5.51	129.00
201507027	FARAN PROPERTY	BRIDGEWATER	5.35	ND	ND	ND
199104009	FORMER JOHNSON & DIX BULK FUEL	CONCORD	41.90	12.00	ND	9.58
200109011	WEBER AUTO & TRUCK PARTS INC	DERRY	173.00	702.00	9.57	140.00
201701036	CULLEN RESIDENCE	DOVER	39.00	16.00	3.70	6.20
200412055	TIM & JONIS TOWING/AUTO RECYCLING	EPPING	8.20	3.10	ND	17.00
198605555	FMR. HUNT'S AUTO REPAIR	FRANCONIA	136.00	741.00	27.10	121.00
201507028	MARCIANO RESIDENCE	HAMPSTEAD	6.03	ND	ND	2.04
199209012	N HAVERHILL CONV INC FMR GARYS FUEL	HAVERHILL	376.00	ND	ND	745.00
200309090	KAPOTIS PROPERTY	HAVERHILL	ND	24.00	ND	ND
198904023	EVERSOURCE ENERGY (FMR PSNH)	HILLSBOROUGH	434.00	235.00	161.00	7.88
199407009	FORMER AL LAMBERTS GARAGE	HOOKSETT	213.00	3,900.00	51.80	1,100.00
199404022	UNITIL ENERGY SYSTEMS INC.	KENSINGTON	78.20	194.00	6.40	7.50
198402084	JOHNS TRUCK & AUTO	KINGSTON	7.23	5.84	ND	3.98
199203034	MOBIL 13052	LEE	28.00	38.00	ND	ND
200203024	TRI-STATE CAR CRUSHING (FRMR BROOKS PROP	LEMPSTER	3.00	6.00	ND	ND
201612036	P & H TRANSPORTATION TANKER SPILL	LONDONDERRY	278.00	22.60	15.90	21.30
200702049	MAJESTIC MOTORS	MERRIMACK	650.00	34.00	10.00	42.00
198906013	HENRY HANGERS COMPANY	NASHUA	46.00	ND	ND	13.00
199503033	LAMPREY BROS BULK STORAGE	NORTH HAMPTON	110.00	660.00	2.00	290.00
199006049	FORMER PHILIP SINGER REVOCABLE TRUST	PORTSMOUTH	27.00	11.00	4.10	3.90
199607056	ROWELL AND WATSON CO INC	ROLLINSFORD	8.23	3.94	2.38	ND
199506011	FORMER MIDWAY EXCAVATORS INC	SOUTH HAMPTON	16.00	11.80	2.46	2.76
198903004	FORMER FLUFFYS CONVENIENCE STORE	TILTON	2.40	5.40	1.50	ND
199210004	WAKEFIELD GENERAL STORE INC	WAKEFIELD	4.27	4.30	ND	ND



Table 4 - Oil Remediation Sites  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
199312032	BROOKSIDE MINI MART	WILTON	7.36	13.20	ND	ND
200203023	BROOKS PROPERTY	WINDSOR	9.20	36.00	1.50	20.00

Notes:

1. Concentrations shown are in parts per trillion (ppt) or nanograms per liter (ng/L).
2. Cells that are shaded gray indicate an exceedance of the current Ambient Groundwater Quality Standards (AGQS) included in Env-Or 600 Contaminated Site Management.
3. NH's four regulated PFAS compounds include: perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), perfluorohexane sulfonic acid (PFHxS), and perfluorononanoic acid (PFNA).
4. 'ND' indicates the analyzed PFAS was not detected above the laboratory reporting limit.
5. Data represents highest concentration detected at the Site.





Table 5 - Groundwater Discharge Permit Sites  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198400008	CEDAR COVE SEPTIC	ALTON	55.00	ND	ND	ND
200506037	MEADOW BROOK CROSSING	AMHERST	52.00	ND	ND	ND
199705002	ASHLAND WWTF UWW LAGOON	ASHLAND	11.00	13.70	13.60	ND
200011029	ATKINSON COUNTRY CLUB	ATKINSON	17.80	ND	ND	ND
200403086	BLUEBERRY STATION CAR WASH	BARNSTEAD	5.13	9.82	ND	ND
198812003	STILLINGS GRANT	BARTLETT	ND	ND	ND	ND
199008008	WMNF HARTS LOCATION	BARTLETT	ND	ND	ND	ND
199009032	STORYLAND	BARTLETT	5.48	3.71	ND	ND
199512013	GRAND SUMMIT AT ATTITASH	BARTLETT	ND	5.00	ND	ND
198400051	MONADNOCK PAPER MILL	BENNINGTON	8.70	6.70	ND	ND
199105010	GLENCLIFF HOME	BENTON	5.24	36.80	4.49	ND
199105012	MERRIMACK COUNTY COMPLEX UWW LAGOON	BOSCAWEN	17.90	9.32	2.89	4.15
198906062	ROCKINGHAM COUNTY COMPLEX SPRAY IRRIG	BRENTWOOD	11.00	ND	ND	ND
198711013	CANAAN WWTF	CANAAN	8.20	ND	ND	ND
198400085	BRETTON WOODS RIB	CARROL	16.90	12.20	ND	ND
198710018	MT WASHINGTON HOTEL RESORT	CARROL	9.14	4.60	ND	ND
199105007	CHARLESTOWN WWTF	CHARLESTOWN	22.70	93.00	14.40	ND
199105009	COLEBROOK WWTF	COLEBROOK	4.33	7.72	7.00	ND
198907055	NORTH CONWAY RIB	CONWAY	27.40	292.00	6.71	178.00
198912004	CONWAY VILLAGE FIRE DISTRICT	CONWAY	16.20	10.90	5.10	ND
198706001	DERRY UWW LAGOON	DERRY	38.10	119.00	9.88	7.66
198401040	BALSAMS UWW LAGOON	DIXVILLE	8.76	ND	ND	ND
201111101	UNH / DURHAM - SPRUCE HOLE	DURHAM	4.33	ND	ND	ND
198401070	EPPING WWTF	EPPING	61.10	34.40	35.30	ND
198401079	EXETER WWTF UWW/LAG	EXETER	75.00	54.40	8.10	18.00
200012033	FARMINGTON RIB SITE MW-14	FARMINGTON	19.90	5.00	ND	5.63
198803020	CROTCHED MOUNTAIN RESORT	FRANCESTOWN	ND	ND	ND	ND
198811021	WINNIPESAUKEE RIVER BASIN WWTF	FRANKLIN	838.00	54.00	7.00	187.00



Table 5 - Groundwater Discharge Permit Sites  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198908055	GORHAM PAPER MILL UWW LAGOONS	GORHAM	21.40	43.00	ND	5.13
198801026	EASTMAN	GRANTHAM	9.00	7.00	2.00	ND
198708004	CROTCHED MTN REHAB - TRENCH SEPT PLUS DRIP	GREENFIELD	3.38	ND	ND	ND
200403117	GROVETON WWTF	GROVETON	9.53	12.00	4.50	ND
199807009	SARGENT CAMP NATURE CLASSROOM WW LAG	HANCOCK	9.38	6.40	6.14	ND
198402027	BOUDREAULT SEPTAGE LAGOON	HAVERHILL	98.00	14.70	7.90	14.90
199406035	BROX GRAVEL PIT	HOOKSET	2.50	ND	ND	ND
198705021	HOPKINTON/WEBSTER LANDFILL & LAGOONS	HOPKINTON	200.00	106.00	18.90	44.00
199505004	MCLANE NORTHEAST TRUCK WASH	HOPKINTON	6.43	ND	ND	ND
198402073	TOWN OF JAFFREY UWW/LAG	JAFFREY	20.60	26.30	7.62	4.22
199103013	LANCASTER WWTF	LANCASTER	ND	ND	ND	ND
198705050	CARDIGAN MOUNTAIN	LEBANON	9.00	ND	ND	13.00
198704055	LINCOLN WWTF UWW LAGOON	LINCOLN	8.20	29.30	2.14	2.66
199009018	SCHOFIELD SEPTAGE	LISBON	9.85	ND	ND	ND
198801025	LOUDON LANDFILL SEPTAGE LAGOON	LOUDON	282.00	46.30	8.39	25.50
198909017	NH MOTOR SPEEDWAY	LOUDON	60.00	240.00	31.10	229.00
199403026	DARTMOUTH SKIWAY MW-1	LYME	ND	ND	ND	ND
199907040	CAMP LAWRENCE	MEREDITH	ND	ND	ND	ND
199907043	CAMP NOKOMIS	MEREDITH	ND	ND	ND	ND
199007028	BAY DISTRICT	MOULTONBOROUGH	5.21	ND	ND	ND
199810020	CAMP WINAUKEE	MOULTONBOROUGH	1.97	2.53	ND	ND
199103016	NEW HAMPTON WWTF MONITORING	NEW HAMPTON	292.00	198.00	15.30	14.70
199812019	WARWICK MILLS SEPTIC	NEW IPSWICH	25.00	6.00	4.00	ND
198704058	MT SUNAPEE LAGOON PLUS SPRAY IRRIG	NEWBURY	ND	ND	ND	ND
198908064	BLODGETT LANDING WWTF	NEWBURY	9.23	18.40	ND	ND
199806017	HIGHLANDS VIL DIST.	NORTHFIELD	ND	ND	ND	ND
198909013	NORTHUMBERLAND OVERLAND FLOW	NORTHUMBERLAND	61.70	44.80	54.90	6.37
198404040	NORTHWOOD SEPTAGE FACILITY	NORTHWOOD	102.00	39.60	96.90	14.40



Table 5 - Groundwater Discharge Permit Sites  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
198404044	CARROL COUNTY COMPLEX OVERLAND FLOW	OSSIPEE	7.45	25.50	5.43	ND
198404046	OSSIPEE TOWN SEPTIC LEACHFIELDS	OSSIPEE	14.30	ND	ND	4.58
199103017	PETERBOROUGH WWTF	PETERBOROUGH	ND	ND	ND	ND
198712010	PITTSBURG SEPTAGE LAGOON	PITTSBURG	51.10	45.10	6.78	6.48
198712011	PITTSBURG RIB SITE	PITTSBURG	49.50	ND	7.99	ND
198604204	PITTSFIELD WWTF UWW LAGOON	PITTSFIELD	59.20	4.69	6.95	5.73
199105022	MERIDAN WWTF RIB	PLAINFIELD	9.53	6.90	ND	ND
199606073	WALMART DISTRIB CENTER SEPTIC	RAYMOND	4.72	5.70	ND	ND
199404008	SHIR-ROY CAMPING AREA	RICHMOND	ND	ND	ND	ND
199601006	CAMP TAKODAH YMCA	RICHMOND	29.00	23.00	ND	ND
199312051	FRANKLIN PIERCE	RINDGE	2.90	ND	ND	ND
198405011	ROCHESTER WWTF UWW LAGOON	ROCHESTER	197.00	93.00	18.00	11.30
198712014	JARVIS CUTTING TOOLS	ROCHESTER	3.53	ND	ND	ND
201004021	EVOLVE HEALTH CARE	RYE	ND	2.53	ND	ND
199706032	97 SHOPPES - COMMERC SEPTIC SYSTEM	SALEM	7.73	8.19	ND	ND
199007007	MT WASHINGTON OBSERVATORY	SARGENTS PURCHASE	ND	ND	ND	ND
199907046	MANCHESTER YMCA CAMP FOSS	STRAFFORD	5.00	ND	ND	ND
198910049	STRATFORD SEPTAGE FACILITY	STRATFORD	ND	ND	ND	ND
200210028	TRICKET STRATHAM IRVING CAR WASH	STRATHAM	6.60	3.93	ND	ND
200304015	SEWALL FARM CONDO ASSSOC SEPTIC LEACHFIELD	STRATHAM	ND	ND	ND	ND
198704011	SUTTON SEPTAGE FACILITY	SUTTON	445.00	94.10	21.10	62.20
198704032	3M TILTON	TILTON	14.70	10.00	3.20	1.70
199105014	TROY WASTEWATER TP	TROY	ND	ND	ND	ND
198907053	WAKEFIELD WWTF RIB PLUS SEPTIC	WAKEFIELD	7.31	ND	ND	ND
199009012	WATERVILLE VALLEY WWTF UWW LAGOON	WATERVILLE VALLEY	13.00	4.00	6.00	ND
199007031	WARDE HEALTH CTR SISTERS OF MERCY LEACHFIELD	WINDHAM	15.50	11.30	ND	ND
198705015	WOLFEBORO SPRAY	WOLFEBORO	7.23	11.80	ND	20.80



Table 5 - Groundwater Discharge Permit Sites  
PFAS Water Quality Summary  
Compiled for December 2023 Report

NHDES SITE #	SITE NAME	TOWN	Max PFOA Detected (ng/L) AGQS = 12	Max PFOS Detected (ng/L) AGQS = 15	Max PFNA Detected (ng/L) AGQS = 11	Max PFHxS Detected (ng/L) AGQS = 18
200707014	WOLFEBORO RIB SITE	WOLFEBORO	6.19	8.37	4.49	9.49

Notes:

1. Concentration shown are in parts per trillion (ppt) or nanograms per liter (ng/L).
2. Cells that are shaded gray indicate an exceedance of the Ambient Groundwater Quality Standards (AGQS) included in Env-Or 600 Contaminated Site Management.
3. NH's four regulated PFAS compounds include: perfluorooctanoic acid (PFOA), perfluorooctane sulfonic acid (PFOS), perfluorohexane sulfonic acid (PFHxS), and perfluorononanoic acid (PFNA).
4. 'ND' indicates the analyzed PFAS was not detected above the laboratory reporting limit.
5. PFAS data represents highest concentration detected at the Site.